

ICPSR
Inter-university Consortium for
Political and Social Research

National Survey of Family Growth, Cycle V, 1995

Codebook, Vol. IIIb, Variable List and
Frequencies for Section E Questionnaire
Items in Respondent File

United States Department of Health and Human Services
National Center for Health Statistics

ICPSR 6960

NATIONAL SURVEY OF FAMILY GROWTH, CYCLE V, 1995

(ICPSR 6960)

Principal Investigator

United States Department of Health and Human Services
National Center for Health Statistics

First ICPSR Version

August 2000

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106

BIBLIOGRAPHIC CITATION

Publications based on ICPSR data collections should acknowledge those sources by means of bibliographic citations. To ensure that such source attributions are captured for social science bibliographic utilities, citations must appear in footnotes or in the reference section of publications. The bibliographic citation for this data collection is:

U.S. Dept. of Health and Human Services,
National Center for Health Statistics. NATIONAL
SURVEY OF FAMILY GROWTH, CYCLE V, 1995
[Computer file]. ICPSR version. Hyattsville,
MD: U.S. Dept. of Health and Human Services,
National Center for Health Statistics
[producer], 1997. Ann Arbor, MI: Inter-
university Consortium for Political and Social
Research [distributor], 2000.

REQUEST FOR INFORMATION ON USE OF ICPSR RESOURCES

To provide funding agencies with essential information about use of archival resources and to facilitate the exchange of information about ICPSR participants' research activities, users of ICPSR data are requested to send to ICPSR bibliographic citations for each completed manuscript or thesis abstract. Please indicate in a cover letter which data were used.

DATA DISCLAIMER

The original collector of the data, ICPSR, and the relevant funding agency bear no responsibility for uses of this collection or for interpretations or inferences based upon such uses.

DATA COLLECTION DESCRIPTION

United States Department of Health and Human Services. National Center for Health Statistics

NATIONAL SURVEY OF FAMILY GROWTH, CYCLE V, 1995 (ICPSR 6960)

SUMMARY: The NSFG Cycle V interviews have been divided into two files. The Respondent File (Part 1) contains one record for each woman in the survey, while the Interval File (Part 2) contains one record for each completed pregnancy experienced by a woman in the survey. An interval can be defined as one of the following: the time between a first intercourse at last contact (in 1988) and a pregnancy that ended after last contact, or the time between a pregnancy that ended before last contact and one that was in progress at the time of the interview. Part 1 offers data on respondents' marital histories, education, family background, sex education, births and pregnancies, first sexual intercourse, sterilizing operations, contraceptive histories, family planning services, infertility services, births -- intended and unexpected, adoption, sexually transmitted diseases/AIDS, religion, race/ethnicity, employment/occupation, income, and insurance. Part 2 supplies data on outcomes of pregnancies and other pregnancy-related information, use of birth control methods during intervals, and "wantedness" of pregnancies.

UNIVERSE: The civilian noninstitutionalized population of women 15-44 years of age in the United States, regardless of marital status.

SAMPLING: A national probability sample of 14,000 women aged 15-44 was chosen from households that had participated in NATIONAL HEALTH INTERVIEW SURVEY, 1993 (ICPSR 6534). Black and Hispanic women were oversampled.

NOTE: (1) Data for CYCLE I, 1973 (ICPSR 7898), CYCLE II, 1976 (ICPSR 7902, 8181), CYCLE III, 1982 (ICPSR 8328), CYCLE IV, 1988 (ICPSR 9473), and CYCLE V, 1990 TELEPHONE REINTERVIEW (ICPSR 6643) are also available from ICPSR. (2) Per agreement with NCHS, ICPSR distributes the data files and text of the technical documentation for this collection as prepared by NCHS. (3) The codebooks and user guide are provided as Portable Document Format (PDF) files. The PDF file format was developed by Adobe Systems Incorporated and can be accessed using PDF reader software, such as the Adobe Acrobat Reader. Information on how to obtain a copy of the Acrobat Reader is provided through the ICPSR Website on the Internet.

RESTRICTIONS: In preparing the data files for this collection, the National Center for Health Statistics (NCHS) has removed direct identifiers and characteristics that might lead to identification of data subjects. As an additional precaution NCHS requires, under Section 308(d) of the Public Health Service Act (42 U.S.C. 242m), that data collected by NCHS not be used for any purpose other than statistical analysis and reporting. NCHS further requires that analysts not use the data to learn the identity of any persons or establishments and that the director of NCHS be notified if any identities are inadvertently discovered. ICPSR member institutions and other users ordering data from ICPSR are expected to adhere to these restrictions.

EXTENT OF COLLECTION: 2 data files + machine-readable documentation (PDF)

EXTENT OF PROCESSING: `FREQ.PR/ REFORM.DOC/ SCAN`

DATA FORMAT: Logical Record Length

Part 1: Respondent File
File Structure: rectangular
Cases: 10,847
Variables: approx. 630
Record Length: 13,064
Records Per Case: 1

Part 2: Interval File
File Structure: rectangular
Cases: 21,332
Variables: approx. 80
Record Length: 416
Records Per Case: 1

Part 3: Codebook, Vol. I:
Variable List and Frequencies
for Section A Questionnaire
Items in Respondent File

Part 4: Codebook, Vol. II:
Variable List and Frequencies
for Sections B-D Questionnaire
Items in Respondent File

Part 5: Codebook, Vol. IIIa,
Variable List and Frequencies
for Section E Questionnaire
Items in Respondent File

Part 6: Codebook, Vol. IIIb,
Variable List and Frequencies
for Section E Questionnaire
Items in Respondent File

Part 7: Codebook, Vol. IV:
Variable List and Frequencies
for Sections F-I Questionnaire
Items in Respondent File

Part 8: Codebook, Vol. V:
Recodes for Respondent File
and Variable List and
Frequencies for Interval
File

Part 9: Codebook, Vol. VI:
NSFG Cycle V Main Study
Questionnaire, Sections A-K

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS349 7912-7913

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC30)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1544	6439	2440	10786	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	9	2	12	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	3	0	4	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
4	17	0	21	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	9	1	13	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3821)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS350 7914-7915

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC30)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1545	6459	2445	10814	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	0	2	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	14	0	15	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3823)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	0	0	1	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL					

MTHUS351 7916-7917

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC30)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	1	0	1	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE
0	0	0	0	21		= PARTNER STERILE (NOT

(3825)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS352 7918-7919

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC30)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1544	6439	2440	10786	Blank	= Blank, inapplicable
5	33	4	44	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	2	0	2	03	= BIRTH CONTROL PILLS
1	5	0	6	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	0	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	1	22	= OTHER METHOD-NOT SHOWN

(3827)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS353 7920-7921

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC30)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1551	6473	2444	10833	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	1	4	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3829)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS354 7922-7923

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC30)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1551	6480	2446	10842	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	1	0	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3831)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS355 7924-7925

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC30)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3833)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS356 7926-7927

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC30)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3835)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS357 7928-7929

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC30)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3837)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS358 7930-7931

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC30)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3839)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS359 7932-7933

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC30)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3841)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH120 7934-7935 ENTER METHOD (FIRST MENTIONED) USED IN
JULY 1993: (MC31)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

301	881	295	1582	Blank	= Blank, inapplicable
336	1242	543	2190	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
244	1289	424	1988	03	= BIRTH CONTROL PILLS
189	853	417	1521	04	= CONDOM
21	333	9	373	05	= PARTNER'S VASECTOMY
6	95	13	116	06	= DIAPHRAGM
3	25	3	31	07	= FOAM
1	10	1	12	08	= JELLY OR CREAM
0	3	0	3	09	= CERVICAL CAP
5	22	6	35	10	= SUPPOSITORY, INSERT
1	37	8	46	11	= TODAY (TM) SPONGE
0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
21	34	17	75	13	= IUD, COIL, LOOP
21	46	39	109	14	= NORPLANT (TM)
18	33	18	70	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
29	106	17	164	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
2	17	0	19	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
45	141	20	218	19	= WITHDRAWAL
291	1132	596	2067	20	= RESPONDENT STERILE
17	171	12	204	21	= PARTNER STERILE (NOT ON CARD)
2	3	4	9	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3843)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH121 7936-7937 ENTER METHOD (SECOND MENTIONED) USED
 IN JULY 1993: (MC31)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1478	6035	2284	10138	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	14	3	17	03	= BIRTH CONTROL PILLS
22	141	77	246	04	= CONDOM
0	13	2	15	05	= PARTNER'S VASECTOMY
3	13	3	19	06	= DIAPHRAGM
7	25	9	43	07	= FOAM
2	15	5	22	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	10	7	20	10	= SUPPOSITORY, INSERT
0	12	7	21	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
1	1	3	5	14	= NORPLANT (TM)
0	1	1	2	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
13	60	6	83	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	10	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
24	110	20	162	19	= WITHDRAWAL
0	7	14	21	20	= RESPONDENT STERILE
0	8	0	9	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3845)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH122 7938-7939 ENTER METHOD (THIRD MENTIONED) USED IN
 JULY 1993: (MC31)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1540	6409	2417	10728	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	3	0	3	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	1	3	07	= FOAM
0	2	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	5	0	6	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	7	2	11	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
4	32	3	40	19	= WITHDRAWAL
1	9	18	28	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	2	22	= OTHER METHOD-NOT SHOWN

(3847)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH123 7940-7941 ENTER METHOD (FOURTH MENTIONED) USED
 IN JULY 1993: (MC31)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6467	2441	10825	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	0	3	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3849)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK	TOTAL			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR	
		0	2	2	4	97	= Not Ascertained	
		0	5	2	7	98	= Refused	
		0	2	0	3	99	= Don't Know	

SIMSEQ30 7942-7942

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC31)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1490	6100	2296	10230	Blank	= Blank, inapplicable
36	252	118	417	1	= SAME TIME
27	131	32	200	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS360 7943-7944

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC31)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1541	6427	2438	10769	Blank	= Blank, inapplicable
2	13	2	17	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
2	7	1	11	03	= BIRTH CONTROL PILLS
8	21	3	33	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	2	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	3	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS361 7945-7946

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC31)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1543	6440	2440	10786	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
2	9	2	13	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	2	0	3	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	1	1	3	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
4	16	0	20	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	9	1	13	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3853)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS362 7947-7948

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC31)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1545	6458	2445	10813	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	0	2	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	15	0	16	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3855)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	0	0	1	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS363 7949-7950

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC31)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3857)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS364 7951-7952

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC31)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1543	6440	2440	10786	Blank	= Blank, inapplicable
5	33	4	44	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	2	0	3	03	= BIRTH CONTROL PILLS
1	4	0	5	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	0	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	1	22	= OTHER METHOD-NOT SHOWN

(3859)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS365 7953-7954

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC31)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1550	6474	2444	10833	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
2	1	0	3	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	1	4	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3861)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS366 7955-7956

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC31)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1551	6480	2446	10842	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	1	0	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3863)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS367 7957-7958

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC31)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3865)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS368 7959-7960

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC31)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3867)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS369 7961-7962

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC31)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3869)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS370 7963-7964

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC31)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3871)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS371 7965-7966

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC31)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3873)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH124 7967-7968 ENTER METHOD (FIRST MENTIONED) USED IN
 AUGUST 1993: (MC32)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

294	862	288	1549	Blank	= Blank, inapplicable
333	1247	536	2183	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
245	1292	431	1999	03	= BIRTH CONTROL PILLS
193	853	412	1524	04	= CONDOM
21	335	9	374	05	= PARTNER'S VASECTOMY
6	95	14	117	06	= DIAPHRAGM
4	24	3	31	07	= FOAM
1	10	1	12	08	= JELLY OR CREAM
0	4	0	4	09	= CERVICAL CAP
5	25	6	38	10	= SUPPOSITORY, INSERT
2	34	9	45	11	= TODAY (TM) SPONGE
0	2	0	2	12	= FEMALE CONDOM, VAGINAL POUCH
21	32	17	73	13	= IUD, COIL, LOOP
22	49	40	114	14	= NORPLANT (TM)
18	31	21	72	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
29	104	18	162	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
2	17	0	19	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
44	144	20	219	19	= WITHDRAWAL
294	1140	600	2082	20	= RESPONDENT STERILE
17	171	13	205	21	= PARTNER STERILE (NOT ON CARD)
2	3	4	9	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3875)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH125 7969-7970 ENTER METHOD (SECOND MENTIONED) USED
 IN AUGUST 1993: (MC32)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1477	6035	2279	10133	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	11	3	14	03	= BIRTH CONTROL PILLS
22	145	81	254	04	= CONDOM
0	12	2	14	05	= PARTNER'S VASECTOMY
3	13	3	19	06	= DIAPHRAGM
6	26	9	43	07	= FOAM
2	14	5	21	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	10	7	20	10	= SUPPOSITORY, INSERT
0	14	7	23	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	1	3	4	14	= NORPLANT (TM)
0	1	1	2	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
16	59	6	85	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	10	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
24	107	20	158	19	= WITHDRAWAL
0	9	15	24	20	= RESPONDENT STERILE
0	8	0	9	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3877)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH126 7971-7972 ENTER METHOD (THIRD MENTIONED) USED IN
 AUGUST 1993: (MC32)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1541	6411	2417	10731	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	3	0	3	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	1	3	07	= FOAM
0	3	1	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	5	0	6	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	7	2	11	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
3	32	3	39	19	= WITHDRAWAL
1	7	18	26	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	2	22	= OTHER METHOD-NOT SHOWN

(3879)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH127 7973-7974

ENTER METHOD (FOURTH MENTIONED) USED
IN AUGUST 1993: (MC32)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6467	2441	10825	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	0	3	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3881)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK	TOTAL			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR	
		0	2	2	4	97	= Not Ascertained	
		0	5	2	7	98	= Refused	
		0	2	0	3	99	= Don't Know	

SIMSEQ31 7975-7975

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC32)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1488	6100	2291	10224	Blank	= Blank, inapplicable
36	254	124	425	1	= SAME TIME
29	129	31	198	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS372 7976-7977

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC32)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1542	6427	2438	10770	Blank	= Blank, inapplicable
2	13	2	17	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	7	1	10	03	= BIRTH CONTROL PILLS
8	21	3	33	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	2	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	3	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3883)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS373 7978-7979

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC32)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1544	6440	2440	10787	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	9	2	12	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	3	0	4	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	1	1	3	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
4	16	0	20	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	8	1	12	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3885)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS374 7980-7981

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC32)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1545	6458	2445	10813	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	0	2	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	16	0	17	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3887)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	0	0	1	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS375 7982-7983

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC32)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3889)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS376 7984-7985

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC32)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1544	6440	2440	10787	Blank	= Blank, inapplicable
5	33	4	44	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	2	0	2	03	= BIRTH CONTROL PILLS
1	5	0	6	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	0	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	1	22	= OTHER METHOD-NOT SHOWN

(3891)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS377 7986-7987

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC32)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1551	6474	2444	10834	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	1	3	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3893)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS378 7988-7989

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC32)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1551	6480	2446	10842	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	1	0	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3895)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS379 7990-7991

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC32)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3897)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS380 7992-7993

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC32)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3899)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS381 7994-7995

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC32)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3901)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

MTHUS382 7996-7997

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC32)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3903)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS383 7998-7999

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC32)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH128 8000-8001 ENTER METHOD (FIRST MENTIONED) USED IN
 SEPTEMBER 1993: (MC33)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

293	850	284	1531	Blank	= Blank, inapplicable
340	1257	534	2197	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
240	1288	432	1992	03	= BIRTH CONTROL PILLS
194	861	406	1524	04	= CONDOM
20	335	9	374	05	= PARTNER'S VASECTOMY
5	89	12	108	06	= DIAPHRAGM
5	24	2	31	07	= FOAM
1	10	1	12	08	= JELLY OR CREAM
0	3	0	3	09	= CERVICAL CAP
5	25	6	38	10	= SUPPOSITORY, INSERT
2	33	9	44	11	= TODAY (TM) SPONGE
0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
20	32	16	72	13	= IUD, COIL, LOOP
22	49	42	116	14	= NORPLANT (TM)
21	35	26	84	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
30	102	17	161	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
2	18	0	20	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
40	138	24	213	19	= WITHDRAWAL
294	1147	605	2095	20	= RESPONDENT STERILE
17	173	13	207	21	= PARTNER STERILE (NOT ON CARD)
2	3	4	9	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3907)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH129 8002-8003

ENTER METHOD (SECOND MENTIONED) USED
 IN SEPTEMBER 1993: (MC33)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1476	6043	2282	10143	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	11	3	14	03	= BIRTH CONTROL PILLS
20	143	81	250	04	= CONDOM
0	12	2	14	05	= PARTNER'S VASECTOMY
3	13	3	19	06	= DIAPHRAGM
7	23	10	42	07	= FOAM
2	13	5	20	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	8	6	17	10	= SUPPOSITORY, INSERT
0	14	6	21	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
1	1	3	5	14	= NORPLANT (TM)
0	1	1	2	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
15	58	6	84	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	10	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
26	108	18	159	19	= WITHDRAWAL
0	9	15	24	20	= RESPONDENT STERILE
0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3909)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH130 8004-8005 ENTER METHOD (THIRD MENTIONED) USED IN
 SEPTEMBER 1993: (MC33)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1542	6406	2415	10725	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	3	0	3	04	= CONDOM
1	1	0	2	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	1	3	07	= FOAM
0	3	1	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	5	1	7	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	8	2	12	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	33	3	39	19	= WITHDRAWAL
1	7	19	27	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	2	22	= OTHER METHOD-NOT SHOWN

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH131 8006-8007

ENTER METHOD (FOURTH MENTIONED) USED
 IN SEPTEMBER 1993: (MC33)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6466	2441	10824	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	0	3	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3913)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

SIMSEQ32 8008-8008

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC33)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1486	6113	2295	10239	Blank	= Blank, inapplicable
38	246	123	417	1	= SAME TIME
29	124	28	191	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS384 8009-8010

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC33)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1543	6423	2437	10766	Blank	= Blank, inapplicable
2	13	3	18	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	7	1	10	03	= BIRTH CONTROL PILLS
7	23	3	34	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	2	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	3	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS385 8011-8012

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC33)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6436	2440	10784	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	10	2	13	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	4	0	5	07	= FOAM
1	2	2	5	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	17	0	20	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	8	1	12	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3917)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS386 8013-8014

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC33)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6456	2445	10812	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	1	0	2	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	0	2	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	16	0	16	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3919)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	0	0	1	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS387 8015-8016

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC33)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6481	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3921)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS388 8017-8018

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC33)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1545	6436	2440	10784	Blank	= Blank, inapplicable
5	34	4	45	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	2	0	2	03	= BIRTH CONTROL PILLS
0	6	0	6	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	0	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	1	22	= OTHER METHOD-NOT SHOWN

(3923)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS389 8019-8020

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC33)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6471	2444	10832	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	1	4	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3925)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS390 8021-8022

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC33)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6479	2446	10842	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3927)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS391 8023-8024

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC33)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3929)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS392 8025-8026

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC33)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3931)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL					

MTHUS393 8027-8028

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC33)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	1	0	1	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE

(3933)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL			

MTHUS394 8029-8030

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC33)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE

(3935)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS395 8031-8032

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC33)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3937)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH132 8033-8034 ENTER METHOD (FIRST MENTIONED) USED IN
 OCTOBER 1993: (MC34)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

289	837	277	1507	Blank	= Blank, inapplicable
337	1240	532	2178	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
246	1286	437	2000	03	= BIRTH CONTROL PILLS
191	861	405	1518	04	= CONDOM
20	337	9	376	05	= PARTNER'S VASECTOMY
5	96	12	115	06	= DIAPHRAGM
5	24	2	31	07	= FOAM
1	11	1	13	08	= JELLY OR CREAM
0	3	0	3	09	= CERVICAL CAP
5	27	6	40	10	= SUPPOSITORY, INSERT
2	33	10	45	11	= TODAY (TM) SPONGE
0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
20	31	16	71	13	= IUD, COIL, LOOP
22	51	41	117	14	= NORPLANT (TM)
22	43	28	95	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
30	102	17	161	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
2	19	0	21	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
40	144	22	217	19	= WITHDRAWAL
297	1150	608	2104	20	= RESPONDENT STERILE
17	174	14	209	21	= PARTNER STERILE (NOT ON CARD)
2	3	5	10	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3939)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH133 8035-8036

ENTER METHOD (SECOND MENTIONED) USED
 IN OCTOBER 1993: (MC34)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1477	6043	2284	10143	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	12	3	15	03	= BIRTH CONTROL PILLS
20	144	78	250	04	= CONDOM
0	13	2	15	05	= PARTNER'S VASECTOMY
3	13	3	19	06	= DIAPHRAGM
7	22	11	42	07	= FOAM
3	12	5	21	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	8	6	17	10	= SUPPOSITORY, INSERT
0	13	6	20	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	1	3	4	14	= NORPLANT (TM)
0	2	1	3	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
15	59	6	85	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	7	1	8	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
25	108	18	158	19	= WITHDRAWAL
0	9	15	24	20	= RESPONDENT STERILE
0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3941)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH134 8037-8038 ENTER METHOD (THIRD MENTIONED) USED IN
 OCTOBER 1993: (MC34)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1542	6407	2414	10725	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	3	0	3	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	1	3	07	= FOAM
0	4	1	5	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	6	1	8	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	8	2	12	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	30	3	36	19	= WITHDRAWAL
1	8	20	29	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	2	22	= OTHER METHOD-NOT SHOWN

(3943)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH135 8039-8040 ENTER METHOD (FOURTH MENTIONED) USED
 IN OCTOBER 1993: (MC34)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6466	2441	10824	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	0	3	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3945)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK	TOTAL			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR	
		0	2	2	4	97	= Not Ascertained	
		0	6	2	8	98	= Refused	
		0	2	0	3	99	= Don't Know	

SIMSEQ33 8041-8041

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC34)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1487	6111	2297	10237	Blank	= Blank, inapplicable
38	249	121	420	1	= SAME TIME
28	123	28	190	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS396 8042-8043

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC34)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1543	6425	2437	10768	Blank	= Blank, inapplicable
2	14	3	19	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	7	1	10	03	= BIRTH CONTROL PILLS
7	21	3	32	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	2	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	3	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS397 8044-8045

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC34)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6439	2440	10787	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	9	2	12	04	= CONDOM
0	2	0	2	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	3	0	4	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	17	0	20	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	8	1	12	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3949)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS398 8046-8047

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC34)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6458	2445	10814	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	0	2	07	= FOAM
0	3	0	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	13	0	13	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3951)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	0	0	1	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS399 8048-8049

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC34)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6481	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3953)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS400 8050-8051

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC34)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1545	6439	2440	10787	Blank	= Blank, inapplicable
5	33	4	44	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	2	0	2	03	= BIRTH CONTROL PILLS
0	4	0	4	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	0	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	1	22	= OTHER METHOD-NOT SHOWN

(3955)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS401 8052-8053

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC34)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6473	2444	10834	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	1	4	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3957)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS402 8054-8055

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC34)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6480	2446	10843	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3959)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS403 8056-8057

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC34)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3961)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS404 8058-8059

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC34)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3963)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL					

MTHUS405 8060-8061

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC34)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	1	0	1	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE

(3965)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL			

MTHUS406 8062-8063

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC34)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE

(3967)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS407 8064-8065

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC34)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3969)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH136 8066-8067

ENTER METHOD (FIRST MENTIONED) USED IN
NOVEMBER 1993: (MC35)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

285	828	270	1487	Blank	= Blank, inapplicable
339	1252	528	2185	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
244	1285	441	2001	03	= BIRTH CONTROL PILLS
192	859	406	1519	04	= CONDOM
20	340	9	379	05	= PARTNER'S VASECTOMY
4	94	11	111	06	= DIAPHRAGM
5	25	3	33	07	= FOAM
1	12	2	15	08	= JELLY OR CREAM
1	3	0	4	09	= CERVICAL CAP
5	25	6	38	10	= SUPPOSITORY, INSERT
2	29	11	42	11	= TODAY (TM) SPONGE
0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
20	31	16	70	13	= IUD, COIL, LOOP
23	51	41	118	14	= NORPLANT (TM)
22	41	29	95	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
29	101	18	160	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
2	18	0	20	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
41	141	23	217	19	= WITHDRAWAL
299	1158	611	2118	20	= RESPONDENT STERILE
18	175	14	211	21	= PARTNER STERILE (NOT ON CARD)
1	4	4	9	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3971)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	1	3	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH137 8068-8069

ENTER METHOD (SECOND MENTIONED) USED
 IN NOVEMBER 1993: (MC35)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1474	6039	2277	10130	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	11	3	14	03	= BIRTH CONTROL PILLS
21	145	82	256	04	= CONDOM
0	12	2	14	05	= PARTNER'S VASECTOMY
3	14	3	20	06	= DIAPHRAGM
7	23	11	43	07	= FOAM
4	13	5	22	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	8	7	18	10	= SUPPOSITORY, INSERT
0	14	7	22	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
1	2	3	6	14	= NORPLANT (TM)
1	2	1	4	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
15	59	6	85	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	7	1	8	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
23	109	19	158	19	= WITHDRAWAL
1	8	15	24	20	= RESPONDENT STERILE
0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3973)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH138 8070-8071

ENTER METHOD (THIRD MENTIONED) USED IN
 NOVEMBER 1993: (MC35)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1542	6408	2411	10723	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	5	0	5	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	1	3	07	= FOAM
0	2	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	5	1	7	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	8	2	12	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	31	5	39	19	= WITHDRAWAL
1	8	21	30	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	2	22	= OTHER METHOD-NOT SHOWN

(3975)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH139 8072-8073

ENTER METHOD (FOURTH MENTIONED) USED
 IN NOVEMBER 1993: (MC35)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6466	2441	10824	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	0	3	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3977)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK	TOTAL			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR	
		0	2	2	4	97	= Not Ascertained	
		0	6	2	8	98	= Refused	
		0	2	0	3	99	= Don't Know	

SIMSEQ34 8074-8074

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC35)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1484	6106	2292	10225	Blank	= Blank, inapplicable
40	250	125	427	1	= SAME TIME
28	127	29	194	2	= DIFFERENT TIMES
1	0	0	1	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS408 8075-8076

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC35)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1543	6426	2435	10767	Blank	= Blank, inapplicable
2	13	3	18	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	7	1	10	03	= BIRTH CONTROL PILLS
7	19	4	31	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	3	0	3	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	3	1	4	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS409 8077-8078

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC35)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6439	2438	10785	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	10	2	13	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	2	1	4	07	= FOAM
1	1	3	5	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	17	0	20	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	8	1	12	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3981)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

MTHUS410 8079-8080

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC35)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6458	2444	10813	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	0	2	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	14	1	15	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3983)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	0	0	1	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

MTHUS411 8081-8082

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC35)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6481	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3985)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS412 8083-8084

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC35)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1545	6439	2438	10785	Blank	= Blank, inapplicable
5	33	6	46	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	2	0	2	03	= BIRTH CONTROL PILLS
0	3	0	3	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	0	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	1	22	= OTHER METHOD-NOT SHOWN

(3987)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS413 8085-8086

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC35)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6473	2444	10834	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	2	0	3	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	1	4	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3989)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS414 8087-8088

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC35)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6480	2446	10843	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3991)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS415 8089-8090

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC35)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3993)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS416 8091-8092

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC35)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

MTHUS417 8093-8094

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC35)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3997)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS418 8095-8096

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC35)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3999)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

MTHUS419 8097-8098

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC35)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4001)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH140 8099-8100 ENTER METHOD (FIRST MENTIONED) USED IN
 DECEMBER 1993: (MC36)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

283	817	268	1469	Blank	= Blank, inapplicable
331	1241	526	2163	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
243	1278	439	1992	03	= BIRTH CONTROL PILLS
196	869	402	1532	04	= CONDOM
21	341	9	381	05	= PARTNER'S VASECTOMY
4	97	11	114	06	= DIAPHRAGM
3	23	2	28	07	= FOAM
2	11	2	15	08	= JELLY OR CREAM
0	4	0	4	09	= CERVICAL CAP
5	26	7	40	10	= SUPPOSITORY, INSERT
2	28	9	39	11	= TODAY (TM) SPONGE
0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
21	30	16	70	13	= IUD, COIL, LOOP
24	52	40	119	14	= NORPLANT (TM)
22	45	33	103	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
31	101	17	161	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
2	17	0	19	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
41	147	24	224	19	= WITHDRAWAL
303	1165	619	2137	20	= RESPONDENT STERILE
18	176	14	212	21	= PARTNER STERILE (NOT ON CARD)
1	4	5	10	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(4003)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	1	3	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH141 8101-8102

ENTER METHOD (SECOND MENTIONED) USED
 IN DECEMBER 1993: (MC36)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1471	6032	2280	10123	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	12	4	16	03	= BIRTH CONTROL PILLS
22	141	79	249	04	= CONDOM
0	12	1	13	05	= PARTNER'S VASECTOMY
3	14	4	21	06	= DIAPHRAGM
8	26	11	47	07	= FOAM
4	12	5	21	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	8	7	18	10	= SUPPOSITORY, INSERT
1	15	7	24	11	= TODAY (TM) SPONGE
0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
1	1	3	5	14	= NORPLANT (TM)
0	2	1	3	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
13	62	6	86	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	8	1	9	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
26	112	18	164	19	= WITHDRAWAL
1	8	15	24	20	= RESPONDENT STERILE
0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4005)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH142 8103-8104 ENTER METHOD (THIRD MENTIONED) USED IN
 DECEMBER 1993: (MC36)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1541	6408	2413	10724	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
1	4	0	5	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	1	3	07	= FOAM
0	2	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	5	1	7	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	8	2	12	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
3	32	5	41	19	= WITHDRAWAL
1	8	19	28	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	1	22	= OTHER METHOD-NOT SHOWN

(4007)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH143 8105-8106

ENTER METHOD (FOURTH MENTIONED) USED
 IN DECEMBER 1993: (MC36)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6466	2441	10824	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	0	3	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4009)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

SIMSEQ35 8107-8107

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC36)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1482	6099	2295	10219	Blank	= Blank, inapplicable
43	252	123	429	1	= SAME TIME
28	132	28	199	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS420 8108-8109

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC36)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1542	6426	2435	10766	Blank	= Blank, inapplicable
2	13	3	18	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	7	1	10	03	= BIRTH CONTROL PILLS
7	21	4	33	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	3	1	4	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	5	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS421 8110-8111

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC36)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1544	6439	2438	10784	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	9	2	12	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	2	1	4	07	= FOAM
1	1	3	5	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	18	0	21	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	8	1	13	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4013)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS422 8112-8113

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC36)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6457	2444	10812	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	0	2	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	15	1	17	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4015)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS423 8114-8115

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC36)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6481	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS424 8116-8117

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC36)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1544	6439	2438	10784	Blank	= Blank, inapplicable
6	34	6	48	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	2	0	2	03	= BIRTH CONTROL PILLS
1	3	0	4	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	0	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS425 8118-8119

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC36)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6474	2444	10835	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	1	4	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4021)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS426 8120-8121

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC36)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6480	2446	10843	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4023)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS427 8122-8123

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC36)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS428 8124-8125

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC36)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4027)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

MTHUS429 8126-8127

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC36)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4029)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS430 8128-8129

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC36)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4031)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS431 8130-8131

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC36)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4033)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH144 8132-8133 ENTER METHOD (FIRST MENTIONED) USED IN
JANUARY 1994: (MC37)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

279	803	267	1449	Blank	= Blank, inapplicable
340	1253	521	2182	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
235	1257	433	1957	03	= BIRTH CONTROL PILLS
189	871	396	1519	04	= CONDOM
23	347	9	389	05	= PARTNER'S VASECTOMY
4	94	10	109	06	= DIAPHRAGM
2	22	2	26	07	= FOAM
2	12	3	17	08	= JELLY OR CREAM
0	3	0	3	09	= CERVICAL CAP
5	24	10	41	10	= SUPPOSITORY, INSERT
2	27	9	38	11	= TODAY (TM) SPONGE
0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
21	32	16	72	13	= IUD, COIL, LOOP
24	53	40	120	14	= NORPLANT (TM)
27	57	39	126	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
34	99	18	164	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
3	16	0	19	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
39	148	28	226	19	= WITHDRAWAL
304	1174	624	2153	20	= RESPONDENT STERILE
19	179	13	215	21	= PARTNER STERILE (NOT ON CARD)
1	2	5	8	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(4035)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH145 8134-8135

ENTER METHOD (SECOND MENTIONED) USED
 IN JANUARY 1994: (MC37)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1476	6031	2272	10117	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	14	4	18	03	= BIRTH CONTROL PILLS
24	129	85	245	04	= CONDOM
0	11	1	12	05	= PARTNER'S VASECTOMY
2	13	4	19	06	= DIAPHRAGM
8	23	11	43	07	= FOAM
4	14	6	25	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	10	7	20	10	= SUPPOSITORY, INSERT
0	11	6	18	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
1	1	4	6	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
13	66	6	90	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	10	1	11	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
22	123	20	175	19	= WITHDRAWAL
0	9	14	23	20	= RESPONDENT STERILE
0	8	1	10	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4037)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH146 8136-8137 ENTER METHOD (THIRD MENTIONED) USED IN
 JANUARY 1994: (MC37)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1542	6405	2411	10719	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	4	1	5	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	1	4	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	2	0	2	10	= SUPPOSITORY, INSERT
1	4	0	5	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	11	2	16	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
3	30	4	38	19	= WITHDRAWAL
1	8	23	32	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	1	22	= OTHER METHOD-NOT SHOWN

(4039)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH147 8138-8139

ENTER METHOD (FOURTH MENTIONED) USED
 IN JANUARY 1994: (MC37)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6464	2441	10821	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	1	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	4	0	5	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4041)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK	TOTAL			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR	
		0	1	2	3	97	= Not Ascertained	
		0	5	2	7	98	= Refused	
		0	3	0	4	99	= Don't Know	

SIMSEQ36 8140-8140

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC37)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1486	6101	2285	10214	Blank	= Blank, inapplicable
41	242	128	423	1	= SAME TIME
26	140	32	209	2	= DIFFERENT TIMES
0	0	1	1	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS432 8141-8142

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC37)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1543	6422	2437	10764	Blank	= Blank, inapplicable
2	15	2	19	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	7	2	11	03	= BIRTH CONTROL PILLS
7	21	3	33	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(4043)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	2	0	2	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS433 8143-8144

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC37)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6437	2439	10783	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	10	2	13	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	2	2	5	07	= FOAM
1	1	1	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	18	0	21	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	9	1	13	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4045)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	2	0	2	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS434 8145-8146

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC37)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6456	2443	10809	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	1	2	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	0	2	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	7	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	14	1	16	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4047)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	2	0	2	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS435 8147-8148

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC37)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6480	2445	10842	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	2	0	2	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS436 8149-8150

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC37)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1545	6437	2439	10783	Blank	= Blank, inapplicable
6	33	4	46	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	2	1	3	03	= BIRTH CONTROL PILLS
0	3	0	3	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	0	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4051)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS437 8151-8152

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC37)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6471	2443	10831	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	1	3	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	1	4	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4053)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS438 8153-8154

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC37)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6478	2446	10841	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4055)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS439 8155-8156

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC37)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4057)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS440 8157-8158

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC37)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	1	0	1	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4059)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL			

MTHUS441 8159-8160

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC37)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	1	0	1	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE

(4061)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL			

MTHUS442 8161-8162

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC37)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE

(4063)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS443 8163-8164

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC37)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4065)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH148 8165-8166 ENTER METHOD (FIRST MENTIONED) USED IN
 FEBRUARY 1994: (MC38)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

274	792	263	1429	Blank	= Blank, inapplicable
337	1278	531	2213	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
242	1257	426	1957	03	= BIRTH CONTROL PILLS
192	859	392	1506	04	= CONDOM
23	345	11	389	05	= PARTNER'S VASECTOMY
4	92	11	108	06	= DIAPHRAGM
2	21	1	24	07	= FOAM
2	12	3	18	08	= JELLY OR CREAM
0	3	0	3	09	= CERVICAL CAP
4	26	10	42	10	= SUPPOSITORY, INSERT
2	27	9	38	11	= TODAY (TM) SPONGE
0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
20	32	16	71	13	= IUD, COIL, LOOP
25	53	40	121	14	= NORPLANT (TM)
26	57	41	127	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
35	97	17	162	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
2	15	0	17	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
40	148	28	227	19	= WITHDRAWAL
304	1175	625	2155	20	= RESPONDENT STERILE
19	181	13	217	21	= PARTNER STERILE (NOT ON CARD)
0	3	6	9	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(4067)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH149 8167-8168

ENTER METHOD (SECOND MENTIONED) USED
 IN FEBRUARY 1994: (MC38)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1478	6042	2266	10123	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	11	5	16	03	= BIRTH CONTROL PILLS
22	125	88	242	04	= CONDOM
0	11	1	12	05	= PARTNER'S VASECTOMY
2	11	4	17	06	= DIAPHRAGM
8	23	11	43	07	= FOAM
4	14	6	24	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
4	9	6	19	10	= SUPPOSITORY, INSERT
0	11	6	18	11	= TODAY (TM) SPONGE
0	0	1	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	1	4	5	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
13	67	6	92	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	11	1	12	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
22	117	22	172	19	= WITHDRAWAL
0	12	14	26	20	= RESPONDENT STERILE
0	8	1	10	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4069)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH150 8169-8170 ENTER METHOD (THIRD MENTIONED) USED IN
 FEBRUARY 1994: (MC38)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1542	6406	2410	10719	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	3	1	4	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	1	4	07	= FOAM
0	3	0	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	2	0	2	10	= SUPPOSITORY, INSERT
1	4	0	5	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	10	3	15	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	5	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
3	30	3	37	19	= WITHDRAWAL
1	8	24	33	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	1	22	= OTHER METHOD-NOT SHOWN

(4071)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH151 8171-8172

ENTER METHOD (FOURTH MENTIONED) USED
 IN FEBRUARY 1994: (MC38)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6464	2441	10822	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	1	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	4	0	4	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4073)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK	TOTAL			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR	
		0	1	2	3	97	= Not Ascertained	
		0	5	2	7	98	= Refused	
		0	3	0	4	99	= Don't Know	

SIMSEQ37 8173-8173

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC38)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1488	6111	2279	10219	Blank	= Blank, inapplicable
39	239	132	422	1	= SAME TIME
26	133	34	205	2	= DIFFERENT TIMES
0	0	1	1	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS444 8174-8175

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC38)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1543	6423	2437	10765	Blank	= Blank, inapplicable
2	15	2	19	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	7	2	11	03	= BIRTH CONTROL PILLS
7	22	3	34	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(4075)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS445 8176-8177

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC38)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6438	2439	10784	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	10	2	13	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	2	1	4	07	= FOAM
1	1	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	19	1	24	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	9	1	13	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4077)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS446 8178-8179

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC38)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6458	2444	10812	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	1	1	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	0	2	07	= FOAM
0	3	0	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	13	0	14	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4079)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL					

MTHUS447 8180-8181

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC38)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6481	2445	10844	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	1	0	1	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE
0	0	0	0	21		= PARTNER STERILE (NOT

(4081)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS448 8182-8183

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC38)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1545	6438	2439	10784	Blank	= Blank, inapplicable
6	32	4	44	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	3	1	4	03	= BIRTH CONTROL PILLS
0	3	0	4	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	0	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4083)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS449 8184-8185

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC38)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6471	2443	10830	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	2	1	4	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	1	4	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4085)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS450 8186-8187

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC38)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6478	2446	10840	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4087)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS451 8188-8189

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC38)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4089)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS452 8190-8191

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC38)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	1	0	1	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4091)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS453 8192-8193

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC38)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4093)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS454 8194-8195

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC38)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4095)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS455 8196-8197

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC38)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4097)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH152 8198-8199 ENTER METHOD (FIRST MENTIONED) USED IN
 MARCH 1994: (MC39)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

272	785	263	1420	Blank	= Blank, inapplicable
336	1270	533	2208	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
243	1260	419	1955	03	= BIRTH CONTROL PILLS
198	861	392	1511	04	= CONDOM
23	349	10	392	05	= PARTNER'S VASECTOMY
4	92	10	107	06	= DIAPHRAGM
2	23	1	26	07	= FOAM
2	12	3	17	08	= JELLY OR CREAM
1	3	0	4	09	= CERVICAL CAP
4	26	10	42	10	= SUPPOSITORY, INSERT
2	27	8	37	11	= TODAY (TM) SPONGE
0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
20	33	17	73	13	= IUD, COIL, LOOP
25	52	40	120	14	= NORPLANT (TM)
27	60	44	134	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
32	95	16	156	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
2	16	0	18	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
37	147	28	224	19	= WITHDRAWAL
304	1179	630	2164	20	= RESPONDENT STERILE
19	180	13	216	21	= PARTNER STERILE (NOT ON CARD)
0	3	6	9	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(4099)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH153 8200-8201

ENTER METHOD (SECOND MENTIONED) USED
 IN MARCH 1994: (MC39)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1476	6042	2269	10123	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	11	4	15	03	= BIRTH CONTROL PILLS
22	130	88	249	04	= CONDOM
0	11	1	12	05	= PARTNER'S VASECTOMY
2	13	4	19	06	= DIAPHRAGM
8	22	11	42	07	= FOAM
2	14	7	23	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	10	5	18	10	= SUPPOSITORY, INSERT
0	11	5	17	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	1	4	5	14	= NORPLANT (TM)
1	1	0	2	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
15	68	6	94	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	10	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
24	111	22	168	19	= WITHDRAWAL
0	12	14	26	20	= RESPONDENT STERILE
0	8	1	10	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4101)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH154 8202-8203 ENTER METHOD (THIRD MENTIONED) USED IN
MARCH 1994: (MC39)

Inapplicable:
R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1541	6403	2407	10711	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	3	1	4	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	1	4	07	= FOAM
0	3	1	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	2	0	2	10	= SUPPOSITORY, INSERT
1	4	1	6	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	11	3	16	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
3	31	4	40	19	= WITHDRAWAL
2	10	24	36	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	1	22	= OTHER METHOD-NOT SHOWN

(4103)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH155 8204-8205 ENTER METHOD (FOURTH MENTIONED) USED
 IN MARCH 1994: (MC39)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6463	2440	10820	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	1	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	5	0	5	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

SIMSEQ38 8206-8206

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC39)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1486	6112	2285	10224	Blank	= Blank, inapplicable
37	240	128	418	1	= SAME TIME
30	131	32	204	2	= DIFFERENT TIMES
0	0	1	1	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS456 8207-8208

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC39)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1543	6422	2434	10760	Blank	= Blank, inapplicable
2	16	2	20	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	7	3	13	03	= BIRTH CONTROL PILLS
7	22	5	36	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS457 8209-8210

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC39)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6438	2436	10780	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	10	3	15	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	2	1	4	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	2	3	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	19	1	24	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	9	1	13	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4109)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS458 8211-8212

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC39)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6458	2442	10809	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	1	1	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	0	2	07	= FOAM
0	3	0	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	1	4	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	14	1	17	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4111)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS459 8213-8214

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC39)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6481	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS460 8215-8216

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC39)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1545	6438	2436	10780	Blank	= Blank, inapplicable
6	32	6	47	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	2	1	3	03	= BIRTH CONTROL PILLS
0	3	1	5	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	0	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4115)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES

MTHUS461 8217-8218

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC39)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6472	2442	10830	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
1	1	1	3	04		= CONDOM
0	1	0	1	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	1	1	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	1	1	10		= SUPPOSITORY, INSERT
0	1	0	1	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	2	0	3	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	1	4	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE

(4117)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS462 8219-8220

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC39)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6479	2446	10841	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4119)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS463 8221-8222

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC39)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4121)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS464 8223-8224

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC39)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6481	2445	10844	Blank	= Blank, inapplicable
0	1	0	1	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	1	2	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4123)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS465 8225-8226

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC39)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	1	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4125)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES

MTHUS466 8227-8228

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC39)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE

(4127)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS467 8229-8230

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC39)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4129)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH156 8231-8232 ENTER METHOD (FIRST MENTIONED) USED IN
 APRIL 1994: (MC40)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

267	775	258	1399	Blank	= Blank, inapplicable
333	1271	530	2204	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
240	1250	414	1938	03	= BIRTH CONTROL PILLS
201	865	396	1524	04	= CONDOM
23	350	11	394	05	= PARTNER'S VASECTOMY
4	90	10	105	06	= DIAPHRAGM
3	22	1	26	07	= FOAM
2	13	2	17	08	= JELLY OR CREAM
1	3	0	4	09	= CERVICAL CAP
4	27	10	43	10	= SUPPOSITORY, INSERT
2	26	7	35	11	= TODAY (TM) SPONGE
0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
19	34	17	73	13	= IUD, COIL, LOOP
24	52	41	120	14	= NORPLANT (TM)
34	67	48	152	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
30	95	16	153	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
2	16	0	18	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
37	147	30	224	19	= WITHDRAWAL
307	1186	633	2177	20	= RESPONDENT STERILE
19	181	13	217	21	= PARTNER STERILE (NOT ON CARD)
1	3	6	10	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(4131)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH157 8233-8234

ENTER METHOD (SECOND MENTIONED) USED
 IN APRIL 1994: (MC40)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1477	6043	2266	10122	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	11	4	15	03	= BIRTH CONTROL PILLS
22	129	92	251	04	= CONDOM
0	12	1	13	05	= PARTNER'S VASECTOMY
2	13	4	19	06	= DIAPHRAGM
7	20	9	37	07	= FOAM
2	16	7	25	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
2	10	6	19	10	= SUPPOSITORY, INSERT
0	9	6	16	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
1	1	4	6	14	= NORPLANT (TM)
0	1	1	2	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
15	67	5	92	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	10	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
24	112	21	168	19	= WITHDRAWAL
1	12	14	27	20	= RESPONDENT STERILE
0	9	1	11	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4133)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH158 8235-8236 ENTER METHOD (THIRD MENTIONED) USED IN
 APRIL 1994: (MC40)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1542	6404	2410	10715	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	2	0	2	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	1	1	3	07	= FOAM
0	3	0	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	2	0	2	10	= SUPPOSITORY, INSERT
1	4	0	5	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	11	3	16	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
3	31	4	41	19	= WITHDRAWAL
2	10	24	36	20	= RESPONDENT STERILE
0	1	0	1	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	1	22	= OTHER METHOD-NOT SHOWN

(4135)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH159 8237-8238

ENTER METHOD (FOURTH MENTIONED) USED
 IN APRIL 1994: (MC40)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6463	2441	10821	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	1	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	5	0	5	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4137)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK	TOTAL			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR	
		0	1	2	3	97	= Not Ascertained	
		0	5	2	7	98	= Refused	
		0	3	0	4	99	= Don't Know	

SIMSEQ39 8239-8239

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC40)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1486	6112	2279	10219	Blank	= Blank, inapplicable
39	240	136	428	1	= SAME TIME
28	131	30	199	2	= DIFFERENT TIMES
0	0	1	1	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS468 8240-8241

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC40)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1544	6423	2437	10764	Blank	= Blank, inapplicable
2	16	2	20	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	8	1	12	03	= BIRTH CONTROL PILLS
6	21	4	33	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS469 8242-8243

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC40)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1546	6439	2439	10784	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	9	2	13	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	2	0	3	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	18	1	23	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	9	1	14	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	1	0	1	21	= PARTNER STERILE (NOT

(4141)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS470 8244-8245

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC40)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1547	6459	2444	10813	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	0	0	1	07	= FOAM
0	3	0	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	2	1	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	14	1	17	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4143)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

MTHUS471 8246-8247

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC40)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6481	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4145)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS472 8248-8249

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC40)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1546	6439	2439	10784	Blank	= Blank, inapplicable
5	31	5	45	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	3	0	3	03	= BIRTH CONTROL PILLS
0	3	0	4	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	0	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4147)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT	AND	CODE	CATEGORIES
		HISP	WHITE	BLACK						
		0	1	0	1	97				SEPARATELY
		0	0	0	0	98				= Not Ascertained
		0	0	0	0	99				= Refused
										= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS473 8250-8251

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC40)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6472	2444	10832	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	2	0	3	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	1	4	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4149)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS474 8252-8253

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC40)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6479	2446	10841	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4151)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS475 8254-8255

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC40)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4153)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS476 8256-8257

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC40)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	1	0	1	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4155)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS477 8258-8259

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC40)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4157)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES

MTHUS478 8260-8261

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC40)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE

(4159)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS479 8262-8263

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC40)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4161)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH160 8264-8265 ENTER METHOD (FIRST MENTIONED) USED IN
 MAY 1994: (MC41)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

267	765	257	1388	Blank	= Blank, inapplicable
327	1259	536	2192	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
236	1258	406	1936	03	= BIRTH CONTROL PILLS
207	887	396	1550	04	= CONDOM
24	348	11	393	05	= PARTNER'S VASECTOMY
4	91	10	106	06	= DIAPHRAGM
4	20	2	26	07	= FOAM
1	11	2	14	08	= JELLY OR CREAM
0	2	0	2	09	= CERVICAL CAP
4	24	11	41	10	= SUPPOSITORY, INSERT
3	26	7	36	11	= TODAY (TM) SPONGE
0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
18	32	17	70	13	= IUD, COIL, LOOP
24	50	41	118	14	= NORPLANT (TM)
33	63	50	149	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
32	96	15	155	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
2	16	0	18	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
37	149	29	225	19	= WITHDRAWAL
310	1190	633	2184	20	= RESPONDENT STERILE
19	182	13	218	21	= PARTNER STERILE (NOT ON CARD)
1	4	7	12	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(4163)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH161 8266-8267 ENTER METHOD (SECOND MENTIONED) USED
 IN MAY 1994: (MC41)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1476	6039	2269	10121	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	9	4	13	03	= BIRTH CONTROL PILLS
19	129	89	245	04	= CONDOM
0	12	1	13	05	= PARTNER'S VASECTOMY
2	14	3	19	06	= DIAPHRAGM
8	21	10	40	07	= FOAM
2	16	7	25	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
2	10	5	17	10	= SUPPOSITORY, INSERT
0	10	5	16	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
2	1	4	7	14	= NORPLANT (TM)
0	1	1	2	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
15	71	6	97	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	10	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
26	111	21	169	19	= WITHDRAWAL
1	12	14	27	20	= RESPONDENT STERILE
0	9	1	11	21	= PARTNER STERILE (NOT ON CARD)
0	0	1	1	22	= OTHER METHOD-NOT SHOWN

(4165)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH162 8268-8269 ENTER METHOD (THIRD MENTIONED) USED IN
 MAY 1994: (MC41)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1543	6402	2408	10713	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	2	0	3	07	= FOAM
0	3	0	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	2	0	2	10	= SUPPOSITORY, INSERT
1	4	0	5	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	13	3	18	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
4	31	5	42	19	= WITHDRAWAL
1	10	26	37	20	= RESPONDENT STERILE
0	2	0	2	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	1	22	= OTHER METHOD-NOT SHOWN

(4167)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH163 8270-8271 ENTER METHOD (FOURTH MENTIONED) USED
 IN MAY 1994: (MC41)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6463	2441	10821	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	1	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	5	0	5	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4169)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

SIMSEQ40 8272-8272

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC41)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1485	6110	2282	10219	Blank	= Blank, inapplicable
40	244	130	427	1	= SAME TIME
28	129	33	200	2	= DIFFERENT TIMES
0	0	1	1	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS480 8273-8274

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC41)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1544	6421	2437	10763	Blank	= Blank, inapplicable
3	18	1	22	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	7	1	10	03	= BIRTH CONTROL PILLS
6	21	5	34	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	5	0	5	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(4171)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS481 8275-8276

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC41)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1547	6439	2438	10785	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	9	2	12	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	2	1	4	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
3	18	1	23	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	9	1	13	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	2	0	2	21	= PARTNER STERILE (NOT

(4173)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS482 8277-8278

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC41)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1548	6458	2443	10812	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	3	0	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	13	2	17	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4175)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS483 8279-8280

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC41)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6481	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4177)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS484 8281-8282

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC41)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1547	6439	2438	10785	Blank	= Blank, inapplicable
4	30	6	43	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	3	0	3	03	= BIRTH CONTROL PILLS
0	3	0	4	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	2	0	3	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	0	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4179)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS485 8283-8284

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC41)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6471	2444	10831	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	2	0	3	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	1	4	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4181)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS486 8285-8286

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC41)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6479	2446	10841	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4183)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS487 8287-8288

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC41)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4185)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS488 8289-8290

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC41)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	1	0	1	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4187)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS489 8291-8292

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC41)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4189)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS490 8293-8294

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC41)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4191)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL			

MTHUS491 8295-8296

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC41)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE

(4193)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH164 8297-8298 ENTER METHOD (FIRST MENTIONED) USED IN
 JUNE 1994: (MC42)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

264	750	254	1367	Blank	= Blank, inapplicable
328	1250	524	2168	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
229	1260	407	1932	03	= BIRTH CONTROL PILLS
208	895	404	1569	04	= CONDOM
24	351	11	396	05	= PARTNER'S VASECTOMY
4	91	11	107	06	= DIAPHRAGM
4	21	2	27	07	= FOAM
1	12	1	14	08	= JELLY OR CREAM
0	2	0	2	09	= CERVICAL CAP
4	24	11	41	10	= SUPPOSITORY, INSERT
3	22	7	32	11	= TODAY (TM) SPONGE
0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
18	32	16	69	13	= IUD, COIL, LOOP
24	50	40	118	14	= NORPLANT (TM)
36	69	51	159	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
33	103	15	163	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
3	15	0	18	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
37	144	30	220	19	= WITHDRAWAL
313	1197	639	2202	20	= RESPONDENT STERILE
19	182	13	218	21	= PARTNER STERILE (NOT ON CARD)
1	4	7	12	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(4195)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH165 8299-8300

ENTER METHOD (SECOND MENTIONED) USED
 IN JUNE 1994: (MC42)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1477	6047	2267	10128	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	8	4	12	03	= BIRTH CONTROL PILLS
18	123	92	241	04	= CONDOM
0	12	1	13	05	= PARTNER'S VASECTOMY
2	14	3	19	06	= DIAPHRAGM
7	22	10	40	07	= FOAM
3	16	8	27	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
2	9	5	16	10	= SUPPOSITORY, INSERT
0	10	5	16	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
1	1	4	6	14	= NORPLANT (TM)
0	1	1	2	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
15	69	5	94	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	10	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
27	112	21	171	19	= WITHDRAWAL
1	12	14	27	20	= RESPONDENT STERILE
0	10	1	12	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4197)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH166 8301-8302 ENTER METHOD (THIRD MENTIONED) USED IN
 JUNE 1994: (MC42)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1543	6408	2410	10721	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	2	1	4	07	= FOAM
0	3	0	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	2	0	2	10	= SUPPOSITORY, INSERT
1	4	0	5	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	11	3	16	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	5	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
4	28	4	38	19	= WITHDRAWAL
1	9	24	34	20	= RESPONDENT STERILE
0	1	0	1	21	= PARTNER STERILE (NOT ON CARD)
0	1	0	2	22	= OTHER METHOD-NOT SHOWN

(4199)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH167 8303-8304

ENTER METHOD (FOURTH MENTIONED) USED
 IN JUNE 1994: (MC42)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6465	2441	10823	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	1	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	4	0	4	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4201)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

SIMSEQ41 8305-8305

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC42)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1486	6113	2280	10221	Blank		= Blank, inapplicable
36	240	132	421	1		= SAME TIME
31	130	33	204	2		= DIFFERENT TIMES
0	0	1	1	7		= Not Ascertained
0	0	0	0	8		= Refused
0	0	0	0	9		= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS492 8306-8307

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC42)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1544	6425	2437	10767	Blank	= Blank, inapplicable
3	15	1	19	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	6	1	9	03	= BIRTH CONTROL PILLS
6	23	5	36	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	5	0	5	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS493 8308-8309

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC42)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1547	6440	2438	10786	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	7	2	10	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	3	1	5	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
3	18	1	23	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	10	1	14	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	1	0	1	21	= PARTNER STERILE (NOT

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS494 8310-8311

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC42)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1548	6456	2442	10809	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	0	1	2	07	= FOAM
0	3	0	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	14	2	18	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4207)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS495 8312-8313

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC42)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6481	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS496 8314-8315

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC42)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1547	6440	2438	10786	Blank	= Blank, inapplicable
4	30	6	43	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	3	0	3	03	= BIRTH CONTROL PILLS
0	3	0	4	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	2	0	3	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	0	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4211)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS497 8316-8317

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC42)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6472	2444	10832	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	2	0	3	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	1	3	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4213)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS498 8318-8319

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC42)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6479	2446	10841	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4215)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS499 8320-8321

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC42)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4217)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS500 8322-8323

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC42)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	1	0	1	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4219)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS501 8324-8325

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC42)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4221)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS502 8326-8327

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC42)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4223)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES

MTHUS503 8328-8329

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC42)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE

(4225)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH168 8330-8331

ENTER METHOD (FIRST MENTIONED) USED IN
 JULY 1994: (MC43)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

259	741	249	1348	Blank	= Blank, inapplicable
329	1258	524	2177	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
229	1256	404	1923	03	= BIRTH CONTROL PILLS
209	889	408	1569	04	= CONDOM
24	351	11	396	05	= PARTNER'S VASECTOMY
4	92	11	108	06	= DIAPHRAGM
4	24	2	30	07	= FOAM
1	10	2	13	08	= JELLY OR CREAM
0	2	0	2	09	= CERVICAL CAP
4	24	10	40	10	= SUPPOSITORY, INSERT
3	21	5	29	11	= TODAY (TM) SPONGE
0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
17	31	16	67	13	= IUD, COIL, LOOP
23	49	40	116	14	= NORPLANT (TM)
35	68	49	155	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
32	100	15	159	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
3	15	0	18	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
39	144	31	224	19	= WITHDRAWAL
317	1210	646	2226	20	= RESPONDENT STERILE
19	184	13	220	21	= PARTNER STERILE (NOT ON CARD)
2	5	7	14	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(4227)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH169 8332-8333

ENTER METHOD (SECOND MENTIONED) USED
 IN JULY 1994: (MC43)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1478	6047	2269	10131	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	9	4	13	03	= BIRTH CONTROL PILLS
18	122	88	236	04	= CONDOM
0	12	1	13	05	= PARTNER'S VASECTOMY
2	15	4	21	06	= DIAPHRAGM
6	23	10	40	07	= FOAM
3	16	8	27	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
2	10	6	18	10	= SUPPOSITORY, INSERT
0	11	4	16	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
1	1	4	6	14	= NORPLANT (TM)
0	2	1	3	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
16	68	5	94	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	10	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
26	108	21	166	19	= WITHDRAWAL
1	11	14	26	20	= RESPONDENT STERILE
0	10	1	12	21	= PARTNER STERILE (NOT ON CARD)
0	0	1	1	22	= OTHER METHOD-NOT SHOWN

(4229)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH170 8334-8335 ENTER METHOD (THIRD MENTIONED) USED IN
 JULY 1994: (MC43)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1543	6406	2408	10717	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	3	0	4	07	= FOAM
0	4	1	5	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	4	0	4	10	= SUPPOSITORY, INSERT
1	4	0	5	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	11	3	16	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	5	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
4	27	4	37	19	= WITHDRAWAL
1	9	26	36	20	= RESPONDENT STERILE
0	1	0	1	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	1	22	= OTHER METHOD-NOT SHOWN

(4231)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH171 8336-8337

ENTER METHOD (FOURTH MENTIONED) USED
 IN JULY 1994: (MC43)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6465	2441	10823	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	1	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	4	0	4	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4233)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

SIMSEQ42 8338-8338

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC43)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1487	6115	2282	10226	Blank	= Blank, inapplicable
36	235	132	416	1	= SAME TIME
30	133	32	205	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS504 8339-8340

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC43)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1544	6423	2437	10765	Blank	= Blank, inapplicable
3	17	1	21	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	6	1	9	03	= BIRTH CONTROL PILLS
6	23	5	36	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	5	0	5	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	4	0	4	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(4235)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS505 8341-8342

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC43)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1547	6440	2438	10786	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	8	2	11	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	3	1	5	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	1	2	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
3	18	1	23	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	8	1	12	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	1	0	1	21	= PARTNER STERILE (NOT

(4237)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS506 8343-8344

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC43)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1548	6456	2442	10809	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	4	1	5	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	13	2	17	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4239)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS507 8345-8346

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC43)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6481	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4241)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS508 8347-8348

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC43)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1547	6440	2438	10786	Blank	= Blank, inapplicable
4	31	6	44	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	2	0	2	03	= BIRTH CONTROL PILLS
0	3	0	4	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	2	0	3	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	0	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4243)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS509 8349-8350

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC43)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6473	2444	10833	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	1	3	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4245)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS510 8351-8352

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC43)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6479	2446	10841	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4247)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS511 8353-8354

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC43)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4249)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS512 8355-8356

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC43)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	1	0	1	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4251)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS513 8357-8358

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC43)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4253)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS514 8359-8360

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC43)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4255)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS515 8361-8362

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC43)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4257)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH172 8363-8364 ENTER METHOD (FIRST MENTIONED) USED IN
 AUGUST 1994: (MC44)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

255	731	245	1327	Blank	= Blank, inapplicable
325	1252	526	2169	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
234	1255	402	1925	03	= BIRTH CONTROL PILLS
210	898	406	1578	04	= CONDOM
24	354	11	399	05	= PARTNER'S VASECTOMY
4	95	10	110	06	= DIAPHRAGM
4	26	2	32	07	= FOAM
1	9	2	12	08	= JELLY OR CREAM
1	3	0	4	09	= CERVICAL CAP
4	23	8	37	10	= SUPPOSITORY, INSERT
3	20	6	29	11	= TODAY (TM) SPONGE
0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
17	30	16	66	13	= IUD, COIL, LOOP
24	49	40	117	14	= NORPLANT (TM)
34	73	53	163	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
30	98	16	156	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
3	16	0	19	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
39	138	28	216	19	= WITHDRAWAL
320	1214	652	2240	20	= RESPONDENT STERILE
19	185	13	221	21	= PARTNER STERILE (NOT ON CARD)
2	5	7	14	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(4259)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH173 8365-8366

ENTER METHOD (SECOND MENTIONED) USED
 IN AUGUST 1994: (MC44)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1479	6046	2273	10136	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	10	4	14	03	= BIRTH CONTROL PILLS
18	130	86	241	04	= CONDOM
0	12	1	13	05	= PARTNER'S VASECTOMY
2	14	5	21	06	= DIAPHRAGM
5	24	9	39	07	= FOAM
3	15	8	26	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
2	12	6	20	10	= SUPPOSITORY, INSERT
0	10	4	15	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
2	1	4	7	14	= NORPLANT (TM)
0	2	1	3	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
16	65	5	91	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	10	1	11	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
25	102	20	158	19	= WITHDRAWAL
1	12	14	27	20	= RESPONDENT STERILE
0	9	1	11	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4261)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH174 8367-8368 ENTER METHOD (THIRD MENTIONED) USED IN
 AUGUST 1994: (MC44)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1542	6410	2409	10721	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	2	0	3	07	= FOAM
0	3	0	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	3	1	4	10	= SUPPOSITORY, INSERT
1	4	0	5	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	11	2	15	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
5	27	5	39	19	= WITHDRAWAL
1	10	25	36	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	1	22	= OTHER METHOD-NOT SHOWN

(4263)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH175 8369-8370 ENTER METHOD (FOURTH MENTIONED) USED
 IN AUGUST 1994: (MC44)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6465	2441	10823	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	1	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	4	0	4	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4265)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

SIMSEQ43 8371-8371

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC44)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1489	6109	2286	10227	Blank	= Blank, inapplicable
35	243	128	418	1	= SAME TIME
29	131	32	202	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS516 8372-8373

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC44)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1543	6428	2437	10769	Blank	= Blank, inapplicable
3	17	1	21	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	5	2	9	03	= BIRTH CONTROL PILLS
6	20	4	32	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	5	0	5	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	4	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	1	0	1	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS517 8374-8375

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC44)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1546	6445	2438	10790	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	6	3	10	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	3	1	5	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
3	17	0	21	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	8	1	13	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4269)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS518 8376-8377

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC44)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1548	6459	2441	10811	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	0	0	1	07	= FOAM
0	3	0	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	13	3	18	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4271)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS519 8378-8379

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC44)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6481	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS520 8380-8381

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC44)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1546	6445	2438	10790	Blank	= Blank, inapplicable
4	27	6	40	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	2	0	2	03	= BIRTH CONTROL PILLS
1	3	0	5	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	0	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4275)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS521 8382-8383

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC44)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6474	2444	10834	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	1	3	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4277)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS522 8384-8385

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC44)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6479	2446	10841	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4279)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS523 8386-8387

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC44)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4281)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS524 8388-8389

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC44)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	1	0	1	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4283)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS525 8390-8391

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC44)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4285)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS526 8392-8393

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC44)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4287)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS527 8394-8395

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC44)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4289)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH176 8396-8397 ENTER METHOD (FIRST MENTIONED) USED IN
 SEPTEMBER 1994: (MC45)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

252	720	242	1308	Blank	= Blank, inapplicable
327	1262	536	2190	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
236	1233	400	1906	03	= BIRTH CONTROL PILLS
207	911	399	1582	04	= CONDOM
24	354	11	399	05	= PARTNER'S VASECTOMY
5	95	11	112	06	= DIAPHRAGM
5	24	2	31	07	= FOAM
1	10	2	13	08	= JELLY OR CREAM
1	3	0	4	09	= CERVICAL CAP
4	26	9	41	10	= SUPPOSITORY, INSERT
1	16	7	24	11	= TODAY (TM) SPONGE
0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
18	31	15	67	13	= IUD, COIL, LOOP
25	51	39	119	14	= NORPLANT (TM)
35	76	52	166	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
29	94	16	151	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
3	16	0	19	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
38	142	26	216	19	= WITHDRAWAL
321	1217	656	2248	20	= RESPONDENT STERILE
19	188	13	224	21	= PARTNER STERILE (NOT ON CARD)
2	5	7	14	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(4291)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH177 8398-8399

ENTER METHOD (SECOND MENTIONED) USED
 IN SEPTEMBER 1994: (MC45)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1477	6047	2273	10133	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	9	6	15	03	= BIRTH CONTROL PILLS
18	125	83	234	04	= CONDOM
0	14	2	16	05	= PARTNER'S VASECTOMY
2	13	4	19	06	= DIAPHRAGM
5	26	10	42	07	= FOAM
3	16	9	28	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
2	12	6	20	10	= SUPPOSITORY, INSERT
0	7	4	12	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
1	1	4	6	14	= NORPLANT (TM)
1	2	1	4	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
16	65	5	92	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	11	1	12	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
27	103	19	160	19	= WITHDRAWAL
1	13	14	28	20	= RESPONDENT STERILE
0	10	1	12	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4293)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH178 8400-8401

ENTER METHOD (THIRD MENTIONED) USED IN
 SEPTEMBER 1994: (MC45)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1543	6408	2407	10718	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	2	0	3	07	= FOAM
0	3	0	3	08	= JELLY OR CREAM
0	0	1	1	09	= CERVICAL CAP
0	2	0	2	10	= SUPPOSITORY, INSERT
1	4	1	6	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	10	2	14	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	5	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
4	29	5	40	19	= WITHDRAWAL
1	11	26	38	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	1	22	= OTHER METHOD-NOT SHOWN

(4295)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH179 8402-8403 ENTER METHOD (FOURTH MENTIONED) USED
 IN SEPTEMBER 1994: (MC45)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6466	2441	10824	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	1	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	0	3	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4297)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK	TOTAL			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR	
		0	1	2	3	97	= Not Ascertained	
		0	5	2	7	98	= Refused	
		0	2	0	3	99	= Don't Know	

SIMSEQ44 8404-8404

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC45)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1486	6111	2287	10225	Blank	= Blank, inapplicable
36	244	128	422	1	= SAME TIME
30	128	31	199	2	= DIFFERENT TIMES
1	0	0	1	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS528 8405-8406

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC45)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1544	6427	2436	10768	Blank	= Blank, inapplicable
3	13	2	18	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	5	2	9	03	= BIRTH CONTROL PILLS
6	24	4	36	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	5	0	5	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS529 8407-8408

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC45)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1547	6440	2438	10786	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	7	3	11	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	3	1	5	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
3	20	0	24	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	8	1	12	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4301)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS530 8409-8410

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC45)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1548	6457	2441	10809	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	0	0	1	07	= FOAM
0	3	0	3	08	= JELLY OR CREAM
0	0	1	1	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	14	3	19	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4303)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL					

MTHUS531 8411-8412

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC45)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6481	2445	10844	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	1	0	1	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE
0	0	0	0	21		= PARTNER STERILE (NOT

(4305)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS532 8413-8414

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC45)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1547	6440	2438	10786	Blank	= Blank, inapplicable
4	30	6	43	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	2	0	2	03	= BIRTH CONTROL PILLS
0	3	0	4	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	4	0	4	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	0	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4307)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	97	SEPARATELY
		0	0	0	0	98	= Not Ascertained
		0	0	0	0	99	= Refused = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS533 8415-8416

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC45)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6472	2444	10832	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	4	1	5	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4309)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS534 8417-8418

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC45)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6479	2446	10841	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4311)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS535 8419-8420

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC45)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4313)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS536 8421-8422

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC45)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	1	0	1	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4315)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS537 8423-8424

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC45)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4317)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS538 8425-8426

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC45)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4319)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL			

MTHUS539 8427-8428

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC45)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE

(4321)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH180 8429-8430 ENTER METHOD (FIRST MENTIONED) USED IN
 OCTOBER 1994: (MC46)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

249	706	233	1280	Blank	= Blank, inapplicable
330	1276	543	2212	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
236	1224	388	1884	03	= BIRTH CONTROL PILLS
211	906	396	1579	04	= CONDOM
24	355	11	400	05	= PARTNER'S VASECTOMY
5	94	11	111	06	= DIAPHRAGM
5	24	3	32	07	= FOAM
1	10	3	14	08	= JELLY OR CREAM
1	3	0	4	09	= CERVICAL CAP
4	25	9	40	10	= SUPPOSITORY, INSERT
1	16	6	23	11	= TODAY (TM) SPONGE
0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
18	31	15	67	13	= IUD, COIL, LOOP
25	53	38	120	14	= NORPLANT (TM)
34	86	59	183	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
28	89	17	147	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
2	17	0	19	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
36	144	31	222	19	= WITHDRAWAL
323	1220	659	2257	20	= RESPONDENT STERILE
19	190	13	226	21	= PARTNER STERILE (NOT ON CARD)
1	5	8	14	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(4323)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH181 8431-8432

ENTER METHOD (SECOND MENTIONED) USED
 IN OCTOBER 1994: (MC46)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1478	6048	2285	10146	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	11	6	17	03	= BIRTH CONTROL PILLS
19	125	75	227	04	= CONDOM
0	14	2	16	05	= PARTNER'S VASECTOMY
2	16	4	22	06	= DIAPHRAGM
5	26	10	42	07	= FOAM
3	14	8	25	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
2	13	4	19	10	= SUPPOSITORY, INSERT
0	8	4	13	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
1	1	4	6	14	= NORPLANT (TM)
0	2	1	3	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
16	62	6	91	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	10	1	11	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
26	102	17	156	19	= WITHDRAWAL
1	13	14	28	20	= RESPONDENT STERILE
0	9	1	11	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4325)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH182 8433-8434 ENTER METHOD (THIRD MENTIONED) USED IN
 OCTOBER 1994: (MC46)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1542	6407	2407	10716	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	2	0	2	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	4	0	5	07	= FOAM
0	3	0	3	08	= JELLY OR CREAM
0	0	1	1	09	= CERVICAL CAP
0	3	0	3	10	= SUPPOSITORY, INSERT
1	4	1	6	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	11	2	15	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	5	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
4	25	5	36	19	= WITHDRAWAL
2	11	26	39	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	1	22	= OTHER METHOD-NOT SHOWN

(4327)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH183 8435-8436

ENTER METHOD (FOURTH MENTIONED) USED
 IN OCTOBER 1994: (MC46)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6463	2441	10821	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	1	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	6	0	6	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4329)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

SIMSEQ45 8437-8437

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC46)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1487	6113	2299	10239	Blank	= Blank, inapplicable
37	243	120	414	1	= SAME TIME
29	127	27	194	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS540 8438-8439

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC46)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1544	6426	2436	10767	Blank	= Blank, inapplicable
3	15	2	20	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	5	2	9	03	= BIRTH CONTROL PILLS
6	23	4	35	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	5	0	5	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(4331)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS541 8440-8441

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC46)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1547	6441	2438	10787	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	7	3	11	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	5	1	7	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
3	16	0	20	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	9	1	13	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4333)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS542 8442-8443

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC46)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1548	6458	2441	10810	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	0	0	1	07	= FOAM
0	3	0	3	08	= JELLY OR CREAM
0	0	1	1	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	12	3	17	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4335)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

MTHUS543 8444-8445

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC46)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6481	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS544 8446-8447

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC46)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1547	6441	2438	10787	Blank	= Blank, inapplicable
4	28	6	41	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	3	0	3	03	= BIRTH CONTROL PILLS
0	3	0	4	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	0	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4339)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS545 8448-8449

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC46)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6471	2444	10831	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	4	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	4	1	5	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4341)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS546 8450-8451

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC46)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6478	2446	10840	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4343)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS547 8452-8453

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC46)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4345)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS548 8454-8455

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC46)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6479	2446	10843	Blank	= Blank, inapplicable
0	3	0	3	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4347)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS549 8456-8457

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC46)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4349)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS550 8458-8459

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC46)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4351)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES

MTHUS551 8460-8461

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC46)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE

(4353)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH184 8462-8463 ENTER METHOD (FIRST MENTIONED) USED IN
 NOVEMBER 1994: (MC47)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

248	697	229	1265	Blank	= Blank, inapplicable
330	1274	544	2212	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
236	1213	380	1866	03	= BIRTH CONTROL PILLS
207	917	397	1587	04	= CONDOM
24	357	11	402	05	= PARTNER'S VASECTOMY
5	94	11	111	06	= DIAPHRAGM
5	26	3	34	07	= FOAM
2	11	3	16	08	= JELLY OR CREAM
1	3	0	4	09	= CERVICAL CAP
5	26	9	42	10	= SUPPOSITORY, INSERT
0	17	7	24	11	= TODAY (TM) SPONGE
0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
18	31	15	67	13	= IUD, COIL, LOOP
25	53	37	119	14	= NORPLANT (TM)
34	91	62	191	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
29	91	17	150	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
2	18	1	21	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
35	134	32	211	19	= WITHDRAWAL
327	1223	663	2268	20	= RESPONDENT STERILE
19	192	13	228	21	= PARTNER STERILE (NOT ON CARD)
1	5	9	15	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(4355)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH185 8464-8465

ENTER METHOD (SECOND MENTIONED) USED
 IN NOVEMBER 1994: (MC47)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1482	6030	2285	10132	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	8	7	15	03	= BIRTH CONTROL PILLS
17	131	71	227	04	= CONDOM
0	13	2	15	05	= PARTNER'S VASECTOMY
2	14	4	20	06	= DIAPHRAGM
5	25	9	40	07	= FOAM
3	16	8	27	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
2	14	5	21	10	= SUPPOSITORY, INSERT
1	8	4	14	11	= TODAY (TM) SPONGE
0	1	1	2	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
1	1	4	6	14	= NORPLANT (TM)
0	2	2	4	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
14	64	7	92	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	10	1	11	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
25	113	18	167	19	= WITHDRAWAL
1	14	13	28	20	= RESPONDENT STERILE
0	9	1	11	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4357)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH186 8466-8467

ENTER METHOD (THIRD MENTIONED) USED IN
 NOVEMBER 1994: (MC47)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1543	6403	2405	10711	Blank	
0	0	0	0	01	= Blank, inapplicable
0	0	0	0	02	= NO METHODS USED
0	1	0	1	03	= SAME AS PREVIOUS MONTH
0	1	0	1	04	= BIRTH CONTROL PILLS
0	0	0	0	05	= CONDOM
0	0	0	0	06	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	3	0	4	07	= FOAM
0	4	0	4	08	= JELLY OR CREAM
0	0	1	1	09	= CERVICAL CAP
0	3	0	3	10	= SUPPOSITORY, INSERT
1	4	2	7	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	10	2	14	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	5	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
3	29	5	39	19	= WITHDRAWAL
2	12	27	41	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	1	22	= OTHER METHOD-NOT SHOWN

(4359)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH187 8468-8469

ENTER METHOD (FOURTH MENTIONED) USED
 IN NOVEMBER 1994: (MC47)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6464	2440	10821	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	1	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	4	0	4	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4361)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK	TOTAL			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR	
		0	1	2	3	97	= Not Ascertained	
		0	5	2	7	98	= Refused	
		0	3	0	4	99	= Don't Know	

SIMSEQ46 8470-8470

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC47)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1490	6098	2300	10228	Blank	= Blank, inapplicable
35	251	119	419	1	= SAME TIME
28	134	27	200	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS552 8471-8472

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC47)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1545	6424	2435	10765	Blank	= Blank, inapplicable
3	13	2	18	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	7	2	11	03	= BIRTH CONTROL PILLS
5	24	4	35	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	5	0	5	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	1	7	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(4363)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS553 8473-8474

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC47)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1548	6437	2437	10783	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	8	3	12	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	6	0	7	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	1	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	18	0	21	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	9	2	14	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4365)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS554 8475-8476

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC47)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1548	6455	2440	10806	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	0	0	1	07	= FOAM
0	4	0	4	08	= JELLY OR CREAM
0	0	1	1	09	= CERVICAL CAP
0	1	1	2	10	= SUPPOSITORY, INSERT
1	2	1	4	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	14	2	18	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4367)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS555 8477-8478

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC47)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6481	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4369)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS556 8479-8480

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC47)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1548	6437	2437	10783	Blank	= Blank, inapplicable
4	32	7	46	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	3	0	3	03	= BIRTH CONTROL PILLS
0	4	0	5	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	1	1	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4371)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS557 8481-8482

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC47)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6471	2444	10831	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	1	0	1	03	= BIRTH CONTROL PILLS
1	2	0	3	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	1	4	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4373)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS558 8483-8484

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC47)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6478	2446	10840	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4375)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS559 8485-8486

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC47)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4377)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS560 8487-8488

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC47)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6480	2446	10844	Blank	= Blank, inapplicable
0	1	0	1	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	1	0	1	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4379)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS561 8489-8490

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC47)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	2	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4381)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS562 8491-8492

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC47)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4383)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS563 8493-8494

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC47)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4385)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH188 8495-8496 ENTER METHOD (FIRST MENTIONED) USED IN
 DECEMBER 1994: (MC48)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

245	691	227	1254	Blank	= Blank, inapplicable
325	1252	533	2178	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
232	1216	379	1863	03	= BIRTH CONTROL PILLS
210	912	400	1585	04	= CONDOM
24	360	11	406	05	= PARTNER'S VASECTOMY
5	94	11	111	06	= DIAPHRAGM
3	25	2	30	07	= FOAM
2	11	3	16	08	= JELLY OR CREAM
1	3	0	4	09	= CERVICAL CAP
5	26	9	42	10	= SUPPOSITORY, INSERT
0	16	7	23	11	= TODAY (TM) SPONGE
0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
18	33	15	69	13	= IUD, COIL, LOOP
23	53	36	116	14	= NORPLANT (TM)
38	93	70	205	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
30	93	16	151	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
2	19	1	22	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
38	139	31	218	19	= WITHDRAWAL
332	1240	669	2296	20	= RESPONDENT STERILE
19	191	13	227	21	= PARTNER STERILE (NOT ON CARD)
1	5	10	16	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(4387)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH189 8497-8498

ENTER METHOD (SECOND MENTIONED) USED
 IN DECEMBER 1994: (MC48)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1484	6031	2280	10131	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	6	7	13	03	= BIRTH CONTROL PILLS
15	131	74	228	04	= CONDOM
0	12	2	14	05	= PARTNER'S VASECTOMY
2	15	4	21	06	= DIAPHRAGM
5	25	10	41	07	= FOAM
3	16	8	27	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
2	13	5	20	10	= SUPPOSITORY, INSERT
0	7	4	12	11	= TODAY (TM) SPONGE
0	0	1	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
1	1	4	6	14	= NORPLANT (TM)
0	2	3	5	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
14	62	7	90	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	10	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
26	121	18	175	19	= WITHDRAWAL
1	13	13	27	20	= RESPONDENT STERILE
0	9	1	11	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4389)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH190 8499-8500 ENTER METHOD (THIRD MENTIONED) USED IN
 DECEMBER 1994: (MC48)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1543	6407	2404	10714	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	2	0	3	07	= FOAM
0	4	0	4	08	= JELLY OR CREAM
0	0	1	1	09	= CERVICAL CAP
0	3	0	3	10	= SUPPOSITORY, INSERT
1	4	2	7	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	11	2	15	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	5	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
3	28	6	39	19	= WITHDRAWAL
2	9	27	38	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	1	22	= OTHER METHOD-NOT SHOWN

(4391)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH191 8501-8502

ENTER METHOD (FOURTH MENTIONED) USED
 IN DECEMBER 1994: (MC48)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6465	2440	10822	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	1	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	0	3	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4393)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK	TOTAL			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR	
		0	1	2	3	97	= Not Ascertained	
		0	5	2	7	98	= Refused	
		0	3	0	4	99	= Don't Know	

SIMSEQ47 8503-8503

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC48)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1492	6098	2296	10227	Blank	= Blank, inapplicable
35	255	122	426	1	= SAME TIME
26	130	27	193	2	= DIFFERENT TIMES
0	0	1	1	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS564 8504-8505

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC48)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1545	6425	2434	10765	Blank	= Blank, inapplicable
3	14	2	19	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	7	2	11	03	= BIRTH CONTROL PILLS
5	22	5	34	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	5	0	5	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	1	7	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS565 8506-8507

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC48)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1548	6439	2436	10784	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	9	3	13	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	5	1	7	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	1	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	16	0	19	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	9	2	14	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4397)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS566 8508-8509

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC48)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1548	6456	2439	10806	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	0	0	1	07	= FOAM
0	4	0	4	08	= JELLY OR CREAM
0	0	1	1	09	= CERVICAL CAP
0	1	1	2	10	= SUPPOSITORY, INSERT
1	2	1	4	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	13	3	18	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4399)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL					

MTHUS567 8510-8511

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC48)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6481	2445	10844	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	1	0	1	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE
0	0	0	0	21		= PARTNER STERILE (NOT

(4401)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS568 8512-8513

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC48)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1548	6439	2436	10784	Blank	= Blank, inapplicable
4	31	8	46	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	3	0	3	03	= BIRTH CONTROL PILLS
0	3	0	4	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	1	1	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4403)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS569 8514-8515

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC48)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6472	2444	10832	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	2	0	3	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	1	4	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4405)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS570 8516-8517

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC48)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6478	2446	10840	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4407)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS571 8518-8519

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC48)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4409)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS572 8520-8521

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC48)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	1	0	1	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4411)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS573 8522-8523

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC48)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4413)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

MTHUS574 8524-8525

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC48)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4415)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS575 8526-8527

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC48)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4417)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH192 8528-8529 ENTER METHOD (FIRST MENTIONED) USED IN
 JANUARY 1995: (MC49)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

241	682	224	1238	Blank	= Blank, inapplicable
343	1303	551	2265	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
217	1185	358	1796	03	= BIRTH CONTROL PILLS
206	899	394	1563	04	= CONDOM
24	362	11	407	05	= PARTNER'S VASECTOMY
6	87	11	105	06	= DIAPHRAGM
5	25	3	33	07	= FOAM
2	11	2	15	08	= JELLY OR CREAM
1	2	0	3	09	= CERVICAL CAP
4	26	7	39	10	= SUPPOSITORY, INSERT
0	13	8	21	11	= TODAY (TM) SPONGE
0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
19	33	15	70	13	= IUD, COIL, LOOP
22	53	37	116	14	= NORPLANT (TM)
41	88	74	207	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
28	97	17	154	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
2	18	0	20	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
34	142	27	213	19	= WITHDRAWAL
335	1252	681	2323	20	= RESPONDENT STERILE
21	191	13	229	21	= PARTNER STERILE (NOT ON CARD)
2	7	10	19	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(4419)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	1	0	2	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH193 8530-8531

ENTER METHOD (SECOND MENTIONED) USED
 IN JANUARY 1995: (MC49)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1489	6048	2282	10154	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
1	5	6	12	03	= BIRTH CONTROL PILLS
13	128	72	221	04	= CONDOM
0	11	2	13	05	= PARTNER'S VASECTOMY
3	17	5	25	06	= DIAPHRAGM
5	25	10	40	07	= FOAM
4	16	6	26	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
2	12	7	21	10	= SUPPOSITORY, INSERT
0	7	4	12	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	1	2	3	14	= NORPLANT (TM)
0	3	3	6	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
13	57	7	85	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	10	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
21	118	19	169	19	= WITHDRAWAL
2	9	15	26	20	= RESPONDENT STERILE
0	10	1	12	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4421)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	1	0	2	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH194 8532-8533 ENTER METHOD (THIRD MENTIONED) USED IN
 JANUARY 1995: (MC49)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1544	6410	2411	10726	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
1	3	0	4	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	4	1	5	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	4	0	4	10	= SUPPOSITORY, INSERT
1	4	0	5	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	9	2	13	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	5	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	28	4	35	19	= WITHDRAWAL
1	9	24	34	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	2	22	= OTHER METHOD-NOT SHOWN

(4423)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	1	0	2	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH195 8534-8535 ENTER METHOD (FOURTH MENTIONED) USED
 IN JANUARY 1995: (MC49)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6468	2440	10825	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	1	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	4	0	4	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK	TOTAL			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR	
		0	1	2	3	97	= Not Ascertained	
		0	4	2	6	98	= Refused	
		0	1	0	2	99	= Don't Know	

SIMSEQ48 8536-8536

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC49)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1497	6112	2294	10242	Blank	= Blank, inapplicable
31	245	120	411	1	= SAME TIME
25	126	30	192	2	= DIFFERENT TIMES
0	0	2	2	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS576 8537-8538

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC49)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1545	6425	2438	10770	Blank	= Blank, inapplicable
2	15	1	18	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	7	0	9	03	= BIRTH CONTROL PILLS
5	20	4	30	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	5	1	6	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	7	1	9	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK				
		0	0	0	0	97		= Not Ascertained
		0	0	0	0	98		= Refused
		0	0	0	0	99		= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS577 8539-8540

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC49)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1547	6440	2439	10788	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	9	1	11	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	6	2	10	07	= FOAM
1	2	2	5	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	16	0	19	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	7	2	11	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4429)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS578 8541-8542

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC49)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1547	6457	2441	10808	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	0	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	4	1	5	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	1	2	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	2	1	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	14	2	18	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4431)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	0	0	1	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

MTHUS579 8543-8544

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC49)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4433)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS580 8545-8546

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC49)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1547	6440	2439	10788	Blank	= Blank, inapplicable
5	29	6	42	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	4	0	4	03	= BIRTH CONTROL PILLS
0	4	0	5	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4435)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS581 8547-8548

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC49)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6471	2445	10832	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	3	0	4	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	4	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	1	3	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4437)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS582 8549-8550

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC49)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6479	2446	10841	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4439)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL			

MTHUS583 8551-8552

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC49)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE

(4441)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS584 8553-8554

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC49)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6480	2446	10844	Blank	= Blank, inapplicable
0	1	0	1	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	1	0	1	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4443)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS585 8555-8556

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC49)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4445)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS586 8557-8558

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC49)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4447)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS587 8559-8560

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC49)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4449)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH196 8561-8562 ENTER METHOD (FIRST MENTIONED) USED IN
FEBRUARY 1995: (MC50)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); or R completed the interview prior to this month.

273	922	389	1682	Blank	= Blank, inapplicable
335	1261	520	2182	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
216	1133	335	1718	03	= BIRTH CONTROL PILLS
193	851	350	1458	04	= CONDOM
24	340	9	382	05	= PARTNER'S VASECTOMY
5	79	11	96	06	= DIAPHRAGM
2	27	3	32	07	= FOAM
2	11	3	16	08	= JELLY OR CREAM
1	2	0	3	09	= CERVICAL CAP
4	23	8	37	10	= SUPPOSITORY, INSERT
0	12	7	19	11	= TODAY (TM) SPONGE
0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
17	31	12	63	13	= IUD, COIL, LOOP
22	51	37	113	14	= NORPLANT (TM)
42	92	63	201	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
27	94	17	149	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
2	18	0	20	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
36	128	22	196	19	= WITHDRAWAL
330	1204	634	2223	20	= RESPONDENT STERILE
20	191	14	229	21	= PARTNER STERILE (NOT

(4451)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		2	7	9	18	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	0	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH197 8563-8564

ENTER METHOD (SECOND MENTIONED) USED
 IN FEBRUARY 1995: (MC50)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month; or R completed the interview prior to this month.

1488	6065	2303	10192	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
1	7	5	13	03	= BIRTH CONTROL PILLS
13	122	62	204	04	= CONDOM
1	10	2	13	05	= PARTNER'S VASECTOMY
3	16	4	23	06	= DIAPHRAGM
6	23	7	36	07	= FOAM
4	16	5	25	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
2	12	6	20	10	= SUPPOSITORY, INSERT
0	7	3	11	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	1	2	3	14	= NORPLANT (TM)
0	3	1	4	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
11	54	7	80	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	8	1	9	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
22	114	19	166	19	= WITHDRAWAL
2	9	14	25	20	= RESPONDENT STERILE

(4453)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	9	1	11	21	= PARTNER STERILE (NOT ON CARD)
		0	1	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	0	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH198 8565-8566 ENTER METHOD (THIRD MENTIONED) USED IN
 FEBRUARY 1995: (MC50)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month; R completed the interview prior to this month.

1545	6417	2413	10736	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	2	0	2	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	4	0	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	4	0	4	10	= SUPPOSITORY, INSERT
1	4	0	5	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	7	2	11	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	5	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	26	3	32	19	= WITHDRAWAL
1	8	24	33	20	= RESPONDENT STERILE

(4455)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	2	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	0	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

METHH199 8567-8568

ENTER METHOD (FOURTH MENTIONED) USED
 IN FEBRUARY 1995: (MC50)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month; R completed the interview prior to this month.

1553	6470	2440	10827	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	1	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	0	3	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4457)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	0	0	1	99	= Don't Know

SIMSEQ49 8569-8569

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC50)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1495	6123	2313	10271	Blank	= Blank, inapplicable
34	236	102	387	1	= SAME TIME
24	124	30	188	2	= DIFFERENT TIMES
0	0	1	1	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS588 8570-8571

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC50)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month.

1546	6430	2440	10778	Blank	= Blank, inapplicable
2	16	1	19	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	7	0	9	03	= BIRTH CONTROL PILLS
5	17	3	26	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	1	7	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4459)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS589 8572-8573

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC50)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1548	6446	2441	10797	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	9	1	11	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	5	0	6	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	13	0	16	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	7	2	11	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4461)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS590 8574-8575

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC50)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1548	6458	2443	10812	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	4	0	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	2	1	3	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	2	1	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	12	1	15	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4463)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS591 8576-8577

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC50)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4465)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS592 8578-8579

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC50)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1548	6446	2441	10797	Blank	= Blank, inapplicable
4	25	4	35	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	3	0	3	03	= BIRTH CONTROL PILLS
0	4	0	5	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	0	0	1	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)

(4467)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS593 8580-8581

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC50)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6473	2445	10834	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	3	0	4	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	1	3	19	= WITHDRAWAL

(4469)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS594 8582-8583

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC50)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6480	2446	10842	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL

(4471)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS595 8584-8585

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC50)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(4473)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS596 8586-8587

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC50)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	1	0	1	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)

(4475)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

MTHUS597 8588-8589

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC50)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL

(4477)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES

MTHUS598 8590-8591

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC50)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL

(4479)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS599 8592-8593

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC50)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(4481)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH200 8594-8595 ENTER METHOD (FIRST MENTIONED) USED IN
 MARCH 1995: (MC51)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); or R completed the interview prior to this month.

516	2216	934	3819	Blank	= Blank, inapplicable
266	951	371	1643	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
179	877	253	1335	03	= BIRTH CONTROL PILLS
159	666	265	1144	04	= CONDOM
17	252	9	284	05	= PARTNER'S VASECTOMY
3	65	5	74	06	= DIAPHRAGM
1	21	3	25	07	= FOAM
2	6	2	10	08	= JELLY OR CREAM
0	2	0	2	09	= CERVICAL CAP
2	18	7	29	10	= SUPPOSITORY, INSERT
0	12	6	18	11	= TODAY (TM) SPONGE
0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
12	23	11	49	13	= IUD, COIL, LOOP
17	40	26	85	14	= NORPLANT (TM)
33	69	49	156	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
24	77	14	126	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
1	10	0	11	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
33	98	14	147	19	= WITHDRAWAL
272	919	457	1690	20	= RESPONDENT STERILE
14	150	12	179	21	= PARTNER STERILE (NOT

(4483)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		2	4	6	12	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	4	1	5	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH201 8596-8597

ENTER METHOD (SECOND MENTIONED) USED
 IN MARCH 1995: (MC51)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month; R completed the interview prior to this month.

1508	6162	2341	10354	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
1	4	3	8	03	= BIRTH CONTROL PILLS
10	87	43	146	04	= CONDOM
0	8	2	10	05	= PARTNER'S VASECTOMY
3	12	4	19	06	= DIAPHRAGM
5	18	6	29	07	= FOAM
2	15	5	22	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	13	2	16	10	= SUPPOSITORY, INSERT
0	7	3	11	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	1	1	2	14	= NORPLANT (TM)
0	3	1	4	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
7	39	4	56	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	8	1	9	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
14	86	15	123	19	= WITHDRAWAL
2	6	12	20	20	= RESPONDENT STERILE

(4485)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	7	1	9	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	4	1	5	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH202 8598-8599

ENTER METHOD (THIRD MENTIONED) USED IN
 MARCH 1995: (MC51)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month; R completed the interview prior to this month.

1548	6428	2422	10760	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	2	0	2	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	3	0	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	2	0	2	10	= SUPPOSITORY, INSERT
1	4	0	5	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	6	2	10	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	21	3	26	19	= WITHDRAWAL
0	8	17	25	20	= RESPONDENT STERILE

(4487)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	4	1	5	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH203 8600-8601

ENTER METHOD (FOURTH MENTIONED) USED
 IN MARCH 1995: (MC51)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month; R completed the interview prior to this month.

1553	6473	2442	10833	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4489)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	4	1	5	98	= Refused
		0	1	0	1	99	= Don't Know

SIMSEQ50 8602-8602

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC51)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1513	6209	2349	10417	Blank	= Blank, inapplicable
25	173	76	286	1	= SAME TIME
15	100	20	142	2	= DIFFERENT TIMES
0	0	1	1	7	= Not Ascertained
0	0	0	0	8	= Refused
0	1	0	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS600 8603-8604

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC51)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month.

1548	6442	2440	10792	Blank	= Blank, inapplicable
2	14	1	17	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	6	0	8	03	= BIRTH CONTROL PILLS
3	11	3	18	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4491)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS601 8605-8606

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC51)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1550	6456	2441	10809	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	8	1	10	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	3	0	4	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	7	0	8	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	5	2	9	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4493)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS602 8607-8608

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC51)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1550	6465	2443	10821	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	3	0	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	1	2	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	2	1	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	9	1	11	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4495)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS603 8609-8610

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC51)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4497)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS604 8611-8612

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC51)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1550	6456	2441	10809	Blank	= Blank, inapplicable
2	18	4	26	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	3	0	3	03	= BIRTH CONTROL PILLS
0	2	0	3	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	0	0	1	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS605 8613-8614

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC51)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6476	2445	10837	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	2	0	3	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	1	4	19	= WITHDRAWAL

(4501)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS606 8615-8616

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC51)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6482	2446	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(4503)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES

MTHUS607 8617-8618

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC51)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL					

MTHUS608 8619-8620

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC51)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6483	2446	10847	Blank		= Blank, inapplicable				
0	0	0	0	01		= NONE				
0	0	0	0	02		= OFFICE USE ONLY				
0	0	0	0	03		= BIRTH CONTROL PILLS				
0	0	0	0	04		= CONDOM				
0	0	0	0	05		= PARTNER'S VASECTOMY				
0	0	0	0	06		= DIAPHRAGM				
0	0	0	0	07		= FOAM				
0	0	0	0	08		= JELLY OR CREAM				
0	0	0	0	09		= CERVICAL CAP				
0	0	0	0	10		= SUPPOSITORY, INSERT				
0	0	0	0	11		= TODAY (TM) SPONGE				
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH				
0	0	0	0	13		= IUD, COIL, LOOP				
0	0	0	0	14		= NORPLANT (TM)				
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES				
0	0	0	0	16		= MORNING AFTER PILLS				
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR				
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP				
0	0	0	0	19		= WITHDRAWAL				
0	0	0	0	20		= RESPONDENT STERILE				
0	0	0	0	21		= PARTNER STERILE (NOT ON CARD)				

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS609 8621-8622

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC51)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(4509)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS610 8623-8624

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC51)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(4511)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS611 8625-8626

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC51)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(4513)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH204 8627-8628 ENTER METHOD (FIRST MENTIONED) USED IN
APRIL 1995: (MC52)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); or R completed the interview prior to this month.

848	3552	1385	6003	Blank	= Blank, inapplicable
185	662	263	1151	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
128	606	172	922	03	= BIRTH CONTROL PILLS
103	464	194	795	04	= CONDOM
11	156	6	177	05	= PARTNER'S VASECTOMY
3	47	5	55	06	= DIAPHRAGM
0	12	2	14	07	= FOAM
2	4	2	8	08	= JELLY OR CREAM
0	2	0	2	09	= CERVICAL CAP
1	14	3	19	10	= SUPPOSITORY, INSERT
0	8	5	13	11	= TODAY (TM) SPONGE
0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
9	16	10	38	13	= IUD, COIL, LOOP
14	20	12	48	14	= NORPLANT (TM)
25	47	37	113	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
14	51	10	84	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	8	0	8	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
23	71	7	103	19	= WITHDRAWAL
176	625	315	1144	20	= RESPONDENT STERILE
10	112	11	136	21	= PARTNER STERILE (NOT

(4515)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	1	5	7	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	2	1	3	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH205 8629-8630 ENTER METHOD (SECOND MENTIONED) USED
 IN APRIL 1995: (MC52)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month; R completed the interview prior to this month.

1529	6271	2368	10519	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	3	2	5	03	= BIRTH CONTROL PILLS
6	61	30	101	04	= CONDOM
0	6	2	8	05	= PARTNER'S VASECTOMY
2	6	2	10	06	= DIAPHRAGM
4	13	5	22	07	= FOAM
1	10	4	15	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	5	2	7	10	= SUPPOSITORY, INSERT
0	6	3	9	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	1	1	2	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
1	24	3	32	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	6	1	7	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
10	58	13	86	19	= WITHDRAWAL
0	2	7	9	20	= RESPONDENT STERILE

(4517)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	5	1	7	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	2	1	3	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH206 8631-8632 ENTER METHOD (THIRD MENTIONED) USED IN
 APRIL 1995: (MC52)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month; R completed the interview prior to this month.

1550	6451	2429	10792	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	5	2	9	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	13	3	18	19	= WITHDRAWAL
0	3	10	13	20	= RESPONDENT STERILE

(4519)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	2	1	3	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH207 8633-8634

ENTER METHOD (FOURTH MENTIONED) USED
 IN APRIL 1995: (MC52)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month; R completed the interview prior to this month.

1552	6475	2442	10834	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
1	0	0	1	20	= RESPONDENT STERILE

(4521)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	2	1	3	98	= Refused
		0	1	0	1	99	= Don't Know

SIMSEQ51 8635-8635

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC52)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1532	6300	2376	10562	Blank	= Blank, inapplicable
13	112	52	182	1	= SAME TIME
8	71	18	103	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS612 8636-8637

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC52)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month.

1550	6458	2440	10810	Blank	= Blank, inapplicable
1	10	1	12	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	5	0	7	03	= BIRTH CONTROL PILLS
2	3	3	9	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	2	0	2	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	4	1	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4523)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS613 8638-8639

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC52)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1551	6468	2441	10822	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	6	1	8	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	2	0	3	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	2	6	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4525)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS614 8640-8641

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC52)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1551	6475	2443	10832	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	2	1	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	4	1	6	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4527)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS615 8642-8643

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC52)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4529)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS616 8644-8645

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC52)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1551	6468	2441	10822	Blank	= Blank, inapplicable
1	9	4	16	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	3	0	3	03	= BIRTH CONTROL PILLS
0	1	0	2	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	0	0	1	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)

(4531)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS617 8646-8647

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC52)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6478	2445	10839	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	2	0	3	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	1	3	19	= WITHDRAWAL

(4533)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES

MTHUS618 8648-8649

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC52)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6483	2446	10845	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
1	0	0	1	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL

(4535)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS619 8650-8651

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC52)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(4537)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS620 8652-8653

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC52)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

MTHUS621 8654-8655

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC52)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(4541)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS622 8656-8657

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC52)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(4543)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL					

MTHUS623 8658-8659

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC52)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL

(4545)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH208 8660-8661

ENTER METHOD (FIRST MENTIONED) USED IN
 MAY 1995: (MC53)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); or R completed the interview prior to this month.

1090	4451	1706	7497	Blank	= Blank, inapplicable
115	437	202	788	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
84	443	126	668	03	= BIRTH CONTROL PILLS
69	330	129	553	04	= CONDOM
5	113	4	125	05	= PARTNER'S VASECTOMY
1	26	2	29	06	= DIAPHRAGM
0	9	1	10	07	= FOAM
1	3	2	6	08	= JELLY OR CREAM
0	2	0	2	09	= CERVICAL CAP
0	9	3	12	10	= SUPPOSITORY, INSERT
0	4	3	7	11	= TODAY (TM) SPONGE
0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
6	11	4	22	13	= IUD, COIL, LOOP
10	13	10	35	14	= NORPLANT (TM)
19	29	27	79	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
9	40	7	62	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
16	47	2	66	19	= WITHDRAWAL
119	429	205	774	20	= RESPONDENT STERILE
9	78	7	97	21	= PARTNER STERILE (NOT

(4547)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	4	5	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	1	1	2	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH209 8662-8663

ENTER METHOD (SECOND MENTIONED) USED
 IN MAY 1995: (MC53)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month; R completed the interview prior to this month.

1538	6332	2394	10618	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	3	1	4	03	= BIRTH CONTROL PILLS
4	40	21	69	04	= CONDOM
0	3	2	5	05	= PARTNER'S VASECTOMY
1	5	1	7	06	= DIAPHRAGM
2	11	2	15	07	= FOAM
1	7	2	10	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	2	2	4	10	= SUPPOSITORY, INSERT
0	6	2	8	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	1	0	1	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	20	3	26	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	1	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
6	44	7	62	19	= WITHDRAWAL
0	0	5	5	20	= RESPONDENT STERILE

(4549)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	3	1	4	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	1	1	2	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH210 8664-8665 ENTER METHOD (THIRD MENTIONED) USED IN
 MAY 1995: (MC53)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month; R completed the interview prior to this month.

1551	6460	2436	10810	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	3	0	4	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	9	1	12	19	= WITHDRAWAL
0	3	7	10	20	= RESPONDENT STERILE

(4551)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	1	1	2	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH211 8666-8667 ENTER METHOD (FOURTH MENTIONED) USED
 IN MAY 1995: (MC53)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month; R completed the interview prior to this month.

1552	6477	2443	10837	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
1	0	0	1	20	= RESPONDENT STERILE

(4553)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	1	1	2	98	= Refused
		0	1	0	1	99	= Don't Know

SIMSEQ52 8668-8668

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC53)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1540	6352	2398	10646	Blank	= Blank, inapplicable
7	77	36	123	1	= SAME TIME
6	54	12	78	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS624 8669-8670

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC53)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month.

1551	6466	2444	10824	Blank	= Blank, inapplicable
1	8	0	9	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	1	0	3	03	= BIRTH CONTROL PILLS
1	3	0	4	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	2	0	2	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	1	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4555)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS625 8671-8672

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC53)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6474	2444	10833	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	1	3	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	2	0	2	07	= FOAM
1	1	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	1	4	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4557)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS626 8673-8674

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC53)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6478	2445	10839	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	3	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4559)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS627 8675-8676

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC53)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4561)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS628 8677-8678

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC53)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1552	6474	2444	10833	Blank	= Blank, inapplicable
1	6	1	10	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	1	0	1	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)

(4563)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS629 8679-8680

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC53)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6481	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	1	1	19	= WITHDRAWAL

(4565)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL					

MTHUS630 8681-8682

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC53)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL

(4567)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

MTHUS631 8683-8684

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC53)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(4569)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS632 8685-8686

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC53)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS633 8687-8688

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC53)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(4573)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES

MTHUS634 8689-8690

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC53)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL

(4575)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC									
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL						

MTHUS635 8691-8692

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC53)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL

(4577)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH212 8693-8694

ENTER METHOD (FIRST MENTIONED) USED IN
 JUNE 1995: (MC54)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); or R completed the interview prior to this month.

1233	5237	1974	8739	Blank	= Blank, inapplicable
66	255	122	466	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
58	294	85	448	03	= BIRTH CONTROL PILLS
55	207	89	364	04	= CONDOM
3	61	1	67	05	= PARTNER'S VASECTOMY
1	13	1	15	06	= DIAPHRAGM
0	5	1	6	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	1	0	1	09	= CERVICAL CAP
0	2	2	4	10	= SUPPOSITORY, INSERT
0	4	2	6	11	= TODAY (TM) SPONGE
0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
5	7	2	15	13	= IUD, COIL, LOOP
5	7	6	20	14	= NORPLANT (TM)
16	19	15	50	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
6	21	5	33	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
10	32	1	44	19	= WITHDRAWAL
88	267	128	498	20	= RESPONDENT STERILE
6	43	4	54	21	= PARTNER STERILE (NOT

(4579)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	4	5	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	1	1	2	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH213 8695-8696

ENTER METHOD (SECOND MENTIONED) USED
 IN JUNE 1995: (MC54)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month; R completed the interview prior to this month.

1544	6390	2410	10703	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	2	1	3	03	= BIRTH CONTROL PILLS
2	25	16	45	04	= CONDOM
0	1	2	3	05	= PARTNER'S VASECTOMY
0	2	1	3	06	= DIAPHRAGM
1	6	1	8	07	= FOAM
2	5	0	7	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	2	2	4	10	= SUPPOSITORY, INSERT
0	4	1	5	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	12	3	16	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	1	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
4	28	4	39	19	= WITHDRAWAL
0	0	2	2	20	= RESPONDENT STERILE

(4581)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	1	1	2	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH214 8697-8698 ENTER METHOD (THIRD MENTIONED) USED IN
 JUNE 1995: (MC54)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month; R completed the interview prior to this month.

1552	6470	2440	10826	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	1	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	4	1	5	19	= WITHDRAWAL
0	3	3	6	20	= RESPONDENT STERILE

(4583)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	1	1	2	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL					

METHH215 8699-8700

ENTER METHOD (FOURTH MENTIONED) USED
 IN JUNE 1995: (MC54)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month; R completed the interview prior to this month.

1553	6478	2443	10839	Blank		= Blank, inapplicable
0	0	0	0	01		= NO METHODS USED
0	0	0	0	02		= SAME AS PREVIOUS MONTH
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	1	1	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	1	0	1	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE

(4585)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	1	1	2	98	= Refused
		0	1	0	1	99	= Don't Know

SIMSEQ53 8701-8701

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC54)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1545	6400	2413	10718	Blank		= Blank, inapplicable
3	50	24	78	1		= SAME TIME
5	33	9	51	2		= DIFFERENT TIMES
0	0	0	0	7		= Not Ascertained
0	0	0	0	8		= Refused
0	0	0	0	9		= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS636 8702-8703

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC54)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month.

1552	6476	2445	10837	Blank	= Blank, inapplicable
0	3	0	3	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	1	03	= BIRTH CONTROL PILLS
1	3	0	4	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	1	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4587)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS637 8704-8705

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC54)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6479	2445	10840	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
1	0	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	3	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4589)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS638 8706-8707

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC54)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6481	2445	10843	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	1	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4591)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS639 8708-8709

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC54)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4593)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS640 8710-8711

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC54)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1552	6479	2445	10840	Blank	= Blank, inapplicable
1	4	1	7	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL					

MTHUS641 8712-8713

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC54)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL

(4597)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS642 8714-8715

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC54)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(4599)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS643 8716-8717

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC54)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(4601)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS644 8718-8719

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC54)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS645 8720-8721

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC54)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS646 8722-8723

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC54)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL					

MTHUS647 8724-8725

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC54)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL

(4609)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH216 8726-8727

ENTER METHOD (FIRST MENTIONED) USED IN
 JULY 1995: (MC55)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); or R completed the interview prior to this month.

1368	5830	2175	9697	Blank	= Blank, inapplicable
37	136	67	252	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
37	161	43	250	03	= BIRTH CONTROL PILLS
30	108	59	202	04	= CONDOM
2	31	0	34	05	= PARTNER'S VASECTOMY
0	8	1	9	06	= DIAPHRAGM
0	2	1	3	07	= FOAM
0	0	2	2	08	= JELLY OR CREAM
0	1	0	1	09	= CERVICAL CAP
0	2	1	3	10	= SUPPOSITORY, INSERT
0	2	1	3	11	= TODAY (TM) SPONGE
0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
1	4	2	8	13	= IUD, COIL, LOOP
4	6	3	15	14	= NORPLANT (TM)
9	13	6	28	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
4	10	3	17	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
4	17	1	23	19	= WITHDRAWAL
55	126	77	268	20	= RESPONDENT STERILE
2	21	2	25	21	= PARTNER STERILE (NOT

(4611)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	1	1	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	0	1	1	97	= Not Ascertained
		0	1	0	1	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH217 8728-8729

ENTER METHOD (SECOND MENTIONED) USED
 IN JULY 1995: (MC55)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month; R completed the interview prior to this month.

1547	6434	2422	10766	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	1	2	03	= BIRTH CONTROL PILLS
2	16	10	30	04	= CONDOM
0	0	2	2	05	= PARTNER'S VASECTOMY
0	2	1	3	06	= DIAPHRAGM
0	1	1	2	07	= FOAM
1	3	0	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	1	2	10	= SUPPOSITORY, INSERT
0	2	1	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	4	2	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	1	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
3	16	1	20	19	= WITHDRAWAL
0	0	2	2	20	= RESPONDENT STERILE

(4613)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	0	1	1	97	= Not Ascertained
		0	1	0	1	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH218 8730-8731 ENTER METHOD (THIRD MENTIONED) USED IN
 JULY 1995: (MC55)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month; R completed the interview prior to this month.

1553	6477	2443	10838	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
0	2	2	4	20	= RESPONDENT STERILE

(4615)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	0	1	1	97	= Not Ascertained
		0	1	0	1	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH219 8732-8733

ENTER METHOD (FOURTH MENTIONED) USED
 IN JULY 1995: (MC55)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month; R completed the interview prior to this month.

1553	6480	2445	10843	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4617)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	0	1	1	97	= Not Ascertained
		0	1	0	1	98	= Refused
		0	1	0	1	99	= Don't Know

SIMSEQ54 8734-8734

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC55)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1547	6438	2423	10771	Blank		= Blank, inapplicable
3	28	16	48	1		= SAME TIME
3	17	7	28	2		= DIFFERENT TIMES
0	0	0	0	7		= Not Ascertained
0	0	0	0	8		= Refused
0	0	0	0	9		= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS648 8735-8736

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC55)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4619)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS649 8737-8738

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC55)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4621)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

MTHUS650 8739-8740

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC55)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4623)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS651 8741-8742

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC55)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4625)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS652 8743-8744

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC55)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	2	0	2	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

MTHUS653 8745-8746

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC55)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(4629)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS654 8747-8748

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC55)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(4631)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS655 8749-8750

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC55)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(4633)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS656 8751-8752

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC55)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)

(4635)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS657 8753-8754

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC55)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(4637)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS658 8755-8756

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC55)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(4639)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS659 8757-8758

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC55)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(4641)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH220 8759-8760 ENTER METHOD (FIRST MENTIONED) USED IN
AUGUST 1995: (MC56)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); or R completed the interview prior to this month.

1456	6226	2321	10347	Blank	= Blank, inapplicable
20	53	42	119	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
19	53	20	99	03	= BIRTH CONTROL PILLS
16	44	24	86	04	= CONDOM
2	14	0	16	05	= PARTNER'S VASECTOMY
0	2	0	2	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	1	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	3	1	4	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
1	0	0	2	13	= IUD, COIL, LOOP
2	6	0	10	14	= NORPLANT (TM)
6	5	4	15	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	6	1	8	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	9	0	12	19	= WITHDRAWAL
28	51	30	113	20	= RESPONDENT STERILE
0	9	2	11	21	= PARTNER STERILE (NOT

(4643)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH221 8761-8762 ENTER METHOD (SECOND MENTIONED) USED
 IN AUGUST 1995: (MC56)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month; R completed the interview prior to this month.

1551	6465	2437	10815	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	1	1	03	= BIRTH CONTROL PILLS
1	6	6	16	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	7	1	9	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4645)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH222 8763-8764 ENTER METHOD (THIRD MENTIONED) USED IN
 AUGUST 1995: (MC56)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month; R completed the interview prior to this month.

1553	6479	2444	10841	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
0	2	2	4	20	= RESPONDENT STERILE

(4647)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL					

METHH223 8765-8766

ENTER METHOD (FOURTH MENTIONED) USED
 IN AUGUST 1995: (MC56)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month; R completed the interview prior to this month.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NO METHODS USED
0	0	0	0	02		= SAME AS PREVIOUS MONTH
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE

(4649)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

SIMSEQ55 8767-8767

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC56)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1551	6467	2437	10817	Blank	= Blank, inapplicable
1	10	6	19	1	= SAME TIME
1	6	3	11	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS660 8768-8769

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC56)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	1	0	1	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4651)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL					

MTHUS661 8770-8771

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC56)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	1	0	1	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE

(4653)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS662 8772-8773

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC56)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4655)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS663 8774-8775

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC56)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4657)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS664 8776-8777

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC56)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	1	0	1	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES

MTHUS665 8778-8779

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC56)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL

(4661)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS666 8780-8781

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC56)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(4663)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES

MTHUS667 8782-8783

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC56)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL

(4665)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS668 8784-8785

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC56)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS669 8786-8787

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC56)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(4669)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

MTHUS670 8788-8789

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC56)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(4671)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS671 8790-8791

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC56)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(4673)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH224 8792-8793 ENTER METHOD (FIRST MENTIONED) USED IN
 SEPTEMBER 1995: (MC57)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); or R completed the interview prior to this month.

1489	6306	2366	10511	Blank	= Blank, inapplicable
15	36	30	86	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
17	33	13	67	03	= BIRTH CONTROL PILLS
10	35	15	61	04	= CONDOM
2	10	0	12	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	1	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	3	0	3	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
1	0	0	2	13	= IUD, COIL, LOOP
1	2	0	4	14	= NORPLANT (TM)
3	5	3	11	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	7	0	10	19	= WITHDRAWAL
13	35	17	67	20	= RESPONDENT STERILE
0	6	1	7	21	= PARTNER STERILE (NOT

(4675)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH225 8794-8795 ENTER METHOD (SECOND MENTIONED) USED
 IN SEPTEMBER 1995: (MC57)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month; R completed the interview prior to this month.

1551	6473	2439	10826	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	1	1	03	= BIRTH CONTROL PILLS
1	2	5	10	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	6	0	7	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4677)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH226 8796-8797 ENTER METHOD (THIRD MENTIONED) USED IN
 SEPTEMBER 1995: (MC57)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month; R completed the interview prior to this month.

1553	6480	2444	10842	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	2	2	4	20	= RESPONDENT STERILE

(4679)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH227 8798-8799

ENTER METHOD (FOURTH MENTIONED) USED
 IN SEPTEMBER 1995: (MC57)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month; R completed the interview prior to this month.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4681)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

SIMSEQ56 8800-8800

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC57)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1551	6474	2439	10827	Blank		= Blank, inapplicable
1	4	5	11	1		= SAME TIME
1	5	2	9	2		= DIFFERENT TIMES
0	0	0	0	7		= Not Ascertained
0	0	0	0	8		= Refused
0	0	0	0	9		= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS672 8801-8802

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC57)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	1	0	1	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4683)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS673 8803-8804

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC57)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4685)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS674 8805-8806

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC57)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4687)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES

MTHUS675 8807-8808

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC57)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE

(4689)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS676 8809-8810

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC57)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS677 8811-8812

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC57)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(4693)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS678 8813-8814

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC57)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS679 8815-8816

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC57)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(4697)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL					

MTHUS680 8817-8818

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC57)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6483	2446	10847	Blank	= Blank, inapplicable					
0	0	0	0	01	= NONE					
0	0	0	0	02	= OFFICE USE ONLY					
0	0	0	0	03	= BIRTH CONTROL PILLS					
0	0	0	0	04	= CONDOM					
0	0	0	0	05	= PARTNER'S VASECTOMY					
0	0	0	0	06	= DIAPHRAGM					
0	0	0	0	07	= FOAM					
0	0	0	0	08	= JELLY OR CREAM					
0	0	0	0	09	= CERVICAL CAP					
0	0	0	0	10	= SUPPOSITORY, INSERT					
0	0	0	0	11	= TODAY (TM) SPONGE					
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH					
0	0	0	0	13	= IUD, COIL, LOOP					
0	0	0	0	14	= NORPLANT (TM)					
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES					
0	0	0	0	16	= MORNING AFTER PILLS					
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR					
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP					
0	0	0	0	19	= WITHDRAWAL					
0	0	0	0	20	= RESPONDENT STERILE					
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)					

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

MTHUS681 8819-8820

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC57)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(4701)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS682 8821-8822

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC57)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(4703)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

MTHUS683 8823-8824

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC57)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(4705)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH228 8825-8826 ENTER METHOD (FIRST MENTIONED) USED IN
 OCTOBER 1995: (MC58)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); or R completed the interview prior to this month.

1503	6343	2383	10583	Blank	= Blank, inapplicable
11	27	19	60	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
11	25	12	52	03	= BIRTH CONTROL PILLS
8	29	12	49	04	= CONDOM
2	10	0	12	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	1	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	3	0	3	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
1	0	0	2	13	= IUD, COIL, LOOP
1	2	0	3	14	= NORPLANT (TM)
2	3	3	8	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	3	0	6	19	= WITHDRAWAL
12	29	15	58	20	= RESPONDENT STERILE
0	6	1	7	21	= PARTNER STERILE (NOT

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC						
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL			

METHH229 8827-8828

ENTER METHOD (SECOND MENTIONED) USED
IN OCTOBER 1995: (MC58)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month; R completed the interview prior to this month.

1552	6475	2439	10829	Blank		= Blank, inapplicable
0	0	0	0	01		= NO METHODS USED
0	0	0	0	02		= SAME AS PREVIOUS MONTH
0	0	1	1	03		= BIRTH CONTROL PILLS
0	2	5	9	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	1	0	1	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	1	0	1	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	1	1	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	4	0	5	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE

(4709)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH230 8829-8830 ENTER METHOD (THIRD MENTIONED) USED IN
 OCTOBER 1995: (MC58)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month; R completed the interview prior to this month.

1553	6480	2444	10842	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	2	2	4	20	= RESPONDENT STERILE

(4711)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH231 8831-8832

ENTER METHOD (FOURTH MENTIONED) USED
 IN OCTOBER 1995: (MC58)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month; R completed the interview prior to this month.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4713)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

SIMSEQ57 8833-8833

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC58)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1552	6476	2439	10830	Blank		= Blank, inapplicable
0	3	5	9	1		= SAME TIME
1	4	2	8	2		= DIFFERENT TIMES
0	0	0	0	7		= Not Ascertained
0	0	0	0	8		= Refused
0	0	0	0	9		= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS684 8834-8835

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC58)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	1	0	1	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(4715)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS685 8836-8837

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC58)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4717)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS686 8838-8839

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC58)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4719)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS687 8840-8841

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC58)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4721)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS688 8842-8843

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC58)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

MTHUS689 8844-8845

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC58)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(4725)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS690 8846-8847

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC58)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(4727)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS691 8848-8849

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC58)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(4729)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL					

MTHUS692 8850-8851

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC58)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE
0	0	0	0	21		= PARTNER STERILE (NOT ON CARD)

(4731)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS693 8852-8853

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC58)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(4733)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS694 8854-8855

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC58)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(4735)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS695 8856-8857

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC58)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(4737)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

WYNOTUSE 8858-8858

Is the reason you are not using a method of birth control now because you, yourself, want to become pregnant as soon as possible?

Inapplicable:

R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R is currently pregnant (coded 1 in BA-2 PREGNOWQ); R has not had sex in the interview month (date reported in EE-3 ENDNOSE0-3 = A_DOI); R is sterile (computed variable RSTERILE = 1); R used a birth control method in the interview month (EF-1 METHHnnn for interview month NE 1 or blank).

1372	5742	2113	9540	Blank	= Blank, inapplicable
56	235	74	389	1	= YES
119	496	255	898	2	= NO
5	4	2	11	7	= Not Ascertained
0	2	0	2	8	= Refused
1	4	2	7	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

QX TEXT AND CODE CATEGORIES

HPPREGQ 8859-8859

And your partner, does he want you to become pregnant as soon as possible?

Inapplicable:

R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R is currently pregnant (coded 1 in BA-2 PREGNOWQ); R has not had sex in the interview month (date reported in EE-3 ENDNOSE0-3 = E_DOI); R is sterile (computed variable RSTERILE = 1); R used a birth control method in the interview month (EF-1 METHHnnn for interview month NE 1 or blank).

1372	5742	2113	9540	Blank	= Blank, inapplicable
66	250	104	445	1	= YES
108	476	220	830	2	= NO
5	4	2	11	7	= Not Ascertained
0	2	1	3	8	= Refused
2	9	6	18	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

PLACCUR0 8860-8861

Please look at Card E-9. Where did you get the (prescription for the) (METHOD) you used last month. (1st MENTIONED)

Inapplicable:

R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R is currently pregnant (coded 1 in BA-2 PREGNOWQ); R has not had sex in the interview month (date reported in EE-3 ENDNOSE0-3 = E_DOI); R is sterile (computed variable RSTERILE = 1); R did not use a birth control method in the interview month (EF-1 METHHnnn for interview month = 1 or blank); R used a method in the month prior to the interview but it was not a drug or device (EF-1 METHHnnn for month prior to interview month NE 1 or blank and the method was not a drug or device).

1061	4201	1669	7189	Blank	= Blank, inapplicable
152	353	246	769	01	= Clinic
152	1018	270	1470	02	= Private doctor's office, or HMO
13	27	17	60	03	= Other place
2	5	3	10	04	= HOSPITAL-EMERGENCY ROOM
3	13	13	32	05	= HOSPITAL-NOT EMERGENCY ROOM
1	10	4	17	06	= School or college
1	7	2	10	07	= Military facility
0	0	0	0	08	= Home
141	739	172	1093	09	= Pharmacy, drug store, other store
22	100	50	182	10	= Male partner supplied it, from some other place
4	5	0	9	97	= Not Ascertained
0	0	0	0	98	= Refused

(4740)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES

		1	5	0	6	99	= Don't Know
--	--	---	---	---	---	----	--------------

FILLER 9512-9512 This file location is blank.

TITTENC0 8872-8872 Title X Clinic? -Where R Got Method Used Last Month (1st MENTIONED)

Inapplicable:
 R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R is currently pregnant (coded 1 in BA-2 PREGNOWQ); R has not had sex in the interview month (date reported in EE-3 ENDNOSE0-3 = E_DOI); R is sterile (computed variable RSTERILE = 1); R did not use a birth control method in the interview month (EF-1 METHHnnn for interview month = 1 or blank); R used a method in the month prior to the interview but it was not a drug or device (EF-1 METHHnnn for month prior to interview month NE 1 or blank and the method was not a drug or device); Method R used in month prior to interview was a drug or device and was not obtained from a clinic (EF-1 METHHnnn for month prior to interview month NE 1 or blank, and the method was a drug or device, and EH-3 PLACCUR0 NE 1); or clinic could not be found in clinic database.

1446	6237	2262	10298	Blank		= Blank, inapplicable
56	188	126	375	1		= YES
51	58	58	174	2		= NO
0	0	0	0	7		= Not Ascertained
0	0	0	0	8		= Refused
0	0	0	0	9		= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

TYPAGYC0 8873-8873

Type of agency-Where R Got Method Used
 Last Month (1st MENTIONED)

Inapplicable:

R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R is currently pregnant (coded 1 in BA-2 PREGNOWQ); R has not had sex in the interview month (date reported in EE-3 ENDNOSE0-3 = E_DOI); R is sterile (computed variable RSTERILE = 1); R did not use a birth control method in the interview month (EF-1 METHHnnn for interview month = 1 or blank); R used a method in the month prior to the interview but it was not a drug or device (EF-1 METHHnnn for month prior to interview month NE 1 or blank and the method was not a drug or device); Method R used in month prior to interview was a drug or device and was not obtained from a clinic (EF-1 METHHnnn for month prior to interview month NE 1 or blank, the method was a drug or device, and EH-3 PLACCUR0 NE 1); or clinic could not be found in clinic database.

1446	6237	2262	10298	Blank	= Blank, inapplicable
14	14	32	62	1	= Hospital
34	93	95	224	2	= Health Department
29	109	24	164	3	= Planned Parenthood
30	30	33	99	4	= Other
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

PLACCUR1 8874-8875

Please look at Card E-9. Where did you get the (prescription for the) (METHOD) you used last month. (2nd MENTIONED)

Inapplicable:

R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R is currently pregnant (coded 1 in BA-2 PREGNOWQ); R has not had sex in the interview month (date reported in EE-3 ENDNOSE0-3 = E_DOI); R is sterile (computed variable RSTERILE = 1); R did not use a birth control method in the interview month (EF-1 METHHnnn for interview month = 1 or blank); R used a method in the month prior to the interview but it was not a drug or device (EF-1 METHHnnn for month prior to interview month NE 1 or blank and the method was not a drug or device); or R reported using fewer than 2 drug/device BC methods last month.

1526	6268	2351	10504	Blank	= Blank, inapplicable
5	26	29	60	01	= Clinic
6	30	16	52	02	= Private doctor's office, or HMO
0	7	4	12	03	= Other place
0	0	0	0	04	= HOSPITAL-EMERGENCY ROOM
0	0	1	1	05	= HOSPITAL-NOT EMERGENCY ROOM
0	2	1	3	06	= School or college
0	0	0	0	07	= Military facility
0	0	0	0	08	= Home
15	127	34	179	09	= Pharmacy, drug store, other store
0	22	9	33	10	= Male partner supplied it, from some other place

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

TITTENC1 8886-8886

Title X Clinic? -Where R Got Method
 Used Last Month (2nd MENTIONED)

Inapplicable:

R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R is currently pregnant (coded 1 in BA-2 PREGNOWQ); R has not had sex in the interview month (date reported in EE-3 ENDNOSE0-3 = E_DOI); R is sterile (computed variable RSTERILE = 1); R did not use a birth control method in the interview month (EF-1 METHHnnn for interview month = 1 or blank); R used a method in the month prior to the interview but it was not a drug or device (EF-1 METHHnnn for month prior to interview month NE 1 or blank and the method was not a drug or device); Method R used in month prior to interview was a drug or device and was not obtained from a clinic (EF-1 METHHnnn for month prior to interview month NE 1 or blank, and the method was a drug or device, and EH-3 PLACCUR0 NE 1); or clinic could not be found in clinic database; or R reported using fewer than 2 drug/device BC methods last month.

1548	6463	2426	10802	Blank		= Blank, inapplicable
1	14	13	28	1		= YES
4	6	7	17	2		= NO
0	0	0	0	7		= Not Ascertained
0	0	0	0	8		= Refused
0	0	0	0	9		= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL
QX TEXT AND CODE CATEGORIES					

TYPAGYC1 8887-8887

Type of agency-Where R Got Method Used
 Last Month (2nd MENTIONED)

Inapplicable:

R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R is currently pregnant (coded 1 in BA-2 PREGNOWQ); R has not had sex in the interview month (date reported in EE-3 ENDNOSE0-3 = E_DOI); R is sterile (computed variable RSTERILE = 1); R did not use a birth control method in the interview month (EF-1 METHHnnn for interview month = 1 or blank); R used a method in the month prior to the interview but it was not a drug or device (EF-1 METHHnnn for month prior to interview month NE 1 or blank and the method was not a drug or device); Method R used in month prior to interview was a drug or device and was not obtained from a clinic (EF-1 METHHnnn for month prior to interview month NE 1 or blank, the method was a drug or device, and EH-3 PLACCUR0 NE 1); or clinic could not be found in clinic database; or R reported using fewer than 2 drug/device BC methods last month.

1548	6463	2426	10802	Blank	= Blank, inapplicable
1	2	3	6	1	= Hospital
0	11	13	24	2	= Health Department
4	4	1	9	3	= Planned Parenthood
0	3	3	6	4	= Other
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

PLACCUR2 8888-8889

Please look at Card E-9. Where did you get the (prescription for the) (METHOD) you used last month. (3rd MENTIONED)

Inapplicable:

R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R is currently pregnant (coded 1 in BA-2 PREGNOWQ); R has not had sex in the interview month (date reported in EE-3 ENDNOSE0-3 = E_DOI); R is sterile (computed variable RSTERILE = 1); R did not use a birth control method in the interview month (EF-1 METHHnnn for interview month = 1 or blank); R used a method in the month prior to the interview but it was not a drug or device (EF-1 METHHnnn for month prior to interview month NE 1 or blank and the method was not a drug or device); or R reported using fewer than 3 drug/device BC methods last month.

1551	6468	2446	10830	Blank	= Blank, inapplicable
0	1	0	1	01	= Clinic
0	1	0	1	02	= Private doctor's office, or HMO
0	1	0	1	03	= Other place
0	0	0	0	04	= HOSPITAL-EMERGENCY ROOM
0	0	0	0	05	= HOSPITAL-NOT EMERGENCY ROOM
0	0	0	0	06	= School or college
0	0	0	0	07	= Military facility
0	0	0	0	08	= Home
2	12	0	14	09	= Pharmacy, drug store, other store
0	0	0	0	10	= Male partner supplied it, from some other place

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL					QX

TITTENC2 8900-8900

Title X Clinic? -Where R Got Method
 Used Last Month (3rd MENTIONED)

Inapplicable:

R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R is currently pregnant (coded 1 in BA-2 PREGNOWQ); R has not had sex in the interview month (date reported in EE-3 ENDNOSE0-3 = E_DOI); R is sterile (computed variable RSTERILE = 1); R did not use a birth control method in the interview month (EF-1 METHHnnn for interview month = 1 or blank); R used a method in the month prior to the interview but it was not a drug or device (EF-1 METHHnnn for month prior to interview month NE 1 or blank and the method was not a drug or device); Method R used in month prior to interview was a drug or device and was not obtained from a clinic (EF-1 METHHnnn for month prior to interview month NE 1 or blank, and the method was a drug or device, and EH-3 PLACCUR0 NE 1); or clinic could not be found in clinic database; or R reported using fewer than 3 drug/device BC methods last month.

1553	6482	2446	10846	Blank		= Blank, inapplicable
0	1	0	1	1		= YES
0	0	0	0	2		= NO
0	0	0	0	7		= Not Ascertained
0	0	0	0	8		= Refused
0	0	0	0	9		= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

TYPAGYC2 8901-8901

Type of agency-Where R Got Method Used
 Last Month (3rd MENTIONED)

Inapplicable:

R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R is currently pregnant (coded 1 in BA-2 PREGNOWQ); R has not had sex in the interview month (date reported in EE-3 ENDNOSE0-3 = E_DOI); R is sterile (computed variable RSTERILE = 1); R did not use a birth control method in the interview month (EF-1 METHHnnn for interview month = 1 or blank); R used a method in the month prior to the interview but it was not a drug or device (EF-1 METHHnnn for month prior to interview month NE 1 or blank and the method was not a drug or device); Method R used in month prior to interview was a drug or device and was not obtained from a clinic (EF-1 METHHnnn for month prior to interview month NE 1 or blank, the method was a drug or device, and EH-3 PLACCUR0 NE 1); or clinic could not be found in clinic database; or R reported using fewer than 3 drug/device BC methods last month.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	1	= Hospital
0	1	0	1	2	= Health Department
0	0	0	0	3	= Planned Parenthood
0	0	0	0	4	= Other
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

PLACCUR3 8902-8903

Please look at Card E-9. Where did you get the (prescription for the) (METHOD) you used last month. (4th MENTIONED)

Inapplicable:

R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R is currently pregnant (coded 1 in BA-2 PREGNOWQ); R has not had sex in the interview month (date reported in EE-3 ENDNOSE0-3 = E_DOI); R is sterile (computed variable RSTERILE = 1); R did not use a birth control method in the interview month (EF-1 METHHnnn for interview month = 1 or blank); R used a method in the month prior to the interview but it was not a drug or device (EF-1 METHHnnn for month prior to interview month NE 1 or blank and the method was not a drug or device); or R reported using fewer than 4 drug/device BC methods last month.

1553	6481	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= Clinic
0	0	0	0	02	= Private doctor's office, or HMO
0	1	0	1	03	= Other place
0	0	0	0	04	= HOSPITAL-EMERGENCY ROOM
0	0	0	0	05	= HOSPITAL-NOT EMERGENCY ROOM
0	0	0	0	06	= School or college
0	0	0	0	07	= Military facility
0	0	0	0	08	= Home
0	1	1	2	09	= Pharmacy, drug store, other store
0	0	0	0	10	= Male partner supplied it, from some other place

(4751)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

FILLER 8904-8913 This file location is blank.

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL			

TITTENC3 8914-8914

Title X Clinic? -Where R Got Method
 Used Last Month (4th MENTIONED)

Inapplicable:

R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R is currently pregnant (coded 1 in BA-2 PREGNOWQ); R has not had sex in the interview month (date reported in EE-3 ENDNOSE0-3 = E_DOI); R is sterile (computed variable RSTERILE = 1); R did not use a birth control method in the interview month (EF-1 METHHnnn for interview month = 1 or blank); R used a method in the month prior to the interview but it was not a drug or device (EF-1 METHHnnn for month prior to interview month NE 1 or blank and the method was not a drug or device); Method R used in month prior to interview was a drug or device and was not obtained from a clinic (EF-1 METHHnnn for month prior to interview month NE 1 or blank, and the method was a drug or device, and EH-3 PLACCUR0 NE 1); or clinic could not be found in clinic database; or R reported using fewer than 4 drug/device BC methods last month.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	1		= YES
0	0	0	0	2		= NO
0	0	0	0	7		= Not Ascertained
0	0	0	0	8		= Refused
0	0	0	0	9		= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

TYPAGYC3 8915-8915

Type of agency-Where R Got Method Used
 Last Month (4th MENTIONED)

Inapplicable:

R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R is currently pregnant (coded 1 in BA-2 PREGNOWQ); R has not had sex in the interview month (date reported in EE-3 ENDNOSE0-3 = E_DOI); R is sterile (computed variable RSTERILE = 1); R did not use a birth control method in the interview month (EF-1 METHHnnn for interview month = 1 or blank); R used a method in the month prior to the interview but it was not a drug or device (EF-1 METHHnnn for month prior to interview month NE 1 or blank and the method was not a drug or device); Method R used in month prior to interview was a drug or device and was not obtained from a clinic (EF-1 METHHnnn for month prior to interview month NE 1 or blank, the method was a drug or device, and EH-3 PLACCUR0 NE 1); or clinic could not be found in clinic database; or R reported using fewer than 4 drug/device BC methods last month.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	1	= Hospital
0	0	0	0	2	= Health Department
0	0	0	0	3	= Planned Parenthood
0	0	0	0	4	= Other
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

EIRECONT 8916-8916 Recontacted R to ask questions EI2-EI6 (computed). Computed variable EIRECONT set to 1 if R was recontacted. Otherwise, computed variable EIRECONT = 2.

Computed for all Rs.

	73	318	89	492	1	
	1480	6165	2357	10355	2	= No
						= Yes

FREQSEX 8917-8917 Please look at Card E-10. In the last three months, that is, during (MON(CUR-3)), (MON(CUR-2)), and (MON(CUR-1)), how frequently did you have intercourse?

Inapplicable:
 R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R did not have sex in the 3 months prior to the interview (as given in EE-2 STRNOS00-EE-2 STRNOS03 and EE-3 ENDNOSE0-EE-3 ENDNOSE3).

	347	1273	499	2237	Blank	
	176	698	399	1303	1	= Once a month or less
	239	1199	468	1970	2	= Two or three times a month
	245	1224	349	1879	3	= Once a week
	416	1573	554	2611	4	= Two or three times a week
	114	457	150	740	5	= Four or more times a week
	1	2	0	3	7	= Not Ascertained
	13	46	26	89	8	= Refused
	2	11	1	15	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MISSPILL 8918-8918

During (MON(CUR-3)), (MON(CUR-2)), and (MON(CUR-1)), how many pills that you were supposed to take did you miss?

Inapplicable:

R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R did not have sex in the 3 months prior to the interview (as given in EE-2 STRNOS00-EE-2 STRNOS03 and EE-3 ENDNOSE0-EE-3 ENDNOSE3); R has said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R has been sterile for at least 3 months (computed variable RSTERILE=1 and ((DATOPNNX+3) < MON(CUR-1))); the only birth control methods reported for three months prior to the interview are none, Norplant, Depo-provera, female sterilization, IUD, partner's vasectomy, or partner's sterility (EF-1 METHHnnn for 3 months prior to interview month are only coded one or more of the following: 1, 5, 13, 14, 15, 20, or 21); R did not use the pill in any of the 3 months prior to the interview (EF-1 METHHnnn for the 3 months prior to interview month are all NE 3).

1338	5343	2100	9112	Blank	= Blank, inapplicable
121	789	223	1152	1	= Never missed a pill
18	161	45	229	2	= Missed only one pill
54	154	69	286	3	= Missed two or more pills
19	34	7	61	7	= Not Ascertained
0	2	0	2	8	= Refused
3	0	2	5	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX	TEXT AND CODE	CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL		

USERHYTH 8919-8919

Please look at Card E-11. During (MON(CUR-3)), (MON(CUR-2)), and (MON(CUR-1)), did you have intercourse during your "safe times only," during your "safe times" and at other times, or during other times only?

Inapplicable:

R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R did not have sex in the 3 months prior to the interview (as given in EE-2 STRNOS00-EE-2 STRNOS03 and EE-3 ENDNOSE0-EE-3 ENDNOSE3); R has said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R has been sterile for at least 3 months (computed variable RSTERILE=1 and ((DATOPNNX+3) < MON(CUR-1))); the only birth control methods reported for three months prior to the interview are none, Norplant, Depo-provera, female sterilization, IUD, partner's vasectomy, or partner's sterility (EF-1 METHHnnn for 3 months prior to interview month are only coded one or more of the following: 1, 5, 13, 14, 15, 20, or 21); R used only the pill in the 3 months prior to the interview (EF-1 METHHnnn for the 3 months prior to the interview month = only 3); R did not use rhythm or safe period by temperature as methods of birth control in the 3 months prior to interview (EF-1 METHHnnn for the 3 months prior to interview NE 17 or 18).

1507 6292 2422 10568 Blank = Blank, inapplicable

(4757)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		23	91	8	131	1	= SAFE TIMES ONLY
		22	84	15	127	2	= SAFE TIMES AND OTHER TIMES
		1	11	1	13	3	= OTHER TIMES ONLY
		0	4	0	5	7	= Not Ascertained
		0	0	0	0	8	= Refused
		0	1	0	3	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX	TEXT AND CODE	CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL		

HOWOFTEN 8920-8920

(Not counting the pill and rhythm or safe period methods), during (MON(CUR-3)), (MON(CUR-2)), and (MON(CUR-1)), how often did you and your partner usually use a method of birth control for any reason? Would you say you used a method less than half the time, about half the time, more than half the time, or every time you had intercourse?

Inapplicable:

R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R did not have sex in the 3 months prior to the interview (as given in EE-2 STRNOS00-EE-2 STRNOS03 and EE-3 ENDNOSE0-EE-3 ENDNOSE3); R has said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R has been sterile for at least 3 months (computed variable RSTERILE=1 and ((DATOPNNX+3) < MON(CUR-1))); the only birth control methods reported for three months prior to the interview are none, Norplant, Depo-provera, female sterilization, IUD, partner's vasectomy, or partner's sterility (EF-1 METHHnnn for 3 months prior to interview month are only coded one or more of the following: 1, 5, 13, 14, 15, 20, or 21); R used the pill, rhythm, or safe period by temperature as her only methods of birth control in the 3 months prior to interview (EF-1 METHHnnn for the 3 months prior to interview only = 3, 17 or 18).

1267 5071 1959 8577 Blank = Blank, inapplicable

(4759)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		42	182	77	313	1	= LESS THAN HALF THE TIME
		24	80	40	153	2	= ABOUT HALF OF THE TIME
		37	174	63	286	3	= MORE THAN HALF THE TIME
		164	906	272	1388	4	= EVERY TIME
		18	65	32	121	7	= Not Ascertained
		1	3	0	4	8	= Refused
		0	2	3	5	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

USELSTSX 8921-8921

The last time you had intercourse, did you or your partner use any method?

Inapplicable:

R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R did not have sex in the 3 months prior to the interview (as given in EE-2 STRNOS00-EE-2 STRNOS03 and EE-3 ENDNOSE0-EE-3 ENDNOSE3); R has said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R has been sterile for at least 3 months (computed variable RSTERILE=1 and ((DATOPNNX+3) < MON(CUR-1))); the only birth control methods reported for three months prior to the interview are none, Norplant, Depo-provera, female sterilization, IUD, partner's vasectomy, or partner's sterility (EF-1 METHHnnn for 3 months prior to interview month are only coded one or more of the following: 1, 5, 13, 14, 15, 20, or 21).

1048	4016	1676	6984	Blank	= Blank, inapplicable
360	2009	572	3037	1	= YES
111	360	164	653	2	= NO
32	93	34	166	7	= Not Ascertained
1	4	0	5	8	= Refused
1	1	0	2	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHLSTS0 8922-8923

Which methods on Card E-12 did you use?

Inapplicable:

R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R did not have sex in the 3 months prior to the interview (as given in EE-2 STRNOS00-EE-2 STRNOS03 and EE-3 ENDNOSE0-EE-3 ENDNOSE3); R has said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R has been sterile for at least 3 months (computed variable RSTERILE=1 and ((DATOPNNX+3) < MON(CUR-1))); the only birth control methods reported for three months prior to the interview are none, Norplant, Depo-provera, female sterilization, IUD, partner's vasectomy, or partner's sterility (EF-1 METHHnnn for 3 months prior to interview month are only coded one or more of the following: 1, 5, 13, 14, 15, 20, or 21); R did not use a method of birth control the last time she had intercourse (EI-5 USELSTSX = 2).

1193	4474	1874	7810	Blank	= Blank, inapplicable
0	0	0	0	01	= OFFICE USE ONLY
0	0	0	0	02	= OFFICE USE ONLY
143	953	255	1380	03	= BIRTH CONTROL PILLS
154	706	259	1165	04	= CONDOM
1	7	2	10	05	= PARTNER'S VASECTOMY
4	66	7	78	06	= DIAPHRAGM
2	18	2	22	07	= FOAM
2	10	1	13	08	= JELLY OR CREAM
1	1	0	2	09	= CERVICAL CAP
5	17	7	31	10	= SUPPOSITORY, INSERT
0	7	5	12	11	= TODAY (TM) SPONGE

(4762)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	2	0	2	12	= FEMALE CONDOM, VAGINAL POUCH
		0	0	0	1	13	= IUD, COIL, LOOP
		2	1	0	3	14	= NORPLANT (TM)
		5	15	9	29	15	= DEPO-PROVERA, INJECTABLES
		0	0	0	0	16	= MORNING AFTER PILLS
		18	50	7	83	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
		0	12	0	12	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		22	132	17	180	19	= WITHDRAWAL
		0	3	1	4	20	= RESPONDENT STERILE
		0	5	0	5	21	= PARTNER STERILE (NOT ON CARD)
		0	4	0	4	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		1	0	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL			

MTHLSTS1 8924-8925

Which methods on Card E-12 did you use?

Inapplicable:

R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R did not have sex in the 3 months prior to the interview (as given in EE-2 STRNOS00-EE-2 STRNOS03 and EE-3 ENDNOSE0-EE-3 ENDNOSE3); R has said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R has been sterile for at least 3 months (computed variable RSTERILE=1 and ((DATOPNNX+3) < MON(CUR-1))); the only birth control methods reported for three months prior to the interview are none, Norplant, Depo-provera, female sterilization, IUD, partner's vasectomy, or partner's sterility (EF-1 METHHnnn for 3 months prior to interview month are only coded one or more of the following: 1, 5, 13, 14, 15, 20, or 21); R did not use a method of birth control the last time she had intercourse (EI-5 USELSTSX = 2). or R reported using fewer than 2 BC methods the last time she had sex in the 3 months prior to interview.

1519	6275	2355	10502	Blank		= Blank, inapplicable
0	0	0	0	01		= OFFICE USE ONLY
0	0	0	0	02		= OFFICE USE ONLY
0	9	9	18	03		= BIRTH CONTROL PILLS
7	93	58	164	04		= CONDOM
0	6	0	6	05		= PARTNER'S VASECTOMY
1	8	2	11	06		= DIAPHRAGM
0	12	2	14	07		= FOAM
4	16	2	22	08		= JELLY OR CREAM

(4764)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	09	= CERVICAL CAP
		2	8	5	15	10	= SUPPOSITORY, INSERT
		0	1	0	1	11	= TODAY (TM) SPONGE
		0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
		0	0	0	0	13	= IUD, COIL, LOOP
		0	2	2	4	14	= NORPLANT (TM)
		1	0	1	2	15	= DEPO-PROVERA, INJECTABLES
		0	0	0	0	16	= MORNING AFTER PILLS
		5	14	3	24	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
		1	5	1	7	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		11	28	5	48	19	= WITHDRAWAL
		1	2	1	4	20	= RESPONDENT STERILE
		0	2	0	2	21	= PARTNER STERILE (NOT ON CARD)
		0	1	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		1	0	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX	TEXT AND CODE	CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL		

MTHLSTS2 8926-8927

Which methods on Card E-12 did you use?

Inapplicable:
 R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R did not have sex in the 3 months prior to the interview (as given in EE-2 STRNOS00-EE-2 STRNOS03 and EE-3 ENDNOSE0-EE-3 ENDNOSE3); R has said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R has been sterile for at least 3 months (computed variable RSTERILE=1 and ((DATOPNNX+3) < MON(CUR-1))); the only birth control methods reported for three months prior to the interview are none, Norplant, Depo-provera, female sterilization, IUD, partner's vasectomy, or partner's sterility (EF-1 METHHnnn for 3 months prior to interview month are only coded one or more of the following: 1, 5, 13, 14, 15, 20, or 21); R did not use a method of birth control the last time she had intercourse (EI-5 USELSTSX = 2). or R reported using fewer than 3 BC methods the last time she had sex in the 3 months prior to interview.

1551	6474	2445	10835	Blank		= Blank, inapplicable
0	0	0	0	01		= OFFICE USE ONLY
0	0	0	0	02		= OFFICE USE ONLY
1	0	0	1	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	1	0	1	08		= JELLY OR CREAM

(4766)

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	09 = CERVICAL CAP
		0	2	0	2	10 = SUPPOSITORY, INSERT
		0	0	1	1	11 = TODAY (TM) SPONGE
		0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
		0	0	0	0	13 = IUD, COIL, LOOP
		0	0	0	0	14 = NORPLANT (TM)
		0	0	0	0	15 = DEPO-PROVERA, INJECTABLES
		0	0	0	0	16 = MORNING AFTER PILLS
		0	0	0	0	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		0	1	0	1	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	5	0	5	19 = WITHDRAWAL
		0	0	0	0	20 = RESPONDENT STERILE
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		1	0	0	1	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX	TEXT AND CODE	CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL		

MTHLSTS3 8928-8929

Which methods on Card E-12 did you use?

Inapplicable:

R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R did not have sex in the 3 months prior to the interview (as given in EE-2 STRNOS00-EE-2 STRNOS03 and EE-3 ENDNOSE0-EE-3 ENDNOSE3); R has said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R has been sterile for at least 3 months (computed variable RSTERILE=1 and ((DATOPNNX+3) < MON(CUR-1))); the only birth control methods reported for three months prior to the interview are none, Norplant, Depo-provera, female sterilization, IUD, partner's vasectomy, or partner's sterility (EF-1 METHHnnn for 3 months prior to interview month are only coded one or more of the following: 1, 5, 13, 14, 15, 20, or 21); R did not use a method of birth control the last time she had intercourse (EI-5 USELSTSX = 2). or R reported using fewer than 4 BC methods the last time she had sex in the 3 months prior to interview.

1552	6483	2446	10846	Blank		= Blank, inapplicable
0	0	0	0	01		= OFFICE USE ONLY
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM

(4768)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	09	= CERVICAL CAP
		0	0	0	0	10	= SUPPOSITORY, INSERT
		0	0	0	0	11	= TODAY (TM) SPONGE
		0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
		0	0	0	0	13	= IUD, COIL, LOOP
		0	0	0	0	14	= NORPLANT (TM)
		0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
		0	0	0	0	16	= MORNING AFTER PILLS
		0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		1	0	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES

MTHLSTS4 8930-8931

Which methods on Card E-12 did you use?

Inapplicable:

R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R did not have sex in the 3 months prior to the interview (as given in EE-2 STRNOS00-EE-2 STRNOS03 and EE-3 ENDNOSE0-EE-3 ENDNOSE3); R has said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R has been sterile for at least 3 months (computed variable RSTERILE=1 and ((DATOPNNX+3) < MON(CUR-1))); the only birth control methods reported for three months prior to the interview are none, Norplant, Depo-provera, female sterilization, IUD, partner's vasectomy, or partner's sterility (EF-1 METHHnnn for 3 months prior to interview month are only coded one or more of the following: 1, 5, 13, 14, 15, 20, or 21); R did not use a method of birth control the last time she had intercourse (EI-5 USELSTSX = 2). or R reported using fewer than 5 BC methods the last time she had sex in the 3 months prior to interview.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= OFFICE USE ONLY
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	09 = CERVICAL CAP
		0	0	0	0	10 = SUPPOSITORY, INSERT
		0	0	0	0	11 = TODAY (TM) SPONGE
		0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
		0	0	0	0	13 = IUD, COIL, LOOP
		0	0	0	0	14 = NORPLANT (TM)
		0	0	0	0	15 = DEPO-PROVERA, INJECTABLES
		0	0	0	0	16 = MORNING AFTER PILLS
		0	0	0	0	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19 = WITHDRAWAL
		0	0	0	0	20 = RESPONDENT STERILE
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

YUSEPI00 8932-8933

Now I would like to know all of the reasons you have ever used the pill.

Inapplicable:

R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R has never used the pill (EA-3 PILL NE 1 and (EB-1 FIRSME00-EB-1 FIRSME04, EB-7 MTHFSTS0-EB-7 MTHFSTS4, ED-4a METHUSE1-ED-4e METHUSE5, EF-1 METHESECT and EI-6 MTHLSTS0-EI-6 MTHLSTS4 are all NE 3)).

516	1434	531	2664	Blank	= Blank, inapplicable
986	4735	1801	7690	01	= Birth control
24	147	57	233	02	= Cramps, or pain during menstrual periods
5	32	12	52	03	= Other reasons
0	8	2	11	04	= Endometriosis
16	104	39	163	05	= Regulate periods
4	20	4	28	06	= Ovarian cysts
2	0	0	2	97	= Not Ascertained
0	2	0	3	98	= Refused
0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

YUSEPI01 8934-8935

Now I would like to know all of the reasons you have ever used the pill.

Inapplicable:

R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R has never used the pill (EA-3 PILL NE 1 and (EB-1 FIRSME00-EB-1 FIRSME04, EB-7 MTHFSTS0-EB-7 MTHFSTS4, ED-4a METHUSE1-ED-4e METHUSE5, EF-1 METHESECT and EI-6 MTHLSTS0-EI-6 MTHLSTS4 are all NE 3)); or R reported fewer than 2 reasons for ever using the pill.

1432	5201	2190	9156	Blank	= Blank, inapplicable
5	27	8	40	01	= Birth control
78	871	194	1162	02	= Cramps, or pain during menstrual periods
7	55	9	72	03	= Other reasons
0	19	0	20	04	= Endometriosis
27	267	42	345	05	= Regulate periods
3	39	3	46	06	= Ovarian cysts
1	0	0	1	97	= Not Ascertained
0	2	0	3	98	= Refused
0	2	0	2	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

YUSEPI02 8936-8937

Now I would like to know all of the reasons you have ever used the pill.

Inapplicable:

R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R has never used the pill (EA-3 PILL NE 1 and (EB-1 FIRSME00-EB-1 FIRSME04, EB-7 MTHFSTS0-EB-7 MTHFSTS4, ED-4a METHUSE1-ED-4e METHUSE5, EF-1 METHESECT and EI-6 MTHLSTS0-EI-6 MTHLSTS4 are all NE 3)); or R reported fewer than 3 reasons for ever using the pill.

1542	6336	2435	10674	Blank	= Blank, inapplicable
0	0	0	0	01	= Birth control
0	0	0	0	02	= Cramps, or pain during menstrual periods
2	16	3	21	03	= Other reasons
0	6	0	7	04	= Endometriosis
8	109	8	127	05	= Regulate periods
0	13	0	13	06	= Ovarian cysts
1	0	0	1	97	= Not Ascertained
0	2	0	3	98	= Refused
0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

TYPEPILL 8938-8939

This chart shows types of oral contraceptive pills that are available for women today. Please tell me the number next to the type that you are currently using or used most recently.

Inapplicable:

R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R has never used the pill (EA-3 PILL NE 1 and (EB-1 FIRSME00-EB-1 FIRSME04, EB-7 MTHFSTS0-EB-7 MTHFSTS4, ED-4a METHUSE1-ED-4e METHUSE5, EF-1 METHESECT and EI-6 MTHLSTS0-EI-6 MTHLSTS4 are all NE 3)); R was not using the pill in the month of interview or the month prior to interview (EF-1 METHHnnn NE 3 for the month of interview or the month prior to interview).

1323	5251	2069	8971	Blank	= Blank, inapplicable
3	11	6	21	01	= Ortho Tri-Cyclen-- 21 day
9	39	12	62	02	= Ortho Tri-Cyclen-- 28 day
5	28	9	42	03	= Ortho-Cept-- 21 day
20	102	10	134	04	= Ortho-Cept-- 28 day
2	10	2	14	05	= Ortho-Cyclen-- 21 day
8	32	9	50	06	= Ortho-Cyclen-- 28 day
15	50	18	85	07	= Ortho-Novum 7/7/7-- 21 day
41	155	52	254	08	= Ortho-Novum 7/7/7-- 28 day
2	4	0	6	09	= Ortho-Novum 10/11-- 21 day
1	7	4	12	10	= Ortho-Novum 10/11-- 28 day
6	37	2	46	11	= Ortho-Novum 1/35-- 21 day
11	81	23	118	12	= Ortho-Novum 1/35-- 28 day
1	2	4	7	13	= Modicon 21/28-- 21 day

(4775)

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		2	8	3	15	14	= Modicon 21/28-- 28 day
		3	7	2	12	15	= Ortho-Novum 1/50-- 21 day
		1	6	7	17	16	= Ortho-Novum 1/50-- 28 day
		6	10	4	20	17	= Micronor-28 day
		1	8	6	15	18	= Tri-Levlen-- 21 day
		6	41	12	60	19	= Tri-Levlen-- 28 day
		2	3	2	7	20	= Levlen-21 day
		2	14	8	24	21	= Levlen-28 day
		2	10	5	17	22	= Ovcon 35-- 21 day
		4	28	12	45	23	= Ovcon 35-- 28 day
		2	3	1	6	24	= Ovcon 50-- 21 day
		0	9	2	11	25	= Ovcon 50-- 28 day
		0	3	0	3	26	= Loestrin 21 1/20-- 21 day
		7	12	5	24	27	= Loestrin Fe 1/20-- 28 day
		6	19	16	41	28	= Loestrin 21 1.5/30-- 21 day
		6	39	7	54	29	= Loestrin Fe 1.5/30-- 28 day
		3	9	6	18	30	= Jenest-28-- 28 day
		6	64	16	89	31	= Desogen-28 day
		1	11	2	14	32	= Demulen 1/35-- 21 day
		2	30	5	38	33	= Demulen 1/35-- 28 day
		0	2	0	2	34	= Demulen 1/50-- 21 day
		0	7	3	10	35	= Demulen 1/50-- 28 day
		0	5	0	5	36	= Tri-Norinyl-- 21 day
		4	15	5	24	37	= Tri-Norinyl-- 28 day
		0	1	1	2	38	= Brevicon-21 day
		1	2	1	5	39	= Brevicon-28 day
		0	1	0	1	40	= Norinyl 1+35-- 21 day
		0	9	5	14	41	= Norinyl 1+35-- 28 day
		0	0	0	0	42	= Norinyl 1+50-- 21 day
		2	1	0	3	43	= Norinyl 1+50-- 28 day
		0	2	0	2	44	= Nor-QD-- 42 day
		1	24	6	32	45	= Triphasil-21 day
		7	120	47	176	46	= Triphasil-28 day
		3	21	0	25	47	= Lo/Ovral-21 day
		11	51	14	76	48	= Lo/Ovral-28 day
		3	5	3	11	49	= Nordette-21 day
		3	28	3	34	50	= Nordette-28 day
		2	0	1	3	51	= Ovral-21 day
		1	2	1	4	52	= Ovral-28 day
		1	1	1	3	53	= Ovrette-28 day
		0	15	1	16	54	= Other unspecified/Code from old pill chart
		0	0	1	1	57	= Other unspecified/Code from old pill chart
		0	1	0	1	60	= Other unspecified/Code

(4776)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		0	1	0	1	66	from old pill chart = Other unspecified/Code from old pill chart
		0	0	1	1	67	= Other unspecified/Code from old pill chart
		0	0	1	1	68	= Other unspecified/Code from old pill chart
		0	0	1	1	71	= Other unspecified/Code from old pill chart
		1	0	1	2	97	= Not ascertained
		0	3	0	3	98	= Refused
		4	23	8	36	99	= Don't Know

METH_12M 8940-8940 Any birth control method used in last 12 months (computed in recodes).

Inapplicable:
 R has never used a birth control method for any reason, including surgical sterilization (i.e., never got asked the method calendar).

0	8	2	11	Blank	= Blank, inapplicable
1162	5084	1903	8386	1	= Yes
391	1391	541	2450	2	= No

METH_36M 8941-8941 Any birth control method used in last 36 months (computed in recodes).

Inapplicable:
 R has never used a birth control method for any reason, including surgical sterilization (i.e., never got asked the method calendar).

0	8	2	11	Blank	= Blank, inapplicable
1244	5333	2011	8838	1	= Yes
309	1142	433	1998	2	= No

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

METH_LPG 8942-8942 Any birth control method used since last pregnancy ended (computed in recodes).

Inapplicable:
 R has never used a birth control method for any reason, including surgical sterilization (i.e., never got asked the method calendar).

	0	6	2	9	Blank	= Blank, inapplicable
	974	3705	1586	6444	1	= Yes
	579	2772	858	4394	2	= No

WNLSTPRG 8943-8946 Date last pregnancy ended (computed in recodes)

Inapplicable:
 R has never been pregnant (NUMPREGS coded 00, 97, 98, or 99), or R is currently pregnant for first time (NUMPREGS coded 01 and (PREGNOWQ coded YES or MAYBPREG coded "probably yes"))).

	363	2164	528	3187	Blank	= Blank, inapplicable
	549	2534	1091	4291	0792-1092	= Before 1991
	641	1785	827	3369	1093-1149	= 1991 or later
	0	0	0	0	9997	= Not Ascertained
	0	0	0	0	9998	= Refused
	0	0	0	0	9999	= Don't Know