

ICPSR
Inter-university Consortium for
Political and Social Research

National Survey of Family Growth, Cycle V, 1995

Codebook, Vol. V: Recodes for Respondent File and
Variable List and Frequencies for Interval File

United States Department of Health and Human Services
National Center for Health Statistics

ICPSR 6960

NATIONAL SURVEY OF FAMILY GROWTH, CYCLE V, 1995

(ICPSR 6960)

Principal Investigator

United States Department of Health and Human Services
National Center for Health Statistics

First ICPSR Version
August 2000

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106

BIBLIOGRAPHIC CITATION

Publications based on ICPSR data collections should acknowledge those sources by means of bibliographic citations. To ensure that such source attributions are captured for social science bibliographic utilities, citations must appear in footnotes or in the reference section of publications. The bibliographic citation for this data collection is:

U.S. Dept. of Health and Human Services,
National Center for Health Statistics. NATIONAL
SURVEY OF FAMILY GROWTH, CYCLE V, 1995
[Computer file]. ICPSR version. Hyattsville,
MD: U.S. Dept. of Health and Human Services,
National Center for Health Statistics
[producer], 1997. Ann Arbor, MI: Inter-
university Consortium for Political and Social
Research [distributor], 2000.

REQUEST FOR INFORMATION ON USE OF ICPSR RESOURCES

To provide funding agencies with essential information about use of archival resources and to facilitate the exchange of information about ICPSR participants' research activities, users of ICPSR data are requested to send to ICPSR bibliographic citations for each completed manuscript or thesis abstract. Please indicate in a cover letter which data were used.

DATA DISCLAIMER

The original collector of the data, ICPSR, and the relevant funding agency bear no responsibility for uses of this collection or for interpretations or inferences based upon such uses.

DATA COLLECTION DESCRIPTION

United States Department of Health and Human Services. National Center for Health Statistics

NATIONAL SURVEY OF FAMILY GROWTH, CYCLE V, 1995 (ICPSR 6960)

SUMMARY: The NSFG Cycle V interviews have been divided into two files. The Respondent File (Part 1) contains one record for each woman in the survey, while the Interval File (Part 2) contains one record for each completed pregnancy experienced by a woman in the survey. An interval can be defined as one of the following: the time between a first intercourse at last contact (in 1988) and a pregnancy that ended after last contact, or the time between a pregnancy that ended before last contact and one that was in progress at the time of the interview. Part 1 offers data on respondents' marital histories, education, family background, sex education, births and pregnancies, first sexual intercourse, sterilizing operations, contraceptive histories, family planning services, infertility services, births -- intended and unexpected, adoption, sexually transmitted diseases/AIDS, religion, race/ethnicity, employment/occupation, income, and insurance. Part 2 supplies data on outcomes of pregnancies and other pregnancy-related information, use of birth control methods during intervals, and "wantedness" of pregnancies.

UNIVERSE: The civilian noninstitutionalized population of women 15-44 years of age in the United States, regardless of marital status.

SAMPLING: A national probability sample of 14,000 women aged 15-44 was chosen from households that had participated in NATIONAL HEALTH INTERVIEW SURVEY, 1993 (ICPSR 6534). Black and Hispanic women were oversampled.

NOTE: (1) Data for CYCLE I, 1973 (ICPSR 7898), CYCLE II, 1976 (ICPSR 7902, 8181), CYCLE III, 1982 (ICPSR 8328), CYCLE IV, 1988 (ICPSR 9473), and CYCLE V, 1990 TELEPHONE REINTERVIEW (ICPSR 6643) are also available from ICPSR. (2) Per agreement with NCHS, ICPSR distributes the data files and text of the technical documentation for this collection as prepared by NCHS. (3) The codebooks and user guide are provided as Portable Document Format (PDF) files. The PDF file format was developed by Adobe Systems Incorporated and can be accessed using PDF reader software, such as the Adobe Acrobat Reader. Information on how to obtain a copy of the Acrobat Reader is provided through the ICPSR Website on the Internet.

RESTRICTIONS: In preparing the data files for this collection, the National Center for Health Statistics (NCHS) has removed direct identifiers and characteristics that might lead to identification of data subjects. As an additional precaution NCHS requires, under Section 308(d) of the Public Health Service Act (42 U.S.C. 242m), that data collected by NCHS not be used for any purpose other than statistical analysis and reporting. NCHS further requires that analysts not use the data to learn the identity of any persons or establishments and that the director of NCHS be notified if any identities are inadvertently discovered. ICPSR member institutions and other users ordering data from ICPSR are expected to adhere to these restrictions.

EXTENT OF COLLECTION: 2 data files + machine-readable documentation (PDF)

EXTENT OF PROCESSING: `FREQ.PR/ REFORM.DOC/ SCAN`

DATA FORMAT: Logical Record Length

Part 1: Respondent File
File Structure: rectangular
Cases: 10,847
Variables: approx. 630
Record Length: 13,064
Records Per Case: 1

Part 2: Interval File
File Structure: rectangular
Cases: 21,332
Variables: approx. 80
Record Length: 416
Records Per Case: 1

Part 3: Codebook, Vol. I:
Variable List and Frequencies
for Section A Questionnaire
Items in Respondent File

Part 4: Codebook, Vol. II:
Variable List and Frequencies
for Sections B-D Questionnaire
Items in Respondent File

Part 5: Codebook, Vol. IIIa,
Variable List and Frequencies
for Section E Questionnaire
Items in Respondent File

Part 6: Codebook, Vol. IIIb,
Variable List and Frequencies
for Section E Questionnaire
Items in Respondent File

Part 7: Codebook, Vol. IV:
Variable List and Frequencies
for Sections F-I Questionnaire
Items in Respondent File

Part 8: Codebook, Vol. V:
Recodes for Respondent File
and Variable List and
Frequencies for Interval
File

Part 9: Codebook, Vol. VI:
NSFG Cycle V Main Study
Questionnaire, Sections A-K

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OMITTED 10383-10866 These file locations are blank. See User's Guide, section on "Omitted Items."

LIVNXTYR 10867-10867 As far as you know, will you be living at this address this time next year or somewhere else?

Asked of all Rs.

0	0	0	0	Blank	= Blank, inapplicable
1311	5398	2013	9026	1	= SAME ADDRESS
224	999	408	1683	2	= DIFFERENT ADDRESS
0	0	0	0	7	= Not Ascertained
1	4	0	6	8	= Refused
17	82	25	132	9	= Don't Know

GIVECONT 10868-10868 At some time in the future, we would like to talk again briefly with some of the women we are interviewing now. In case we need to get in touch with you again, would you please give me the names of two close relatives or friends living outside this household, who would be likely to know where you can be reached, if you happen to move?

Asked of all Rs.

0	0	0	0	Blank	= Blank, inapplicable
1333	5955	2203	9808	1	= YES, R WILL GIVE CONTACTS
217	521	239	1025	2	= NO, R WILL NOT GIVE CONTACTS
0	0	0	0	7	= Not Ascertained
2	6	1	9	8	= Refused
1	1	3	5	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

RECONTCT 10869-10869 INTERVIEWER: DID R INDICATE SHE DID NOT WANT TO BE RECONTACTED?

Inapplicable:
Completed for all Rs by interviewer.

0	0	0	0	Blank	= Blank, inapplicable
113	214	119	468	1	= YES
1438	6254	2321	10355	2	= NO
0	0	0	0	7	= Not Ascertained
0	7	1	8	8	= Refused
2	8	5	16	9	= Don't Know

REFUSE 10870-10870 INTERVIEWER: DO YOU CONSIDER HER REFUSAL TO BE RECONTACTED DEFINITE OR TENTATIVE?

Inapplicable:
R did not indicate that she did not want to be recontacted (KA-10 RECONTCT coded 2).

1440	6269	2327	10379	Blank	= Blank, inapplicable
87	146	83	336	1	= DEFINITE REFUSAL FOR RECONTACT
26	68	36	132	2	= TENTATIVE REFUSAL FOR RECONTACT
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

PUBHOUSN 10871-10871 INTERVIEWER: IS RESPONDENT IN PUBLIC HOUSING?

Inapplicable:
Interview was conducted by telephone so interviewer cannot observe respondent's home.

0	0	0	0	Blank	= Blank, inapplicable
213	260	367	866	1	= DEFINITELY YES
130	132	173	451	2	= PROBABLY YES
1010	5359	1576	8221	3	= DEFINITELY NO
185	645	302	1171	4	= PROBABLY NO
1	3	1	5	7	= Not Ascertained
1	2	0	3	8	= Refused
13	82	27	130	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

REXTER 10872-10873

INTERVIEWER: RATE HOUSING UNIT'S
 EXTERIOR?

Inapplicable:
 Interview was conducted by telephone
 so interviewer cannot observe
 respondent's home.

0	0	0	0	Blank	= Blank, inapplicable
10	22	22	56	00	= Rating score of 0 (Major repair needed)
17	34	50	104	01	= Rating score of 1
27	69	83	189	02	= Rating score of 2
48	146	152	361	03	= Rating score of 3
78	198	189	483	04	= Rating score of 4
202	488	362	1095	05	= Rating score of 5 (Minimal paint/repair needed)
177	479	240	923	06	= Rating score of 6
238	718	323	1322	07	= Rating score of 7
232	1015	329	1621	08	= Rating score of 8
191	950	232	1425	09	= Rating score of 9
302	2194	422	3013	10	= Rating score of 10 (In good repair)
0	1	0	1	97	= Not ascertained
1	2	0	3	98	= Refused
30	167	42	251	99	= Don't know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

NEXTER 10874-10875

INTERVIEWER: HOW WELL KEPT ARE THE
 EXTERIORS OF OTHER NEIGHBORHOOD
 STRUCTURES?

Inapplicable:
 Interview was conducted by telephone
 so interviewer cannot observe
 respondent's home.

0	0	0	0	Blank	= Blank, inapplicable
9	16	21	46	00	= Rating score of 0 (Major repair needed)
14	22	47	85	01	= Rating score of 1
28	35	87	156	02	= Rating score of 2
39	106	169	325	03	= Rating score of 3
104	171	194	488	04	= Rating score of 4
182	486	393	1103	05	= Rating score of 5 (Minimal paint/repair needed)
177	514	269	997	06	= Rating score of 6
246	823	301	1412	07	= Rating score of 7
240	1176	331	1802	08	= Rating score of 8
207	999	222	1479	09	= Rating score of 9
276	1954	369	2687	10	= Rating score of 10 (In good repair)
1	2	0	3	97	= Not ascertained
1	1	0	2	98	= Refused
29	178	43	262	99	= Don't know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

STRUCTR 10876-10877

INTERVIEWER: WHAT TYPE OF STRUCTURE
 DOES R LIVE IN?

Note: Responses coded in categories 9
 and 10 were volunteered by some
 interviewers.

Inapplicable:
 Interview was conducted by telephone
 so interviewer cannot observe
 respondent's home.

0	0	0	0	Blank	= Blank, inapplicable
62	441	100	618	01	= TRAILER
872	4541	1171	6806	02	= DETACHED SINGLE-FAMILY HOUSE
97	198	248	562	03	= ROW HOUSE (THREE OR MORE UNITS IN AN ATTCHED ROW
115	325	206	660	04	= TWO-FAMILY HOUSE, TWO UNITS SIDE-BY-SIDE OR ONE ABOVE THE OTHER
35	122	77	245	05	= THREE-FOUR FAMILY HOUSE
328	662	583	1637	06	= APARTMENT HOUSE (FIVE OR MORE UNITS)
21	26	15	62	07	= APARTMENT IN A PARTLY CONVERTED COMMERCIAL STRUCTURE
2	7	7	17	08	= OTHER-NOT SHOWN SEPARATELY
5	46	10	67	09	= DORMITORY/COLLEGE CAMPUS
1	4	2	9	10	= MILITARY HOUSING
1	2	1	4	97	= Not Ascertained
1	1	0	2	98	= Refused
13	108	26	158	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

STRTDESC 10878-10879

INTERVIEWER: DESCRIBE THE STREET (ONE
 BLOCK, BOTH SIDES) ON WHICH THE UNIT
 IS FOUND.

Inapplicable:
 Interview was conducted by telephone
 so interviewer cannot observe
 respondent's home.

0	0	0	0	Blank	= Blank, inapplicable
1196	4995	1954	8427	01	= RESIDENTIAL ONLY
161	333	274	796	02	= RESIDENTIAL, WITH ONE OR TWO STORES ONLY
104	274	130	527	03	= THREE OR MORE COMMERCIAL PROPERTIES
47	654	43	756	04	= RURAL
11	62	6	83	05	= TRAILER COURT
12	43	9	73	06-08	= OTHER-NOT SHOWN SEPARATELY
1	2	1	4	97	= Not Ascertained
1	1	0	2	98	= Refused
20	119	29	179	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGER 10880-10881 VAR101: Age at interview

Non-blank for all Rs.

3	14	3	20	14	= Age 14
43	146	49	253	15	= Age 15
43	157	68	283	16	= Age 16
37	171	60	279	17	= Age 17
47	182	65	298	18	= Age 18
40	186	47	283	19	= Age 19
49	166	56	289	20	= Age 20
42	158	65	279	21	= Age 21
50	169	79	303	22	= Age 22
50	163	76	303	23	= Age 23
65	190	78	344	24	= Age 24
49	179	84	318	25	= Age 25
60	193	74	339	26	= Age 26
42	177	97	325	27	= Age 27
59	197	88	354	28	= Age 28
76	215	101	403	29	= Age 29
54	220	105	387	30	= Age 30
66	256	101	433	31	= Age 31
72	263	112	463	32	= Age 32
53	268	106	443	33	= Age 33
67	243	98	423	34	= Age 34
57	239	92	401	35	= Age 35
57	269	100	444	36	= Age 36
66	285	84	448	37	= Age 37
54	278	79	422	38	= Age 38
50	278	84	429	39	= Age 39
44	259	75	388	40	= Age 40
50	239	85	385	41	= Age 41
39	265	88	403	42	= Age 42
36	255	85	395	43	= Age 43
32	191	57	291	44	= Age 44
1	12	5	19	45	= Age 45

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGEAPR1 10882-10885 VAR102: Age as of April 1, 1995

Non-blank for all Rs.

43	149	43	251	1500-1599	= Age 15
42	158	73	286	1600-1699	= Age 16
41	176	62	291	1700-1799	= Age 17
41	177	66	288	1800-1899	= Age 18
46	188	49	292	1900-1999	= Age 19
47	173	54	292	2000-2099	= Age 20
44	152	64	275	2100-2199	= Age 21
53	172	78	307	2200-2299	= Age 22
50	159	72	295	2300-2399	= Age 23
63	193	87	356	2400-2499	= Age 24
48	183	77	313	2500-2599	= Age 25
57	191	81	341	2600-2699	= Age 26
47	171	90	317	2700-2799	= Age 27
60	194	83	346	2800-2899	= Age 28
72	209	106	399	2900-2999	= Age 29
54	235	110	408	3000-3099	= Age 30
65	244	98	418	3100-3199	= Age 31
73	268	112	468	3200-3299	= Age 32
53	270	104	443	3300-3399	= Age 33
68	243	102	429	3400-3499	= Age 34
53	238	87	387	3500-3599	= Age 35
57	269	99	444	3600-3699	= Age 36
70	297	89	467	3700-3799	= Age 37
49	254	78	395	3800-3899	= Age 38
49	281	84	432	3900-3999	= Age 39
50	274	78	412	4000-4099	= Age 40
49	213	87	358	4100-4199	= Age 41
34	276	87	411	4200-4299	= Age 42
43	262	77	397	4300-4399	= Age 43
32	214	69	329	4400-4499	= Age 44

FMARITAL 10886-10886 VAR103: Formal marital status.

Non-blank for all Rs.

797	3641	670	5291	1	= Married
13	32	42	93	3	= Widowed
124	609	251	1008	4	= Divorced
86	172	182	452	5	= Separated
533	2029	1301	4003	6	= Never Married

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

EDUCAT 10887-10888 VAR104: Education (completed years of schooling)

Non-blank for all Rs.

6	2	0	9	00	= No Formal Education
8	2	1	11	01	= 1st Grade
5	1	1	7	02	= 2nd Grade
13	1	1	15	03	= 3rd Grade
14	1	2	18	04	= 4th Grade
25	1	1	28	05	= 5th Grade
97	13	8	121	06	= 6th Grade
38	25	17	84	07	= 7th Grade
93	158	72	336	08	= 8th Grade
133	304	148	603	09	= 9th Grade
128	370	216	733	10	= 10th Grade
132	356	247	756	11	= 11th Grade
389	2112	843	3438	12	= 12th Grade
148	605	258	1043	13	= 1 Year of College
111	686	237	1067	14	= 2 Years of College
56	326	96	499	15	= 3 Years of College
88	871	170	1181	16	= 4 Years of College
32	230	54	333	17	= 5 Years of College
15	253	48	337	18	= 6 Years of College
22	166	26	228	19	= 7 Or More Years of College

DIPLGED 10889-10890 VAR105: Complete high school or equivalent

Non-blank for all Rs.

853	5099	1665	7894	01	= High School Diploma
106	366	154	641	02	= GED Certificate
424	458	365	1276	03	= Neither
170	560	262	1036	96	= Still in 12th grade or lower, or taking GED classes

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

HIDEGREE 10891-10891

VAR106: Highest degree obtained

Non-blank for all Rs.

592	1012	626	2303	0	= No Degree (includes those currently in school)
760	3530	1420	5884	1	= High School or Equivalent
57	436	116	625	2	= Associates Degree (AA)
110	1144	217	1542	3	= Bachelor's Degree (BA, BS)
19	263	42	347	4	= Master's Degree (MA, MBA, MS, MSW)
3	21	4	31	5	= Doctorate (PhD)
5	35	9	51	6	= Professional Degree (MD, LLD, DDS)
7	42	12	64	7	= Other

HIEDUC 10892-10893

VAR107: Highest completed year of school or highest degree received

Non-blank for all Rs.

6	1	0	8	01	= Less than 1st Grade
40	1	4	46	02	= 1st, 2nd, 3rd, Or 4th Grade
108	8	8	128	03	= 5th or 6th Grade
114	161	81	371	04	= 7th or 8th Grade
104	254	134	509	05	= 9th Grade
101	289	188	592	06	= 10th Grade
108	276	195	597	07	= 11th Grade
7	17	15	42	08	= 12th Grade ,No Diploma (nor GED)
493	2338	932	3865	09	= High School Graduate (H.S. diploma or GED)
272	1215	489	2048	10	= Some College But No Degree
59	455	124	656	11	= Associate Degree In College
114	1147	220	1553	12	= Bachelor's Degree
18	265	43	349	13	= Master's Degree
6	35	9	52	14	= Professional Degree
3	21	4	31	15	= Doctorate Degree

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

CMHIDEG 10894-10897 VAR108: Date (century month) earned
 highest degree obtained

Non-blank for all Rs.

592	1012	626	2303	0000	= No degree
288	2045	629	3062	0726-0960	= Before 1980
673	3426	1191	5482	0961-1150	= 1980 or later

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGELSTED 10898-10899

VAR109: Age last enrolled in regular school

Non-blank for all Rs.

4	0	0	5	00	= No Formal Schooling
0	0	0	0	01	= Age 1
1	0	1	2	02	= Age 2
0	0	0	0	03	= Age 3
0	0	0	0	04	= Age 4
0	0	1	1	05	= Age 5
2	1	1	4	06	= Age 6
4	0	2	6	07	= Age 7
9	0	2	11	08	= Age 8
9	0	0	10	09	= Age 9
16	2	2	22	10	= Age 10
25	1	2	29	11	= Age 11
50	7	2	61	12	= Age 12
45	20	16	84	13	= Age 13
61	60	37	165	14	= Age 14
92	148	97	340	15	= Age 15
101	244	134	493	16	= Age 16
178	792	351	1356	17	= Age 17
191	1182	446	1855	18	= Age 18
98	328	214	656	19	= Age 19
59	267	123	473	20	= Age 20
50	310	89	469	21	= Age 21
48	400	87	553	22	= Age 22
35	246	74	368	23	= Age 23
38	147	39	232	24	= Age 24
14	124	35	183	25	= Age 25
13	118	25	162	26	= Age 26
19	97	24	148	27	= Age 27
13	99	19	134	28	= Age 28
11	72	20	111	29	= Age 29
11	54	22	89	30	= Age 30
17	52	15	88	31	= Age 31
2	71	13	89	32	= Age 32
8	33	10	52	33	= Age 33
2	48	18	70	34	= Age 34
1	47	6	56	35	= Age 35
6	33	11	53	36	= Age 36
4	26	4	36	37	= Age 37
5	37	8	51	38	= Age 38
4	17	5	26	39	= Age 39
3	23	4	30	40	= Age 40
2	15	3	21	41	= Age 41
1	12	3	17	42	= Age 42
1	11	4	17	43	= Age 43

(5630)

1995 NATIONAL SURVEY OF FAMILY GROWTH

File Documentation

Respondent File (Section A Recodes)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		1	0	1	2	44	= Age 44
		299	1339	476	2217	96	= Still In School

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGELSTVC 10900-10901

VAR110: Age last in vocational
 training program

Non-blank for all Rs.

1090	4721	1540	7621	00	
0	0	0	0	01	= No Vocational Training
0	0	0	0	02	= Age 1
0	0	0	0	03	= Age 2
0	0	0	0	04	= Age 3
0	0	0	0	05	= Age 4
0	0	0	0	06	= Age 5
0	0	0	0	07	= Age 6
0	0	0	0	08	= Age 7
0	0	0	0	09	= Age 8
0	0	0	0	10	= Age 9
0	1	0	1	11	= Age 10
0	0	0	0	12	= Age 11
0	1	0	1	13	= Age 12
4	4	1	9	14	= Age 13
11	8	5	24	15	= Age 14
11	20	16	47	16	= Age 15
15	66	20	105	17	= Age 16
36	163	55	260	18	= Age 17
48	167	78	300	19	= Age 18
36	144	90	277	20	= Age 19
24	96	55	177	21	= Age 20
23	93	48	170	22	= Age 21
18	88	50	160	23	= Age 22
14	75	42	133	24	= Age 23
10	73	35	125	25	= Age 24
21	62	48	135	26	= Age 25
15	63	36	116	27	= Age 26
11	47	35	97	28	= Age 27
17	41	27	89	29	= Age 28
16	52	33	102	30	= Age 29
14	46	19	82	31	= Age 30
11	44	17	75	32	= Age 31
9	38	19	68	33	= Age 32
7	31	21	61	34	= Age 33
11	32	11	57	35	= Age 34
9	22	11	46	36	= Age 35
13	22	12	49	37	= Age 36
8	30	14	53	38	= Age 37
4	31	10	46	39	= Age 38
2	23	3	29	40	= Age 39
1	15	4	21	41	= Age 40
2	15	4	23	42	= Age 41
2	7	3	12	43	= Age 42

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	7	3	10	44	= Age 44
		40	135	81	266	96	= Still In Vocational Program

SUSEXPN 10902-10903 VAR111 Number of times suspended or expelled from school

Inapplicable:
 R is age 25 or older; or R's highest grade attended is 6th grade or lower

1096	4781	1801	7926	Blank	= Blank, inapplicable
360	1484	455	2401	00	= Was Not Suspended/Expelled
54	117	77	260	01	= 1 time
16	35	54	106	02	= 2 times
8	21	15	44	03	= 3 times
4	12	12	28	04	= 4 times
4	5	6	15	05	= 5 times
2	4	5	11	06	= 6 times
3	3	3	9	07	= 7 times
0	4	2	7	08	= 8 times
1	0	2	3	09	= 9 times
5	17	14	37	10	= 10 times

DROPOUTN 10904-10904 VAR112: Number of times left school (grade, junior, or high) for other than disciplinary reasons

Inapplicable:
 R is age 25 or older; or R has no formal schooling

1084	4781	1800	7913	Blank	= Blank, inapplicable
414	1610	574	2700	0	= Did Not Leave school For nondisciplinary Reasons
36	71	58	175	1	= 1 time
11	15	12	41	2	= 2 times
4	5	2	12	3	= 3 times
2	1	0	3	4	= 4 times
1	0	0	2	5	= 5 times
1	0	0	1	6	= 6 times

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

TIMEOUT 10905-10906 VAR113: Absence from school (grade, junior, or high) for other than disciplinary reasons: Duration of 1st period (months)

Inapplicable:
 R is age 25 or older or never left school for other-than-disciplinary reasons; or R has no formal schooling

1498	6391	2374	10613	Blank	= Blank, inapplicable
48	84	67	209	01-12	= One year or less
7	8	5	25	12-69	= More than one year

CMBGWK01 10907-10910 VAR114.01: Century month began 1st period of working (or 18th birthday)

Inapplicable:
 R is age 17 or younger

126	488	180	835	Blank	= Blank, inapplicable
185	166	195	577	0000	= Never worked
1048	5082	1819	8190	0820-1092	= Before 1991
194	747	252	1245	1093-1150	= 1991 or later

CMENWK01 10911-10914 VAR115.01 Century month ended 1st period of working

Inapplicable:
 R is age 17 or younger

126	488	180	835	Blank	= Blank, inapplicable
185	166	195	577	0000	= Never worked
667	3370	1127	5314	0824-1092	= Before 1991
222	863	350	1498	1093-1150	= 1991 or later
353	1596	594	2623	1188	= Still in 1st period of work

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DURFT01 10915-10917 VAR116.01: Duration (months) of full-time within 1st period of working (up to date of interview if still in 1st period of working)

Inapplicable:
 R is age 17 or younger

126	488	180	835	Blank	= Blank, inapplicable
302	1508	556	2446	000	= No full-time
940	4321	1515	6989	001-325	= Number of months
185	166	195	577	888	= Never worked

CMBGWK02 10918-10921 VAR114.02: Century month began 2nd period of working

Inapplicable:
 R is age 17 or younger

126	488	180	835	Blank	= Blank, inapplicable
689	2172	995	3995	0000	= No 2nd period of work
529	2924	930	4511	0820-1092	= Before 1991
209	899	341	1506	1093-1150	= 1991 or later

CMBGWK03 10922-10925 VAR114.03: Century month began 3rd period of working

Inapplicable:
 R is age 17 or younger

126	488	180	835	Blank	= Blank, inapplicable
995	3760	1547	6529	0000	= No 3rd period of work
274	1604	473	2415	0820-1092	= Before 1991
158	631	246	1068	1093-1150	= 1991 or later

CMBGWK04 10926-10929 VAR114.04: Century month began 4th period of working

Inapplicable:
 R is age 17 or younger

126	488	180	835	Blank	= Blank, inapplicable
1197	4642	1857	7966	0000	= No 4th period of work
143	915	245	1336	0820-1092	= Before 1991
87	438	164	710	1093-1150	= 1991 or later

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

CMBGWK05 10930-10933 VAR114.05: Century month began 5th
 period of working

Inapplicable:
 R is age 17 or younger

126	488	180	835	Blank	= Blank, inapplicable
1301	5218	2022	8838	0000	= No 5th period of work
75	521	132	746	0820-1092	= Before 1991
51	256	112	428	1093-1150	= 1991 or later

CMBGWK06 10934-10937 VAR114.06: Century month began 6th
 period of working

Inapplicable:
 R is age 17 or younger

126	488	180	835	Blank	= Blank, inapplicable
1356	5522	2140	9324	0000	= No 6th period of work
44	293	64	413	0820-1092	= Before 1991
27	180	62	275	1093-1150	= 1991 or later

CMBGWK07 10938-10941 VAR114.07: Century month began 7th
 period of working

Inapplicable:
 R is age 17 or younger

126	488	180	835	Blank	= Blank, inapplicable
1385	5727	2199	9623	0000	= No 7th period of work
25	148	32	212	0820-1092	= Before 1991
17	120	35	177	1093-1150	= 1991 or later

CMBGWK08 10942-10945 VAR114.08: Century month began 8th
 period of working

Inapplicable:
 R is age 17 or younger

126	488	180	835	Blank	= Blank, inapplicable
1400	5837	2234	9789	0000	= No 8th period of work
15	84	15	117	0820-1092	= Before 1991
12	74	17	106	1093-1150	= 1991 or later

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

CMBGWK09 10946-10949 VAR114.09: Century month began 9th
 period of working

Inapplicable:
 R is age 17 or younger

126	488	180	835	Blank	= Blank, inapplicable
1411	5902	2247	9880	0000	= No 9th period of work
7	49	9	67	0820-1092	= Before 1991
9	44	10	65	1093-1150	= 1991 or later

CMBGWK10 10950-10953 VAR114.10: Century month began 10th
 period of working

Inapplicable:
 R is age 17 or younger

126	488	180	835	Blank	= Blank, inapplicable
1416	5937	2256	9930	0000	= No 10th period of work
3	31	4	40	0820-1092	= Before 1991
8	27	6	42	1093-1150	= 1991 or later

CMENWK02 10954-10957 VAR115.02: Century month ended 2nd
 period of working

Inapplicable:
 R is age 17 or younger

126	488	180	835	Blank	= Blank, inapplicable
689	2172	995	3995	0000	= No 2nd period of work
347	1911	586	2923	0824-1092	= Before 1991
180	629	267	1117	1093-1150	= 1991 or later
211	1283	418	1977	1188	= Still in 2nd period of work

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

CMENWK03 10958-10961 VAR115.03: Century month ended 3rd
 period of working

Inapplicable:
 R is age 17 or younger

126	488	180	835	Blank	= Blank, inapplicable
995	3760	1547	6529	0000	= No 3rd period of work
186	1091	302	1619	0824-1092	= Before 1991
111	489	189	813	1093-1150	= 1991 or later
135	655	228	1051	1188	= Still in 3rd period of work

CMENWK04 10962-10965 VAR115.04: Century month ended 4th
 period of working

Inapplicable:
 R is age 17 or younger

126	488	180	835	Blank	= Blank, inapplicable
1197	4642	1857	7966	0000	= No 4th period of work
89	602	157	870	0824-1092	= Before 1991
65	329	130	534	1093-1150	= 1991 or later
76	422	122	642	1188	= Still in 4th period of work

CMENWK05 10966-10969 VAR115.05: Century month ended 5th
 period of working

Inapplicable:
 R is age 17 or younger

126	488	180	835	Blank	= Blank, inapplicable
1301	5218	2022	8838	0000	= No 5th period of work
54	359	83	511	0824-1092	= Before 1991
35	180	81	300	1093-1150	= 1991 or later
37	238	80	363	1188	= Still in 5th period of work

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

CMENWK06 10970-10973 VAR115.06: Century month ended 6th
 period of working

Inapplicable:
 R is age 17 or younger

126	488	180	835	Blank	= Blank, inapplicable
1356	5522	2140	9324	0000	= No 6th period of work
33	177	42	261	0824-1092	= Before 1991
19	134	42	201	1093-1150	= 1991 or later
19	162	42	226	1188	= Still in 6th period of work

CMENWK07 10974-10977 VAR115.07: Century month ended 7th
 period of working

Inapplicable:
 R is age 17 or younger

126	488	180	835	Blank	= Blank, inapplicable
1385	5727	2199	9623	0000	= No 7th period of work
20	99	18	140	0824-1092	= Before 1991
11	87	22	123	1093-1150	= 1991 or later
11	82	27	126	1188	= Still in 7th period of work

CMENWK08 10978-10981 VAR115.08: Century month ended 8th
 period of working

Inapplicable:
 R is age 17 or younger

126	488	180	835	Blank	= Blank, inapplicable
1400	5837	2234	9789	0000	= No 8th period of work
9	53	11	75	0824-1092	= Before 1991
8	59	13	82	1093-1150	= 1991 or later
10	46	8	66	1188	= Still in 8th period of work

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

CMENWK09 10982-10985 VAR115.09: Century month ended 9th
 period of working

Inapplicable:
 R is age 17 or younger

126	488	180	835	Blank	= Blank, inapplicable
1411	5902	2247	9880	0000	= No 9th period of work
7	37	5	51	0824-1092	= Before 1991
6	35	9	52	1093-1150	= 1991 or later
3	21	5	29	1188	= Still in 9th period of work

CMENWK10 10986-10989 VAR115.10: Century month ended 10th
 period of working

Inapplicable:
 R is age 17 or younger

126	488	180	835	Blank	= Blank, inapplicable
1416	5937	2256	9930	0000	= No 10th period of work
3	24	3	32	0824-1092	= Before 1991
3	22	4	30	1093-1150	= 1991 or later
5	12	3	20	1188	= Still in 10th period of work

DURFT02 10990-10992 VAR116.02: Duration (months) of
 full-time within 2nd period of working
 (up to date of interview if still in
 the period of working)

Inapplicable:
 R is age 17 or younger

126	488	180	835	Blank	= Blank, inapplicable
157	991	263	1455	000	= No full-time
581	2832	1008	4562	001-325	= Number of months
689	2172	995	3995	888	= No 2nd period of work

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DURFT03 10993-10995 VAR116.03: Duration (months) of full-time within 3rd period of working (up to date of interview if still in the period of working)

Inapplicable:
 R is age 17 or younger

126	488	180	835	Blank	= Blank, inapplicable
99	616	158	899	000	= No full-time
333	1619	561	2584	001-325	= Number of months
995	3760	1547	6529	888	= No 3rd period of work

DURFT04 10996-10998 VAR116.04: Duration (months) of full-time within 4th period of working (up to date of interview if still in the period of working)

Inapplicable:
 R is age 17 or younger

126	488	180	835	Blank	= Blank, inapplicable
48	378	77	519	000	= No full-time
182	975	332	1527	001-325	= Number of months
1197	4642	1857	7966	888	= No 4th period of work

DURFT05 10999-11001 VAR116.05: Duration (months) of full-time within 5th period of working (up to date of interview if still in the period of working)

Inapplicable:
 R is age 17 or younger

126	488	180	835	Blank	= Blank, inapplicable
30	221	49	309	000	= No full-time
96	556	195	865	001-325	= Number of months
1301	5218	2022	8838	888	= No 5th period of work

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DURFT06 11002-11004 VAR116.06: Duration (months) of full-time within 6th period of working (up to date of interview if still in the period of working)

Inapplicable:
 R is age 17 or younger

126	488	180	835	Blank	= Blank, inapplicable
15	134	18	172	000	= No full-time
56	339	108	516	001-325	= Number of months
1356	5522	2140	9324	888	= No 6th period of work

DURFT07 11005-11007 VAR116.07: Duration (months) of full-time within 7th period of working (up to date of interview if still in the period of working)

Inapplicable:
 R is age 17 or younger

126	488	180	835	Blank	= Blank, inapplicable
11	83	10	106	000	= No full-time
31	185	57	283	001-325	= Number of months
1385	5727	2199	9623	888	= No 7th period of work

DURFT08 11008-11010 VAR116.08: Duration (months) of full-time within 8th period of working (up to date of interview if still in the period of working)

Inapplicable:
 R is age 17 or younger

126	488	180	835	Blank	= Blank, inapplicable
6	48	6	62	000	= No full-time
21	110	26	161	001-325	= Number of months
1400	5837	2234	9789	888	= No 8th period of work

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DURFT09 11011-11013 VAR116.09: Duration (months) of full-time within 9th period of working (up to date of interview if still in the period of working)

Inapplicable:
 R is age 17 or younger

126	488	180	835	Blank	= Blank, inapplicable
4	26	3	34	000	= No full-time
12	67	16	98	001-325	= Number of months
1411	5902	2247	9880	888	= No 9th period of work

DURFT10 11014-11016 VAR116.10: Duration (months) of full-time within 10th period of working (up to date of interview if still in the period of working)

Inapplicable:
 R is age 17 or younger

126	488	180	835	Blank	= Blank, inapplicable
1	18	1	21	000	= No full-time
10	40	9	61	001-325	= Number of months
1416	5937	2256	9930	888	= No 10th period of work

NUMKDHH 11017-11018 VAR117: Number of biological/adopted children under age 18 in household

Non-blank for all Rs.

518	2953	927	4576	00	= None
340	1406	618	2440	01	= 1 child
365	1389	524	2344	02	= 2 children
228	571	244	1069	03	= 3 children
78	135	95	321	04	= 4 children
19	22	27	71	05	= 5 children
0	4	6	13	06	= 6 children
2	1	4	7	07	= 7 children
2	1	1	4	08	= 8 children
0	1	0	1	09	= 9 children
1	0	0	1	10	= 10 children

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

NUMFMHH 11019-11020 VAR118: Number of family members in household

Non-blank for all Rs.

93	716	229	1076	00	= None
192	1277	513	2040	01	= 1 family member
325	1532	611	2551	02	= 2 family members
376	1752	537	2754	03	= 3 family members
302	831	304	1484	04	= 4 family members
152	280	131	594	05	= 5 family members
61	63	58	190	06	= 6 family members
32	22	34	96	07	= 7 family members
11	7	14	34	08	= 8 family members
3	1	8	12	09	= 9 family members
3	1	3	8	10	= 10 family members
3	1	4	8	11	= 11 family members

NUMHH 11021-11022 VAR119: Number of members in household (excluding respondent)

Non-blank for all Rs.

51	434	173	676	00	= None
194	1372	522	2156	01	= 1 household member
323	1576	621	2604	02	= 2 household members
385	1804	548	2829	03	= 3 household members
311	864	315	1539	04	= 4 household members
166	321	134	652	05	= 5 household members
59	73	65	207	06	= 6 household members
37	23	34	104	07	= 7 household members
16	10	16	44	08	= 8 household members
3	4	9	16	09	= 9 household members
2	1	3	7	10	= 10 household members
1	1	3	5	11	= 11 household members
5	0	3	8	12	= 12 household members

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGEPARDS 11023-11025

VAR120: Age of R at (natural or
 adoptive) parents' (1st)
 separation/divorce

Inapplicable:
 R never lived with both natural or
 adoptive parents.

189	271	679	1158	Blank	= Blank, inapplicable
24	112	48	188	000	= Parents sep/div before R was born or before R turned 1
22	93	28	148	001	= 1 year
25	122	38	187	002	= 2 years
23	105	42	175	003	= 3 years
15	97	41	153	004	= 4 years
36	100	53	190	005	= 5 years
19	81	26	129	006	= 6 years
14	98	45	161	007	= 7 years
14	83	36	139	008	= 8 years
20	84	37	149	009	= 9 years
19	87	40	146	010	= 10 years
13	104	22	145	011	= 11 years
22	85	25	135	012	= 12 years
14	74	32	122	013	= 13 years
14	64	17	97	014	= 14 years
19	68	15	102	015	= 15 years
9	61	18	92	016	= 16 years
16	41	12	69	017	= 17 years
11	55	16	86	018	= 18 years
7	41	13	62	019	= 19 years
12	37	8	57	020	= 20 years
3	23	5	31	021	= 21 years
4	19	2	25	022	= 22 years
5	19	3	27	023	= 23 years
3	12	9	24	024	= 24 years
1	13	5	19	025	= 25 years
1	7	5	13	026	= 26 years
1	9	3	13	027	= 27 years
1	12	0	14	028	= 28 years
0	9	1	10	029	= 29 years
0	7	2	10	030	= 30 years
1	5	0	6	031	= 31 years
2	2	1	5	032	= 32 years
0	2	1	3	033	= 33 years
1	1	0	2	034	= 34 years
1	3	0	4	035	= 35 years
0	1	0	1	036	= 36 years
0	1	0	1	037	= 37 years

(5645)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
		1	0	0	1	038 = 38 years
		0	0	0	0	039 = 39 years
		0	0	0	0	040 = 40 years
		1	0	1	2	041 = 41 years
		1	0	0	1	042 = 42 years
		71	48	127	251	100 = Parents Never Married
		894	4319	988	6480	200 = Parents Never Separated or Divorced
		4	8	2	14	999 = R doesn't know parents' marital status

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGEMDTH 11026-11028

VAR121: Age of R at (natural or
 adoptive) mother's death

Inapplicable:
 R never lived with natural or adoptive
 mother.

32	19	56	110	Blank	= Blank, inapplicable
1	0	7	10	000	= Less than 1 year old
2	7	1	10	001	= 1 year
1	5	3	9	002	= 2 years
2	4	6	12	003	= 3 years
0	8	2	11	004	= 4 years
2	7	3	12	005	= 5 years
0	7	3	10	006	= 6 years
1	13	8	22	007	= 7 years
3	4	4	12	008	= 8 years
1	7	3	11	009	= 9 years
7	10	2	20	010	= 10 years
0	2	6	8	011	= 11 years
4	9	6	20	012	= 12 years
1	10	12	24	013	= 13 years
2	3	6	12	014	= 14 years
6	13	8	30	015	= 15 years
2	14	10	26	016	= 16 years
9	9	14	32	017	= 17 years
2	10	9	22	018	= 18 years
2	19	13	36	019	= 19 years
6	24	9	41	020	= 20 years
5	11	10	27	021	= 21 years
4	16	14	35	022	= 22 years
2	20	8	30	023	= 23 years
2	18	9	31	024	= 24 years
4	14	16	35	025	= 25 years
2	18	13	33	026	= 26 years
3	19	6	29	027	= 27 years
4	38	16	58	028	= 28 years
3	20	12	35	029	= 29 years
4	16	17	37	030	= 30 years
3	17	9	30	031	= 31 years
8	19	13	41	032	= 32 years
2	27	14	49	033	= 33 years
5	19	9	34	034	= 34 years
2	26	17	45	035	= 35 years
3	23	7	33	036	= 36 years
5	24	5	35	037	= 37 years
3	12	3	19	038	= 38 years
5	24	9	38	039	= 39 years
0	12	4	18	040	= 40 years

(5647)

1995 NATIONAL SURVEY OF FAMILY GROWTH

File Documentation

Respondent File (Section A Recodes)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	
		3	13	6	24	041 = 41 years
		0	12	7	19	042 = 42 years
		2	3	1	6	043 = 43 years
		0	2	1	3	044 = 44 years
		1391	5826	2026	9565	100 = Mother Still Alive
		2	30	3	38	999 = R doesn't know if mother still alive

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGEFDTH 11029-11031

VAR122: Age of R at (natural or adoptive) father's death

Inapplicable:
 R never lived with natural or adoptive father.

167	222	640	1046	Blank	= Blank, inapplicable
5	11	3	21	000	= Less than 1 year old
4	10	7	22	001	= 1 year
6	12	7	27	002	= 2 years
3	13	3	19	003	= 3 years
6	18	8	33	004	= 4 year
4	12	8	26	005	= 5 years
5	11	5	25	006	= 6 years
5	12	7	24	007	= 7 years
4	18	6	30	008	= 8 years
5	15	13	35	009	= 9 years
4	23	9	37	010	= 10 years
3	19	10	34	011	= 11 years
6	24	18	49	012	= 12 years
6	27	13	48	013	= 13 years
2	28	14	47	014	= 14 years
7	41	11	62	015	= 15 years
9	29	19	59	016	= 16 years
8	32	16	58	017	= 17 years
6	29	11	49	018	= 18 years
9	27	18	56	019	= 19 years
4	31	21	59	020	= 20 years
8	40	17	67	021	= 21 years
10	39	18	72	022	= 22 years
6	44	17	68	023	= 23 years
8	38	16	65	024	= 24 years
5	56	19	85	025	= 25 years
10	40	12	65	026	= 26 years
10	58	19	90	027	= 27 years
8	36	16	62	028	= 28 years
14	46	15	79	029	= 29 years
10	50	23	85	030	= 30 years
6	52	16	78	031	= 31 years
8	45	19	74	032	= 32 years
8	38	15	65	033	= 33 years
5	42	13	61	034	= 34 years
5	34	17	60	035	= 35 years
8	63	23	97	036	= 36 years
3	39	8	52	037	= 37 years
7	35	7	50	038	= 38 years
4	36	8	49	039	= 39 years
1	22	5	28	040	= 40 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		1	16	5	24	041 = 41 years
		2	18	6	28	042 = 42 years
		3	12	2	19	043 = 43 years
		0	5	0	6	044 = 44 years
		1107	4833	1247	7430	100 = Father Still Alive
		18	82	16	122	999 = R doesn't know if father still alive

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGEMMAR 11032-11034

VAR123: Rs who were born to unmarried
 parents: age of R at (natural)
 mother's and natural father's
 marriage, or natural mother's 1st
 marriage

Inapplicable:
 R never lived with natural mother, or
 R's natural mother and natural father
 were married when R was born, or R's
 natural mother and natural father were
 married before R was born (and had
 subsequently separated or divorced or
 father had died before respondent was
 born)

	1346	6288	1785	9765	Blank	
	14	33	67	116	000	= Blank, inapplicable
						= Mother's marriage before R turned 1
	15	20	29	65	001	= 1 year
	8	19	22	49	002	= 2 years
	5	18	15	38	003	= 3 years
	3	9	18	31	004	= 4 years
	4	11	24	41	005	= 5 years
	10	7	16	33	006	= 6 years
	3	5	14	22	007	= 7 years
	0	6	14	20	008	= 8 years
	5	1	9	16	009	= 9 years
	5	5	17	27	010	= 10 years
	6	3	13	23	011	= 11 years
	5	3	13	21	012	= 12 years
	3	1	10	14	013	= 13 years
	2	5	7	15	014	= 14 years
	3	0	3	7	015	= 15 years
	3	4	8	15	016	= 16 years
	1	1	7	9	017	= 17 years
	0	1	12	13	018	= 18 years
	2	1	4	7	019	= 19 years
	1	0	4	6	020	= 20 years
	2	0	4	6	021	= 21 years
	5	3	3	11	022	= 22 years
	1	0	3	4	023	= 23 years
	1	2	2	5	024	= 24 years
	1	0	8	9	025	= 25 years
	2	1	0	3	026	= 26 years
	2	0	3	5	027	= 27 years
	1	1	2	5	028	= 28 years
	1	0	5	6	029	= 29 years
	2	0	0	2	030	= 30 years

1995 NATIONAL SURVEY OF FAMILY GROWTH

File Documentation

Respondent File (Section A Recodes)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	031 = 31 years
		0	0	0	0	032 = 32 years
		0	0	0	0	033 = 33 years
		0	0	0	0	034 = 34 years
		1	0	0	1	035 = 35 years
		0	0	0	0	036 = 36 years
		0	0	1	1	037 = 37 years
		1	0	1	2	038 = 38 years
		0	0	1	1	039 = 39 years
		0	0	0	0	040 = 40 years
		0	0	1	1	041 = 41 years
		88	32	294	420	100 = Mother never married
		1	3	7	12	999 = R doesn't know if mother married

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGEFMAR 11035-11037

VAR124: Rs who were born to unmarried
 parents: age of R at (natural)
 mother's and natural father's
 marriage, or natural father's 1st
 marriage

Inapplicable:
 R never lived with natural father, or
 R's natural mother and natural father
 were married when R was born, or R's
 natural mother and natural father were
 married before R was born (and had
 subsequently separated or divorced or
 father had died before respondent was
 born)

	1423	6408	2232	10420	Blank	
	10	19	31	61	000	= Blank, inapplicable = Father's marriage before R was born or before R turned 1
	8	8	15	31	001	= 1 year
	1	4	7	12	002	= 2 years
	1	4	4	9	003	= 3 years
	0	5	6	11	004	= 4 years
	4	2	8	15	005	= 5 years
	3	4	6	13	006	= 6 years
	3	1	2	6	007	= 7 years
	1	1	5	7	008	= 8 years
	5	0	4	9	009	= 9 years
	3	1	3	8	010	= 10 years
	6	1	2	9	011	= 11 years
	4	4	3	11	012	= 12 years
	0	1	4	5	013	= 13 years
	2	1	2	5	014	= 14 years
	0	1	5	6	015	= 15 years
	1	1	1	3	016	= 16 years
	2	0	0	2	017	= 17 years
	0	1	2	3	018	= 18 years
	2	0	3	5	019	= 19 years
	0	0	0	0	020	= 20 years
	3	0	1	4	021	= 21 years
	2	1	1	4	022	= 22 years
	0	0	0	0	023	= 23 years
	1	0	1	2	024	= 24 years
	1	1	1	3	025	= 25 years
	1	0	1	2	026	= 26 years
	2	0	1	3	027	= 27 years
	1	0	0	2	028	= 28 years
	1	0	0	1	029	= 29 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	2	2	030 = 30 years
		0	0	0	0	031 = 31 years
		0	0	0	0	032 = 32 years
		0	0	0	0	033 = 33 years
		0	0	0	0	034 = 34 years
		2	0	0	2	035 = 35 years
		0	0	0	0	036 = 36 years
		0	0	0	0	037 = 37 years
		1	0	0	1	038 = 38 years
		0	0	0	0	039 = 39 years
		55	9	82	150	100 = Father never married
		4	5	11	20	999 = R doesn't know if father married

CMLEFT 11038-11041

VAR127: Century month R first lived
 away from parents/guardians for 4
 months or longer

Non-blank for all Rs.

363	859	429	1725	0000	= Still In the Parental Living Arrangement
1002	4889	1729	7857	0682-1092	= Before 1991
188	735	288	1265	1093-1150	= 1991 or later

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FAMTYP01 11042-11043

VAR128.01: Type of parental living
 situation at birth (1st living
 situation)

Non-blank for all Rs.

Code	White	Black	Total	QX	Description
0	0	0	0	Blank	= Blank, inapplicable
1342	6075	1724	9472	01	= Two biological parents
9	72	8	93	02	= Two adoptive parents
103	151	414	682	03	= (biological) Mother only
4	3	4	11	04	= (biological) Father only
25	46	76	148	05	= (biological) Mother and stepfather or adoptive father
0	1	2	3	06	= (biological) Father and stepmother or adoptive mother
32	72	110	221	07	= Single (biological) parent and grandparent
4	5	12	23	08	= Single (biological) parent and other (opposite sex) relative
1	6	12	19	09	= Single (biological) Parent and parent's boy/girlfriend
18	18	57	95	10	= Grandparent(s) (no parents)
7	2	12	22	11	= Other relative(s) (no parents)
1	8	1	10	12	= Group Home or Institution (no parents)
0	0	0	0	13	= Other situation/place (no parents)
7	24	14	48	14	= Other

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FAMTYP02 11044-11045

VAR128.02: Type of parental living
 situation: 2nd living situation

Inapplicable:
 R did not have a 2nd living situation.

QX	WHITE	BLACK	TOTAL	Blank	Code	Description
1032	4401	1427	7104	Blank		= Blank, inapplicable
7	49	36	98	01		= Two biological parents
4	31	3	42	02		= Two adoptive parents
264	1236	503	2057	03		= (biological) Mother only
35	197	48	291	04		= (biological) Father only
40	160	88	290	05		= (biological) Mother and stepfather or adoptive father
8	21	15	45	06		= (biological) Father and stepmother or adoptive mother
37	139	57	240	07		= Single (biological) parent and grandparent
2	6	10	20	08		= Single (biological) parent and other (opposite sex) relative
13	30	25	71	09		= Single (biological) Parent and parent's boy/girlfriend
67	85	125	289	10		= Grandparent(s) (no parents)
29	41	69	150	11		= Other relative(s) (no parents)
0	7	2	9	12		= Group Home or Institution (no parents)
0	8	2	12	13		= Other situation/place (no parents)
15	72	36	129	14		= Other

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FAMTYP03 11046-11047

VAR128.03: Type of parental living
 situation: 3rd living situation

Inapplicable:
 R did not have a 3rd living situation.

	1295	5293	2018	8904	Blank	
	42	142	43	243	01	= Blank, inapplicable
	0	11	1	14	02	= Two biological parents
	38	116	100	262	03	= Two adoptive parents
	11	52	15	83	04	= (biological) Mother only
	71	507	125	716	05	= (biological) Father only
	12	118	17	151	06	= (biological) Mother and stepfather or adoptive father
	12	30	17	62	07	= (biological) Father and stepmother or adoptive mother
	2	6	3	11	08	= Single (biological) parent and grandparent
	33	112	32	180	09	= Single (biological) parent and other (opposite sex) relative
	12	26	21	62	10	= Single (biological) Parent and parent's boy/girlfriend
	14	22	23	64	11	= Grandparent(s) (no parents)
	1	2	1	4	12	= Other relative(s) (no parents)
	1	4	4	9	13	= Group Home or Institution (no parents)
	9	42	26	82	14	= Other situation/place (no parents)
						= Other

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FAMTYP04 11048-11049

VAR128.04: Type of parental living
 situation: 4th living situation

Inapplicable:
 R did not have a 4th living situation.

1454	5944	2281	10016	Blank		
8	11	4	26	01	=	Blank, inapplicable
2	4	1	8	02	=	Two biological parents
31	212	76	328	03	=	Two adoptive parents
4	49	7	63	04	=	(biological) Mother only
16	93	19	131	05	=	(biological) Father only
4	41	7	52	06	=	(biological) Mother and stepfather or adoptive father
5	23	8	37	07	=	(biological) Father and stepmother or adoptive mother
1	2	0	3	08	=	Single (biological) parent and grandparent
10	30	5	46	09	=	Single (biological) parent and other (opposite sex) relative
7	20	14	41	10	=	Single (biological) Parent and parent's boy/girlfriend
4	17	10	35	11	=	Grandparent(s) (no parents)
1	3	2	6	12	=	Other relative(s) (no parents)
1	1	0	3	13	=	Group Home or Institution (no parents)
5	33	12	52	14	=	Other situation/place (no parents)
					=	Other

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FAMTYP05 11050-11051

VAR128.05: Type of parental living
 situation: 5th living situation

Inapplicable:
 R did not have a 5th living situation.

	1503	6194	2380	10432	Blank	
	4	19	2	26	01	= Blank, inapplicable
	0	0	0	1	02	= Two biological parents
	9	52	22	83	03	= Two adoptive parents
	3	16	0	19	04	= (biological) Mother only
	10	94	11	117	05	= (biological) Father only
	5	34	2	42	06	= (biological) Mother and stepfather or adoptive father
	4	3	2	9	07	= (biological) Father and stepmother or adoptive mother
	0	1	0	1	08	= Single (biological) parent and grandparent
	7	29	10	46	09	= Single (biological) parent and other (opposite sex) relative
	1	15	7	24	10	= Single (biological) Parent and parent's boy/girlfriend
	3	6	6	15	11	= Grandparent(s) (no parents)
	0	2	2	4	12	= Other relative(s) (no parents)
	0	2	0	2	13	= Group Home or Institution (no parents)
	4	16	2	26	14	= Other situation/place (no parents)
						= Other

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FAMTYP06 11052-11053

VAR128.06: Type of parental living
 situation: 6th living situation

Inapplicable:
 R did not have a 6th living situation.

	1524	6338	2420	10642	Blank	
	0	5	2	7	01	= Blank, inapplicable
	0	0	0	0	02	= Two biological parents
	7	49	7	65	03	= Two adoptive parents
	2	8	2	12	04	= (biological) Mother only
	6	28	3	38	05	= (biological) Father only
	1	8	1	11	06	= (biological) Mother and stepfather or adoptive father
	0	8	0	8	07	= (biological) Father and stepmother or adoptive mother
	1	1	0	2	08	= Single (biological) parent and grandparent
	4	4	0	8	09	= Single (biological) parent and other (opposite sex) relative
	3	11	4	18	10	= Single (biological) Parent and parent's boy/girlfriend
	2	6	4	12	11	= Grandparent(s) (no parents)
	0	3	0	3	12	= Other relative(s) (no parents)
	0	1	0	1	13	= Group Home or Institution (no parents)
	3	13	3	20	14	= Other situation/place (no parents)
						= Other

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FAMTYP07 11054-11055

VAR128.07: Type of parental living
 situation: 7th living situation

Inapplicable:
 R did not have a 7th living situation.

	1537	6405	2435	10739	Blank	
	2	4	1	7	01	= Blank, inapplicable
	0	1	0	1	02	= Two biological parents
	4	14	4	22	03	= Two adoptive parents
	1	4	0	5	04	= (biological) Mother only
	1	20	1	23	05	= (biological) Father only
	1	8	0	9	06	= (biological) Mother and stepfather or adoptive father
	0	0	0	0	07	= (biological) Father and stepmother or adoptive mother
	0	0	0	0	08	= Single (biological) parent and grandparent
	2	10	1	13	09	= Single (biological) parent and other (opposite sex) relative
	0	3	1	4	10	= Single (biological) Parent and parent's boy/girlfriend
	3	5	1	9	11	= Grandparent(s) (no parents)
	0	1	0	1	12	= Other relative(s) (no parents)
	0	1	0	1	13	= Group Home or Institution (no parents)
	2	7	2	13	14	= Other situation/place (no parents)
						= Other

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FAMTYP08 11056-11057

VAR128.08: Type of parental living
 situation: 8th living situation

Inapplicable:
 R did not have an 8th living
 situation.

1544	6444	2441	10791	Blank		
0	1	1	2	01	=	Blank, inapplicable
0	0	0	0	02	=	Two biological parents
3	8	0	12	03	=	Two adoptive parents
					=	(biological) Mother only
1	2	0	3	04	=	(biological) Father only
1	7	0	9	05	=	(biological) Mother and stepfather or adoptive father
0	0	1	1	06	=	(biological) Father and stepmother or adoptive mother
0	2	0	2	07	=	Single (biological) parent and grandparent
0	1	0	1	08	=	Single (biological) parent and other (opposite sex) relative
1	4	0	5	09	=	Single (biological) Parent and parent's boy/girlfriend
0	3	2	5	10	=	Grandparent(s) (no parents)
1	6	0	7	11	=	Other relative(s) (no parents)
0	1	0	1	12	=	Group Home or Institution (no parents)
0	0	0	0	13	=	Other situation/place (no parents)
2	4	1	8	14	=	Other

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FAMTYP09 11058-11059

VAR128.09: Type of parental living
 situation: 9th living situation

Inapplicable:
 R did not have a 9th living situation.

	1546	6465	2443	10816	Blank	
	2	1	1	4	01	= Blank, inapplicable
	1	0	0	1	02	= Two biological parents
	2	4	0	6	03	= Two adoptive parents
	1	0	0	1	04	= (biological) Mother only
	0	5	0	6	05	= (biological) Father only
	0	2	0	2	06	= (biological) Mother and stepfather or adoptive father
	0	0	0	0	07	= (biological) Father and stepmother or adoptive mother
	0	0	0	0	08	= Single (biological) parent and grandparent
	0	0	0	0	08	= Single (biological) parent and other (opposite sex) relative
	0	2	0	2	09	= Single (biological) Parent and parent's boy/girlfriend
	0	1	2	3	10	= Grandparent(s) (no parents)
	1	1	0	2	11	= Other relative(s) (no parents)
	0	0	0	0	12	= Group Home or Institution (no parents)
	0	0	0	0	13	= Other situation/place (no parents)
	0	2	0	4	14	= Other

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FAMTYP10 11060-11061

VAR128.10: Type of parental living
 situation: 10th living situation

Inapplicable:
 R did not have a 10th living
 situation.

	1549	6469	2443	10825	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	1	0	1	02	= Two biological parents
	3	2	0	5	03	= Two adoptive parents
	0	1	0	1	04	= (biological) Mother only
	0	5	0	6	05	= (biological) Father only
	0	1	0	1	06	= (biological) Mother and stepfather or adoptive father
	0	0	1	1	07	= (biological) Father and stepmother or adoptive mother
	0	1	0	1	08	= Single (biological) parent and grandparent
	0	1	0	1	09	= Single (biological) parent and other (opposite sex) relative
	0	0	0	0	10	= Single (biological) Parent and parent's boy/girlfriend
	1	0	1	2	11	= Grandparent(s) (no parents)
	0	0	0	0	12	= Other relative(s) (no parents)
	0	1	0	1	13	= Group Home or Institution (no parents)
	0	1	1	2	14	= Other situation/place (no parents)
						= Other

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FAMTYP11 11062-11063

VAR128.11: Type of parental living
 situation: 11th living situation

Inapplicable:
 R did not have an 11th living
 situation.

	1551	6476	2444	10836	Blank	
	2	0	1	3	01	= Blank, inapplicable
	0	0	0	0	02	= Two biological parents
	0	2	0	2	03	= Two adoptive parents
	0	1	0	1	04	= (biological) Mother only
	0	1	0	1	05	= (biological) Father only
	0	2	0	2	06	= (biological) Mother and stepfather or adoptive father
	0	0	0	0	07	= (biological) Father and stepmother or adoptive mother
	0	0	0	0	08	= Single (biological) parent and grandparent
	0	1	0	1	09	= Single (biological) parent and other (opposite sex) relative
	0	0	1	1	10	= Single (biological) Parent and parent's boy/girlfriend
	0	0	0	0	11	= Grandparent(s) (no parents)
	0	0	0	0	12	= Other relative(s) (no parents)
	0	0	0	0	13	= Group Home or Institution (no parents)
	0	0	0	0	14	= Other situation/place (no parents)
	0	0	0	0	14	= Other

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FAMTYP12 11064-11065

VAR128.12: Type of parental living
 situation: 12th living situation

Inapplicable:
 R did not have a 12th living
 situation.

1551	6479	2444	10839	Blank		
0	0	0	0	01	=	Blank, inapplicable
0	0	0	0	02	=	Two biological parents
2	1	0	3	03	=	(biological) Mother only
0	0	0	0	04	=	(biological) Father only
0	2	0	2	05	=	(biological) Mother and stepfather or adoptive father
0	0	0	0	06	=	(biological) Father and stepmother or adoptive mother
0	0	0	0	07	=	Single (biological) parent and grandparent
0	0	0	0	08	=	Single (biological) parent and other (opposite sex) relative
0	0	0	0	09	=	Single (biological) Parent and parent's boy/girlfriend
0	1	1	2	10	=	Grandparent(s) (no parents)
0	0	1	1	11	=	Other relative(s) (no parents)
0	0	0	0	12	=	Group Home or Institution (no parents)
0	0	0	0	13	=	Other situation/place (no parents)
0	0	0	0	14	=	Other

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

CMCHFM01 11066-11069 VAR129.01: Century month of change in
 1st parental living situation

Non-blank for all Rs.

1032	4401	1427	7104	0000	= 1st Living Situation Did Not Change
508	2005	985	3615	0609-1092	= Before 1991
13	77	34	128	1093-1150	= 1991 or later

CMCHFM02 11070-11073 VAR129.02: Century month of change in
 parental living situation: 2nd living
 situation

Inapplicable:
 R did not have a 2nd living situation.

1032	4401	1427	7104	Blank	= Blank, inapplicable
263	892	591	1800	0000	= 2nd Living Situation Did Not Change
242	1105	403	1812	0619-1092	= Before 1991
16	85	25	131	1093-1150	= 1991 or later

CMCHFM03 11074-11077 VAR129.03: Century month of change in
 parental living situation: 3rd living
 situation

Inapplicable:
 R did not have a 3rd living situation.

1295	5293	2018	8904	Blank	= Blank, inapplicable
159	651	263	1112	0000	= 3rd Living Situation Did Not Change
87	479	148	740	0633-1092	= Before 1991
12	60	17	91	1093-1150	= 1991 or later

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

CMCHF04 11078-11081 VAR129.04: Century month of change in
 parental living situation: 4th living
 situation

Inapplicable:
 R did not have a 4th living situation.

1454	5944	2281	10016	Blank	= Blank, inapplicable
49	250	99	416	0000	= 4th Living Situation Did Not Change
43	253	52	358	0633-1092	= Before 1991
7	36	14	57	1093-1150	= 1991 or later

CMCHF05 11082-11085 VAR129.05: Century month of change in
 parental living situation: 5th living
 situation

Inapplicable:
 R did not have a 5th living situation.

1503	6194	2380	10432	Blank	= Blank, inapplicable
21	144	40	210	0000	= 5th Living Situation Did Not Change
26	120	22	173	0633-1092	= Before 1991
3	25	4	32	1093-1150	= 1991 or later

CMCHF06 11086-11089 VAR129.06: Century month of change in
 parental living situation: 6th living
 situation

Inapplicable:
 R did not have a 6th living situation.

1524	6338	2420	10642	Blank	= Blank, inapplicable
13	67	15	97	0000	= 6th Living Situation Did Not Change
15	59	11	88	0633-1092	= Before 1991
1	19	0	20	1093-1150	= 1991 or later

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

CMCHFM07 11090-11093 VAR129.07: Century month of change in
 parental living situation: 7th living
 situation

Inapplicable:
 R did not have a 7th living situation.

1537	6405	2435	10739	Blank	= Blank, inapplicable
7	39	6	52	0000	= 7th Living Situation Did Not Change
9	29	4	45	0633-1092	= Before 1991
0	10	1	11	1093-1150	= 1991 or later

CMCHFM08 11094-11097 VAR129.08: Century month of change in
 parental living situation: 8th living
 situation

Inapplicable:
 R did not have an 8th living
 situation.

1544	6444	2441	10791	Blank	= Blank, inapplicable
2	21	2	25	0000	= 8th Living Situation Did Not Change
7	15	3	28	0633-1092	= Before 1991
0	3	0	3	1093-1150	= 1991 or later

CMCHFM09 11098-11101 VAR129.09: Century month of change in
 parental living situation: 9th living
 situation

Inapplicable:
 R did not have a 9th living situation.

1546	6465	2443	10816	Blank	= Blank, inapplicable
3	4	0	9	0000	= 9th Living Situation Did Not Change
4	10	3	18	0633-1092	= Before 1991
0	4	0	4	1093-1150	= 1991 or later

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

CMCHFM10 11102-11105 VAR129.10: Century month of change in
 parental living situation: 10th
 living situation

Inapplicable:
 R did not have a 10th living
 situation.

1549	6469	2443	10825	Blank	= Blank, inapplicable
2	7	1	11	0000	= 10th Living Situation Did Not Change
2	5	2	9	0633-1092	= Before 1991
0	2	0	2	1093-1150	= 1991 or later

CMCHFM11 11106-11109 VAR129.11: Century month of change in
 parental living situation: 11th
 living situation

Inapplicable:
 R did not have an 11th living
 situation.

1551	6476	2444	10836	Blank	= Blank, inapplicable
0	3	0	3	0000	= 11th Living Situation Did Not Change
2	3	1	6	0633-1092	= Before 1991
0	1	1	2	1093-1150	= 1991 or later

CMCHFM12 11110-11113 VAR129.12: Century month of change in
 parental living situation: 12th
 living situation

Inapplicable:
 R did not have a 12th living
 situation.

1551	6479	2444	10839	Blank	= Blank, inapplicable
0	0	0	0	0000	= 12th Living Situation Did Not Change
2	3	1	6	0633-1092	= Before 1991
0	1	1	2	1093-1150	= 1991 or later

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DURFAM01 11114-11116 VAR130.01: Duration of parental living situation in months: 1st living situation

Non-blank for all Rs.

230	495	225	996	000	= 1st living situation is current
7	19	17	46	001	= 1 month or less
1316	5969	2204	9805	002-469	= Number of months

DURFAM02 11117-11119 VAR130.02: Duration of parental living situation in months: 2nd living situation

Inapplicable:
 R did not have a 2nd living situation.

1032	4401	1427	7104	Blank	= Blank, inapplicable
54	137	119	324	000	= 2nd living situation is current
11	36	8	57	001	= 1 month or less
456	1909	892	3362	002-472	= Number of months

DURFAM03 11120-11122 VAR130.03: Duration of parental living situation in months: 3rd living situation

Inapplicable:
 R did not have a 3rd living situation.

1295	5293	2018	8904	Blank	= Blank, inapplicable
34	105	36	184	000	= 3rd living situation is current
2	19	3	26	001	= 1 month or less
222	1066	389	1733	002-469	= Number of months

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DURFAM04 11123-11125 VAR130.04: Duration of parental living situation in months: 4th living situation

Inapplicable:
 R did not have a 4th living situation.

1454	5944	2281	10016	Blank	= Blank, inapplicable
16	67	24	110	000	= 4th living situation is current
4	15	0	19	001	= 1 month or less
79	457	141	702	002-469	= Number of months

DURFAM05 11126-11128 VAR130.05: Duration of parental living situation in months: 5th living situation

Inapplicable:
 R did not have a 5th living situation.

1503	6194	2380	10432	Blank	= Blank, inapplicable
8	24	13	45	000	= 5th living situation is current
3	6	1	11	001	= 1 month or less
39	259	52	359	002-469	= Number of months

DURFAM06 11129-11131 VAR130.06: Duration of parental living situation in months: 6th living situation

Inapplicable:
 R did not have a 6th living situation.

1524	6338	2420	10642	Blank	= Blank, inapplicable
5	9	4	18	000	= 6th living situation is current
1	3	1	5	001	= 1 month or less
23	133	21	182	002-469	= Number of months

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DURFAM07 11132-11134 VAR130.07: Duration of parental living situation in months: 7th living situation

Inapplicable:
 R did not have a 7th living situation.

1537	6405	2435	10739	Blank	= Blank, inapplicable
1	6	0	7	000	= 7th living situation is current
1	2	0	4	001	= 1 month or less
14	70	11	97	002-469	= Number of months

DURFAM08 11135-11137 VAR130.08: Duration of parental living situation in months: 8th living situation

Inapplicable:
 R did not have an 8th living situation.

1544	6444	2441	10791	Blank	= Blank, inapplicable
0	5	1	6	000	= 8th living situation is current
1	1	0	2	001	= 1 month or less
8	33	4	48	002-469	= Number of months

DURFAM09 11138-11140 VAR130.09: Duration of parental living situation in months: 9th living situation

Inapplicable:
 R did not have a 9th living situation.

1546	6465	2443	10816	Blank	= Blank, inapplicable
1	0	0	1	000	= 9th living situation is current
0	1	0	2	001	= 1 month or less
6	17	3	28	002-469	= Number of months

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DURFAM10 11141-11143 VAR130.10: Duration of parental living situation in months: 10th living situation

Inapplicable:
 R did not have a 10th living situation.

1549	6469	2443	10825	Blank	= Blank, inapplicable
0	2	0	2	000	= 10th living situation is current
0	0	0	0	001	= 1 month or less
4	12	3	20	002-469	= Number of months

DURFAM11 11144-11146 VAR130.11: Duration of parental living situation in months: 11th living situation

Inapplicable:
 R did not have an 11th living situation.

1551	6476	2444	10836	Blank	= Blank, inapplicable
0	1	0	1	000	= 11th living situation is current
0	1	0	1	001	= 1 month or less
2	5	2	9	002-469	= Number of months

DURFAM12 11147-11149 VAR130.12: Duration of parental living situation in months: 12th living situation

Inapplicable:
 R did not have a 12th living situation.

1551	6479	2444	10839	Blank	= Blank, inapplicable
0	0	0	0	000	= 12th living situation is current
0	0	0	0	001	= 1 month or less
2	4	2	8	002-469	= Number of months

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

INTCTFAM 11150-11150 VAR131: Intact status of childhood family (summary)

Non-blank for all Rs.

927	4240	1002	6399	1	= Two biological parents from birth
8	58	6	75	2	= Two adoptive parents from birth
618	2185	1438	4373	3	= Anything other than two biological or two adoptive parents from birth

NUMLIVST 11151-11152 VAR132: Number of different parental living situations reported

Non-blank for all Rs.

1032	4401	1427	7104	01	= 1 parental living situation (no changes in 1st living situation)
263	892	591	1800	02	= 2 different parental living situations reported
159	651	263	1112	03	= 3 living situations
49	250	99	416	04	= 4 living situations
21	144	40	210	05	= 5 living situations
13	67	15	97	06	= 6 living situations
7	39	6	52	07	= 7 living situations
2	21	2	25	08	= 8 living situations
3	4	0	9	09	= 9 living situations
2	7	1	11	10	= 10 living situations
0	3	0	3	11	= 11 living situations
0	0	0	0	12	= 12 living situations
2	4	2	8	13	= 13 living situations

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

EDUCDAD 11153-11154 VAR133: Father's (or father-figure's) education

Non-blank for all Rs.

144	17	29	199	00	= No formal education
27	13	8	51	01	= 1st grade
53	13	16	84	02	= 2nd grade
101	40	65	208	03	= 3rd grade
60	51	48	167	04	= 4th grade
46	56	66	172	05	= 5th grade
171	133	136	455	06	= 6th grade
27	84	72	187	07	= 7th grade
84	465	142	712	08	= 8th grade
60	155	93	313	09	= 9th grade
35	312	136	499	10	= 10th grade
48	218	108	387	11	= 11th grade
308	2432	819	3662	12	= 12th grade
26	191	38	262	13	= 1 Year of college/university
72	471	116	687	14	= 2 Years of college/university
18	100	25	148	15	= 3 Years of college/university
92	865	164	1184	16	= 4 Years of college/university
15	74	11	106	17	= 5 Years of college/university
29	241	24	307	18	= 6 Years of college/university
33	306	40	403	19	= 7 Or more years of college/university
104	246	290	654	95	= No father/father-figure identified

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

EDUCMOM 11155-11156 VAR134: Mother's (or mother-figure's) education

Non-blank for all Rs.

154	18	34	222	00	= No formal education
29	27	14	76	01	= 1st grade
67	12	11	93	02	= 2nd grade
110	16	29	158	03	= 3rd grade
79	28	27	138	04	= 4th grade
59	35	38	137	05	= 5th grade
171	72	96	360	06	= 6th grade
32	58	76	176	07	= 7th grade
89	315	133	559	08	= 8th grade
75	180	133	400	09	= 9th grade
53	332	197	597	10	= 10th grade
74	321	209	618	11	= 11th grade
309	3030	919	4394	12	= 12th grade
32	286	76	398	13	= 1 Year of college/university
91	592	175	881	14	= 2 Years of college/university
16	139	23	184	15	= 3 Years of college/university
74	681	168	967	16	= 4 Years of college/university
7	61	8	80	17	= 5 Years of college/university
7	151	43	211	18	= 6 Years of college/university
12	86	22	126	19	= 7 Or more years of college/university
13	43	15	72	95	= No mother/mother-figure identified

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGEMOMB1 11157-11158

VAR135: Age of mother (or
 mother-figure) at first birth

Non-blank for all Rs.

0	0	1	1	09	= 9 years
0	1	1	2	10	= 10 years
0	0	0	0	11	= 11 years
2	1	7	10	12	= 12 years
11	6	38	59	13	= 13 years
41	17	60	123	14	= 14 years
92	79	138	317	15	= 15 years
125	206	231	578	16	= 16 years
131	347	265	765	17	= 17 years
184	605	336	1163	18	= 18 years
135	599	226	989	19	= 19 years
159	757	252	1206	20	= 20 years
124	741	203	1097	21	= 21 years
109	584	115	829	22	= 22 years
72	505	95	693	23	= 23 years
57	375	59	511	24	= 24 years
59	382	60	531	25	= 25 years
42	280	51	390	26	= 26 years
33	180	35	263	27	= 27 years
22	171	25	232	28	= 28 years
16	125	16	160	29	= 29 years
17	99	33	156	30	= 30 years
11	61	13	90	31	= 31 years
9	54	11	78	32	= 32 years
5	39	6	51	33	= 33 years
4	35	4	47	34	= 34 years
2	19	5	27	35	= 35 years
3	34	3	40	36	= 36 years
2	9	7	18	37	= 37 years
3	14	2	22	38	= 38 years
0	15	1	16	39	= 39 years
0	4	1	5	40	= 40 years
1	3	0	4	41	= 41 years
0	4	3	7	42	= 42 years
0	1	0	1	43	= 43 years
0	0	0	0	44	= 44 years
0	0	0	0	45	= 45 years
0	1	0	1	46	= 46 years
0	1	0	1	47	= 47 years
0	0	0	0	48	= 48 years
0	0	0	0	49	= 49 years
0	0	0	0	50	= 50 years
0	1	0	1	51	= 51 years
1	0	0	1	52	= 52 years

(5678)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		0	0	0	0	53	= 53 years
		0	1	0	1	54	= 54 years
		31	17	64	114	91	= Not sure, but probably under age 18
		16	21	28	68	92	= Not sure, but probably age 18-19
		18	36	26	84	93	= Not sure, but probably age 20-24
		3	10	10	23	94	= Not sure, but probably age 25 or older
		13	43	15	72	95	= No mother/mother -figure identified

MOMWORK 11159-11160 VAR136: Mother's working status during most of R's childhood (ages 5-15)

Non-blank for all Rs.

601	2429	1494	4680	01	= Worked full-time
191	1106	327	1664	02	= Worked part-time
41	265	68	391	03	= Worked equal amounts full-time and part-time
707	2640	542	4040	04	= Did not work for pay
13	43	15	72	95	= No mother/mother -figure identified

CMALONE 11161-11164 VAR137: Century month R 1st lived alone

Inapplicable:
R is age 30 or older.

798	3820	1356	6174	Blank	= Blank, inapplicable
394	1260	453	2177	0000	= Never Lived Alone
52	317	146	529	0950-1092	= Before 1991
44	289	129	481	1093-1150	= 1991 or later
265	797	362	1486	8888	= Still in the parental living arrangement

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DURALONE 11165-11167 VAR138: Duration (months) of living alone (total across all periods)

Inapplicable:
 R is age 30 or older.

798	3820	1356	6174	Blank	= Blank, inapplicable
394	1260	453	2177	000	= Never Lived Alone
6	22	3	33	001	= One month or less
90	584	272	977	002-144	= Number of months
265	797	362	1486	888	= Still in the parental living arrangement

NUMRENST 11168-11171 VAR139: Number of times R lived again with parents/guardians after first living away

Inapplicable:
 R is age 30 or older.

798	3820	1356	6174	Blank	= Blank, inapplicable
311	963	445	1777	0000	= Never lived again with parents/guardians
136	602	217	989	0001	= 1 time
29	163	41	242	0002	= 2 times
8	73	12	93	0003	= 3 times
4	42	9	55	0004	= 4 times
1	13	4	19	0005	= 5 times
0	3	0	3	0006	= 6 times
0	3	0	3	0007	= 7 times
1	4	0	5	0008	= 8 times
0	0	0	1	0009	= 9 times
265	797	362	1486	8888	= Still in the parental living arrangement

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DURRENST 11172-11174 VAR140: Duration (months) of living again with parents/guardians after first living away (total across all periods)

Inapplicable:
 R is age 30 or older.

798	3820	1356	6174	Blank	= Blank, inapplicable
311	963	445	1777	000	= Never lived again with parents/guardians
14	75	18	111	001	= One month or less
165	828	265	1299	002-234	= Number of months
265	797	362	1486	888	= Still in the parental living arrangement

AGER_I 11175-11175 AGER (VAR101) Imputation Flag

Non-blank for all Rs

1553	6483	2446	10847	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

AGEAPR_I 11176-11176 AGEAPR1 (VAR102) Imputation Flag

Non-blank for all Rs

1553	6483	2446	10847	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FMARIT_I 11177-11177 FMARITAL (VAR103) Imputation Flag
 Non-blank for all Rs

1553	6483	2446	10847	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

EDUCAT_I 11178-11178 EDUCAT (VAR104) Imputation Flag
 Non-blank for all Rs

1553	6483	2445	10846	0	= Questionnaire data
0	0	1	1	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

DIPLGE_I 11179-11179 DIPLGED (VAR105) Imputation Flag
 Non-blank for all Rs

1548	6483	2446	10840	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
5	0	0	7	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

HIDEGR_I 11180-11180 HIDEGREE (VAR106) Imputation Flag
 Non-blank for all Rs

1549	6480	2445	10839	0	= Questionnaire data
4	3	1	8	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT	AND	CODE	CATEGORIES
		HISP	WHITE	BLACK					
HIEDUC_I	11181-11181								HIEDUC (VAR107) Imputation Flag
									Non-blank for all Rs
		1542	6438	2430	10772	0			= Questionnaire data
		0	0	0	0	1			= Stochastic imputation
		11	45	16	75	2			= Logical imputation
		0	0	0	0	3			= Computed based on imputed value(s) of other recode(s)
CMHIDE_I	11182-11182								CMHIDEI (VAR108) Imputation Flag
									Non-blank for all Rs
		1543	6474	2445	10826	0			= Questionnaire data
		10	9	1	21	1			= Stochastic imputation
		0	0	0	0	2			= Logical imputation
		0	0	0	0	3			= Computed based on imputed value(s) of other recode(s)
AGELSTEI	11183-11183								AGELSTED (VAR109) Imputation Flag
									Non-blank for all Rs
		1531	6474	2442	10810	0			= Questionnaire data
		0	0	0	0	1			= Stochastic imputation
		22	9	4	37	2			= Logical imputation
		0	0	0	0	3			= Computed based on imputed value(s) of other recode(s)
AGELSTVI	11184-11184								AGELSTVC (VAR110) Imputation Flag
									Non-blank for all Rs
		1548	6476	2442	10831	0			= Questionnaire data
		2	7	4	13	1			= Stochastic imputation
		3	0	0	3	2			= Logical imputation
		0	0	0	0	3			= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

SUSEXP_I 11185-11185 SUSEXPN (VAR111) Imputation Flag
 Non-blank for all Rs

1553	6483	2445	10846	0		= Questionnaire data
0	0	1	1	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

DROPOU_I 11186-11186 DROPOUTN (VAR112) Imputation Flag
 Non-blank for all Rs

1553	6482	2446	10846	0		= Questionnaire data
0	1	0	1	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

TIMEOU_I 11187-11187 TIMEOUT (VAR113) Imputation Flag
 Non-blank for all Rs

1553	6480	2445	10842	0		= Questionnaire data
0	3	1	5	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

CMBGW01I 11188-11188 CMBGWK01 (VAR114.01) Imputation Flag
 Non-blank for all Rs

1552	6474	2432	10823	0		= Questionnaire data
0	5	10	15	1		= Stochastic imputation
1	4	4	9	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT	AND	CODE	CATEGORIES
		HISP	WHITE	BLACK					
CMBGW02I	11189-11189								CMBGWK02 (VAR114.02) Imputation Flag
									Non-blank for all Rs
		1548	6464	2427	10804	0			= Questionnaire data
		4	16	15	35	1			= Stochastic imputation
		1	3	4	8	2			= Logical imputation
		0	0	0	0	3			= Computed based on imputed value(s) of other recode(s)
CMBGW03I	11190-11190								CMBGWK03 (VAR114.03) Imputation Flag
									Non-blank for all Rs
		1551	6466	2437	10819	0			= Questionnaire data
		1	14	5	20	1			= Stochastic imputation
		1	3	4	8	2			= Logical imputation
		0	0	0	0	3			= Computed based on imputed value(s) of other recode(s)
CMBGW04I	11191-11191								CMBGWK04 (VAR114.04) Imputation Flag
									Non-blank for all Rs
		1552	6474	2439	10830	0			= Questionnaire data
		0	6	3	9	1			= Stochastic imputation
		1	3	4	8	2			= Logical imputation
		0	0	0	0	3			= Computed based on imputed value(s) of other recode(s)
CMBGW05I	11192-11192								CMBGWK05 (VAR114.05) Imputation Flag
									Non-blank for all Rs
		1552	6477	2440	10834	0			= Questionnaire data
		0	3	2	5	1			= Stochastic imputation
		1	3	4	8	2			= Logical imputation
		0	0	0	0	3			= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

CMBGW06I 11193-11193 CMBGWK06 (VAR114.06) Imputation Flag
 Non-blank for all Rs

1552	6477	2440	10834	0	= Questionnaire data
0	3	2	5	1	= Stochastic imputation
1	3	4	8	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

CMBGW07I 11194-11194 CMBGWK07 (VAR114.07) Imputation Flag
 Non-blank for all Rs

1552	6476	2440	10833	0	= Questionnaire data
0	4	2	6	1	= Stochastic imputation
1	3	4	8	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

CMBGW08I 11195-11195 CMBGWK08 (VAR114.08) Imputation Flag
 Non-blank for all Rs

1552	6477	2440	10834	0	= Questionnaire data
0	3	2	5	1	= Stochastic imputation
1	3	4	8	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

CMBGW09I 11196-11196 CMBGWK09 (VAR114.09) Imputation Flag
 Non-blank for all Rs

1552	6477	2440	10834	0	= Questionnaire data
0	3	2	5	1	= Stochastic imputation
1	3	4	8	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT	AND	CODE	CATEGORIES
		HISP	WHITE	BLACK					
CMBGW10I	11197-11197								CMBGWK10 (VAR114.10) Imputation Flag
									Non-blank for all Rs
		1552	6477	2440	10834	0			= Questionnaire data
		0	3	2	5	1			= Stochastic imputation
		1	3	4	8	2			= Logical imputation
		0	0	0	0	3			= Computed based on imputed value(s) of other recode(s)
CMENW01I	11198-11198								CMENWK01 (VAR115.01) Imputation Flag
									Non-blank for all Rs
		1533	6418	2408	10723	0			= Questionnaire data
		19	62	34	116	1			= Stochastic imputation
		1	3	4	8	2			= Logical imputation
		0	0	0	0	3			= Computed based on imputed value(s) of other recode(s)
CMENW02I	11199-11199								CMENWK02 (VAR115.02) Imputation Flag
									Non-blank for all Rs
		1548	6461	2437	10811	0			= Questionnaire data
		4	19	4	27	1			= Stochastic imputation
		1	3	5	9	2			= Logical imputation
		0	0	0	0	3			= Computed based on imputed value(s) of other recode(s)
CMENW03I	11200-11200								CMENWK03 (VAR115.03) Imputation Flag
									Non-blank for all Rs
		1552	6468	2437	10822	0			= Questionnaire data
		0	12	5	17	1			= Stochastic imputation
		1	3	4	8	2			= Logical imputation
		0	0	0	0	3			= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

CMENW04I 11201-11201 CMENWK04 (VAR115.04) Imputation Flag
 Non-blank for all Rs

1552	6477	2439	10833	0	= Questionnaire data
0	3	3	6	1	= Stochastic imputation
1	3	4	8	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

CMENW05I 11202-11202 CMENWK05 (VAR115.05) Imputation Flag
 Non-blank for all Rs

1552	6477	2440	10834	0	= Questionnaire data
0	3	2	5	1	= Stochastic imputation
1	3	4	8	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

CMENW06I 11203-11203 CMENWK06 (VAR115.06) Imputation Flag
 Non-blank for all Rs

1552	6477	2439	10833	0	= Questionnaire data
0	3	3	6	1	= Stochastic imputation
1	3	4	8	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

CMENW07I 11204-11204 CMENWK07 (VAR115.07) Imputation Flag
 Non-blank for all Rs

1552	6477	2440	10834	0	= Questionnaire data
0	3	2	5	1	= Stochastic imputation
1	3	4	8	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT	AND	CODE	CATEGORIES
		HISP	WHITE	BLACK					
CMENW08I	11205-11205								CMENWK08 (VAR115.08) Imputation Flag
									Non-blank for all Rs
		1552	6477	2440	10834	0			= Questionnaire data
		0	3	2	5	1			= Stochastic imputation
		1	3	4	8	2			= Logical imputation
		0	0	0	0	3			= Computed based on imputed value(s) of other recode(s)
CMENW09I	11206-11206								CMENWK09 (VAR115.09) Imputation Flag
									Non-blank for all Rs
		1552	6477	2440	10834	0			= Questionnaire data
		0	3	2	5	1			= Stochastic imputation
		1	3	4	8	2			= Logical imputation
		0	0	0	0	3			= Computed based on imputed value(s) of other recode(s)
CMENW10I	11207-11207								CMENWK10 (VAR115.10) Imputation Flag
									Non-blank for all Rs
		1552	6477	2440	10833	0			= Questionnaire data
		0	3	2	6	1			= Stochastic imputation
		1	3	4	8	2			= Logical imputation
		0	0	0	0	3			= Computed based on imputed value(s) of other recode(s)
DURFT01I	11208-11208								DURFT01 (VAR116.01) Imputation Flag
									Non-blank for all Rs
		1530	6385	2402	10680	0			= Questionnaire data
		12	63	37	113	1			= Stochastic imputation
		0	0	0	0	2			= Logical imputation
		11	35	7	54	3			= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DURFT02I 11209-11209 DURFT02 (VAR116.02) Imputation Flag
 Non-blank for all Rs

1545	6443	2426	10779	0	= Questionnaire data
6	33	16	55	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
2	7	4	13	3	= Computed based on imputed value(s) of other recode(s)

DURFT03I 11210-11210 DURFT03 (VAR116.03) Imputation Flag
 Non-blank for all Rs

1551	6459	2436	10811	0	= Questionnaire data
1	21	9	31	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
1	3	1	5	3	= Computed based on imputed value(s) of other recode(s)

DURFT04I 11211-11211 DURFT04 (VAR116.04) Imputation Flag
 Non-blank for all Rs

1552	6471	2437	10825	0	= Questionnaire data
1	11	9	21	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	1	0	1	3	= Computed based on imputed value(s) of other recode(s)

DURFT05I 11212-11212 DURFT05 (VAR116.05) Imputation Flag
 Non-blank for all Rs

1552	6472	2439	10828	0	= Questionnaire data
1	11	7	19	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DURFT06I 11213-11213 DURFT06 (VAR116.06) Imputation Flag
 Non-blank for all Rs

1551	6475	2439	10830	0	= Questionnaire data
2	8	7	17	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

DURFT07I 11214-11214 DURFT07 (VAR116.07) Imputation Flag
 Non-blank for all Rs

1552	6476	2440	10832	0	= Questionnaire data
1	6	6	14	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	1	0	1	3	= Computed based on imputed value(s) of other recode(s)

DURFT08I 11215-11215 DURFT08 (VAR116.08) Imputation Flag
 Non-blank for all Rs

1552	6476	2440	10833	0	= Questionnaire data
1	7	6	14	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

DURFT09I 11216-11216 DURFT09 (VAR116.09) Imputation Flag
 Non-blank for all Rs

1552	6477	2440	10834	0	= Questionnaire data
1	6	6	13	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DURFT10I 11217-11217 DURFT10 (VAR116.10) Imputation Flag
 Non-blank for all Rs

1552	6477	2440	10833	0	= Questionnaire data
1	6	6	14	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

NUMKDH_I 11218-11218 NUMKDH (VAR117) Imputation Flag
 Non-blank for all Rs

1543	6476	2440	10824	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
10	7	6	23	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

NUMFMH_I 11219-11219 NUMFMH (VAR118) Imputation Flag
 Non-blank for all Rs

1544	6476	2442	10827	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
9	7	4	20	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

NUMHH_I 11220-11220 NUMHH (VAR119) Imputation Flag
 Non-blank for all Rs

1553	6483	2446	10847	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE	COLUMN	NON-HISPANIC			QX	TEXT	AND	CODE	CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK					
AGEPAR_I	11221-11221								AGEPARDS (VAR120) Imputation Flag
									Non-blank for all Rs
		1516	6445	2422	10745	0			= Questionnaire data
		5	10	15	30	1			= Stochastic imputation
		32	28	9	72	2			= Logical imputation
		0	0	0	0	3			= Computed based on imputed value(s) of other recode(s)
AGEMDT_I	11222-11222								AGEMDTH (VAR121) Imputation Flag
									Non-blank for all Rs
		1551	6469	2438	10821	0			= Questionnaire data
		0	0	0	0	1			= Stochastic imputation
		2	14	8	26	2			= Logical imputation
		0	0	0	0	3			= Computed based on imputed value(s) of other recode(s)
AGEFDT_I	11223-11223								AGEFDTH (VAR122) Imputation Flag
									Non-blank for all Rs
		1544	6457	2431	10794	0			= Questionnaire data
		0	0	0	0	1			= Stochastic imputation
		9	26	15	53	2			= Logical imputation
		0	0	0	0	3			= Computed based on imputed value(s) of other recode(s)
AGEMMA_I	11224-11224								AGEMMAR (VAR123) Imputation Flag
									Non-blank for all Rs
		1482	6372	2299	10513	0			= No imputation needed
		13	40	57	111	1			= Stochastic imputation
		0	0	0	0	2			= Logical imputation
		0	0	0	0	3			= Computed based on imputed value(s) of other recode(s)
		58	71	90	223	4			= Based on estimated month of parents' marriage

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGEFMA_I 11225-11225 AGEFMAR (VAR124) Imputation Flag
 Non-blank for all Rs

1496	6419	2357	10633	0	= No imputation needed
3	8	12	23	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)
54	56	77	191	4	= Based on estimated month of parents' marriage

CMLEFT_I 11226-11226 CMLEFT (VAR127) Imputation Flag
 Non-blank for all Rs

1494	6404	2358	10607	0	= Questionnaire data
13	12	30	61	1	= Stochastic imputation
46	67	58	179	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

CMCHF01I 11227-11227 CMCHFM01 (VAR129.01) Imputation Flag
 Non-blank for all Rs

1535	6441	2401	10737	0	= Questionnaire data
18	42	45	110	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

FMTYP01I 11228-11228 FAMTYP01 (VAR128.01) Imputation Flag
 Non-blank for all Rs

1553	6475	2444	10834	0	= Questionnaire data
0	8	2	13	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT	AND	CODE	CATEGORIES
		HISP	WHITE	BLACK					
FMTYP02I	11229-11229								FAMTYP02 (VAR128.02) Imputation Flag
									Non-blank for all Rs
		1551	6473	2440	10828	0			= Questionnaire data
		2	10	6	19	1			= Stochastic imputation
		0	0	0	0	2			= Logical imputation
		0	0	0	0	3			= Computed based on imputed value(s) of other recode(s)
FMTYP03I	11230-11230								FAMTYP03 (VAR128.03) Imputation Flag
									Non-blank for all Rs
		1553	6479	2444	10841	0			= Questionnaire data
		0	4	2	6	1			= Stochastic imputation
		0	0	0	0	2			= Logical imputation
		0	0	0	0	3			= Computed based on imputed value(s) of other recode(s)
FMTYP04I	11231-11231								FAMTYP04 (VAR128.04) Imputation Flag
									Non-blank for all Rs
		1551	6479	2445	10840	0			= Questionnaire data
		2	4	1	7	1			= Stochastic imputation
		0	0	0	0	2			= Logical imputation
		0	0	0	0	3			= Computed based on imputed value(s) of other recode(s)
FMTYP05I	11232-11232								FAMTYP05 (VAR128.05) Imputation Flag
									Non-blank for all Rs
		1553	6482	2445	10845	0			= Questionnaire data
		0	1	1	2	1			= Stochastic imputation
		0	0	0	0	2			= Logical imputation
		0	0	0	0	3			= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FMTYP06I 11233-11233 FAMTYP06 (VAR128.06) Imputation Flag
 Non-blank for all Rs

1553	6483	2446	10847	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

FMTYP07I 11234-11234 FAMTYP07 (VAR128.07) Imputation Flag
 Non-blank for all Rs

1553	6483	2446	10847	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

FMTYP08I 11235-11235 FAMTYP08 (VAR128.08) Imputation Flag
 Non-blank for all Rs

1553	6483	2446	10847	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

FMTYP09I 11236-11236 FAMTYP09 (VAR128.09) Imputation Flag
 Non-blank for all Rs

1553	6483	2446	10847	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT	AND	CODE	CATEGORIES
		HISP	WHITE	BLACK					
FMTYP10I	11237-11237								FAMTYP10 (VAR128.10) Imputation Flag
									Non-blank for all Rs
		1553	6483	2446	10847	0			= Questionnaire data
		0	0	0	0	1			= Stochastic imputation
		0	0	0	0	2			= Logical imputation
		0	0	0	0	3			= Computed based on imputed value(s) of other recode(s)
FMTYP11I	11238-11238								FAMTYP11 (VAR128.11) Imputation Flag
									Non-blank for all Rs
		1553	6483	2446	10847	0			= Questionnaire data
		0	0	0	0	1			= Stochastic imputation
		0	0	0	0	2			= Logical imputation
		0	0	0	0	3			= Computed based on imputed value(s) of other recode(s)
FMTYP12I	11239-11239								FAMTYP12 (VAR128.12) Imputation Flag
									Non-blank for all Rs
		1553	6483	2446	10847	0			= Questionnaire data
		0	0	0	0	1			= Stochastic imputation
		0	0	0	0	2			= Logical imputation
		0	0	0	0	3			= Computed based on imputed value(s) of other recode(s)
CMCHF02I	11240-11240								CMCHFM02 (VAR129.02) Imputation Flag
									Non-blank for all Rs
		1548	6463	2440	10815	0			= Questionnaire data
		5	20	6	32	1			= Stochastic imputation
		0	0	0	0	2			= Logical imputation
		0	0	0	0	3			= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

CMCHF03I 11241-11241 CMCHFM03 (VAR129.03) Imputation Flag
 Non-blank for all Rs

1550	6476	2445	10836	0	= Questionnaire data
3	7	1	11	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

CMCHF04I 11242-11242 CMCHFM04 (VAR129.04) Imputation Flag
 Non-blank for all Rs

1552	6479	2446	10842	0	= Questionnaire data
1	4	0	5	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

CMCHF05I 11243-11243 CMCHFM05 (VAR129.05) Imputation Flag
 Non-blank for all Rs

1552	6480	2445	10842	0	= Questionnaire data
1	3	1	5	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

CMCHF06I 11244-11244 CMCHFM06 (VAR129.06) Imputation Flag
 Non-blank for all Rs

1553	6481	2445	10844	0	= Questionnaire data
0	2	1	3	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

CMCHF07I 11245-11245 CMCHFM07 (VAR129.07) Imputation Flag
 Non-blank for all Rs

1553	6481	2446	10845	0	= Questionnaire data
0	2	0	2	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

CMCHF08I 11246-11246 CMCHFM08 (VAR129.08) Imputation Flag
 Non-blank for all Rs

1553	6483	2446	10847	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

CMCHF09I 11247-11247 CMCHFM09 (VAR129.09) Imputation Flag
 Non-blank for all Rs

1553	6483	2446	10847	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

CMCHF10I 11248-11248 CMCHFM10 (VAR129.10) Imputation Flag
 Non-blank for all Rs

1553	6483	2446	10847	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES		
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL		
CMCHF11I	11249-11249					CMCHFM11 (VAR129.11) Imputation Flag	
						Non-blank for all Rs	
		1553	6483	2446	10847	0	= Questionnaire data
		0	0	0	0	1	= Stochastic imputation
		0	0	0	0	2	= Logical imputation
		0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)
CMCHF12I	11250-11250						CMCHFM12 (VAR129.12) Imputation Flag
							Non-blank for all Rs
		1553	6483	2446	10847	0	= Questionnaire data
		0	0	0	0	1	= Stochastic imputation
		0	0	0	0	2	= Logical imputation
		0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)
DURFM01I	11251-11251						DURFAM01 (VAR130.01) Imputation Flag
							Non-blank for all Rs
		1534	6441	2397	10732	0	= Questionnaire data
		19	42	49	115	1	= Stochastic imputation
		0	0	0	0	2	= Logical imputation
		0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)
DURFM02I	11252-11252						DURFAM02 (VAR130.02) Imputation Flag
							Non-blank for all Rs
		1518	6420	2396	10692	0	= Questionnaire data
		35	63	50	155	1	= Stochastic imputation
		0	0	0	0	2	= Logical imputation
		0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DURFM03I 11253-11253 DURFAM03 (VAR130.03) Imputation Flag
 Non-blank for all Rs

1542	6451	2431	10788	0	= Questionnaire data
11	32	15	59	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

DURFM04I 11254-11254 DURFAM04 (VAR130.04) Imputation Flag
 Non-blank for all Rs

1551	6472	2444	10832	0	= Questionnaire data
2	11	2	15	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

DURFM05I 11255-11255 DURFAM05 (VAR130.05) Imputation Flag
 Non-blank for all Rs

1551	6477	2444	10837	0	= Questionnaire data
2	6	2	10	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

DURFM06I 11256-11256 DURFAM06 (VAR130.06) Imputation Flag
 Non-blank for all Rs

1553	6480	2445	10843	0	= Questionnaire data
0	3	1	4	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DURFM07I 11257-11257 DURFAM07 (VAR130.07) Imputation Flag
 Non-blank for all Rs

1552	6481	2445	10843	0	= Questionnaire data
1	2	1	4	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

DURFM08I 11258-11258 DURFAM08 (VAR130.08) Imputation Flag
 Non-blank for all Rs

1553	6481	2446	10845	0	= Questionnaire data
0	2	0	2	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

DURFM09I 11259-11259 DURFAM09 (VAR130.09) Imputation Flag
 Non-blank for all Rs

1553	6483	2446	10847	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

DURFM10I 11260-11260 DURFAM10 (VAR130.10) Imputation Flag
 Non-blank for all Rs

1553	6483	2446	10847	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
DURFM11I	11261-11261					DURFAM11 (VAR130.11) Imputation Flag	
						Non-blank for all Rs	
		1553	6483	2446	10847	0	= Questionnaire data
		0	0	0	0	1	= Stochastic imputation
		0	0	0	0	2	= Logical imputation
		0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)
DURFM12I	11262-11262						DURFAM12 (VAR130.12) Imputation Flag
							Non-blank for all Rs
		1553	6483	2446	10847	0	= Questionnaire data
		0	0	0	0	1	= Stochastic imputation
		0	0	0	0	2	= Logical imputation
		0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)
INTCTF_I	11263-11263						INTCTFAM (VAR131) Imputation Flag
							Non-blank for all R
		1535	6434	2399	10727	0	= Questionnaire data
		0	0	0	0	1	= Stochastic imputation
		18	49	47	120	2	= Logical imputation
		0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)
NUMLIV_I	11264-11264						NUMLIVST (VAR132) Imputation Flag
							Non-blank for all Rs
		1553	6483	2446	10847	0	= Questionnaire data
		0	0	0	0	1	= Stochastic imputation
		0	0	0	0	2	= Logical imputation
		0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
EDUCDA_I	11265-11265					EDUCDAD (VAR133) Imputation Flag
						Non-blank for all Rs
		1398	6235	2151	10122	0 = Questionnaire data
		155	248	295	725	1 = Stochastic imputation
		0	0	0	0	2 = Logical imputation
		0	0	0	0	3 = Computed based on imputed value(s) of other recode(s)
EDUCMO_I	11266-11266					EDUCMOM (VAR134) Imputation Flag
						Non-blank for all Rs
		1448	6326	2266	10378	0 = Questionnaire data
		105	157	180	469	1 = Stochastic imputation
		0	0	0	0	2 = Logical imputation
		0	0	0	0	3 = Computed based on imputed value(s) of other recode(s)
AGEMOM_I	11267-11267					AGEMOMB1 (VAR135) Imputation Flag
						Non-blank for all Rs
		1532	6369	2368	10619	0 = Questionnaire data
		21	114	78	228	1 = Stochastic imputation
		0	0	0	0	2 = Logical imputation
		0	0	0	0	3 = Computed based on imputed value(s) of other recode(s)
MOMWOR_I	11268-11268					MOMWORK (VAR136) Imputation Flag
						Non-blank for all Rs
		1550	6468	2436	10818	0 = Questionnaire data
		3	15	10	29	1 = Stochastic imputation
		0	0	0	0	2 = Logical imputation
		0	0	0	0	3 = Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section A Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

CMALON_I 11269-11269 CMALONE (VAR137) Imputation Flag
 Non-blank for all Rs

1547	6480	2440	10831	0	= Questionnaire data
6	3	6	16	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

DURALO_I 11270-11270 DURALONE (VAR138) Imputation Flag
 Non-blank for all Rs

1547	6479	2440	10830	0	= Questionnaire data
6	4	6	17	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

NUMREN_I 11271-11271 NUMRENST (VAR139) Imputation Flag
 Non-blank for all Rs

1545	6466	2442	10818	0	= Questionnaire data
8	17	4	29	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

DURREN_I 11272-11272 DURRENST (VAR140) Imputation Flag
 Non-blank for all Rs

1545	6466	2442	10818	0	= Questionnaire data
8	17	4	29	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MENARCHR 11273-11274 VAR201: Age at first menstrual period

Non-blank for all Rs.

7	22	14	44	05-08	= Ages 5-8
57	135	80	278	09	= Age 9
107	256	151	532	10	= Age 10
273	864	368	1549	11	= Age 11
421	1764	631	2909	12	= Age 12
331	1918	588	2926	13	= Age 13
200	826	260	1342	14	= Age 14
102	389	191	706	15	= Age 15
39	206	103	373	16	= Age 16
10	75	43	133	17	= Age 17
5	18	12	38	18	= Age 18
0	6	5	11	19-28	= Ages 19 or older
1	4	0	6	96	= Periods Not Yet Started

RCURPREG 11275-11275 VAR202: Pregnant at time of interview

Non-blank for all Rs.

81	236	102	428	1	= Yes, Currently Pregnant
1472	6247	2344	10419	2	= No, Not Currently Pregnant

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

PREGNUM 11276-11277 VAR203: Total number of pregnancies

Non-blank for all Rs.

345	2100	511	3086	00	= No Pregnancies
241	1038	439	1777	01	= 1 pregnancy
321	1402	502	2292	02	= 2 pregnancies
264	982	412	1703	03	= 3 pregnancies
191	520	268	1016	04	= 4 pregnancies
96	239	160	507	05	= 5 pregnancies
43	110	75	236	06	= 6 pregnancies
27	48	45	123	07	= 7 pregnancies
13	15	17	46	08	= 8 pregnancies
4	15	8	28	09	= 9 pregnancies
2	8	6	17	10	= 10 pregnancies
3	3	0	6	11	= 11 pregnancies
2	2	0	4	12	= 12 pregnancies
0	0	2	3	13	= 13 pregnancies
1	0	1	2	14	= 14 pregnancies
0	1	0	1	15	= 15 pregnancies

COMPREG 11278-11279 VAR204: Number of completed pregnancies

Non-blank for all Rs.

363	2164	528	3187	00	= No Completed Pregnancies
247	1056	455	1817	01	= 1 pregnancy
315	1370	488	2239	02	= 2 pregnancies
257	953	404	1661	03	= 3 pregnancies
184	509	271	998	04	= 4 pregnancies
94	234	149	489	05	= 5 pregnancies
43	107	75	233	06	= 6 pregnancies
26	47	44	121	07	= 7 pregnancies
12	14	15	41	08	= 8 pregnancies
4	16	8	29	09	= 9 pregnancies
3	7	6	17	10	= 10 pregnancies
2	3	0	5	11	= 11 pregnancies
2	2	0	4	12	= 12 pregnancies
0	0	2	3	13	= 13 pregnancies
1	0	1	2	14	= 14 pregnancies
0	1	0	1	15	= 15 pregnancies

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

LOSSNUM 11280-11281 VAR205: Number of completed pregnancies ending in spontaneous pregnancy loss

Inapplicable:
 R has no completed pregnancies.

363	2164	528	3187	Blank	= Blank, inapplicable
846	3096	1379	5487	00	= No Spontaneous Pregnancy Losses
262	861	397	1568	01	= 1 pregnancy
58	237	94	403	02	= 2 pregnancies
15	61	31	110	03	= 3 pregnancies
4	33	12	50	04	= 4 pregnancies
4	14	4	22	05	= 5 pregnancies
1	6	1	9	06	= 6 pregnancies
0	3	0	3	07	= 7 pregnancies
0	2	0	2	08	= 8 pregnancies
0	1	0	1	09	= 9 pregnancies
0	1	0	1	10	= 10 pregnancies
0	1	0	1	11	= 11 pregnancies
0	3	0	3	12	= 12 pregnancies

MISCARR 11282-11283 VAR206: Number of completed pregnancies ending in miscarriage

Inapplicable:
 R has no completed pregnancies.

363	2164	528	3187	Blank	= Blank, inapplicable
892	3205	1472	5746	00	= No Miscarriages
229	806	348	1423	01	= 1 pregnancy
48	204	66	329	02	= 2 pregnancies
13	55	21	93	03	= 3 pregnancies
5	22	8	35	04	= 4 pregnancies
2	12	2	16	05	= 5 pregnancies
1	5	1	8	06	= 6 pregnancies
0	3	0	3	07	= 7 pregnancies
0	2	0	2	08	= 8 pregnancies
0	0	0	0	09	= 9 pregnancies
0	1	0	1	10	= 10 pregnancies
0	1	0	1	11	= 11 pregnancies
0	3	0	3	12	= 12 pregnancies

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

ECTOPIC 11284-11284

VAR207: Number of completed pregnancies ending in ectopic pregnancy

Inapplicable:
 R has no completed pregnancies.

363	2164	528	3187	Blank	= Blank, inapplicable
1155	4201	1830	7414	0	= No Ectopic Pregnancies
32	103	78	218	1	= 1 pregnancy
3	13	10	26	2	= 2 pregnancies
0	2	0	2	3	= 3 pregnancies

STLLBRTH 11285-11285

VAR208: Number of completed pregnancies ending in stillbirth

Inapplicable:
 R has no completed pregnancies.

363	2164	528	3187	Blank	= Blank, inapplicable
1164	4249	1861	7498	0	= No Stillbirths
25	66	49	148	1	= 1 pregnancy
1	4	8	14	2	= 2 pregnancies

ABORTION 11286-11287

VAR209: Number of completed pregnancies ending in induced abortion

Inapplicable:
 R has no completed pregnancies.

363	2164	528	3187	Blank	= Blank, inapplicable
941	3310	1352	5780	00	= No Abortions
158	735	350	1284	01	= 1 pregnancy
57	195	138	402	02	= 2 pregnancies
19	52	54	127	03	= 3 pregnancies
9	18	14	42	04	= 4 pregnancies
3	5	3	11	05	= 5 pregnancies
1	3	4	8	06	= 6 pregnancies
0	0	1	1	07	= 7 pregnancies
0	1	1	2	08	= 8 pregnancies
1	0	0	1	09	= 9 pregnancies
1	0	0	1	10	= 10 pregnancies
0	0	1	1	11	= 11 pregnancies

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

LBPREGS 11288-11289 VAR210: Number of completed pregnancies ending in live birth

Inapplicable:
 R has no completed pregnancies.

363	2164	528	3187	Blank	= Blank, inapplicable
79	465	179	749	00	= No Live Births
297	1184	559	2107	01	= 1 pregnancy
380	1607	616	2674	02	= 2 pregnancies
257	771	328	1395	03	= 3 pregnancies
116	218	153	504	04	= 4 pregnancies
38	56	46	148	05	= 5 pregnancies
9	11	23	47	06	= 6 pregnancies
7	5	7	19	07	= 7 pregnancies
3	2	6	11	08	= 8 pregnancies
1	0	0	2	09	= 9 pregnancies
2	0	1	3	10	= 10 pregnancies
1	0	0	1	11	= 11 pregnancies

PARITY 11290-11291 VAR211: Total number of live births

Non-blank for all Rs.

0	0	0	0	Blank	= Blank, inapplicable
442	2629	707	3936	00	= No Live Births
291	1161	553	2072	01	= 1 live birth
378	1597	610	2654	02	= 2 live births
260	786	331	1418	03	= 3 live births
120	228	153	518	04	= 4 live births
38	61	50	156	05	= 5 live births
9	12	25	51	06	= 6 live births
7	6	8	21	07	= 7 live births
4	3	8	15	08	= 8 live births
1	0	0	2	09	= 9 live births
2	0	1	3	10	= 10 live births
1	0	0	1	11	= 11 live births

BABY1MO 11292-11295 VAR220: Date of first live birth

Inapplicable:
 R has not had a live birth.

442	2629	707	3936	Blank	= Blank, inapplicable
881	3120	1460	5622	0770-1092	= Before 1991
230	734	279	1289	1093-1147	= 1991 or later

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGEBABY1 11296-11299 VAR221: Age at first live birth

Inapplicable:
 R has not had a live birth.

442	2629	707	3936	Blank	= Blank, inapplicable
14	16	60	94	1200-1499	= Under 15 years
37	35	99	176	1500-1599	= 15 years
60	116	147	327	1600-1699	= 16 years
96	216	194	513	1700-1799	= 17 years
118	267	228	626	1800-1899	= 18 years
124	350	172	660	1900-1999	= 19 years
431	1430	536	2474	2000-2499	= 20-24 years
160	972	231	1408	2500-2999	= 25-29 years
62	364	58	519	3000-3499	= 30-34 years
8	82	13	105	3500-3999	= 35-39 years
1	6	1	9	4000-4499	= 40-44 years

LIV1CHLD 11300-11300 VAR222: Living arrangements of first live birth

Inapplicable:
 R has never had a live birth.

442	2629	707	3936	Blank	= Blank, inapplicable
959	3235	1390	5751	1	= Child lives with Respondent
16	41	37	101	2	= Child is dead
0	7	1	9	3	= Child lives with adoptive parents
136	571	311	1050	4	= Child's living arrangements are other or unknown

BIRTHS5 11301-11301 VAR223: Number of pregnancies ending in live birth in the last 5 years

Non-blank for all Rs.

363	2164	528	3187	Blank	= Blank, inapplicable
609	2704	1188	4633	0	= No Live Births in Past 5 Years`
415	1221	527	2242	1	= 1 pregnancy
145	358	179	702	2	= 2 pregnancies
20	35	24	80	3	= 3 pregnancies
1	1	0	3	4	= 4 pregnancies
0	0	0	0	5	= 5 pregnancies

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGELSBIR 11302-11305 VAR224: Age at most recent live birth

Inapplicable:
 R has never had a live birth.

442	2629	707	3936	Blank	= Blank, inapplicable
3	2	13	19	1200-1499	= Under 15 years
9	5	19	34	1500-1599	= 15 years
9	27	45	81	1600-1699	= 16 years
24	48	64	139	1700-1799	= 17 years
34	77	69	187	1800-1899	= 18 years
40	123	88	257	1900-1999	= 19 years
335	1014	577	1965	2000-2499	= 20-24 years
357	1343	537	2299	2500-2999	= 25-29 years
234	911	238	1446	3000-3499	= 30-34 years
59	278	83	442	3500-3999	= 35-39 years
7	26	6	42	4000-4499	= 40-44 years

OUTCOM01 11306-11306 VAR215.01: Outcome of first pregnancy

Inapplicable:
 R has never been pregnant.

345	2100	511	3086	Blank	= Blank, inapplicable
936	2955	1414	5470	1	= Live Birth
129	779	299	1244	2	= Induced Abortion
7	24	19	52	3	= Stillbirth
108	518	162	815	4	= Miscarriage
10	43	24	79	5	= Ectopic Pregnancy
18	64	17	101	6	= Current Pregnancy

OUTCOM02 11307-11307 VAR215.02: Outcome of second pregnancy

Inapplicable:
 R has been pregnant less than 2 times.

586	3138	950	4863	Blank	= Blank, inapplicable
722	2507	1065	4430	1	= Live Birth
100	266	215	594	2	= Induced Abortion
6	15	16	39	3	= Stillbirth
100	441	148	710	4	= Miscarriage
15	34	19	70	5	= Ectopic Pregnancy
24	82	33	141	6	= Current Pregnancy

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OUTCOM03 11308-11308 VAR215.03: Outcome of third pregnancy

Inapplicable:
 R has been pregnant less than 3 times.

907	4540	1452	7155	Blank	= Blank, inapplicable
464	1394	671	2609	1	= Live Birth
68	178	153	408	2	= Induced Abortion
7	13	17	38	3	= Stillbirth
84	283	113	497	4	= Miscarriage
5	25	21	52	5	= Ectopic Pregnancy
18	50	19	88	6	= Current Pregnancy

OUTCOM04 11309-11309 VAR215.04: Outcome of fourth pregnancy

Inapplicable:
 R has been pregnant less than 4 times.

1171	5522	1864	8858	Blank	= Blank, inapplicable
271	640	358	1313	1	= Live Birth
47	97	117	269	2	= Induced Abortion
0	10	5	17	3	= Stillbirth
49	178	77	311	4	= Miscarriage
4	15	14	33	5	= Ectopic Pregnancy
11	21	11	46	6	= Current Pregnancy

OUTCOM05 11310-11310 VAR215.05: Outcome of fifth pregnancy

Inapplicable:
 R has been pregnant less than 5 times.

1362	6042	2132	9874	Blank	= Blank, inapplicable
132	281	188	624	1	= Live Birth
21	43	53	120	2	= Induced Abortion
1	6	5	12	3	= Stillbirth
32	93	47	173	4	= Miscarriage
1	8	7	16	5	= Ectopic Pregnancy
4	10	14	28	6	= Current Pregnancy

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OUTCOM06 11311-11311 VAR215.06: Outcome of sixth pregnancy

Inapplicable:
 R has been pregnant less than 6 times.

1458	6281	2292	10381	Blank	= Blank, inapplicable
60	120	96	287	1	= Live Birth
13	23	34	71	2	= Induced Abortion
1	1	2	6	3	= Stillbirth
16	49	12	78	4	= Miscarriage
3	4	7	14	5	= Ectopic Pregnancy
2	5	3	10	6	= Current Pregnancy

OUTCOM07 11312-11312 VAR215.07: Outcome of seventh pregnancy

Inapplicable:
 R has been pregnant less than 7 times.

1501	6391	2367	10617	Blank	= Blank, inapplicable
32	48	43	127	1	= Live Birth
11	7	17	38	2	= Induced Abortion
2	2	0	4	3	= Stillbirth
5	31	13	49	4	= Miscarriage
0	2	3	5	5	= Ectopic Pregnancy
2	2	3	7	6	= Current Pregnancy

OUTCOM08 11313-11313 VAR215.08: Outcome of eighth pregnancy

Inapplicable:
 R has been pregnant less than 8 times.

1528	6439	2412	10740	Blank	= Blank, inapplicable
16	18	12	48	1	= Live Birth
6	7	13	26	2	= Induced Abortion
1	1	0	2	3	= Stillbirth
1	17	6	25	4	= Miscarriage
0	0	1	1	5	= Ectopic Pregnancy
1	1	2	5	6	= Current Pregnancy

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OUTCOM09 11314-11314 VAR215.09: Outcome of ninth pregnancy

Inapplicable:
 R has been pregnant less than 9 times.

1541	6454	2429	10786	Blank	= Blank, inapplicable
4	11	6	22	1	= Live Birth
4	3	4	11	2	= Induced Abortion
1	0	0	1	3	= Stillbirth
3	14	5	24	4	= Miscarriage
0	1	2	3	5	= Ectopic Pregnancy
0	0	0	0	6	= Current Pregnancy

OUTCOM10 11315-11315 VAR215.10: Outcome of tenth pregnancy

Inapplicable:
 R has been pregnant less than 10 times.

1545	6469	2437	10814	Blank	= Blank, inapplicable
6	3	4	14	1	= Live Birth
2	0	2	4	2	= Induced Abortion
0	0	0	0	3	= Stillbirth
0	9	3	13	4	= Miscarriage
0	1	0	1	5	= Ectopic Pregnancy
0	1	0	1	6	= Current Pregnancy

OUTCOM11 11316-11316 VAR215.11: Outcome of eleventh pregnancy

Inapplicable:
 R has been pregnant less than 11 times.

1547	6477	2443	10831	Blank	= Blank, inapplicable
3	2	1	6	1	= Live Birth
2	0	1	3	2	= Induced Abortion
0	0	0	0	3	= Stillbirth
0	4	1	6	4	= Miscarriage
0	0	0	0	5	= Ectopic Pregnancy
1	0	0	1	6	= Current Pregnancy

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OUTCOM12 11317-11317 VAR215.12: Outcome of twelfth pregnancy

Inapplicable:
 R has been pregnant less than 12 times.

1550	6480	2443	10837	Blank	= Blank, inapplicable
1	0	2	3	1	= Live Birth
2	0	1	4	2	= Induced Abortion
0	0	0	0	3	= Stillbirth
0	3	0	3	4	= Miscarriage
0	0	0	0	5	= Ectopic Pregnancy
0	0	0	0	6	= Current Pregnancy

OUTCOM13 11318-11318 VAR215.13: Outcome of thirteenth pregnancy

Inapplicable:
 R has been pregnant less than 13 times.

1552	6482	2443	10841	Blank	= Blank, inapplicable
1	0	2	3	1	= Live Birth
0	0	1	1	2	= Induced Abortion
0	0	0	0	3	= Stillbirth
0	1	0	2	4	= Miscarriage
0	0	0	0	5	= Ectopic Pregnancy
0	0	0	0	6	= Current Pregnancy

OUTCOM14 11319-11319 VAR215.14: Outcome of fourteenth pregnancy

Inapplicable:
 R has been pregnant less than 14 times.

1552	6482	2445	10844	Blank	= Blank, inapplicable
1	0	0	1	1	= Live Birth
0	0	0	0	2	= Induced Abortion
0	0	0	0	3	= Stillbirth
0	1	1	2	4	= Miscarriage
0	0	0	0	5	= Ectopic Pregnancy
0	0	0	0	6	= Current Pregnancy

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OUTCOM15 11320-11320 VAR215.15: Outcome of fifteenth pregnancy

Inapplicable:
 R has been pregnant less than 15 times.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	1	0	1	1	= Live Birth
0	0	0	0	2	= Induced Abortion
0	0	0	0	3	= Stillbirth
0	0	0	0	4	= Miscarriage
0	0	0	0	5	= Ectopic Pregnancy
0	0	0	0	6	= Current Pregnancy

DATCON01 11321-11324 VAR212.01: Date of first conception

Inapplicable:
 R has never been pregnant, or she is currently pregnant with her first pregnancy.

363	2164	528	3187	Blank	= Blank, inapplicable
997	3721	1673	6577	0761-1092	= Before 1991
193	598	245	1083	1093-1147	= 1991 or later

DATCON02 11325-11328 VAR212.02: Date of second conception

Inapplicable:
 R has been pregnant less than 2 times, or she is currently pregnant with her second pregnancy.

610	3220	983	5004	Blank	= Blank, inapplicable
725	2687	1240	4794	0761-1092	= Before 1991
218	576	223	1049	1093-1147	= 1991 or later

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DATCON03 11329-11332 VAR212.03: Date of third conception

Inapplicable:
 R has been pregnant less than 3 times,
 or she is currently pregnant with her
 third pregnancy.

925	4590	1471	7243	Blank	= Blank, inapplicable
476	1511	770	2839	0761-1092	= Before 1991
152	382	205	765	1093-1147	= 1991 or later

DATCON04 11333-11336 VAR212.04: Date of fourth conception

Inapplicable:
 R has been pregnant less than 4 times,
 or she is currently pregnant with her
 fourth pregnancy.

1182	5543	1875	8904	Blank	= Blank, inapplicable
265	698	420	1425	0761-1092	= Before 1991
106	242	151	518	1093-1147	= 1991 or later

DATCON05 11337-11340 VAR212.05: Date of fifth conception

Inapplicable:
 R has been pregnant less than 5 times,
 or she is currently pregnant with her
 fifth pregnancy.

1366	6052	2146	9902	Blank	= Blank, inapplicable
129	313	211	675	0761-1092	= Before 1991
58	118	89	270	1093-1147	= 1991 or later

DATCON06 11341-11344 VAR212.06: Date of sixth conception

Inapplicable:
 R has been pregnant less than 6 times,
 or she is currently pregnant with her
 sixth pregnancy.

1460	6286	2295	10391	Blank	= Blank, inapplicable
65	126	102	305	0761-1092	= Before 1991
28	71	49	151	1093-1147	= 1991 or later

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DATCON07 11345-11348 VAR212.07: Date of seventh conception

Inapplicable:
 R has been pregnant less than 7 times,
 or she is currently pregnant with her
 seventh pregnancy.

1503	6393	2370	10624	Blank	= Blank, inapplicable
33	48	44	129	0761-1092	= Before 1991
17	42	32	94	1093-1147	= 1991 or later

DATCON08 11349-11352 VAR212.08: Date of eighth conception

Inapplicable:
 R has been pregnant less than 8 times,
 or she is currently pregnant with her
 eighth pregnancy.

1529	6440	2414	10745	Blank	= Blank, inapplicable
16	25	20	64	0761-1092	= Before 1991
8	18	12	38	1093-1147	= 1991 or later

DATCON09 11353-11356 VAR212.09: Date of ninth conception

Inapplicable:
 R has been pregnant less than 9 times,
 or she is currently pregnant with her
 ninth pregnancy.

1541	6454	2429	10786	Blank	= Blank, inapplicable
6	17	9	35	0761-1092	= Before 1991
6	12	8	26	1093-1147	= 1991 or later

DATCON10 11357-11360 VAR212.10: Date of tenth conception

Inapplicable:
 R has been pregnant less than 10
 times, or she is currently pregnant
 with her tenth pregnancy.

1545	6470	2437	10815	Blank	= Blank, inapplicable
4	6	5	17	0761-1092	= Before 1991
4	7	4	15	1093-1147	= 1991 or later

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DATCON11 11361-11364

VAR212.11: Date of eleventh
 conception

Inapplicable:
 R has been pregnant less than 11
 times, or she is currently pregnant
 with her eleventh pregnancy.

1548	6477	2443	10832	Blank	= Blank, inapplicable
4	3	2	9	0761-1092	= Before 1991
1	3	1	6	1093-1147	= 1991 or later

DATCON12 11365-11368

VAR212.12: Date of twelfth conception

Inapplicable:
 R has been pregnant less than 12
 times, or she is currently pregnant
 with her twelfth pregnancy.

1550	6480	2443	10837	Blank	= Blank, inapplicable
2	2	1	5	0761-1092	= Before 1991
1	1	2	5	1093-1147	= 1991 or later

DATCON13 11369-11372

VAR212.13: Date of thirteenth
 conception

Inapplicable:
 R has been pregnant less than 13
 times, or she is currently pregnant
 with her thirteenth pregnancy.

1552	6482	2443	10841	Blank	= Blank, inapplicable
1	1	0	2	0761-1092	= Before 1991
0	0	3	4	1093-1147	= 1991 or later

DATCON14 11373-11376

VAR212.14: Date of fourteenth
 conception

Inapplicable:
 R has been pregnant less than 14
 times, or she is currently pregnant
 with her fourteenth pregnancy.

1552	6482	2445	10844	Blank	= Blank, inapplicable
0	1	0	1	0761-1092	= Before 1991
1	0	1	2	1093-1147	= 1991 or later

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DATCON15 11377-11380

VAR212.15: Date of fifteenth
 conception

Inapplicable:
 R has been pregnant less than 15
 times, or she is currently pregnant
 with her fifteenth pregnancy.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	1	0	1	0761-1092	= Before 1991
0	0	0	0	1093-1147	= 1991 or later

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGECON01 11381-11384

VAR213.01: Age at first conception

Inapplicable:

R has never been pregnant, or she is currently pregnant with her first pregnancy.

363	2164	528	3187	Blank	= Blank, inapplicable
47	103	177	333	1100-1499	= Under 15 years
76	149	164	396	1500-1599	= 15 years
98	294	233	638	1600-1699	= 16 years
132	369	238	753	1700-1799	= 17 years
133	429	226	810	1800-1899	= 18 years
137	407	181	745	1900-1999	= 19 years
107	348	137	610	2000-2099	= 20 years
103	320	123	566	2100-2199	= 21 years
80	292	95	485	2200-2299	= 22 years
60	277	66	415	2300-2399	= 23 years
43	252	66	369	2400-2499	= 24 years
30	214	51	304	2500-2599	= 25 years
37	174	36	256	2600-2699	= 26 years
22	148	35	217	2700-2799	= 27 years
21	139	29	198	2800-2899	= 28 years
24	111	19	160	2900-2999	= 29 years
10	78	11	108	3000-3099	= 30 years
13	61	7	84	3100-3199	= 31 years
6	37	7	60	3200-3299	= 32 years
4	39	7	55	3300-3399	= 33 years
2	34	4	40	3400-3499	= 34 years
2	18	1	23	3500-3599	= 35 years
2	10	2	14	3600-3699	= 36 years
0	6	2	8	3700-3799	= 37 years
1	6	0	7	3800-3899	= 38 years
0	3	0	3	3900-3999	= 39 years
0	0	1	1	4000-4099	= 40 years
0	1	0	2	4100-4199	= 41 years
0	0	0	0	4200-4299	= 42 years
0	0	0	0	4300-4399	= 43 years
0	0	0	0	4400-4499	= 44 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGECON02 11385-11388

VAR213.02: Age at second conception

Inapplicable:

R has been pregnant less than 2 times,
 or she is currently pregnant with her
 second pregnancy.

610	3220	983	5004	Blank	= Blank, inapplicable
5	2	19	26	1100-1499	= Under 15 years
10	15	39	66	1500-1599	= 15 years
24	44	71	140	1600-1699	= 16 years
49	105	106	271	1700-1799	= 17 years
80	149	133	365	1800-1899	= 18 years
82	209	153	458	1900-1999	= 19 years
99	246	139	496	2000-2099	= 20 years
73	258	130	475	2100-2199	= 21 years
77	271	125	482	2200-2299	= 22 years
69	265	101	447	2300-2399	= 23 years
76	236	72	395	2400-2499	= 24 years
59	247	72	393	2500-2599	= 25 years
43	213	70	335	2600-2699	= 26 years
42	205	55	309	2700-2799	= 27 years
35	160	39	241	2800-2899	= 28 years
34	145	37	228	2900-2999	= 29 years
27	118	27	181	3000-3099	= 30 years
18	110	18	151	3100-3199	= 31 years
12	75	16	113	3200-3299	= 32 years
11	49	9	71	3300-3399	= 33 years
4	57	12	76	3400-3499	= 34 years
4	24	6	35	3500-3599	= 35 years
3	26	6	36	3600-3699	= 36 years
4	15	3	24	3700-3799	= 37 years
0	9	2	11	3800-3899	= 38 years
2	3	2	8	3900-3999	= 39 years
1	5	0	6	4000-4099	= 40 years
0	2	1	3	4100-4199	= 41 years
0	0	0	0	4200-4299	= 42 years
0	0	0	1	4300-4399	= 43 years
0	0	0	0	4400-4499	= 44 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGECON03 11389-11392

VAR213.03: Age at third conception

Inapplicable:

R has been pregnant less than 3 times,
 or she is currently pregnant with her
 third pregnancy.

925	4590	1471	7243	Blank	= Blank, inapplicable
1	0	2	3	1100-1499	= Under 15 years
0	1	6	7	1500-1599	= 15 years
5	4	17	28	1600-1699	= 16 years
11	18	23	52	1700-1799	= 17 years
26	35	62	125	1800-1899	= 18 years
33	68	85	194	1900-1999	= 19 years
44	89	76	211	2000-2099	= 20 years
56	107	82	251	2100-2199	= 21 years
37	148	68	256	2200-2299	= 22 years
59	154	97	318	2300-2399	= 23 years
36	125	84	252	2400-2499	= 24 years
58	147	63	277	2500-2599	= 25 years
42	141	55	246	2600-2699	= 26 years
43	151	51	258	2700-2799	= 27 years
38	134	44	221	2800-2899	= 28 years
34	105	46	190	2900-2999	= 29 years
31	109	19	160	3000-3099	= 30 years
22	83	21	133	3100-3199	= 31 years
18	78	18	120	3200-3299	= 32 years
13	69	16	100	3300-3399	= 33 years
4	33	15	55	3400-3499	= 34 years
8	38	9	60	3500-3599	= 35 years
3	24	5	34	3600-3699	= 36 years
1	18	4	26	3700-3799	= 37 years
2	4	2	8	3800-3899	= 38 years
2	2	2	6	3900-3999	= 39 years
0	5	1	6	4000-4099	= 40 years
1	2	0	4	4100-4199	= 41 years
0	1	1	2	4200-4299	= 42 years
0	0	0	0	4300-4399	= 43 years
0	0	1	1	4400-4499	= 44 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGECON04 11393-11396

VAR213.04: Age at fourth conception

Inapplicable:

R has been pregnant less than 4 times,
 or she is currently pregnant with her
 fourth pregnancy.

	1182	5543	1875	8904	Blank	
	0	0	0	0	1100-1499	= Blank, inapplicable
	1	0	1	2	1500-1599	= Under 15 years
	0	0	3	3	1600-1699	= 15 years
	2	2	5	10	1700-1799	= 16 years
	3	10	9	22	1800-1899	= 17 years
	11	23	31	67	1900-1999	= 18 years
	10	27	48	88	2000-2099	= 19 years
	23	60	47	132	2100-2199	= 20 years
	32	40	42	118	2200-2299	= 21 years
	27	63	41	131	2300-2399	= 22 years
	31	70	48	156	2400-2499	= 23 years
	25	69	44	140	2500-2599	= 24 years
	25	67	43	140	2600-2699	= 25 years
	31	73	36	145	2700-2799	= 26 years
	17	77	29	125	2800-2899	= 27 years
	29	57	31	120	2900-2999	= 28 years
	19	59	29	113	3000-3099	= 29 years
	22	52	23	100	3100-3199	= 30 years
	19	41	10	70	3200-3299	= 31 years
	12	37	9	61	3300-3399	= 32 years
	10	31	15	58	3400-3499	= 33 years
	6	27	11	45	3500-3599	= 34 years
	7	23	7	41	3600-3699	= 35 years
	2	9	4	18	3700-3799	= 36 years
	2	8	0	12	3800-3899	= 37 years
	2	8	4	15	3900-3999	= 38 years
	1	4	1	6	4000-4099	= 39 years
	1	2	0	3	4100-4199	= 40 years
	1	1	0	2	4200-4299	= 41 years
	0	0	0	0	4300-4399	= 42 years
	0	0	0	0	4400-4499	= 43 years
	0	0	0	0	4400-4499	= 44 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGECON05 11397-11400

VAR213.05: Age at fifth conception

Inapplicable:

R has been pregnant less than 5 times,
 or she is currently pregnant with her
 fifth pregnancy.

1366	6052	2146	9902	Blank	= Blank, inapplicable
0	0	0	0	1100-1499	= Under 15 years
0	0	0	0	1500-1599	= 15 years
1	0	0	1	1600-1699	= 16 years
0	0	0	1	1700-1799	= 17 years
0	3	0	3	1800-1899	= 18 years
3	7	7	17	1900-1999	= 19 years
4	9	19	33	2000-2099	= 20 years
12	15	23	50	2100-2199	= 21 years
8	19	26	55	2200-2299	= 22 years
12	27	23	64	2300-2399	= 23 years
14	28	26	69	2400-2499	= 24 years
17	29	29	78	2500-2599	= 25 years
14	38	16	72	2600-2699	= 26 years
17	35	20	73	2700-2799	= 27 years
14	28	19	63	2800-2899	= 28 years
9	30	13	53	2900-2999	= 29 years
10	25	18	55	3000-3099	= 30 years
8	23	17	49	3100-3199	= 31 years
5	29	14	51	3200-3299	= 32 years
13	12	8	33	3300-3399	= 33 years
4	15	7	26	3400-3499	= 34 years
7	14	5	27	3500-3599	= 35 years
7	16	4	27	3600-3699	= 36 years
4	7	5	17	3700-3799	= 37 years
1	6	0	8	3800-3899	= 38 years
1	10	1	12	3900-3999	= 39 years
0	4	0	4	4000-4099	= 40 years
2	1	0	3	4100-4199	= 41 years
0	1	0	1	4200-4299	= 42 years
0	0	0	0	4300-4399	= 43 years
0	0	0	0	4400-4499	= 44 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGECON06 11401-11404

VAR213.06: Age at sixth conception

Inapplicable:

R has been pregnant less than 6 times,
 or she is currently pregnant with her
 sixth pregnancy.

1460	6286	2295	10391	Blank	= Blank, inapplicable
0	0	0	0	1100-1499	= Under 15 years
0	0	0	0	1500-1599	= 15 years
0	0	0	0	1600-1699	= 16 years
1	0	0	1	1700-1799	= 17 years
0	0	0	1	1800-1899	= 18 years
1	3	2	6	1900-1999	= 19 years
1	6	2	9	2000-2099	= 20 years
1	3	7	11	2100-2199	= 21 years
6	6	10	23	2200-2299	= 22 years
4	5	13	24	2300-2399	= 23 years
5	18	16	39	2400-2499	= 24 years
6	11	11	29	2500-2599	= 25 years
4	14	12	30	2600-2699	= 26 years
8	4	15	28	2700-2799	= 27 years
7	15	13	37	2800-2899	= 28 years
10	17	10	37	2900-2999	= 29 years
4	15	6	26	3000-3099	= 30 years
5	12	8	27	3100-3199	= 31 years
4	11	5	20	3200-3299	= 32 years
7	15	4	26	3300-3399	= 33 years
5	4	2	11	3400-3499	= 34 years
6	7	3	18	3500-3599	= 35 years
3	10	6	19	3600-3699	= 36 years
2	6	3	12	3700-3799	= 37 years
0	6	1	7	3800-3899	= 38 years
1	2	2	5	3900-3999	= 39 years
0	3	0	4	4000-4099	= 40 years
0	3	0	3	4100-4199	= 41 years
2	1	0	3	4200-4299	= 42 years
0	0	0	0	4300-4399	= 43 years
0	0	0	0	4400-4499	= 44 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGECON07 11405-11408

VAR213.07: Age at seventh conception

Inapplicable:

R has been pregnant less than 7 times,
 or she is currently pregnant with her
 seventh pregnancy.

1503	6393	2370	10624	Blank	= Blank, inapplicable
0	0	0	0	1100-1499	= Under 15 years
0	0	0	0	1500-1599	= 15 years
0	0	0	0	1600-1699	= 16 years
0	0	0	0	1700-1799	= 17 years
1	0	0	1	1800-1899	= 18 years
0	0	0	0	1900-1999	= 19 years
0	3	0	4	2000-2099	= 20 years
3	3	2	8	2100-2199	= 21 years
0	5	3	8	2200-2299	= 22 years
2	2	4	9	2300-2399	= 23 years
4	3	7	15	2400-2499	= 24 years
2	6	6	15	2500-2599	= 25 years
2	2	8	13	2600-2699	= 26 years
3	7	4	14	2700-2799	= 27 years
2	6	7	16	2800-2899	= 28 years
3	8	7	19	2900-2999	= 29 years
5	7	9	21	3000-3099	= 30 years
3	5	3	11	3100-3199	= 31 years
1	5	3	9	3200-3299	= 32 years
4	7	2	13	3300-3399	= 33 years
1	4	3	8	3400-3499	= 34 years
4	1	1	6	3500-3599	= 35 years
6	2	2	10	3600-3699	= 36 years
1	2	2	5	3700-3799	= 37 years
1	6	1	8	3800-3899	= 38 years
0	2	0	2	3900-3999	= 39 years
0	1	2	3	4000-4099	= 40 years
1	3	0	4	4100-4199	= 41 years
1	0	0	1	4200-4299	= 42 years
0	0	0	0	4300-4399	= 43 years
0	0	0	0	4400-4499	= 44 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGECON08 11409-11412

VAR213.08: Age at eighth conception

Inapplicable:

R has been pregnant less than 8 times,
 or she is currently pregnant with her
 eighth pregnancy.

1529	6440	2414	10745	Blank	= Blank, inapplicable
0	0	0	0	1100-1499	= Under 15 years
0	0	0	0	1500-1599	= 15 years
0	0	0	0	1600-1699	= 16 years
0	0	0	0	1700-1799	= 17 years
0	0	0	0	1800-1899	= 18 years
0	0	0	0	1900-1999	= 19 years
0	1	0	1	2000-2099	= 20 years
3	1	1	5	2100-2199	= 21 years
0	2	1	3	2200-2299	= 22 years
1	3	2	6	2300-2399	= 23 years
0	3	2	5	2400-2499	= 24 years
2	1	4	7	2500-2599	= 25 years
1	5	3	9	2600-2699	= 26 years
1	3	2	7	2700-2799	= 27 years
0	4	0	4	2800-2899	= 28 years
3	6	4	13	2900-2999	= 29 years
1	2	4	9	3000-3099	= 30 years
2	2	3	7	3100-3199	= 31 years
2	2	2	6	3200-3299	= 32 years
1	2	0	3	3300-3399	= 33 years
1	0	2	3	3400-3499	= 34 years
2	4	0	6	3500-3599	= 35 years
1	0	1	2	3600-3699	= 36 years
0	1	0	1	3700-3799	= 37 years
1	0	0	1	3800-3899	= 38 years
1	0	0	1	3900-3999	= 39 years
1	0	1	2	4000-4099	= 40 years
0	1	0	1	4100-4199	= 41 years
0	0	0	0	4200-4299	= 42 years
0	0	0	0	4300-4399	= 43 years
0	0	0	0	4400-4499	= 44 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGECON09 11413-11416

VAR213.09: Age at ninth conception

Inapplicable:

R has been pregnant less than 9 times,
 or she is currently pregnant with her
 ninth pregnancy.

	1541	6454	2429	10786	Blank	= Blank, inapplicable
	0	0	0	0	1100-1499	= Under 15 years
	0	0	0	0	1500-1599	= 15 years
	0	0	0	0	1600-1699	= 16 years
	0	0	0	0	1700-1799	= 17 years
	0	0	0	0	1800-1899	= 18 years
	0	0	0	0	1900-1999	= 19 years
	0	0	0	0	2000-2099	= 20 years
	1	1	0	2	2100-2199	= 21 years
	2	0	0	2	2200-2299	= 22 years
	0	3	0	3	2300-2399	= 23 years
	1	1	1	3	2400-2499	= 24 years
	1	0	2	3	2500-2599	= 25 years
	0	1	2	3	2600-2699	= 26 years
	0	4	0	4	2700-2799	= 27 years
	0	2	2	4	2800-2899	= 28 years
	0	1	0	2	2900-2999	= 29 years
	1	5	1	8	3000-3099	= 30 years
	1	1	2	4	3100-3199	= 31 years
	0	4	2	6	3200-3299	= 32 years
	0	2	2	5	3300-3399	= 33 years
	2	1	0	3	3400-3499	= 34 years
	0	0	1	1	3500-3599	= 35 years
	0	0	1	1	3600-3699	= 36 years
	1	1	0	2	3700-3799	= 37 years
	0	0	0	0	3800-3899	= 38 years
	2	1	0	3	3900-3999	= 39 years
	0	0	0	0	4000-4099	= 40 years
	0	0	0	0	4100-4199	= 41 years
	0	1	1	2	4200-4299	= 42 years
	0	0	0	0	4300-4399	= 43 years
	0	0	0	0	4400-4499	= 44 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGECON10 11417-11420 VAR213.10: Age at tenth conception

Inapplicable:
 R has been pregnant less than 10
 times, or she is currently pregnant
 with her tenth pregnancy.

1545	6470	2437	10815	Blank	= Blank, inapplicable
0	0	0	0	1100-1499	= Under 15 years
0	0	0	0	1500-1599	= 15 years
0	0	0	0	1600-1699	= 16 years
0	0	0	0	1700-1799	= 17 years
0	0	0	0	1800-1899	= 18 years
0	0	0	0	1900-1999	= 19 years
0	0	0	0	2000-2099	= 20 years
0	1	0	1	2100-2199	= 21 years
1	0	0	1	2200-2299	= 22 years
0	0	0	0	2300-2399	= 23 years
0	1	0	1	2400-2499	= 24 years
2	1	1	4	2500-2599	= 25 years
0	1	2	3	2600-2699	= 26 years
0	0	1	1	2700-2799	= 27 years
1	4	1	6	2800-2899	= 28 years
1	1	0	2	2900-2999	= 29 years
0	1	1	2	3000-3099	= 30 years
0	1	0	2	3100-3199	= 31 years
1	0	0	1	3200-3299	= 32 years
0	1	0	1	3300-3399	= 33 years
0	0	2	3	3400-3499	= 34 years
0	1	0	1	3500-3599	= 35 years
0	0	1	1	3600-3699	= 36 years
1	0	0	1	3700-3799	= 37 years
0	0	0	0	3800-3899	= 38 years
0	0	0	0	3900-3999	= 39 years
1	0	0	1	4000-4099	= 40 years
0	0	0	0	4100-4199	= 41 years
0	0	0	0	4200-4299	= 42 years
0	0	0	0	4300-4399	= 43 years
0	0	0	0	4400-4499	= 44 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGECON11 11421-11424 VAR213.11: Age at eleventh conception

Inapplicable:
 R has been pregnant less than 11
 times, or she is currently pregnant
 with her eleventh pregnancy.

1548	6477	2443	10832	Blank	= Blank, inapplicable
0	0	0	0	1100-1499	= Under 15 years
0	0	0	0	1500-1599	= 15 years
0	0	0	0	1600-1699	= 16 years
0	0	0	0	1700-1799	= 17 years
0	0	0	0	1800-1899	= 18 years
0	0	0	0	1900-1999	= 19 years
0	0	0	0	2000-2099	= 20 years
0	0	0	0	2100-2199	= 21 years
0	1	0	1	2200-2299	= 22 years
0	0	0	0	2300-2399	= 23 years
0	0	0	0	2400-2499	= 24 years
2	1	0	3	2500-2599	= 25 years
0	1	2	3	2600-2699	= 26 years
0	1	0	1	2700-2799	= 27 years
1	0	0	1	2800-2899	= 28 years
1	1	0	2	2900-2999	= 29 years
0	1	0	1	3000-3099	= 30 years
0	0	0	0	3100-3199	= 31 years
0	0	0	0	3200-3299	= 32 years
1	0	0	1	3300-3399	= 33 years
0	0	0	0	3400-3499	= 34 years
0	0	0	1	3500-3599	= 35 years
0	0	0	0	3600-3699	= 36 years
0	0	0	0	3700-3799	= 37 years
0	0	1	1	3800-3899	= 38 years
0	0	0	0	3900-3999	= 39 years
0	0	0	0	4000-4099	= 40 years
0	0	0	0	4100-4199	= 41 years
0	0	0	0	4200-4299	= 42 years
0	0	0	0	4300-4399	= 43 years
0	0	0	0	4400-4499	= 44 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGECON12 11425-11428

VAR213.12: Age at twelfth conception

Inapplicable:

R has been pregnant less than 12
 times, or she is currently pregnant
 with her twelfth pregnancy.

1550	6480	2443	10837	Blank	= Blank, inapplicable
0	0	0	0	1100-1499	= Under 15 years
0	0	0	0	1500-1599	= 15 years
0	0	0	0	1600-1699	= 16 years
0	0	0	0	1700-1799	= 17 years
0	0	0	0	1800-1899	= 18 years
0	0	0	0	1900-1999	= 19 years
0	0	0	0	2000-2099	= 20 years
0	0	0	0	2100-2199	= 21 years
0	1	0	1	2200-2299	= 22 years
0	0	0	0	2300-2399	= 23 years
0	0	0	0	2400-2499	= 24 years
0	0	0	0	2500-2599	= 25 years
1	0	0	1	2600-2699	= 26 years
0	0	0	0	2700-2799	= 27 years
0	1	2	3	2800-2899	= 28 years
0	0	0	0	2900-2999	= 29 years
0	0	0	0	3000-3099	= 30 years
0	0	0	0	3100-3199	= 31 years
1	0	0	1	3200-3299	= 32 years
0	0	0	0	3300-3399	= 33 years
1	1	0	2	3400-3499	= 34 years
0	0	0	0	3500-3599	= 35 years
0	0	0	1	3600-3699	= 36 years
0	0	0	0	3700-3799	= 37 years
0	0	1	1	3800-3899	= 38 years
0	0	0	0	3900-3999	= 39 years
0	0	0	0	4000-4099	= 40 years
0	0	0	0	4100-4199	= 41 years
0	0	0	0	4200-4299	= 42 years
0	0	0	0	4300-4399	= 43 years
0	0	0	0	4400-4499	= 44 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGECON13 11429-11432

VAR213.13: Age at thirteenth
 conception

Inapplicable:
 R has been pregnant less than 13
 times, or she is currently pregnant
 with her thirteenth pregnancy.

1552	6482	2443	10841	Blank	= Blank, inapplicable
0	0	0	0	1100-1499	= Under 15 years
0	0	0	0	1500-1599	= 15 years
0	0	0	0	1600-1699	= 16 years
0	0	0	0	1700-1799	= 17 years
0	0	0	0	1800-1899	= 18 years
0	0	0	0	1900-1999	= 19 years
0	0	0	0	2000-2099	= 20 years
0	0	0	0	2100-2199	= 21 years
0	0	0	0	2200-2299	= 22 years
0	1	0	1	2300-2399	= 23 years
0	0	0	0	2400-2499	= 24 years
0	0	0	0	2500-2599	= 25 years
1	0	0	1	2600-2699	= 26 years
0	0	0	0	2700-2799	= 27 years
0	0	1	1	2800-2899	= 28 years
0	0	0	0	2900-2999	= 29 years
0	0	1	1	3000-3099	= 30 years
0	0	0	0	3100-3199	= 31 years
0	0	0	0	3200-3299	= 32 years
0	0	0	0	3300-3399	= 33 years
0	0	0	0	3400-3499	= 34 years
0	0	0	0	3500-3599	= 35 years
0	0	0	0	3600-3699	= 36 years
0	0	0	1	3700-3799	= 37 years
0	0	0	0	3800-3899	= 38 years
0	0	0	0	3900-3999	= 39 years
0	0	1	1	4000-4099	= 40 years
0	0	0	0	4100-4199	= 41 years
0	0	0	0	4200-4299	= 42 years
0	0	0	0	4300-4399	= 43 years
0	0	0	0	4400-4499	= 44 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGECON14 11433-11436

VAR213.14: Age at fourteenth
 conception

Inapplicable:
 R has been pregnant less than 14
 times, or she is currently pregnant
 with her fourteenth pregnancy.

1552	6482	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	1100-1499	= Under 15 years
0	0	0	0	1500-1599	= 15 years
0	0	0	0	1600-1699	= 16 years
0	0	0	0	1700-1799	= 17 years
0	0	0	0	1800-1899	= 18 years
0	0	0	0	1900-1999	= 19 years
0	0	0	0	2000-2099	= 20 years
0	0	0	0	2100-2199	= 21 years
0	0	0	0	2200-2299	= 22 years
0	1	0	1	2300-2399	= 23 years
0	0	0	0	2400-2499	= 24 years
0	0	0	0	2500-2599	= 25 years
0	0	0	0	2600-2699	= 26 years
0	0	0	0	2700-2799	= 27 years
0	0	0	0	2800-2899	= 28 years
0	0	0	0	2900-2999	= 29 years
0	0	0	0	3000-3099	= 30 years
1	0	0	1	3100-3199	= 31 years
0	0	0	0	3200-3299	= 32 years
0	0	0	0	3300-3399	= 33 years
0	0	0	0	3400-3499	= 34 years
0	0	0	0	3500-3599	= 35 years
0	0	0	0	3600-3699	= 36 years
0	0	0	0	3700-3799	= 37 years
0	0	0	0	3800-3899	= 38 years
0	0	0	0	3900-3999	= 39 years
0	0	0	0	4000-4099	= 40 years
0	0	0	0	4100-4199	= 41 years
0	0	1	1	4200-4299	= 42 years
0	0	0	0	4300-4399	= 43 years
0	0	0	0	4400-4499	= 44 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGECON15 11437-11440

VAR213.15: Age at fifteenth
 conception

Inapplicable:
 R has been pregnant less than 15
 times, or she is currently pregnant
 with her fifteenth pregnancy.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	1100-1499	= Under 15 years
0	0	0	0	1500-1599	= 15 years
0	0	0	0	1600-1699	= 16 years
0	0	0	0	1700-1799	= 17 years
0	0	0	0	1800-1899	= 18 years
0	0	0	0	1900-1999	= 19 years
0	0	0	0	2000-2099	= 20 years
0	0	0	0	2100-2199	= 21 years
0	0	0	0	2200-2299	= 22 years
0	0	0	0	2300-2399	= 23 years
0	1	0	1	2400-2499	= 24 years
0	0	0	0	2500-2599	= 25 years
0	0	0	0	2600-2699	= 26 years
0	0	0	0	2700-2799	= 27 years
0	0	0	0	2800-2899	= 28 years
0	0	0	0	2900-2999	= 29 years
0	0	0	0	3000-3099	= 30 years
0	0	0	0	3100-3199	= 31 years
0	0	0	0	3200-3299	= 32 years
0	0	0	0	3300-3399	= 33 years
0	0	0	0	3400-3499	= 34 years
0	0	0	0	3500-3599	= 35 years
0	0	0	0	3600-3699	= 36 years
0	0	0	0	3700-3799	= 37 years
0	0	0	0	3800-3899	= 38 years
0	0	0	0	3900-3999	= 39 years
0	0	0	0	4000-4099	= 40 years
0	0	0	0	4100-4199	= 41 years
0	0	0	0	4200-4299	= 42 years
0	0	0	0	4300-4399	= 43 years
0	0	0	0	4400-4499	= 44 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MARCON01 11441-11441

VAR214.01: Marital status at first
 conception

Inapplicable:
 R has never been pregnant, or she is
 currently pregnant with her first
 pregnancy.

363	2164	528	3187	Blank	= Blank, inapplicable
516	2225	279	3144	1	= Married
13	106	18	139	2	= Divorced
1	5	1	7	3	= Widowed
0	0	3	3	4	= Separated
660	1983	1617	4367	5	= Never Married

MARCON02 11442-11442

VAR214.02: Marital status at second
 conception

Inapplicable:
 R has been pregnant less than 2 times,
 or she is currently pregnant with her
 second pregnancy.

610	3220	983	5004	Blank	= Blank, inapplicable
609	2508	436	3681	1	= Married
47	169	53	279	2	= Divorced
2	8	2	13	3	= Widowed
5	5	13	24	4	= Separated
280	573	959	1846	5	= Never Married

MARCON03 11443-11443

VAR214.03: Marital status at third
 conception

Inapplicable:
 R has been pregnant less than 3 times,
 or she is currently pregnant with her
 third pregnancy.

925	4590	1471	7243	Blank	= Blank, inapplicable
425	1530	346	2385	1	= Married
50	157	70	284	2	= Divorced
1	2	3	7	3	= Widowed
8	6	18	33	4	= Separated
144	198	538	895	5	= Never Married

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MARCON04 11444-11444 VAR214.04: Marital status at fourth
 conception

Inapplicable:
 R has been pregnant less than 4 times,
 or she is currently pregnant with her
 fourth pregnancy.

1182	5543	1875	8904	Blank	= Blank, inapplicable
246	716	204	1211	1	= Married
40	129	58	232	2	= Divorced
1	2	5	9	3	= Widowed
7	6	17	31	4	= Separated
77	87	287	460	5	= Never Married

MARCON05 11445-11445 VAR214.05: Marital status at fifth
 conception

Inapplicable:
 R has been pregnant less than 5 times,
 or she is currently pregnant with her
 fifth pregnancy.

1366	6052	2146	9902	Blank	= Blank, inapplicable
125	328	101	573	1	= Married
21	63	39	127	2	= Divorced
3	4	2	9	3	= Widowed
6	1	12	19	4	= Separated
32	35	146	217	5	= Never Married

MARCON06 11446-11446 VAR214.06: Marital status at sixth
 conception

Inapplicable:
 R has been pregnant less than 6 times,
 or she is currently pregnant with her
 sixth pregnancy.

1460	6286	2295	10391	Blank	= Blank, inapplicable
52	158	47	268	1	= Married
19	26	14	61	2	= Divorced
2	2	2	6	3	= Widowed
3	2	8	14	4	= Separated
17	9	80	107	5	= Never Married

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MARCON07 11447-11447 VAR214.07: Marital status at seventh
 conception

Inapplicable:
 R has been pregnant less than 7 times,
 or she is currently pregnant with her
 seventh pregnancy.

1503	6393	2370	10624	Blank	= Blank, inapplicable
26	69	25	124	1	= Married
12	14	9	36	2	= Divorced
2	1	3	6	3	= Widowed
2	0	3	6	4	= Separated
8	6	36	51	5	= Never Married

MARCON08 11448-11448 VAR214.08: Marital status at eighth
 conception

Inapplicable:
 R has been pregnant less than 8 times,
 or she is currently pregnant with her
 eighth pregnancy.

1529	6440	2414	10745	Blank	= Blank, inapplicable
10	31	9	51	1	= Married
6	6	5	19	2	= Divorced
1	1	1	3	3	= Widowed
2	1	1	4	4	= Separated
5	4	16	25	5	= Never Married

MARCON09 11449-11449 VAR214.09: Marital status at ninth
 conception

Inapplicable:
 R has been pregnant less than 9 times,
 or she is currently pregnant with her
 ninth pregnancy.

1541	6454	2429	10786	Blank	= Blank, inapplicable
6	20	4	30	1	= Married
4	6	4	17	2	= Divorced
0	1	0	1	3	= Widowed
1	0	1	2	4	= Separated
1	2	8	11	5	= Never Married

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MARCON10 11450-11450 VAR214.10: Marital status at tenth conception

Inapplicable:
 R has been pregnant less than 10 times, or she is currently pregnant with her tenth pregnancy.

1545	6470	2437	10815	Blank	= Blank, inapplicable
3	7	2	12	1	= Married
3	4	0	9	2	= Divorced
0	1	0	1	3	= Widowed
1	0	1	2	4	= Separated
1	1	6	8	5	= Never Married

MARCON11 11451-11451 VAR214.11: Marital status at eleventh conception

Inapplicable:
 R has been pregnant less than 11 times, or she is currently pregnant with her eleventh pregnancy.

1548	6477	2443	10832	Blank	= Blank, inapplicable
3	4	0	7	1	= Married
2	0	1	4	2	= Divorced
0	1	0	1	3	= Widowed
0	0	1	1	4	= Separated
0	1	1	2	5	= Never Married

MARCON12 11452-11452 VAR214.12: Marital status at twelfth conception

Inapplicable:
 R has been pregnant less than 12 times, or she is currently pregnant with her twelfth pregnancy.

1550	6480	2443	10837	Blank	= Blank, inapplicable
1	2	0	3	1	= Married
2	0	1	4	2	= Divorced
0	0	0	0	3	= Widowed
0	0	1	1	4	= Separated
0	1	1	2	5	= Never Married

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MARCON13 11453-11453

VAR214.13: Marital status at thirteenth conception

Inapplicable:
 R has been pregnant less than 13 times, or she is currently pregnant with her thirteenth pregnancy.

1552	6482	2443	10841	Blank	= Blank, inapplicable
1	1	0	2	1	= Married
0	0	1	2	2	= Divorced
0	0	0	0	3	= Widowed
0	0	1	1	4	= Separated
0	0	1	1	5	= Never Married

MARCON14 11454-11454

VAR214.14: Marital status at fourteenth conception

Inapplicable:
 R has been pregnant less than 14 times, or she is currently pregnant with her fourteenth pregnancy.

1552	6482	2445	10844	Blank	= Blank, inapplicable
0	1	0	1	1	= Married
1	0	1	2	2	= Divorced
0	0	0	0	3	= Widowed
0	0	0	0	4	= Separated
0	0	0	0	5	= Never Married

MARCON15 11455-11455

VAR214.15: Marital status at fifteenth conception

Inapplicable:
 R has been pregnant less than 15 times, or she is currently pregnant with her fifteenth pregnancy.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	1	0	1	1	= Married
0	0	0	0	2	= Divorced
0	0	0	0	3	= Widowed
0	0	0	0	4	= Separated
0	0	0	0	5	= Never Married

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DATEND01 11456-11459 VAR216.01: Date first pregnancy ended

Inapplicable:
 R has never been pregnant, or she is currently pregnant with her first pregnancy.

363	2164	528	3187	Blank	= Blank, inapplicable
960	3608	1623	6373	0770-1092	= Before 1991
230	711	295	1287	1093-1149	= 1991 or later

DATEND02 11460-11463 VAR216.02: Date second pregnancy ended

Inapplicable:
 R has been pregnant less than 2 times, or she is currently pregnant with her second pregnancy.

610	3220	983	5004	Blank	= Blank, inapplicable
702	2580	1197	4614	0770-1092	= Before 1991
241	683	266	1229	1093-1149	= 1991 or later

DATEND03 11464-11467 VAR216.03: Date third pregnancy ended

Inapplicable:
 R has been pregnant less than 3 times, or she is currently pregnant with her third pregnancy.

925	4590	1471	7243	Blank	= Blank, inapplicable
453	1441	738	2711	0770-1092	= Before 1991
175	452	237	893	1093-1149	= 1991 or later

DATEND04 11468-11471 VAR216.04: Date fourth pregnancy ended

Inapplicable:
 R has been pregnant less than 4 times, or she is currently pregnant with her fourth pregnancy.

1182	5543	1875	8904	Blank	= Blank, inapplicable
243	663	394	1336	0770-1092	= Before 1991
128	277	177	607	1093-1149	= 1991 or later

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DATEND05 11472-11475 VAR216.05: Date fifth pregnancy ended

Inapplicable:
 R has been pregnant less than 5 times,
 or she is currently pregnant with her
 fifth pregnancy.

1366	6052	2146	9902	Blank	= Blank, inapplicable
118	299	203	642	0770-1092	= Before 1991
69	132	97	303	1093-1149	= 1991 or later

DATEND06 11476-11479 VAR216.06: Date sixth pregnancy ended

Inapplicable:
 R has been pregnant less than 6 times,
 or she is currently pregnant with her
 sixth pregnancy.

1460	6286	2295	10391	Blank	= Blank, inapplicable
61	114	93	277	0770-1092	= Before 1991
32	83	58	179	1093-1149	= 1991 or later

DATEND07 11480-11483 VAR216.07: Date seventh pregnancy ended

Inapplicable:
 R has been pregnant less than 7 times,
 or she is currently pregnant with her
 seventh pregnancy.

1503	6393	2370	10624	Blank	= Blank, inapplicable
31	44	41	120	0770-1092	= Before 1991
19	46	35	103	1093-1149	= 1991 or later

DATEND08 11484-11487 VAR216.08: Date eighth pregnancy ended

Inapplicable:
 R has been pregnant less than 8 times,
 or she is currently pregnant with her
 eighth pregnancy.

1529	6440	2414	10745	Blank	= Blank, inapplicable
15	24	19	61	0770-1092	= Before 1991
9	19	13	41	1093-1149	= 1991 or later

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DATEND09 11488-11491 VAR216.09: Date ninth pregnancy ended

Inapplicable:
 R has been pregnant less than 9 times,
 or she is currently pregnant with her
 ninth pregnancy.

1541	6454	2429	10786	Blank	= Blank, inapplicable
5	16	9	33	0770-1092	= Before 1991
7	13	8	28	1093-1149	= 1991 or later

DATEND10 11492-11495 VAR216.10: Date tenth pregnancy ended

Inapplicable:
 R has been pregnant less than 10
 times, or she is currently pregnant
 with her tenth pregnancy.

1545	6470	2437	10815	Blank	= Blank, inapplicable
4	6	4	15	0770-1092	= Before 1991
4	7	5	17	1093-1149	= 1991 or later

DATEND11 11496-11499 VAR216.11: Date eleventh pregnancy ended

Inapplicable:
 R has been pregnant less than 11
 times, or she is currently pregnant
 with her eleventh pregnancy.

1548	6477	2443	10832	Blank	= Blank, inapplicable
4	3	1	8	0770-1092	= Before 1991
1	3	2	7	1093-1149	= 1991 or later

DATEND12 11500-11503 VAR216.12: Date twelfth pregnancy ended

Inapplicable:
 R has been pregnant less than 12
 times, or she is currently pregnant
 with her twelfth pregnancy.

1550	6480	2443	10837	Blank	= Blank, inapplicable
2	2	0	4	0770-1092	= Before 1991
1	1	3	6	1093-1149	= 1991 or later

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DATEND13 11504-11507 VAR216.13: Date thirteenth pregnancy ended

Inapplicable:
 R has been pregnant less than 13 times, or she is currently pregnant with her thirteenth pregnancy.

1552	6482	2443	10841	Blank	= Blank, inapplicable
1	1	0	2	0770-1092	= Before 1991
0	0	3	4	1093-1149	= 1991 or later

DATEND14 11508-11511 VAR216.14: Date fourteenth pregnancy ended

Inapplicable:
 R has been pregnant less than 14 times, or she is currently pregnant with her fourteenth pregnancy.

1552	6482	2445	10844	Blank	= Blank, inapplicable
0	1	0	1	0770-1092	= Before 1991
1	0	1	2	1093-1149	= 1991 or later

DATEND15 11512-11515 VAR216.15: Date fifteenth pregnancy ended

Inapplicable:
 R has been pregnant less than 15 times, or she is currently pregnant with her fifteenth pregnancy.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	1	0	1	0770-1092	= Before 1991
0	0	0	0	1093-1149	= 1991 or later

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

YRPREG01 11516-11517

VAR217.01: Year first pregnancy ended

Inapplicable:

R has never been pregnant, or she is currently pregnant with her first pregnancy.

363	2164	528	3187	Blank	= Blank, inapplicable
29	145	121	302	64-70	= 1970 or earlier
23	93	53	176	71	= 1971
27	112	59	200	72	= 1972
36	130	58	228	73	= 1973
32	128	73	245	74	= 1974
23	143	47	220	75	= 1975
32	185	51	275	76	= 1976
37	170	60	274	77	= 1977
54	209	74	345	78	= 1978
49	189	86	334	79	= 1979
65	226	92	394	80	= 1980
55	199	79	336	81	= 1981
58	196	102	363	82	= 1982
48	191	98	347	83	= 1983
51	180	87	327	84	= 1984
48	182	75	321	85	= 1985
56	191	81	336	86	= 1986
52	184	89	336	87	= 1987
54	200	94	362	88	= 1988
68	171	66	316	89	= 1989
63	183	78	335	90	= 1990
65	180	76	328	91	= 1991
59	147	79	302	92	= 1992
50	150	63	272	93	= 1993
45	187	67	313	94	= 1994
11	48	10	73	95	= 1995

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

YRPREG02 11518-11519

VAR217.02: Year second pregnancy ended

Inapplicable:
 R has been pregnant less than 2 times,
 or she is currently pregnant with her
 second pregnancy.

610	3220	983	5004	Blank	= Blank, inapplicable
7	32	35	76	64-70	= 1970 or earlier
6	23	15	46	71	= 1971
10	42	27	84	72	= 1972
15	52	33	100	73	= 1973
23	68	42	135	74	= 1974
26	73	40	145	75	= 1975
25	101	30	158	76	= 1976
16	116	44	179	77	= 1977
19	124	54	203	78	= 1978
31	156	53	252	79	= 1979
43	179	59	288	80	= 1980
44	145	65	263	81	= 1981
49	153	81	289	82	= 1982
40	188	61	294	83	= 1983
51	162	84	306	84	= 1984
45	150	83	286	85	= 1985
55	169	80	316	86	= 1986
50	173	69	301	87	= 1987
53	163	74	300	88	= 1988
52	164	92	318	89	= 1989
42	147	76	275	90	= 1990
39	163	73	284	91	= 1991
71	168	64	313	92	= 1992
63	174	56	298	93	= 1993
49	138	58	256	94	= 1994
19	40	15	78	95	= 1995

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

YRPREG03 11520-11521

VAR217.03: Year third pregnancy ended

Inapplicable:

R has been pregnant less than 3 times,
 or she is currently pregnant with her
 third pregnancy.

925	4590	1471	7243	Blank	= Blank, inapplicable
3	5	12	20	64-70	= 1970 or earlier
0	2	3	5	71	= 1971
1	13	8	22	72	= 1972
3	11	11	27	73	= 1973
10	28	11	49	74	= 1974
9	20	17	48	75	= 1975
9	31	29	70	76	= 1976
17	55	27	103	77	= 1977
17	68	27	116	78	= 1978
16	71	30	121	79	= 1979
19	85	33	139	80	= 1980
26	82	37	148	81	= 1981
33	102	56	196	82	= 1982
33	97	31	172	83	= 1983
27	107	57	192	84	= 1984
31	116	44	197	85	= 1985
43	113	58	221	86	= 1986
26	104	65	200	87	= 1987
48	105	51	210	88	= 1988
46	117	59	230	89	= 1989
36	109	72	225	90	= 1990
40	121	60	228	91	= 1991
35	116	58	216	92	= 1992
46	108	64	226	93	= 1993
48	82	48	184	94	= 1994
6	25	7	39	95	= 1995

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

YRPREG04 11522-11523

VAR217.04: Year fourth pregnancy ended

Inapplicable:
 R has been pregnant less than 4 times,
 or she is currently pregnant with her
 fourth pregnancy.

1182	5543	1875	8904	Blank	= Blank, inapplicable
2	1	2	5	64-70	= 1970 or earlier
0	1	3	4	71	= 1971
0	2	3	5	72	= 1972
0	3	3	6	73	= 1973
5	6	4	16	74	= 1974
4	10	6	20	75	= 1975
2	11	10	25	76	= 1976
6	20	11	39	77	= 1977
8	33	16	58	78	= 1978
9	34	8	51	79	= 1979
7	34	22	65	80	= 1980
12	29	17	61	81	= 1981
17	48	19	86	82	= 1982
17	41	32	92	83	= 1983
20	58	17	98	84	= 1984
17	46	28	96	85	= 1985
20	49	33	103	86	= 1986
22	59	35	120	87	= 1987
24	68	51	146	88	= 1988
28	55	39	124	89	= 1989
23	55	35	116	90	= 1990
38	58	38	142	91	= 1991
24	67	37	132	92	= 1992
33	64	40	145	93	= 1993
24	65	49	141	94	= 1994
9	23	13	47	95	= 1995

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

YRPREG05 11524-11525

VAR217.05: Year fifth pregnancy ended

Inapplicable:

R has been pregnant less than 5 times,
 or she is currently pregnant with her
 fifth pregnancy.

1366	6052	2146	9902	Blank	= Blank, inapplicable
0	1	0	1	64-70	= 1970 or earlier
1	0	0	1	71	= 1971
1	1	3	5	72	= 1972
0	1	2	3	73	= 1973
0	2	0	2	74	= 1974
1	2	6	10	75	= 1975
1	3	1	5	76	= 1976
1	6	4	11	77	= 1977
4	10	3	17	78	= 1978
6	9	6	23	79	= 1979
2	18	6	26	80	= 1980
8	18	12	38	81	= 1981
5	16	14	37	82	= 1982
8	17	9	36	83	= 1983
9	17	23	51	84	= 1984
12	19	7	38	85	= 1985
12	27	10	53	86	= 1986
5	29	23	60	87	= 1987
19	37	21	79	88	= 1988
10	32	27	71	89	= 1989
13	34	26	75	90	= 1990
15	26	18	60	91	= 1991
13	28	25	69	92	= 1992
18	36	22	77	93	= 1993
18	34	25	77	94	= 1994
5	8	7	20	95	= 1995

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

YRPREG06 11526-11527

VAR217.06: Year sixth pregnancy ended

Inapplicable:

R has been pregnant less than 6 times,
 or she is currently pregnant with her
 sixth pregnancy.

1460	6286	2295	10391	Blank	= Blank, inapplicable
0	1	0	1	64-70	= 1970 or earlier
0	0	0	0	71	= 1971
1	0	0	1	72	= 1972
0	1	2	3	73	= 1973
0	0	0	0	74	= 1974
1	1	1	3	75	= 1975
0	1	1	3	76	= 1976
0	1	2	3	77	= 1977
2	4	2	8	78	= 1978
1	2	1	4	79	= 1979
1	5	2	8	80	= 1980
0	6	5	12	81	= 1981
1	7	6	14	82	= 1982
5	6	4	16	83	= 1983
6	10	7	24	84	= 1984
3	7	14	24	85	= 1985
7	6	5	20	86	= 1986
10	11	7	28	87	= 1987
5	12	5	23	88	= 1988
7	19	14	41	89	= 1989
11	14	15	41	90	= 1990
7	18	13	41	91	= 1991
6	19	15	40	92	= 1992
8	24	9	42	93	= 1993
8	17	16	43	94	= 1994
3	5	5	13	95	= 1995

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

YRPREG07 11528-11529

VAR217.07: Year seventh pregnancy ended

Inapplicable:
 R has been pregnant less than 7 times,
 or she is currently pregnant with her
 seventh pregnancy.

1503	6393	2370	10624	Blank	= Blank, inapplicable
0	1	0	1	64-70	= 1970 or earlier
0	0	0	0	71	= 1971
0	0	0	0	72	= 1972
1	0	0	1	73	= 1973
0	0	1	1	74	= 1974
1	0	0	1	75	= 1975
0	0	0	0	76	= 1976
0	1	1	3	77	= 1977
0	0	0	0	78	= 1978
1	2	0	3	79	= 1979
0	3	0	3	80	= 1980
1	1	3	5	81	= 1981
0	4	6	10	82	= 1982
2	2	3	8	83	= 1983
0	4	6	10	84	= 1984
3	3	5	12	85	= 1985
1	3	6	10	86	= 1986
5	2	1	9	87	= 1987
5	4	2	11	88	= 1988
7	5	2	14	89	= 1989
4	9	5	18	90	= 1990
5	14	7	27	91	= 1991
7	10	13	31	92	= 1992
1	6	6	13	93	= 1993
6	14	8	28	94	= 1994
0	2	1	4	95	= 1995

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

YRPREG08 11530-11531

VAR217.08: Year eighth pregnancy ended

Inapplicable:
 R has been pregnant less than 8 times,
 or she is currently pregnant with her eighth pregnancy.

1529	6440	2414	10745	Blank	= Blank, inapplicable
0	0	0	0	64-70	= 1970 or earlier
0	1	0	1	71	= 1971
0	0	0	0	72	= 1972
0	0	0	0	73	= 1973
0	0	0	0	74	= 1974
1	0	0	1	75	= 1975
1	0	0	1	76	= 1976
0	1	1	2	77	= 1977
0	0	0	0	78	= 1978
1	1	0	2	79	= 1979
0	0	0	0	80	= 1980
0	2	0	2	81	= 1981
1	3	1	5	82	= 1982
0	3	3	6	83	= 1983
0	2	0	2	84	= 1984
1	0	3	4	85	= 1985
0	0	2	4	86	= 1986
1	3	3	8	87	= 1987
0	3	2	5	88	= 1988
4	4	1	9	89	= 1989
5	1	3	9	90	= 1990
1	5	2	8	91	= 1991
2	6	3	11	92	= 1992
3	5	4	12	93	= 1993
2	1	3	6	94	= 1994
1	2	1	4	95	= 1995

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

YRPREG09 11532-11533

VAR217.09: Year ninth pregnancy ended

Inapplicable:

R has been pregnant less than 9 times,
 or she is currently pregnant with her
 ninth pregnancy.

1541	6454	2429	10786	Blank	= Blank, inapplicable
0	0	0	0	64-70	= 1970 or earlier
0	1	0	1	71	= 1971
0	0	0	0	72	= 1972
0	0	0	0	73	= 1973
0	0	0	0	74	= 1974
0	0	0	0	75	= 1975
1	0	0	1	76	= 1976
1	0	0	1	77	= 1977
0	0	0	0	78	= 1978
0	0	0	0	79	= 1979
1	1	0	2	80	= 1980
0	0	0	0	81	= 1981
0	3	0	3	82	= 1982
0	0	1	1	83	= 1983
0	1	0	1	84	= 1984
0	3	2	5	85	= 1985
1	1	1	3	86	= 1986
0	0	0	0	87	= 1987
0	2	4	7	88	= 1988
0	0	1	3	89	= 1989
1	4	0	5	90	= 1990
2	3	2	7	91	= 1991
3	4	4	11	92	= 1992
1	2	1	4	93	= 1993
0	3	1	4	94	= 1994
1	1	0	2	95	= 1995

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

YRPREG10 11534-11535

VAR217.10: Year tenth pregnancy ended

Inapplicable:
 R has been pregnant less than 10
 times, or she is currently pregnant
 with her tenth pregnancy.

1545	6470	2437	10815	Blank	= Blank, inapplicable
0	0	0	0	64-70	= 1970 or earlier
0	0	0	0	71	= 1971
0	1	0	1	72	= 1972
0	0	0	0	73	= 1973
0	0	0	0	74	= 1974
0	0	0	0	75	= 1975
0	0	0	0	76	= 1976
0	0	0	0	77	= 1977
0	0	0	0	78	= 1978
0	0	0	0	79	= 1979
2	1	0	3	80	= 1980
0	0	0	0	81	= 1981
0	0	0	0	82	= 1982
1	0	0	1	83	= 1983
0	1	0	1	84	= 1984
0	1	0	1	85	= 1985
1	0	0	1	86	= 1986
0	1	2	3	87	= 1987
0	0	0	0	88	= 1988
0	1	1	2	89	= 1989
0	0	1	2	90	= 1990
0	1	3	5	91	= 1991
0	0	0	0	92	= 1992
3	4	0	7	93	= 1993
0	1	1	2	94	= 1994
1	1	1	3	95	= 1995

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

YRPREG11 11536-11537

VAR217.11: Year eleventh pregnancy ended

Inapplicable:
 R has been pregnant less than 11 times, or she is currently pregnant with her eleventh pregnancy.

1548	6477	2443	10832	Blank	= Blank, inapplicable
0	0	0	0	64-70	= 1970 or earlier
0	0	0	0	71	= 1971
0	1	0	1	72	= 1972
0	0	0	0	73	= 1973
0	0	0	0	74	= 1974
0	0	0	0	75	= 1975
0	0	0	0	76	= 1976
0	0	0	0	77	= 1977
0	0	0	0	78	= 1978
0	0	0	0	79	= 1979
0	0	0	0	80	= 1980
0	0	0	0	81	= 1981
0	1	0	1	82	= 1982
2	0	0	2	83	= 1983
1	0	0	1	84	= 1984
0	0	0	0	85	= 1985
1	0	0	1	86	= 1986
0	1	0	1	87	= 1987
0	0	1	1	88	= 1988
0	0	0	0	89	= 1989
0	0	0	0	90	= 1990
0	0	1	2	91	= 1991
0	1	1	2	92	= 1992
0	0	0	0	93	= 1993
1	0	0	1	94	= 1994
0	2	0	2	95	= 1995

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

YRPREG12 11538-11539

VAR217.12: Year twelfth pregnancy ended

Inapplicable:
 R has been pregnant less than 12 times, or she is currently pregnant with her twelfth pregnancy.

1550	6480	2443	10837	Blank	= Blank, inapplicable
0	0	0	0	64-70	= 1970 or earlier
0	0	0	0	71	= 1971
0	0	0	0	72	= 1972
0	1	0	1	73	= 1973
0	0	0	0	74	= 1974
0	0	0	0	75	= 1975
0	0	0	0	76	= 1976
0	0	0	0	77	= 1977
0	0	0	0	78	= 1978
0	0	0	0	79	= 1979
0	0	0	0	80	= 1980
0	0	0	0	81	= 1981
0	0	0	0	82	= 1982
0	0	0	0	83	= 1983
0	0	0	0	84	= 1984
0	0	0	0	85	= 1985
2	1	0	3	86	= 1986
0	0	0	0	87	= 1987
0	0	0	0	88	= 1988
0	0	0	0	89	= 1989
0	0	0	0	90	= 1990
0	0	1	1	91	= 1991
0	0	1	2	92	= 1992
1	1	1	3	93	= 1993
0	0	0	0	94	= 1994
0	0	0	0	95	= 1995

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

YRPREG13 11540-11541

VAR217.13: Year thirteenth pregnancy ended

Inapplicable:
 R has been pregnant less than 13 times, or she is currently pregnant with her thirteenth pregnancy.

1552	6482	2443	10841	Blank	= Blank, inapplicable
0	0	0	0	64-70	= 1970 or earlier
0	0	0	0	71	= 1971
0	0	0	0	72	= 1972
0	1	0	1	73	= 1973
0	0	0	0	74	= 1974
0	0	0	0	75	= 1975
0	0	0	0	76	= 1976
0	0	0	0	77	= 1977
0	0	0	0	78	= 1978
0	0	0	0	79	= 1979
0	0	0	0	80	= 1980
0	0	0	0	81	= 1981
0	0	0	0	82	= 1982
0	0	0	0	83	= 1983
0	0	0	0	84	= 1984
0	0	0	0	85	= 1985
0	0	0	0	86	= 1986
1	0	0	1	87	= 1987
0	0	0	0	88	= 1988
0	0	0	0	89	= 1989
0	0	0	0	90	= 1990
0	0	0	0	91	= 1991
0	0	1	1	92	= 1992
0	0	2	3	93	= 1993
0	0	0	0	94	= 1994
0	0	0	0	95	= 1995

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

YRPREG14 11542-11543

VAR217.14: Year fourteenth pregnancy ended

Inapplicable:
 R has been pregnant less than 14 times, or she is currently pregnant with her fourteenth pregnancy.

1552	6482	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	64-70	= 1970 or earlier
0	0	0	0	71	= 1971
0	0	0	0	72	= 1972
0	0	0	0	73	= 1973
0	1	0	1	74	= 1974
0	0	0	0	75	= 1975
0	0	0	0	76	= 1976
0	0	0	0	77	= 1977
0	0	0	0	78	= 1978
0	0	0	0	79	= 1979
0	0	0	0	80	= 1980
0	0	0	0	81	= 1981
0	0	0	0	82	= 1982
0	0	0	0	83	= 1983
0	0	0	0	84	= 1984
0	0	0	0	85	= 1985
0	0	0	0	86	= 1986
0	0	0	0	87	= 1987
0	0	0	0	88	= 1988
0	0	0	0	89	= 1989
0	0	0	0	90	= 1990
0	0	0	0	91	= 1991
1	0	0	1	92	= 1992
0	0	0	0	93	= 1993
0	0	0	0	94	= 1994
0	0	1	1	95	= 1995

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

YRPREG15 11544-11545

VAR217.15: Year fifteenth pregnancy ended

Inapplicable:

R has been pregnant less than 15 times, or she is currently pregnant with her fifteenth pregnancy.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	64-70	= 1970 or earlier
0	0	0	0	71	= 1971
0	0	0	0	72	= 1972
0	0	0	0	73	= 1973
0	0	0	0	74	= 1974
0	1	0	1	75	= 1975
0	0	0	0	76	= 1976
0	0	0	0	77	= 1977
0	0	0	0	78	= 1978
0	0	0	0	79	= 1979
0	0	0	0	80	= 1980
0	0	0	0	81	= 1981
0	0	0	0	82	= 1982
0	0	0	0	83	= 1983
0	0	0	0	84	= 1984
0	0	0	0	85	= 1985
0	0	0	0	86	= 1986
0	0	0	0	87	= 1987
0	0	0	0	88	= 1988
0	0	0	0	89	= 1989
0	0	0	0	90	= 1990
0	0	0	0	91	= 1991
0	0	0	0	92	= 1992
0	0	0	0	93	= 1993
0	0	0	0	94	= 1994
0	0	0	0	95	= 1995

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGEPRG01 11546-11549

VAR218.01: Age at first pregnancy
 outcome

Inapplicable:
 R has never been pregnant, or she is
 currently pregnant with her first
 pregnancy.

363	2164	528	3187	Blank	= Blank, inapplicable
23	71	106	204	1100-1499	= Under 15 years
53	94	127	281	1500-1599	= 15 years
76	219	204	507	1600-1699	= 16 years
117	333	222	683	1700-1799	= 17 years
132	385	260	797	1800-1899	= 18 years
145	434	201	801	1900-1999	= 19 years
127	369	158	674	2000-2099	= 20 years
91	346	138	594	2100-2199	= 21 years
103	287	109	516	2200-2299	= 22 years
70	295	82	464	2300-2399	= 23 years
56	246	60	371	2400-2499	= 24 years
31	247	59	346	2500-2599	= 25 years
34	192	45	280	2600-2699	= 26 years
31	165	37	242	2700-2799	= 27 years
26	145	36	218	2800-2899	= 28 years
21	133	23	187	2900-2999	= 29 years
16	97	14	129	3000-3099	= 30 years
16	75	7	108	3100-3199	= 31 years
8	47	10	69	3200-3299	= 32 years
5	36	4	54	3300-3399	= 33 years
3	35	7	49	3400-3499	= 34 years
1	37	4	42	3500-3599	= 35 years
3	10	0	15	3600-3699	= 36 years
1	8	3	12	3700-3799	= 37 years
1	6	1	8	3800-3899	= 38 years
0	5	0	5	3900-3999	= 39 years
0	1	1	2	4000-4099	= 40 years
0	1	0	2	4100-4199	= 41 years
0	0	0	0	4200-4299	= 42 years
0	0	0	0	4300-4399	= 43 years
0	0	0	0	4400-4499	= 44 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGEPRG02 11550-11553

VAR218.02: Age at second pregnancy
 outcome

Inapplicable:

R has been pregnant less than 2 times,
 or she is currently pregnant with her
 second pregnancy.

610	3220	983	5004	Blank	= Blank, inapplicable
3	1	6	10	1100-1499	= Under 15 years
3	9	29	43	1500-1599	= 15 years
14	24	41	79	1600-1699	= 16 years
36	69	93	202	1700-1799	= 17 years
63	117	114	302	1800-1899	= 18 years
78	179	149	414	1900-1999	= 19 years
90	220	145	467	2000-2099	= 20 years
89	260	141	505	2100-2199	= 21 years
66	253	125	453	2200-2299	= 22 years
78	258	121	469	2300-2399	= 23 years
70	269	75	426	2400-2499	= 24 years
75	222	73	385	2500-2599	= 25 years
55	253	77	398	2600-2699	= 26 years
43	209	60	319	2700-2799	= 27 years
39	182	54	280	2800-2899	= 28 years
38	158	39	242	2900-2999	= 29 years
28	128	31	202	3000-3099	= 30 years
24	112	22	164	3100-3199	= 31 years
16	108	19	148	3200-3299	= 32 years
11	65	13	98	3300-3399	= 33 years
9	53	9	75	3400-3499	= 34 years
4	43	8	55	3500-3599	= 35 years
4	19	10	35	3600-3699	= 36 years
0	27	2	29	3700-3799	= 37 years
4	11	2	19	3800-3899	= 38 years
0	5	4	9	3900-3999	= 39 years
3	6	0	10	4000-4099	= 40 years
0	2	1	3	4100-4199	= 41 years
0	1	0	1	4200-4299	= 42 years
0	0	0	1	4300-4399	= 43 years
0	0	0	0	4400-4499	= 44 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGEPRG03 11554-11557

VAR218.03: Age at third pregnancy
 outcome

Inapplicable:

R has been pregnant less than 3 times,
 or she is currently pregnant with her
 third pregnancy.

	4590	1471	7243	Blank	
925	4590	1471	7243	Blank	= Blank, inapplicable
0	0	0	0	1100-1499	= Under 15 years
1	0	3	4	1500-1599	= 15 years
1	3	12	18	1600-1699	= 16 years
10	7	22	39	1700-1799	= 17 years
14	29	33	76	1800-1899	= 18 years
25	42	76	148	1900-1999	= 19 years
39	91	83	218	2000-2099	= 20 years
55	83	69	210	2100-2199	= 21 years
42	118	81	247	2200-2299	= 22 years
52	149	79	288	2300-2399	= 23 years
52	149	99	303	2400-2499	= 24 years
43	132	76	261	2500-2599	= 25 years
52	139	57	254	2600-2699	= 26 years
44	154	49	259	2700-2799	= 27 years
36	149	56	252	2800-2899	= 28 years
37	118	44	201	2900-2999	= 29 years
36	106	29	176	3000-3099	= 30 years
25	98	22	149	3100-3199	= 31 years
19	82	20	126	3200-3299	= 32 years
20	80	12	118	3300-3399	= 33 years
7	51	19	80	3400-3499	= 34 years
6	40	17	66	3500-3599	= 35 years
4	28	2	37	3600-3699	= 36 years
3	24	7	37	3700-3799	= 37 years
1	8	2	13	3800-3899	= 38 years
3	4	1	8	3900-3999	= 39 years
0	3	3	6	4000-4099	= 40 years
1	5	0	7	4100-4199	= 41 years
0	1	1	2	4200-4299	= 42 years
0	0	0	0	4300-4399	= 43 years
0	0	1	1	4400-4499	= 44 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGEPRG04 11558-11561

VAR218.04: Age at fourth pregnancy
 outcome

Inapplicable:

R has been pregnant less than 4 times,
 or she is currently pregnant with her
 fourth pregnancy.

1182	5543	1875	8904	Blank	= Blank, inapplicable
0	0	0	0	1100-1499	= Under 15 years
0	0	0	0	1500-1599	= 15 years
1	0	2	3	1600-1699	= 16 years
0	0	2	3	1700-1799	= 17 years
2	9	10	21	1800-1899	= 18 years
8	15	13	36	1900-1999	= 19 years
12	21	45	82	2000-2099	= 20 years
11	41	48	102	2100-2199	= 21 years
30	58	42	133	2200-2299	= 22 years
28	46	43	119	2300-2399	= 23 years
24	67	49	141	2400-2499	= 24 years
30	63	36	135	2500-2599	= 25 years
31	74	55	164	2600-2699	= 26 years
23	66	36	129	2700-2799	= 27 years
28	77	32	142	2800-2899	= 28 years
25	67	30	124	2900-2999	= 29 years
24	58	27	112	3000-3099	= 30 years
16	60	28	110	3100-3199	= 31 years
26	46	14	88	3200-3299	= 32 years
12	39	13	65	3300-3399	= 33 years
12	31	15	61	3400-3499	= 34 years
8	31	9	49	3500-3599	= 35 years
7	31	9	51	3600-3699	= 36 years
5	12	6	25	3700-3799	= 37 years
2	10	2	18	3800-3899	= 38 years
2	7	4	14	3900-3999	= 39 years
1	6	0	7	4000-4099	= 40 years
2	4	1	7	4100-4199	= 41 years
1	1	0	2	4200-4299	= 42 years
0	0	0	0	4300-4399	= 43 years
0	0	0	0	4400-4499	= 44 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGEPRG05 11562-11565

VAR218.05: Age at fifth pregnancy
 outcome

Inapplicable:

R has been pregnant less than 5 times,
 or she is currently pregnant with her
 fifth pregnancy.

1366	6052	2146	9902	Blank	= Blank, inapplicable
0	0	0	0	1100-1499	= Under 15 years
0	0	0	0	1500-1599	= 15 years
0	0	0	0	1600-1699	= 16 years
1	0	0	1	1700-1799	= 17 years
0	2	0	3	1800-1899	= 18 years
1	5	6	12	1900-1999	= 19 years
3	9	6	18	2000-2099	= 20 years
10	12	24	47	2100-2199	= 21 years
8	16	21	46	2200-2299	= 22 years
13	18	28	61	2300-2399	= 23 years
11	38	22	72	2400-2499	= 24 years
15	19	30	67	2500-2599	= 25 years
14	32	25	72	2600-2699	= 26 years
17	38	13	72	2700-2799	= 27 years
12	26	24	63	2800-2899	= 28 years
14	34	14	64	2900-2999	= 29 years
11	28	18	59	3000-3099	= 30 years
7	23	15	46	3100-3199	= 31 years
9	30	16	57	3200-3299	= 32 years
11	22	12	47	3300-3399	= 33 years
8	12	7	27	3400-3499	= 34 years
2	14	8	25	3500-3599	= 35 years
7	16	4	27	3600-3699	= 36 years
7	10	4	21	3700-3799	= 37 years
2	10	2	15	3800-3899	= 38 years
2	6	1	10	3900-3999	= 39 years
0	9	0	9	4000-4099	= 40 years
2	0	0	2	4100-4199	= 41 years
0	1	0	1	4200-4299	= 42 years
0	1	0	1	4300-4399	= 43 years
0	0	0	0	4400-4499	= 44 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGEPRG06 11566-11569

VAR218.06: Age at sixth pregnancy
 outcome

Inapplicable:

R has been pregnant less than 6 times,
 or she is currently pregnant with her
 sixth pregnancy.

1460	6286	2295	10391	Blank	= Blank, inapplicable
0	0	0	0	1100-1499	= Under 15 years
0	0	0	0	1500-1599	= 15 years
0	0	0	0	1600-1699	= 16 years
0	0	0	0	1700-1799	= 17 years
1	0	0	1	1800-1899	= 18 years
0	2	0	3	1900-1999	= 19 years
2	4	3	9	2000-2099	= 20 years
1	5	5	11	2100-2199	= 21 years
2	5	7	14	2200-2299	= 22 years
5	5	9	20	2300-2399	= 23 years
6	8	20	36	2400-2499	= 24 years
5	18	9	33	2500-2599	= 25 years
6	11	15	32	2600-2699	= 26 years
5	10	9	24	2700-2799	= 27 years
9	7	17	34	2800-2899	= 28 years
6	18	10	36	2900-2999	= 29 years
8	14	11	33	3000-3099	= 30 years
3	12	5	21	3100-3199	= 31 years
5	16	9	32	3200-3299	= 32 years
5	13	2	20	3300-3399	= 33 years
7	8	5	20	3400-3499	= 34 years
6	6	2	15	3500-3599	= 35 years
3	10	3	17	3600-3699	= 36 years
4	7	6	18	3700-3799	= 37 years
1	7	1	9	3800-3899	= 38 years
0	2	2	4	3900-3999	= 39 years
1	5	1	8	4000-4099	= 40 years
0	3	0	3	4100-4199	= 41 years
1	1	0	2	4200-4299	= 42 years
1	0	0	1	4300-4399	= 43 years
0	0	0	0	4400-4499	= 44 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGEPRG07 11570-11573

VAR218.07: Age at seventh pregnancy
 outcome

Inapplicable:

R has been pregnant less than 7 times,
 or she is currently pregnant with her
 seventh pregnancy.

1503	6393	2370	10624	Blank	= Blank, inapplicable
0	0	0	0	1100-1499	= Under 15 years
0	0	0	0	1500-1599	= 15 years
0	0	0	0	1600-1699	= 16 years
0	0	0	0	1700-1799	= 17 years
0	0	0	0	1800-1899	= 18 years
1	0	0	1	1900-1999	= 19 years
0	2	0	3	2000-2099	= 20 years
3	2	1	6	2100-2199	= 21 years
0	6	3	9	2200-2299	= 22 years
2	2	5	10	2300-2399	= 23 years
1	2	4	7	2400-2499	= 24 years
3	5	8	17	2500-2599	= 25 years
2	3	3	9	2600-2699	= 26 years
2	5	8	16	2700-2799	= 27 years
5	8	5	19	2800-2899	= 28 years
1	5	9	15	2900-2999	= 29 years
3	10	8	22	3000-3099	= 30 years
5	5	3	13	3100-3199	= 31 years
2	4	3	9	3200-3299	= 32 years
2	6	4	12	3300-3399	= 33 years
3	7	2	12	3400-3499	= 34 years
2	1	3	6	3500-3599	= 35 years
6	3	1	10	3600-3699	= 36 years
4	1	2	7	3700-3799	= 37 years
0	5	2	7	3800-3899	= 38 years
1	3	0	4	3900-3999	= 39 years
0	1	2	3	4000-4099	= 40 years
1	4	0	5	4100-4199	= 41 years
1	0	0	1	4200-4299	= 42 years
0	0	0	0	4300-4399	= 43 years
0	0	0	0	4400-4499	= 44 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGEPRG08 11574-11577

VAR218.08: Age at eighth pregnancy
 outcome

Inapplicable:

R has been pregnant less than 8 times,
 or she is currently pregnant with her
 eighth pregnancy.

1529	6440	2414	10745	Blank	= Blank, inapplicable
0	0	0	0	1100-1499	= Under 15 years
0	0	0	0	1500-1599	= 15 years
0	0	0	0	1600-1699	= 16 years
0	0	0	0	1700-1799	= 17 years
0	0	0	0	1800-1899	= 18 years
0	0	0	0	1900-1999	= 19 years
0	1	0	1	2000-2099	= 20 years
2	0	0	2	2100-2199	= 21 years
1	1	2	4	2200-2299	= 22 years
0	4	0	4	2300-2399	= 23 years
1	2	2	5	2400-2499	= 24 years
1	3	4	8	2500-2599	= 25 years
2	2	4	8	2600-2699	= 26 years
0	4	2	7	2700-2799	= 27 years
1	2	1	4	2800-2899	= 28 years
2	8	2	12	2900-2999	= 29 years
1	2	4	9	3000-3099	= 30 years
2	4	5	11	3100-3199	= 31 years
2	1	2	5	3200-3299	= 32 years
1	1	0	2	3300-3399	= 33 years
2	2	0	4	3400-3499	= 34 years
1	2	2	5	3500-3599	= 35 years
2	2	1	5	3600-3699	= 36 years
0	1	0	1	3700-3799	= 37 years
1	0	0	1	3800-3899	= 38 years
0	0	0	0	3900-3999	= 39 years
1	0	1	2	4000-4099	= 40 years
1	0	0	1	4100-4199	= 41 years
0	1	0	1	4200-4299	= 42 years
0	0	0	0	4300-4399	= 43 years
0	0	0	0	4400-4499	= 44 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGEPRG09 11578-11581

VAR218.09: Age at ninth pregnancy
 outcome

Inapplicable:

R has been pregnant less than 9 times,
 or she is currently pregnant with her
 ninth pregnancy.

1541	6454	2429	10786	Blank	= Blank, inapplicable
0	0	0	0	1100-1499	= Under 15 years
0	0	0	0	1500-1599	= 15 years
0	0	0	0	1600-1699	= 16 years
0	0	0	0	1700-1799	= 17 years
0	0	0	0	1800-1899	= 18 years
0	0	0	0	1900-1999	= 19 years
0	0	0	0	2000-2099	= 20 years
0	1	0	1	2100-2199	= 21 years
3	0	0	3	2200-2299	= 22 years
0	2	0	2	2300-2399	= 23 years
0	2	0	2	2400-2499	= 24 years
2	0	2	4	2500-2599	= 25 years
0	1	3	4	2600-2699	= 26 years
0	3	0	3	2700-2799	= 27 years
0	3	1	4	2800-2899	= 28 years
0	0	1	1	2900-2999	= 29 years
1	4	0	7	3000-3099	= 30 years
0	2	1	3	3100-3199	= 31 years
1	2	4	7	3200-3299	= 32 years
0	5	2	7	3300-3399	= 33 years
1	1	0	3	3400-3499	= 34 years
1	0	1	2	3500-3599	= 35 years
0	0	1	1	3600-3699	= 36 years
1	0	0	1	3700-3799	= 37 years
0	1	0	1	3800-3899	= 38 years
1	1	0	2	3900-3999	= 39 years
1	0	0	1	4000-4099	= 40 years
0	0	0	0	4100-4199	= 41 years
0	1	1	2	4200-4299	= 42 years
0	0	0	0	4300-4399	= 43 years
0	0	0	0	4400-4499	= 44 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGEPRG10 11582-11585

VAR218.10: Age at tenth pregnancy
 outcome

Inapplicable:
 R has been pregnant less than 10
 times, or she is currently pregnant
 with her tenth pregnancy.

1545	6470	2437	10815	Blank	= Blank, inapplicable
0	0	0	0	1100-1499	= Under 15 years
0	0	0	0	1500-1599	= 15 years
0	0	0	0	1600-1699	= 16 years
0	0	0	0	1700-1799	= 17 years
0	0	0	0	1800-1899	= 18 years
0	0	0	0	1900-1999	= 19 years
0	0	0	0	2000-2099	= 20 years
0	1	0	1	2100-2199	= 21 years
1	0	0	1	2200-2299	= 22 years
0	0	0	0	2300-2399	= 23 years
0	1	0	1	2400-2499	= 24 years
1	1	1	3	2500-2599	= 25 years
1	1	1	3	2600-2699	= 26 years
0	0	2	2	2700-2799	= 27 years
1	2	1	4	2800-2899	= 28 years
0	3	0	3	2900-2999	= 29 years
1	0	0	1	3000-3099	= 30 years
0	2	1	3	3100-3199	= 31 years
1	0	0	2	3200-3299	= 32 years
0	1	0	1	3300-3399	= 33 years
0	0	1	2	3400-3499	= 34 years
0	1	1	2	3500-3599	= 35 years
0	0	0	0	3600-3699	= 36 years
1	0	1	2	3700-3799	= 37 years
0	0	0	0	3800-3899	= 38 years
0	0	0	0	3900-3999	= 39 years
0	0	0	0	4000-4099	= 40 years
1	0	0	1	4100-4199	= 41 years
0	0	0	0	4200-4299	= 42 years
0	0	0	0	4300-4399	= 43 years
0	0	0	0	4400-4499	= 44 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGEPRG11 11586-11589 VAR218.11: Age at eleventh pregnancy
 outcome

Inapplicable:
 R has been pregnant less than 11
 times, or she is currently pregnant
 with her eleventh pregnancy.

1548	6477	2443	10832	Blank	= Blank, inapplicable
0	0	0	0	1100-1499	= Under 15 years
0	0	0	0	1500-1599	= 15 years
0	0	0	0	1600-1699	= 16 years
0	0	0	0	1700-1799	= 17 years
0	0	0	0	1800-1899	= 18 years
0	0	0	0	1900-1999	= 19 years
0	0	0	0	2000-2099	= 20 years
0	0	0	0	2100-2199	= 21 years
0	1	0	1	2200-2299	= 22 years
0	0	0	0	2300-2399	= 23 years
0	0	0	0	2400-2499	= 24 years
1	0	0	1	2500-2599	= 25 years
1	2	2	5	2600-2699	= 26 years
0	0	0	0	2700-2799	= 27 years
0	1	0	1	2800-2899	= 28 years
1	1	0	2	2900-2999	= 29 years
1	1	0	2	3000-3099	= 30 years
0	0	0	0	3100-3199	= 31 years
0	0	0	0	3200-3299	= 32 years
0	0	0	0	3300-3399	= 33 years
1	0	0	1	3400-3499	= 34 years
0	0	0	0	3500-3599	= 35 years
0	0	0	1	3600-3699	= 36 years
0	0	0	0	3700-3799	= 37 years
0	0	1	1	3800-3899	= 38 years
0	0	0	0	3900-3999	= 39 years
0	0	0	0	4000-4099	= 40 years
0	0	0	0	4100-4199	= 41 years
0	0	0	0	4200-4299	= 42 years
0	0	0	0	4300-4399	= 43 years
0	0	0	0	4400-4499	= 44 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGEPRG12 11590-11593

VAR218.12: Age at twelfth pregnancy
 outcome

Inapplicable:

R has been pregnant less than 12
 times, or she is currently pregnant
 with her twelfth pregnancy.

1550	6480	2443	10837	Blank	= Blank, inapplicable
0	0	0	0	1100-1499	= Under 15 years
0	0	0	0	1500-1599	= 15 years
0	0	0	0	1600-1699	= 16 years
0	0	0	0	1700-1799	= 17 years
0	0	0	0	1800-1899	= 18 years
0	0	0	0	1900-1999	= 19 years
0	0	0	0	2000-2099	= 20 years
0	0	0	0	2100-2199	= 21 years
0	1	0	1	2200-2299	= 22 years
0	0	0	0	2300-2399	= 23 years
0	0	0	0	2400-2499	= 24 years
0	0	0	0	2500-2599	= 25 years
1	0	0	1	2600-2699	= 26 years
0	0	0	0	2700-2799	= 27 years
0	1	1	2	2800-2899	= 28 years
0	0	1	1	2900-2999	= 29 years
0	0	0	0	3000-3099	= 30 years
0	0	0	0	3100-3199	= 31 years
1	0	0	1	3200-3299	= 32 years
0	0	0	0	3300-3399	= 33 years
0	1	0	1	3400-3499	= 34 years
1	0	0	1	3500-3599	= 35 years
0	0	0	1	3600-3699	= 36 years
0	0	0	0	3700-3799	= 37 years
0	0	0	0	3800-3899	= 38 years
0	0	1	1	3900-3999	= 39 years
0	0	0	0	4000-4099	= 40 years
0	0	0	0	4100-4199	= 41 years
0	0	0	0	4200-4299	= 42 years
0	0	0	0	4300-4399	= 43 years
0	0	0	0	4400-4499	= 44 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGEPRG13 11594-11597

VAR218.14: Age at thirteenth pregnancy outcome

Inapplicable:
 R has been pregnant less than 13 times, or she is currently pregnant with her thirteenth pregnancy.

1552	6482	2443	10841	Blank	= Blank, inapplicable
0	0	0	0	1100-1499	= Under 15 years
0	0	0	0	1500-1599	= 15 years
0	0	0	0	1600-1699	= 16 years
0	0	0	0	1700-1799	= 17 years
0	0	0	0	1800-1899	= 18 years
0	0	0	0	1900-1999	= 19 years
0	0	0	0	2000-2099	= 20 years
0	0	0	0	2100-2199	= 21 years
0	0	0	0	2200-2299	= 22 years
0	1	0	1	2300-2399	= 23 years
0	0	0	0	2400-2499	= 24 years
0	0	0	0	2500-2599	= 25 years
0	0	0	0	2600-2699	= 26 years
1	0	0	1	2700-2799	= 27 years
0	0	1	1	2800-2899	= 28 years
0	0	0	0	2900-2999	= 29 years
0	0	1	1	3000-3099	= 30 years
0	0	0	0	3100-3199	= 31 years
0	0	0	0	3200-3299	= 32 years
0	0	0	0	3300-3399	= 33 years
0	0	0	0	3400-3499	= 34 years
0	0	0	0	3500-3599	= 35 years
0	0	0	0	3600-3699	= 36 years
0	0	0	1	3700-3799	= 37 years
0	0	0	0	3800-3899	= 38 years
0	0	0	0	3900-3999	= 39 years
0	0	0	0	4000-4099	= 40 years
0	0	1	1	4100-4199	= 41 years
0	0	0	0	4200-4299	= 42 years
0	0	0	0	4300-4399	= 43 years
0	0	0	0	4400-4499	= 44 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGEPRG14 11598-11601

VAR218.14: Age at fourteenth pregnancy outcome

Inapplicable:
 R has been pregnant less than 14 times, or she is currently pregnant with her fourteenth pregnancy.

1552	6482	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	1100-1499	= Under 15 years
0	0	0	0	1500-1599	= 15 years
0	0	0	0	1600-1699	= 16 years
0	0	0	0	1700-1799	= 17 years
0	0	0	0	1800-1899	= 18 years
0	0	0	0	1900-1999	= 19 years
0	0	0	0	2000-2099	= 20 years
0	0	0	0	2100-2199	= 21 years
0	0	0	0	2200-2299	= 22 years
0	1	0	1	2300-2399	= 23 years
0	0	0	0	2400-2499	= 24 years
0	0	0	0	2500-2599	= 25 years
0	0	0	0	2600-2699	= 26 years
0	0	0	0	2700-2799	= 27 years
0	0	0	0	2800-2899	= 28 years
0	0	0	0	2900-2999	= 29 years
0	0	0	0	3000-3099	= 30 years
0	0	0	0	3100-3199	= 31 years
1	0	0	1	3200-3299	= 32 years
0	0	0	0	3300-3399	= 33 years
0	0	0	0	3400-3499	= 34 years
0	0	0	0	3500-3599	= 35 years
0	0	0	0	3600-3699	= 36 years
0	0	0	0	3700-3799	= 37 years
0	0	0	0	3800-3899	= 38 years
0	0	0	0	3900-3999	= 39 years
0	0	0	0	4000-4099	= 40 years
0	0	0	0	4100-4199	= 41 years
0	0	1	1	4200-4299	= 42 years
0	0	0	0	4300-4399	= 43 years
0	0	0	0	4400-4499	= 44 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGEPRG15 11602-11605

VAR218.15: Age at fifteenth pregnancy
 outcome

Inapplicable:

R has been pregnant less than 15
 times, or she is currently pregnant
 with her fifteenth pregnancy.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	1100-1499	= Under 15 years
0	0	0	0	1500-1599	= 15 years
0	0	0	0	1600-1699	= 16 years
0	0	0	0	1700-1799	= 17 years
0	0	0	0	1800-1899	= 18 years
0	0	0	0	1900-1999	= 19 years
0	0	0	0	2000-2099	= 20 years
0	0	0	0	2100-2199	= 21 years
0	0	0	0	2200-2299	= 22 years
0	0	0	0	2300-2399	= 23 years
0	1	0	1	2400-2499	= 24 years
0	0	0	0	2500-2599	= 25 years
0	0	0	0	2600-2699	= 26 years
0	0	0	0	2700-2799	= 27 years
0	0	0	0	2800-2899	= 28 years
0	0	0	0	2900-2999	= 29 years
0	0	0	0	3000-3099	= 30 years
0	0	0	0	3100-3199	= 31 years
0	0	0	0	3200-3299	= 32 years
0	0	0	0	3300-3399	= 33 years
0	0	0	0	3400-3499	= 34 years
0	0	0	0	3500-3599	= 35 years
0	0	0	0	3600-3699	= 36 years
0	0	0	0	3700-3799	= 37 years
0	0	0	0	3800-3899	= 38 years
0	0	0	0	3900-3999	= 39 years
0	0	0	0	4000-4099	= 40 years
0	0	0	0	4100-4199	= 41 years
0	0	0	0	4200-4299	= 42 years
0	0	0	0	4300-4399	= 43 years
0	0	0	0	4400-4499	= 44 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MAROUT01 11606-11606

VAR219.01: Marital status at first pregnancy outcome

Inapplicable:
 R has never been pregnant, or she is currently pregnant with her first pregnancy.

363	2164	528	3187	Blank	= Blank, inapplicable
676	2779	404	4006	1	= Married
20	103	20	145	2	= Divorced
1	6	1	9	3	= Widowed
2	4	3	9	4	= Separated
491	1427	1490	3491	5	= Never Married

MAROUT02 11607-11607

VAR219.02: Marital status at second pregnancy outcome

Inapplicable:
 R has been pregnant less than 2 times, or she is currently pregnant with her second pregnancy.

610	3220	983	5004	Blank	= Blank, inapplicable
630	2637	493	3899	1	= Married
46	151	63	268	2	= Divorced
1	6	2	10	3	= Widowed
11	6	15	33	4	= Separated
255	463	890	1633	5	= Never Married

MAROUT03 11608-11608

VAR219.03: Marital status at third pregnancy outcome

Inapplicable:
 R has been pregnant less than 3 times, or she is currently pregnant with her third pregnancy.

925	4590	1471	7243	Blank	= Blank, inapplicable
434	1557	361	2439	1	= Married
49	151	77	284	2	= Divorced
2	2	5	10	3	= Widowed
12	8	20	41	4	= Separated
131	175	512	830	5	= Never Married

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MAROUT04 11609-11609 VAR219.04: Marital status at fourth pregnancy outcome

Inapplicable:
 R has been pregnant less than 4 times, or she is currently pregnant with her fourth pregnancy.

1182	5543	1875	8904	Blank	= Blank, inapplicable
253	739	210	1247	1	= Married
38	119	57	219	2	= Divorced
2	2	5	10	3	= Widowed
8	8	21	38	4	= Separated
70	72	278	429	5	= Never Married

MAROUT05 11610-11610 VAR219.05: Marital status at fifth pregnancy outcome

Inapplicable:
 R has been pregnant less than 5 times, or she is currently pregnant with her fifth pregnancy.

1366	6052	2146	9902	Blank	= Blank, inapplicable
121	345	102	587	1	= Married
23	53	40	121	2	= Divorced
3	4	2	9	3	= Widowed
9	2	13	24	4	= Separated
31	27	143	204	5	= Never Married

MAROUT06 11611-11611 VAR219.06: Marital status at sixth pregnancy outcome

Inapplicable:
 R has been pregnant less than 6 times, or she is currently pregnant with her sixth pregnancy.

1460	6286	2295	10391	Blank	= Blank, inapplicable
51	159	48	269	1	= Married
19	25	15	61	2	= Divorced
4	2	2	8	3	= Widowed
3	2	10	16	4	= Separated
16	9	76	102	5	= Never Married

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MAROUT07 11612-11612 VAR219.07: Marital status at seventh pregnancy outcome

Inapplicable:
 R has been pregnant less than 7 times,
 or she is currently pregnant with her
 seventh pregnancy.

1503	6393	2370	10624	Blank	= Blank, inapplicable
27	73	25	129	1	= Married
11	10	9	31	2	= Divorced
2	1	3	6	3	= Widowed
2	0	3	6	4	= Separated
8	6	36	51	5	= Never Married

MAROUT08 11613-11613 VAR219.08: Marital status at eighth pregnancy outcome

Inapplicable:
 R has been pregnant less than 8 times,
 or she is currently pregnant with her
 eighth pregnancy.

1529	6440	2414	10745	Blank	= Blank, inapplicable
11	32	8	52	1	= Married
6	5	6	19	2	= Divorced
1	1	1	3	3	= Widowed
2	1	1	4	4	= Separated
4	4	16	24	5	= Never Married

MAROUT09 11614-11614 VAR219.09: Marital status at ninth pregnancy outcome

Inapplicable:
 R has been pregnant less than 9 times,
 or she is currently pregnant with her
 ninth pregnancy.

1541	6454	2429	10786	Blank	= Blank, inapplicable
6	22	5	33	1	= Married
4	4	3	14	2	= Divorced
0	1	0	1	3	= Widowed
1	0	1	2	4	= Separated
1	2	8	11	5	= Never Married

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MAROUT10 11615-11615 VAR219.10: Marital status at tenth pregnancy outcome

Inapplicable:
 R has been pregnant less than 10 times, or she is currently pregnant with her tenth pregnancy.

1545	6470	2437	10815	Blank	= Blank, inapplicable
3	7	2	12	1	= Married
3	4	0	9	2	= Divorced
0	1	0	1	3	= Widowed
1	0	1	2	4	= Separated
1	1	6	8	5	= Never Married

MAROUT11 11616-11616 VAR219.11: Marital status at eleventh pregnancy outcome

Inapplicable:
 R has been pregnant less than 11 times, or she is currently pregnant with her eleventh pregnancy.

1548	6477	2443	10832	Blank	= Blank, inapplicable
3	4	0	7	1	= Married
2	0	1	4	2	= Divorced
0	1	0	1	3	= Widowed
0	0	1	1	4	= Separated
0	1	1	2	5	= Never Married

MAROUT12 11617-11617 VAR219.12: Marital status at twelfth pregnancy outcome

Inapplicable:
 R has been pregnant less than 12 times, or she is currently pregnant with her twelfth pregnancy.

1550	6480	2443	10837	Blank	= Blank, inapplicable
1	2	0	3	1	= Married
2	0	1	4	2	= Divorced
0	0	0	0	3	= Widowed
0	0	1	1	4	= Separated
0	1	1	2	5	= Never Married

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MAROUT13 11618-11618

VAR219.13: Marital status at thirteenth pregnancy outcome

Inapplicable:
 R has been pregnant less than 13 times, or she is currently pregnant with her thirteenth pregnancy.

1552	6482	2443	10841	Blank	= Blank, inapplicable
1	1	0	2	1	= Married
0	0	1	2	2	= Divorced
0	0	0	0	3	= Widowed
0	0	1	1	4	= Separated
0	0	1	1	5	= Never Married

MAROUT14 11619-11619

VAR219.14: Marital status at fourteenth pregnancy outcome

Inapplicable:
 R has been pregnant less than 14 times, or she is currently pregnant with her fourteenth pregnancy.

1552	6482	2445	10844	Blank	= Blank, inapplicable
0	1	1	2	1	= Married
1	0	0	1	2	= Divorced
0	0	0	0	3	= Widowed
0	0	0	0	4	= Separated
0	0	0	0	5	= Never Married

MAROUT15 11620-11620

VAR219.15: Marital status at fifteenth pregnancy outcome

Inapplicable:
 R has been pregnant less than 15 times, or she is currently pregnant with her fifteenth pregnancy.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	1	0	1	1	= Married
0	0	0	0	2	= Divorced
0	0	0	0	3	= Widowed
0	0	0	0	4	= Separated
0	0	0	0	5	= Never Married

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MENARCHI 11621-11621 MENARCHR (VAR201) Imputation Flag
 Non-blank for all Rs.

1551	6467	2442	10825	0	= Questionnaire data
2	16	4	22	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

RCURPREI 11622-11622 RCURPREG (VAR202) Imputation Flag
 Non-blank for all Rs.

1553	6480	2446	10844	0	= Questionnaire data
0	3	0	3	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

PREGNUMI 11623-11623 PREGNUM (VAR203) Imputation Flag
 Non-blank for all Rs.

1553	6483	2446	10847	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

COMPREGI 11624-11624 COMPREG (VAR204) Imputation Flag
 Non-blank for all Rs.

1553	6480	2446	10844	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	3	0	3	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

LOSSNUM1 11625-11625 LOSSNUM (VAR205) Imputation Flag
 Non-blank for all Rs.

1553	6483	2445	10846	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	1	1	3	= Computed based on imputed value(s) of other recode(s)

MISCARRI 11626-11626 MISSCARR (VAR206) Imputation Flag
 Non-blank for all Rs.

1553	6483	2445	10846	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	1	1	3	= Computed based on imputed value(s) of other recode(s)

ECTOPICI 11627-11627 ECTOPIC (VAR207) Imputation Flag
 Non-blank for all Rs.

1553	6483	2446	10847	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

STLLBRTI 11628-11628 STLLBRTH (VAR208) Imputation Flag
 Non-blank for all Rs.

1553	6483	2446	10847	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

ABORTIOI 11629-11629 ABORTION (VAR209) Imputation Flag
 Non-blank for all Rs.

1553	6481	2445	10843	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	2	1	4	3	= Computed based on imputed value(s) of other recode(s)

LBPREGSI 11630-11630 LBPREGS (VAR210) Imputation Flag
 Non-blank for all Rs.

1553	6483	2446	10847	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

PARITY_I 11631-11631 PARITY (VAR211) Imputation Flag
 Non-blank for all Rs.

1553	6483	2446	10847	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

BABY1MOI 11632-11632 BABY1MO (VAR220) Imputation Flag
 Non-blank for all Rs.

1551	6479	2443	10837	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
2	4	3	10	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGEBABYI 11633-11633 AGEBABY1 (VAR221) Imputation Flag
 Non-blank for all Rs.

1551	6479	2443	10837	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
2	4	3	10	3	= Computed based on imputed value(s) of other recode(s)

LIV1CHLI 11634-11634 LIV1CHLD (VAR222) Imputation Flag
 Non-blank for all Rs.

1553	6483	2446	10847	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

BIRTHS5I 11635-11635 BIRTHS5 (VAR223) Imputation Flag
 Non-blank for all Rs.

1533	6429	2408	10732	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
20	54	38	115	3	= Computed based on imputed value(s) of other recode(s)

AGELSBII 11636-11636 AGELSBIR (VAR224) Imputation Flag
 Non-blank for all Rs.

1550	6479	2444	10838	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
3	4	2	9	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OUTCMI01 11637-11637 OUTCOM01 (VAR215.01) Imputation Flag

Inapplicable:
 R has never been pregnant. pregnancy.

345	2100	511	3086	Blank	= Blank, inapplicable
1208	4381	1934	7758	0	= Questionnaire data
0	0	1	1	1	= Stochastic imputation
0	2	0	2	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

OUTCMI02 11638-11638 OUTCOM02 (VAR215.02) Imputation Flag

Inapplicable:
 R has been pregnant less than 2 times.

586	3138	950	4863	Blank	= Blank, inapplicable
967	3345	1496	5984	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

OUTCMI03 11639-11639 OUTCOM03 (VAR215.03) Imputation Flag

Inapplicable:
 R has been pregnant less than 3 times.

907	4540	1452	7155	Blank	= Blank, inapplicable
646	1943	994	3692	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OUTCMI04 11640-11640 OUTCOM04 (VAR215.04) Imputation Flag

Inapplicable:
 R has been pregnant less than 4 times.

1171	5522	1864	8858	Blank	= Blank, inapplicable
382	961	582	1989	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

OUTCMI05 11641-11641 OUTCOM05 (VAR215.05) Imputation Flag

Inapplicable:
 R has been pregnant less than 5 times.

1362	6042	2132	9874	Blank	= Blank, inapplicable
191	441	313	972	0	= Questionnaire data
0	0	1	1	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

OUTCMI06 11642-11642 OUTCOM06 (VAR215.06) Imputation Flag

Inapplicable:
 R has been pregnant less than 6 times.

1458	6281	2292	10381	Blank	= Blank, inapplicable
95	202	153	465	0	= Questionnaire data
0	0	1	1	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OUTCMI07 11643-11643 OUTCOM07 (VAR215.07) Imputation Flag

Inapplicable:
 R has been pregnant less than 7 times.

1501	6391	2367	10617	Blank	= Blank, inapplicable
52	92	79	229	0	= Questionnaire data
0	0	0	1	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

OUTCMI08 11644-11644 OUTCOM08 (VAR215.08) Imputation Flag

Inapplicable:
 R has been pregnant less than 8 times.

1528	6439	2412	10740	Blank	= Blank, inapplicable
25	44	34	107	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

OUTCMI09 11645-11645 OUTCOM09 (VAR215.09) Imputation Flag

Inapplicable:
 R has been pregnant less than 9 times.

1541	6454	2429	10786	Blank	= Blank, inapplicable
12	29	17	61	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OUTCMI10 11646-11646 OUTCOM10 (VAR215.10) Imputation Flag

Inapplicable:
 R has been pregnant less than 10
 times.

1545	6469	2437	10814	Blank	= Blank, inapplicable
8	14	9	33	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

OUTCMI11 11647-11647 OUTCOM11 (VAR215.11) Imputation Flag

Inapplicable:
 R has been pregnant less than 11
 times.

1547	6477	2443	10831	Blank	= Blank, inapplicable
6	6	3	16	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

OUTCMI12 11648-11648 OUTCOM12 (VAR215.12) Imputation Flag

Inapplicable:
 R has been pregnant less than 12
 times.

1550	6480	2443	10837	Blank	= Blank, inapplicable
3	3	3	10	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OUTCMI13 11649-11649 OUTCOM13 (VAR215.13) Imputation Flag

Inapplicable:
 R has been pregnant less than 13
 times.

1552	6482	2443	10841	Blank	= Blank, inapplicable
1	1	3	6	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

OUTCMI14 11650-11650 OUTCOM14 (VAR215.14) Imputation Flag

Inapplicable:
 R has been pregnant less than 14
 times.

1552	6482	2445	10844	Blank	= Blank, inapplicable
1	1	1	3	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

OUTCMI15 11651-11651 OUTCOM15 (VAR215.15) Imputation Flag

Inapplicable:
 R has been pregnant less than 15
 times.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	1	0	1	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DATCNI01 11652-11652 DATCON01 (VAR212.01) Imputation Flag

Inapplicable:
 R has never been pregnant, or she is currently pregnant with her first pregnancy.

345	2100	511	3086	Blank	= Blank, inapplicable
1206	4362	1923	7723	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
2	21	12	38	3	= Computed based on imputed value(s) of other recode(s)

DATCNI02 11653-11653 DATCON02 (VAR212.02) Imputation Flag

Inapplicable:
 R has been pregnant less than 2 times, or she is currently pregnant with her second pregnancy.

586	3138	950	4863	Blank	= Blank, inapplicable
959	3326	1477	5938	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
8	19	19	46	3	= Computed based on imputed value(s) of other recode(s)

DATCNI03 11654-11654 DATCON03 (VAR212.03) Imputation Flag

Inapplicable:
 R has been pregnant less than 3 times, or she is currently pregnant with her third pregnancy.

907	4540	1452	7155	Blank	= Blank, inapplicable
638	1920	981	3648	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
8	23	13	44	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DATCNI04 11655-11655 DATCON04 (VAR212.04) Imputation Flag

Inapplicable:
 R has been pregnant less than 4 times,
 or she is currently pregnant with her
 fourth pregnancy.

1171	5522	1864	8858	Blank	= Blank, inapplicable
377	942	573	1956	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
5	19	9	33	3	= Computed based on imputed value(s) of other recode(s)

DATCNI05 11656-11656 DATCON05 (VAR212.05) Imputation Flag

Inapplicable:
 R has been pregnant less than 5 times,
 or she is currently pregnant with her
 fifth pregnancy.

1362	6042	2132	9874	Blank	= Blank, inapplicable
188	428	304	947	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
3	13	10	26	3	= Computed based on imputed value(s) of other recode(s)

DATCNI06 11657-11657 DATCON06 (VAR212.06) Imputation Flag

Inapplicable:
 R has been pregnant less than 6 times,
 or she is currently pregnant with her
 sixth pregnancy.

1458	6281	2292	10381	Blank	= Blank, inapplicable
92	192	148	447	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
3	10	6	19	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DATCNI07 11658-11658 DATCON07 (VAR212.07) Imputation Flag

Inapplicable:
 R has been pregnant less than 7 times,
 or she is currently pregnant with her
 seventh pregnancy.

1501	6391	2367	10617	Blank	= Blank, inapplicable
49	83	77	215	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
3	9	2	15	3	= Computed based on imputed value(s) of other recode(s)

DATCNI08 11659-11659 DATCON08 (VAR212.08) Imputation Flag

Inapplicable:
 R has been pregnant less than 8 times,
 or she is currently pregnant with her
 eighth pregnancy.

1528	6439	2412	10740	Blank	= Blank, inapplicable
23	40	33	100	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
2	4	1	7	3	= Computed based on imputed value(s) of other recode(s)

DATCNI09 11660-11660 DATCON09 (VAR212.09) Imputation Flag

Inapplicable:
 R has been pregnant less than 9 times,
 or she is currently pregnant with her
 ninth pregnancy.

1541	6454	2429	10786	Blank	= Blank, inapplicable
9	25	16	53	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
3	4	1	8	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DATCNI10 11661-11661 DATCON10 (VAR212.10) Imputation Flag

Inapplicable:
 R has been pregnant less than 10
 times, or she is currently pregnant
 with her tenth pregnancy.

1545	6469	2437	10814	Blank	= Blank, inapplicable
7	12	8	29	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
1	2	1	4	3	= Computed based on imputed value(s) of other recode(s)

DATCNI11 11662-11662 DATCON11 (VAR212.11) Imputation Flag

Inapplicable:
 R has been pregnant less than 11
 times, or she is currently pregnant
 with her eleventh pregnancy.

1547	6477	2443	10831	Blank	= Blank, inapplicable
6	4	2	13	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	2	1	3	3	= Computed based on imputed value(s) of other recode(s)

DATCNI12 11663-11663 DATCON12 (VAR212.12) Imputation Flag

Inapplicable:
 R has been pregnant less than 12
 times, or she is currently pregnant
 with her twelfth pregnancy.

1550	6480	2443	10837	Blank	= Blank, inapplicable
3	1	2	7	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	2	1	3	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DATCNI13 11664-11664 DATCON13 (VAR212.13) Imputation Flag

Inapplicable:
 R has been pregnant less than 13 times, or she is currently pregnant with her thirteenth pregnancy.

1552	6482	2443	10841	Blank	= Blank, inapplicable
1	0	3	5	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	1	0	1	3	= Computed based on imputed value(s) of other recode(s)

DATCNI14 11665-11665 DATCON14 (VAR212.14) Imputation Flag

Inapplicable:
 R has been pregnant less than 14 times, or she is currently pregnant with her fourteenth pregnancy.

1552	6482	2445	10844	Blank	= Blank, inapplicable
1	0	1	2	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	1	0	1	3	= Computed based on imputed value(s) of other recode(s)

DATCNI15 11666-11666 DATCON15 (VAR212.15) Imputation Flag

Inapplicable:
 R has been pregnant less than 15 times, or she is currently pregnant with her fifteenth pregnancy.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	1	0	1	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGECNI01 11667-11667 AGECON01 (VAR213.01) Imputation Flag

Inapplicable:
 R has never been pregnant, or she is currently pregnant with her first pregnancy.

345	2100	511	3086	Blank	= Blank, inapplicable
1206	4362	1923	7723	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
2	21	12	38	3	= Computed based on imputed value(s) of other recode(s)

AGECNI02 11668-11668 AGECON02 (VAR213.02) Imputation Flag

Inapplicable:
 R has been pregnant less than 2 times, or she is currently pregnant with her second pregnancy.

586	3138	950	4863	Blank	= Blank, inapplicable
959	3326	1477	5938	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
8	19	19	46	3	= Computed based on imputed value(s) of other recode(s)

AGECNI03 11669-11669 AGECON03 (VAR213.03) Imputation Flag

Inapplicable:
 R has been pregnant less than 3 times, or she is currently pregnant with her third pregnancy.

907	4540	1452	7155	Blank	= Blank, inapplicable
638	1920	981	3648	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
8	23	13	44	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGECNI04 11670-11670 AGECON04 (VAR213.04) Imputation Flag

Inapplicable:
 R has been pregnant less than 4 times,
 or she is currently pregnant with her
 fourth pregnancy.

1171	5522	1864	8858	Blank	= Blank, inapplicable
377	942	573	1956	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
5	19	9	33	3	= Computed based on imputed value(s) of other recode(s)

AGECNI05 11671-11671 AGECON05 (VAR213.05) Imputation Flag

Inapplicable:
 R has been pregnant less than 5 times,
 or she is currently pregnant with her
 fifth pregnancy.

1362	6042	2132	9874	Blank	= Blank, inapplicable
188	428	304	947	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
3	13	10	26	3	= Computed based on imputed value(s) of other recode(s)

AGECNI06 11672-11672 AGECON06 (VAR213.06) Imputation Flag

Inapplicable:
 R has been pregnant less than 6 times,
 or she is currently pregnant with her
 sixth pregnancy.

1458	6281	2292	10381	Blank	= Blank, inapplicable
92	192	148	447	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
3	10	6	19	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGECNI07 11673-11673 AGECON07 (VAR213.07) Imputation Flag

Inapplicable:
 R has been pregnant less than 7 times,
 or she is currently pregnant with her
 seventh pregnancy.

1501	6391	2367	10617	Blank	= Blank, inapplicable
49	83	77	215	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
3	9	2	15	3	= Computed based on imputed value(s) of other recode(s)

AGECNI08 11674-11674 AGECON08 (VAR213.08) Imputation Flag

Inapplicable:
 R has been pregnant less than 8 times,
 or she is currently pregnant with her
 eighth pregnancy.

1528	6439	2412	10740	Blank	= Blank, inapplicable
23	40	33	100	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
2	4	1	7	3	= Computed based on imputed value(s) of other recode(s)

AGECNI09 11675-11675 AGECON09 (VAR213.09) Imputation Flag

Inapplicable:
 R has been pregnant less than 9 times,
 or she is currently pregnant with her
 ninth pregnancy.

1541	6454	2429	10786	Blank	= Blank, inapplicable
9	25	16	53	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
3	4	1	8	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGECNI10 11676-11676 AGECON10 (VAR213.10) Imputation Flag

Inapplicable:
 R has been pregnant less than 10
 times, or she is currently pregnant
 with her tenth pregnancy.

1545	6469	2437	10814	Blank	= Blank, inapplicable
7	12	8	29	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
1	2	1	4	3	= Computed based on imputed value(s) of other recode(s)

AGECNI11 11677-11677 AGECON11 (VAR213.11) Imputation Flag

Inapplicable:
 R has been pregnant less than 11
 times, or she is currently pregnant
 with her eleventh pregnancy.

1547	6477	2443	10831	Blank	= Blank, inapplicable
6	4	2	13	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	2	1	3	3	= Computed based on imputed value(s) of other recode(s)

AGECNI12 11678-11678 AGECON12 (VAR213.12) Imputation Flag

Inapplicable:
 R has been pregnant less than 12
 times, or she is currently pregnant
 with her twelfth pregnancy.

1550	6480	2443	10837	Blank	= Blank, inapplicable
3	1	2	7	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	2	1	3	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGECNI13 11679-11679 AGECON13 (VAR213.13) Imputation Flag

Inapplicable:
 R has been pregnant less than 13
 times, or she is currently pregnant
 with her thirteenth pregnancy.

1552	6482	2443	10841	Blank	= Blank, inapplicable
1	0	3	5	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	1	0	1	3	= Computed based on imputed value(s) of other recode(s)

AGECNI14 11680-11680 AGECON14 (VAR213.14) Imputation Flag

Inapplicable:
 R has been pregnant less than 14
 times, or she is currently pregnant
 with her fourteenth pregnancy.

1552	6482	2445	10844	Blank	= Blank, inapplicable
1	0	1	2	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	1	0	1	3	= Computed based on imputed value(s) of other recode(s)

AGECNI15 11681-11681 AGECON15 (VAR213.15) Imputation Flag

Inapplicable:
 R has been pregnant less than 15
 times, or she is currently pregnant
 with her fifteenth pregnancy.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	1	0	1	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MARCNI01 11682-11682 MARCON01 (VAR214.01) Imputation Flag

Inapplicable:
 R has never been pregnant, or she is currently pregnant with her first pregnancy.

345	2100	511	3086	Blank	= Blank, inapplicable
1200	4350	1910	7689	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
8	33	25	72	3	= Computed based on imputed value(s) of other recode(s)

MARCNI02 11683-11683 MARCON02 (VAR214.02) Imputation Flag

Inapplicable:
 R has been pregnant less than 2 times, or she is currently pregnant with her second pregnancy.

586	3138	950	4863	Blank	= Blank, inapplicable
952	3314	1464	5903	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
15	31	32	81	3	= Computed based on imputed value(s) of other recode(s)

MARCNI03 11684-11684 MARCON03 (VAR214.03) Imputation Flag

Inapplicable:
 R has been pregnant less than 3 times, or she is currently pregnant with her third pregnancy.

907	4540	1452	7155	Blank	= Blank, inapplicable
633	1916	970	3626	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
13	27	24	66	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MARCNI04 11685-11685 MARCON04 (VAR214.04) Imputation Flag

Inapplicable:
 R has been pregnant less than 4 times,
 or she is currently pregnant with her
 fourth pregnancy.

1171	5522	1864	8858	Blank	= Blank, inapplicable
373	939	565	1940	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
9	22	17	49	3	= Computed based on imputed value(s) of other recode(s)

MARCNI05 11686-11686 MARCON05 (VAR214.05) Imputation Flag

Inapplicable:
 R has been pregnant less than 5 times,
 or she is currently pregnant with her
 fifth pregnancy.

1362	6042	2132	9874	Blank	= Blank, inapplicable
187	425	298	937	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
4	16	16	36	3	= Computed based on imputed value(s) of other recode(s)

MARCNI06 11687-11687 MARCON06 (VAR214.06) Imputation Flag

Inapplicable:
 R has been pregnant less than 6 times,
 or she is currently pregnant with her
 sixth pregnancy.

1458	6281	2292	10381	Blank	= Blank, inapplicable
92	189	146	442	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
3	13	8	24	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MARCNI07 11688-11688 MARCON07 (VAR214.07) Imputation Flag

Inapplicable:
 R has been pregnant less than 7 times,
 or she is currently pregnant with her
 seventh pregnancy.

1501	6391	2367	10617	Blank	= Blank, inapplicable
49	83	74	212	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
3	9	5	18	3	= Computed based on imputed value(s) of other recode(s)

MARCNI08 11689-11689 MARCON08 (VAR214.08) Imputation Flag

Inapplicable:
 R has been pregnant less than 8 times,
 or she is currently pregnant with her
 eighth pregnancy.

1528	6439	2412	10740	Blank	= Blank, inapplicable
23	40	32	99	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
2	4	2	8	3	= Computed based on imputed value(s) of other recode(s)

MARCNI09 11690-11690 MARCON09 (VAR214.09) Imputation Flag

Inapplicable:
 R has been pregnant less than 9 times,
 or she is currently pregnant with her
 ninth pregnancy.

1541	6454	2429	10786	Blank	= Blank, inapplicable
9	25	15	52	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
3	4	2	9	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MARCNI10 11691-11691 MARCON10 (VAR214.10) Imputation Flag

Inapplicable:
 R has been pregnant less than 10
 times, or she is currently pregnant
 with her tenth pregnancy.

1545	6469	2437	10814	Blank	= Blank, inapplicable
7	12	7	28	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
1	2	2	5	3	= Computed based on imputed value(s) of other recode(s)

MARCNI11 11692-11692 MARCON11 (VAR214.11) Imputation Flag

Inapplicable:
 R has been pregnant less than 11
 times, or she is currently pregnant
 with her eleventh pregnancy.

1547	6477	2443	10831	Blank	= Blank, inapplicable
6	4	1	12	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	2	2	4	3	= Computed based on imputed value(s) of other recode(s)

MARCNI12 11693-11693 MARCON12 (VAR214.12) Imputation Flag

Inapplicable:
 R has been pregnant less than 12
 times, or she is currently pregnant
 with her twelfth pregnancy.

1550	6480	2443	10837	Blank	= Blank, inapplicable
3	1	1	6	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	2	2	4	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MARCNI13 11694-11694 MARCON13 (VAR214.13) Imputation Flag

Inapplicable:
 R has been pregnant less than 13
 times, or she is currently pregnant
 with her thirteenth pregnancy.

1552	6482	2443	10841	Blank	= Blank, inapplicable
1	0	2	4	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	1	1	2	3	= Computed based on imputed value(s) of other recode(s)

MARCNI14 11695-11695 MARCON14 (VAR214.14) Imputation Flag

Inapplicable:
 R has been pregnant less than 14
 times, or she is currently pregnant
 with her fourteenth pregnancy.

1552	6482	2445	10844	Blank	= Blank, inapplicable
1	0	0	1	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	1	1	2	3	= Computed based on imputed value(s) of other recode(s)

MARCNI15 11696-11696 MARCON15 (VAR214.15) Imputation Flag

Inapplicable:
 R has been pregnant less than 15
 times, or she is currently pregnant
 with her fifteenth pregnancy.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	1	0	1	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DATENI01 11697-11697 DATEND01 (VAR216.01) Imputation Flag

Inapplicable:
 R has never been pregnant, or she is currently pregnant with her first pregnancy.

345	2100	511	3086	Blank	= Blank, inapplicable
1206	4362	1925	7725	0	= Questionnaire data
2	11	5	18	1	= Stochastic imputation
0	10	5	18	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

DATENI02 11698-11698 DATEND02 (VAR216.02) Imputation Flag

Inapplicable:
 R has been pregnant less than 2 times, or she is currently pregnant with her second pregnancy.

586	3138	950	4863	Blank	= Blank, inapplicable
960	3326	1480	5942	0	= Questionnaire data
2	10	9	21	1	= Stochastic imputation
5	9	7	21	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

DATENI03 11699-11699 DATEND03 (VAR216.03) Imputation Flag

Inapplicable:
 R has been pregnant less than 3 times, or she is currently pregnant with her third pregnancy.

907	4540	1452	7155	Blank	= Blank, inapplicable
638	1921	981	3649	0	= Questionnaire data
4	14	8	26	1	= Stochastic imputation
4	8	5	17	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DATENI04 11700-11700 DATEND04 (VAR216.04) Imputation Flag

Inapplicable:
 R has been pregnant less than 4 times,
 or she is currently pregnant with her
 fourth pregnancy.

1171	5522	1864	8858	Blank	= Blank, inapplicable
377	946	573	1960	0	= Questionnaire data
3	10	6	19	1	= Stochastic imputation
2	5	3	10	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

DATENI05 11701-11701 DATEND05 (VAR216.05) Imputation Flag

Inapplicable:
 R has been pregnant less than 5 times,
 or she is currently pregnant with her
 fifth pregnancy.

1362	6042	2132	9874	Blank	= Blank, inapplicable
188	429	304	948	0	= Questionnaire data
3	6	4	13	1	= Stochastic imputation
0	6	6	12	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

DATENI06 11702-11702 DATEND06 (VAR216.06) Imputation Flag

Inapplicable:
 R has been pregnant less than 6 times,
 or she is currently pregnant with her
 sixth pregnancy.

1458	6281	2292	10381	Blank	= Blank, inapplicable
92	193	148	448	0	= Questionnaire data
3	4	3	10	1	= Stochastic imputation
0	5	3	8	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DATENI07 11703-11703 DATEND07 (VAR216.07) Imputation Flag

Inapplicable:
 R has been pregnant less than 7 times,
 or she is currently pregnant with her
 seventh pregnancy.

1501	6391	2367	10617	Blank	= Blank, inapplicable
49	84	77	216	0	= Questionnaire data
2	3	1	6	1	= Stochastic imputation
1	5	1	8	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

DATENI08 11704-11704 DATEND08 (VAR216.08) Imputation Flag

Inapplicable:
 R has been pregnant less than 8 times,
 or she is currently pregnant with her
 eighth pregnancy.

1528	6439	2412	10740	Blank	= Blank, inapplicable
23	40	33	100	0	= Questionnaire data
2	2	1	5	1	= Stochastic imputation
0	2	0	2	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

DATENI09 11705-11705 DATEND09 (VAR216.09) Imputation Flag

Inapplicable:
 R has been pregnant less than 9 times,
 or she is currently pregnant with her
 ninth pregnancy.

1541	6454	2429	10786	Blank	= Blank, inapplicable
10	25	16	54	0	= Questionnaire data
2	2	1	5	1	= Stochastic imputation
0	2	0	2	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DATENI10 11706-11706 DATEND10 (VAR216.10) Imputation Flag

Inapplicable:
 R has been pregnant less than 10
 times, or she is currently pregnant
 with her tenth pregnancy.

1545	6469	2437	10814	Blank	= Blank, inapplicable
7	12	8	29	0	= Questionnaire data
0	1	1	2	1	= Stochastic imputation
1	1	0	2	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

DATENI11 11707-11707 DATEND11 (VAR216.11) Imputation Flag

Inapplicable:
 R has been pregnant less than 11
 times, or she is currently pregnant
 with her eleventh pregnancy.

1547	6477	2443	10831	Blank	= Blank, inapplicable
6	4	2	13	0	= Questionnaire data
0	1	1	2	1	= Stochastic imputation
0	1	0	1	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

DATENI12 11708-11708 DATEND12 (VAR216.12) Imputation Flag

Inapplicable:
 R has been pregnant less than 12
 times, or she is currently pregnant
 with her twelfth pregnancy.

1550	6480	2443	10837	Blank	= Blank, inapplicable
3	1	2	7	0	= Questionnaire data
0	1	1	2	1	= Stochastic imputation
0	1	0	1	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DATENI13 11709-11709 DATEND13 (VAR216.13) Imputation Flag

Inapplicable:
 R has been pregnant less than 13 times, or she is currently pregnant with her thirteenth pregnancy.

1552	6482	2443	10841	Blank	= Blank, inapplicable
1	0	3	5	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	1	0	1	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

DATENI14 11710-11710 DATEND14 (VAR216.14) Imputation Flag

Inapplicable:
 R has been pregnant less than 14 times, or she is currently pregnant with her fourteenth pregnancy.

1552	6482	2445	10844	Blank	= Blank, inapplicable
1	0	1	2	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	1	0	1	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

DATENI15 11711-11711 DATEND15 (VAR216.15) Imputation Flag

Inapplicable:
 R has been pregnant less than 15 times, or she is currently pregnant with her fifteenth pregnancy.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	1	0	1	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

YRPRGI01 11712-11712 YRPREG01 (VAR217.01) Imputation Flag

Inapplicable:
 R has never been pregnant, or she is currently pregnant with her first pregnancy.

345	2100	511	3086	Blank	= Blank, inapplicable
1206	4362	1925	7725	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
2	21	10	36	3	= Computed based on imputed value(s) of other recode(s)

YRPRGI02 11713-11713 YRPREG02 (VAR217.02) Imputation Flag

Inapplicable:
 R has been pregnant less than 2 times, or she is currently pregnant with her second pregnancy.

586	3138	950	4863	Blank	= Blank, inapplicable
960	3326	1480	5942	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
7	19	16	42	3	= Computed based on imputed value(s) of other recode(s)

YRPRGI03 11714-11714 YRPREG03 (VAR217.03) Imputation Flag

Inapplicable:
 R has been pregnant less than 3 times, or she is currently pregnant with her third pregnancy.

907	4540	1452	7155	Blank	= Blank, inapplicable
638	1921	981	3649	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
8	22	13	43	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

YRPRGI04 11715-11715 YRPREG04 (VAR217.04) Imputation Flag

Inapplicable:
 R has been pregnant less than 4 times,
 or she is currently pregnant with her
 fourth pregnancy.

1171	5522	1864	8858	Blank	= Blank, inapplicable
377	946	573	1960	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
5	15	9	29	3	= Computed based on imputed value(s) of other recode(s)

YRPRGI05 11716-11716 YRPREG05 (VAR217.05) Imputation Flag

Inapplicable:
 R has been pregnant less than 5 times,
 or she is currently pregnant with her
 fifth pregnancy.

1362	6042	2132	9874	Blank	= Blank, inapplicable
188	429	304	948	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
3	12	10	25	3	= Computed based on imputed value(s) of other recode(s)

YRPRGI06 11717-11717 YRPREG06 (VAR217.06) Imputation Flag

Inapplicable:
 R has been pregnant less than 6 times,
 or she is currently pregnant with her
 sixth pregnancy.

1458	6281	2292	10381	Blank	= Blank, inapplicable
92	193	148	448	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
3	9	6	18	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

YRPRGI07 11718-11718 YRPREG07 (VAR217.07) Imputation Flag

Inapplicable:
 R has been pregnant less than 7 times,
 or she is currently pregnant with her
 seventh pregnancy.

1501	6391	2367	10617	Blank	= Blank, inapplicable
49	84	77	216	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
3	8	2	14	3	= Computed based on imputed value(s) of other recode(s)

YRPRGI08 11719-11719 YRPREG08 (VAR217.08) Imputation Flag

Inapplicable:
 R has been pregnant less than 8 times,
 or she is currently pregnant with her
 eighth pregnancy.

1528	6439	2412	10740	Blank	= Blank, inapplicable
23	40	33	100	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
2	4	1	7	3	= Computed based on imputed value(s) of other recode(s)

YRPRGI09 11720-11720 YRPREG09 (VAR217.09) Imputation Flag

Inapplicable:
 R has been pregnant less than 9 times,
 or she is currently pregnant with her
 ninth pregnancy.

1541	6454	2429	10786	Blank	= Blank, inapplicable
10	25	16	54	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
2	4	1	7	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

YRPRGI10 11721-11721 YRPREG10 (VAR217.10) Imputation Flag

Inapplicable:
 R has been pregnant less than 10
 times, or she is currently pregnant
 with her tenth pregnancy.

1545	6469	2437	10814	Blank	= Blank, inapplicable
7	12	8	29	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
1	2	1	4	3	= Computed based on imputed value(s) of other recode(s)

YRPRGI11 11722-11722 YRPREG11 (VAR217.11) Imputation Flag

Inapplicable:
 R has been pregnant less than 11
 times, or she is currently pregnant
 with her eleventh pregnancy.

1547	6477	2443	10831	Blank	= Blank, inapplicable
6	4	2	13	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	2	1	3	3	= Computed based on imputed value(s) of other recode(s)

YRPRGI12 11723-11723 YRPREG12 (VAR217.12) Imputation Flag

Inapplicable:
 R has been pregnant less than 12
 times, or she is currently pregnant
 with her twelfth pregnancy.

1550	6480	2443	10837	Blank	= Blank, inapplicable
3	1	2	7	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	2	1	3	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

YRPRGI13 11724-11724 YRPREG13 (VAR217.13) Imputation Flag

Inapplicable:
 R has been pregnant less than 13
 times, or she is currently pregnant
 with her thirteenth pregnancy.

1552	6482	2443	10841	Blank	= Blank, inapplicable
1	0	3	5	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	1	0	1	3	= Computed based on imputed value(s) of other recode(s)

YRPRGI14 11725-11725 YRPREG14 (VAR217.14) Imputation Flag

Inapplicable:
 R has been pregnant less than 14
 times, or she is currently pregnant
 with her fourteenth pregnancy.

1552	6482	2445	10844	Blank	= Blank, inapplicable
1	0	1	2	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	1	0	1	3	= Computed based on imputed value(s) of other recode(s)

YRPRGI15 11726-11726 YRPREG15 (VAR217.15) Imputation Flag

Inapplicable:
 R has been pregnant less than 15
 times, or she is currently pregnant
 with her fifteenth pregnancy.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	1	0	1	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGEPGI01 11727-11727 AGEPRG01 (VAR218.01) Imputation Flag

Inapplicable:
 R has never been pregnant, or she is currently pregnant with her first pregnancy.

345	2100	511	3086	Blank	= Blank, inapplicable
1206	4362	1925	7725	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
2	21	10	36	3	= Computed based on imputed value(s) of other recode(s)

AGEPGI02 11728-11728 AGEPRG02 (VAR218.02) Imputation Flag

Inapplicable:
 R has been pregnant less than 2 times, or she is currently pregnant with her second pregnancy.

586	3138	950	4863	Blank	= Blank, inapplicable
960	3326	1480	5942	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
7	19	16	42	3	= Computed based on imputed value(s) of other recode(s)

AGEPGI03 11729-11729 AGEPRG03 (VAR218.03) Imputation Flag

Inapplicable:
 R has been pregnant less than 3 times, or she is currently pregnant with her third pregnancy.

907	4540	1452	7155	Blank	= Blank, inapplicable
638	1921	981	3649	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
8	22	13	43	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGEPGI04 11730-11730 AGEPRG04 (VAR218.04) Imputation Flag

Inapplicable:
 R has been pregnant less than 4 times,
 or she is currently pregnant with her
 fourth pregnancy.

1171	5522	1864	8858	Blank	= Blank, inapplicable
377	946	573	1960	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
5	15	9	29	3	= Computed based on imputed value(s) of other recode(s)

AGEPGI05 11731-11731 AGEPRG05 (VAR218.05) Imputation Flag

Inapplicable:
 R has been pregnant less than 5 times,
 or she is currently pregnant with her
 fifth pregnancy.

1362	6042	2132	9874	Blank	= Blank, inapplicable
188	429	304	948	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
3	12	10	25	3	= Computed based on imputed value(s) of other recode(s)

AGEPGI06 11732-11732 AGEPRG06 (VAR218.06) Imputation Flag

Inapplicable:
 R has been pregnant less than 6 times,
 or she is currently pregnant with her
 sixth pregnancy.

1458	6281	2292	10381	Blank	= Blank, inapplicable
92	193	148	448	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
3	9	6	18	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGEPGI07 11733-11733 AGEPRG07 (VAR218.07) Imputation Flag

Inapplicable:
 R has been pregnant less than 7 times,
 or she is currently pregnant with her
 seventh pregnancy.

1501	6391	2367	10617	Blank	= Blank, inapplicable
49	84	77	216	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
3	8	2	14	3	= Computed based on imputed value(s) of other recode(s)

AGEPGI08 11734-11734 AGEPRG08 (VAR218.08) Imputation Flag

Inapplicable:
 R has been pregnant less than 8 times,
 or she is currently pregnant with her
 eighth pregnancy.

1528	6439	2412	10740	Blank	= Blank, inapplicable
23	40	33	100	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
2	4	1	7	3	= Computed based on imputed value(s) of other recode(s)

AGEPGI09 11735-11735 AGEPRG09 (VAR218.09) Imputation Flag

Inapplicable:
 R has been pregnant less than 9 times,
 or she is currently pregnant with her
 ninth pregnancy.

1541	6454	2429	10786	Blank	= Blank, inapplicable
10	25	16	54	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
2	4	1	7	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGEPGI10 11736-11736 AGEPRG10 (VAR218.10) Imputation Flag

Inapplicable:
 R has been pregnant less than 10
 times, or she is currently pregnant
 with her tenth pregnancy.

1545	6469	2437	10814	Blank	= Blank, inapplicable
7	12	8	29	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
1	2	1	4	3	= Computed based on imputed value(s) of other recode(s)

AGEPGI11 11737-11737 AGEPRG11 (VAR218.11) Imputation Flag

Inapplicable:
 R has been pregnant less than 11
 times, or she is currently pregnant
 with her eleventh pregnancy.

1547	6477	2443	10831	Blank	= Blank, inapplicable
6	4	2	13	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	2	1	3	3	= Computed based on imputed value(s) of other recode(s)

AGEPGI12 11738-11738 AGEPRG12 (VAR218.12) Imputation Flag

Inapplicable:
 R has been pregnant less than 12
 times, or she is currently pregnant
 with her twelfth pregnancy.

1550	6480	2443	10837	Blank	= Blank, inapplicable
3	1	2	7	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	2	1	3	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGEPGI13 11739-11739 AGEPRG13 (VAR218.13) Imputation Flag

Inapplicable:
 R has been pregnant less than 13
 times, or she is currently pregnant
 with her thirteenth pregnancy.

1552	6482	2443	10841	Blank	= Blank, inapplicable
1	0	3	5	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	1	0	1	3	= Computed based on imputed value(s) of other recode(s)

AGEPGI14 11740-11740 AGEPRG14 (VAR218.14) Imputation Flag

Inapplicable:
 R has been pregnant less than 14
 times, or she is currently pregnant
 with her fourteenth pregnancy.

1552	6482	2445	10844	Blank	= Blank, inapplicable
1	0	1	2	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	1	0	1	3	= Computed based on imputed value(s) of other recode(s)

AGEPGI15 11741-11741 AGEPRG15 (VAR218.15) Imputation Flag

Inapplicable:
 R has been pregnant less than 15
 times, or she is currently pregnant
 with her fifteenth pregnancy.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	1	0	1	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MAROU101 11742-11742 MAROUT01 (VAR219.01) Imputation Flag

Inapplicable:
 R has never been pregnant, or she is currently pregnant with her first pregnancy.

345	2100	511	3086	Blank	= Blank, inapplicable
1199	4349	1911	7688	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
9	34	24	73	3	= Computed based on imputed value(s) of other recode(s)

MAROU102 11743-11743 MAROUT02 (VAR219.02) Imputation Flag

Inapplicable:
 R has been pregnant less than 2 times, or she is currently pregnant with her second pregnancy.

586	3138	950	4863	Blank	= Blank, inapplicable
953	3314	1466	5906	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
14	31	30	78	3	= Computed based on imputed value(s) of other recode(s)

MAROU103 11744-11744 MAROUT03 (VAR219.03) Imputation Flag

Inapplicable:
 R has been pregnant less than 3 times, or she is currently pregnant with her third pregnancy.

907	4540	1452	7155	Blank	= Blank, inapplicable
633	1917	970	3627	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
13	26	24	65	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MAROU104 11745-11745 MAROUT04 (VAR219.04) Imputation Flag

Inapplicable:
 R has been pregnant less than 4 times,
 or she is currently pregnant with her
 fourth pregnancy.

1171	5522	1864	8858	Blank	= Blank, inapplicable
373	942	565	1943	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
9	19	17	46	3	= Computed based on imputed value(s) of other recode(s)

MAROU105 11746-11746 MAROUT05 (VAR219.05) Imputation Flag

Inapplicable:
 R has been pregnant less than 5 times,
 or she is currently pregnant with her
 fifth pregnancy.

1362	6042	2132	9874	Blank	= Blank, inapplicable
187	425	298	937	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
4	16	16	36	3	= Computed based on imputed value(s) of other recode(s)

MAROU106 11747-11747 MAROUT06 (VAR219.06) Imputation Flag

Inapplicable:
 R has been pregnant less than 6 times,
 or she is currently pregnant with her
 sixth pregnancy.

1458	6281	2292	10381	Blank	= Blank, inapplicable
92	190	146	443	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
3	12	8	23	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MAROU107 11748-11748 MAROUT07 (VAR219.07) Imputation Flag

Inapplicable:
 R has been pregnant less than 7 times,
 or she is currently pregnant with her
 seventh pregnancy.

1501	6391	2367	10617	Blank	= Blank, inapplicable
49	84	74	213	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
3	8	5	17	3	= Computed based on imputed value(s) of other recode(s)

MAROU108 11749-11749 MAROUT08 (VAR219.08) Imputation Flag

Inapplicable:
 R has been pregnant less than 8 times,
 or she is currently pregnant with her
 eighth pregnancy.

1528	6439	2412	10740	Blank	= Blank, inapplicable
23	40	32	99	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
2	4	2	8	3	= Computed based on imputed value(s) of other recode(s)

MAROU109 11750-11750 MAROUT09 (VAR219.09) Imputation Flag

Inapplicable:
 R has been pregnant less than 9 times,
 or she is currently pregnant with her
 ninth pregnancy.

1541	6454	2429	10786	Blank	= Blank, inapplicable
10	25	15	53	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
2	4	2	8	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MAROU110 11751-11751 MAROUT10 (VAR219.10) Imputation Flag

Inapplicable:
 R has been pregnant less than 10
 times, or she is currently pregnant
 with her tenth pregnancy.

1545	6469	2437	10814	Blank	= Blank, inapplicable
7	12	7	28	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
1	2	2	5	3	= Computed based on imputed value(s) of other recode(s)

MAROU111 11752-11752 MAROUT11 (VAR219.11) Imputation Flag

Inapplicable:
 R has been pregnant less than 11
 times, or she is currently pregnant
 with her eleventh pregnancy.

1547	6477	2443	10831	Blank	= Blank, inapplicable
6	4	1	12	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	2	2	4	3	= Computed based on imputed value(s) of other recode(s)

MAROU112 11753-11753 MAROUT12 (VAR219.12) Imputation Flag

Inapplicable:
 R has been pregnant less than 12
 times, or she is currently pregnant
 with her twelfth pregnancy.

1550	6480	2443	10837	Blank	= Blank, inapplicable
3	1	1	6	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	2	2	4	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section B Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MAROU113 11754-11754 MAROUT13 (VAR219.13) Imputation Flag

Inapplicable:
 R has been pregnant less than 13
 times, or she is currently pregnant
 with her thirteenth pregnancy.

1552	6482	2443	10841	Blank	= Blank, inapplicable
1	0	2	4	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	1	1	2	3	= Computed based on imputed value(s) of other recode(s)

MAROU114 11755-11755 MAROUT14 (VAR219.14) Imputation Flag

Inapplicable:
 R has been pregnant less than 14
 times, or she is currently pregnant
 with her fourteenth pregnancy.

1552	6482	2445	10844	Blank	= Blank, inapplicable
1	0	0	1	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	1	1	2	3	= Computed based on imputed value(s) of other recode(s)

MAROU115 11756-11756 MAROUT15 (VAR219.15) Imputation Flag

Inapplicable:
 R has been pregnant less than 15
 times, or she is currently pregnant
 with her fifteenth pregnancy.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	1	0	1	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section C Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

RMARITAL 11757-11757

VAR301: Informal marital status.

Non-blank for all Rs.

797	3641	670	5291	1	= Currently Married
124	449	182	772	2	= Not Married but Living with a Partner
11	20	40	77	3	= Widowed
93	453	206	769	4	= Divorced
77	152	168	407	5	= Separated
451	1768	1180	3531	6	= Never Married

FMARNO 11758-11758

VAR302: Number of marriages.

Non-blank for all Rs.

533	2029	1301	4003	0	= Never Married
870	3498	996	5562	1	= One Marriage
138	779	135	1077	2	= Two Marriages
11	148	13	174	3	= Three Marriages
1	24	1	26	4	= Four Marriages
0	5	0	5	5	= Five Marriages

MARDAT01 11759-11762

VAR303: Century month of first marriage.

Inapplicable:
 R has never been married.

533	2029	1301	4003	Blank	= Blank, inapplicable
17	134	35	192	0780-0840	= Before 1970
306	1622	339	2329	0841-0960	= 1970-1979
471	1865	510	2946	0961-1080	= 1980-1989
226	833	261	1377	1081-1149	= 1990-1995

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section C Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MARDAT02 11763-11766

VAR304: Century month of second marriage.

Inapplicable:
 R has never been married or has been married only once.

1403	5527	2297	9565	Blank	= Blank, inapplicable
0	2	1	3	0780-0840	= Before 1970
15	137	18	176	0841-0960	= 1970-1979
79	513	82	680	0961-1080	= 1980-1989
56	304	48	423	1081-1149	= 1990-1995

MARDAT03 11767-11770

VAR305: Century month of third marriage.

Inapplicable:
 R has never been married or has been married less than 3 times.

1541	6306	2432	10642	Blank	= Blank, inapplicable
0	0	0	0	0780-0840	= Before 1970
0	10	0	10	0841-0960	= 1970-1979
6	74	5	85	0961-1080	= 1980-1989
6	93	9	110	1081-1149	= 1990-1995

MARDAT04 11771-11774

VAR306: Century month of fourth marriage.

Inapplicable:
 R has never been married or has been married less than 4 times.

1552	6454	2445	10816	Blank	= Blank, inapplicable
0	0	0	0	0780-0840	= Before 1970
0	2	0	2	0841-0960	= 1970-1979
1	13	0	14	0961-1080	= 1980-1989
0	14	1	15	1081-1149	= 1990-1995

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section C Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MARDAT05 11775-11778

VAR307: Century month of fifth marriage.

Inapplicable:
 R has never been married or has been married less than 5 times.

1553	6478	2446	10842	Blank	= Blank, inapplicable
0	0	0	0	0780-0840	= Before 1970
0	0	0	0	0841-0960	= 1970-1979
0	0	0	0	0961-1080	= 1980-1989
0	5	0	5	1081-1149	= 1990-1995

MARDIS01 11779-11782

VAR308: Century month of dissolution of first marriage.

Inapplicable:
 R has never been married, or her first marriage is intact.

1209	4912	1888	8310	Blank	= Blank, inapplicable
1	7	5	14	0790-0840	= Before 1970
68	394	107	583	0841-0960	= 1970-1979
180	743	256	1205	0961-1080	= 1980-1989
95	427	190	735	1081-1150	= 1990-1995

MARDIS02 11783-11786

VAR309: Century month of dissolution of second marriage.

Inapplicable:
 R has never been married, her second marriage is intact, or she had no second marriage.

1517	6150	2373	10398	Blank	= Blank, inapplicable
0	0	0	0	0790-0840	= Before 1970
1	31	1	33	0841-0960	= 1970-1979
14	158	38	215	0961-1080	= 1980-1989
21	144	34	201	1081-1150	= 1990-1995

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section C Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MARDIS03 11787-11790 VAR310: Century month of dissolution of third marriage.

Inapplicable:
 R has never been married, her third marriage is intact, or she had no third marriage.

1547	6422	2438	10772	Blank	= Blank, inapplicable
0	0	0	0	0790-0840	= Before 1970
0	2	0	2	0841-0960	= 1970-1979
1	25	3	29	0961-1080	= 1980-1989
5	34	5	44	1081-1150	= 1990-1995

MARDIS04 11791-11794 VAR311: Century month of dissolution of fourth marriage.

Inapplicable:
 R has never been married, her fourth marriage is intact, or she had no fourth marriage.

1553	6469	2446	10833	Blank	= Blank, inapplicable
0	0	0	0	0790-0840	= Before 1970
0	1	0	1	0841-0960	= 1970-1979
0	4	0	4	0961-1080	= 1980-1989
0	9	0	9	1081-1150	= 1990-1995

MARDIS05 11795-11798 VAR312: Century month of dissolution of fifth marriage.

Inapplicable:
 R has never been married, her fifth marriage is intact, or she had no fifth marriage.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	0790-0840	= Before 1970
0	0	0	0	0841-0960	= 1970-1979
0	0	0	0	0961-1080	= 1980-1989
0	1	0	1	1081-1150	= 1990-1995

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section C Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MAREND01 11799-11799 VAR313: How the first marriage ended.

Inapplicable:
 R has never been married, or her first marriage is intact.

1209	4912	1888	8310	Blank	= Blank, inapplicable
258	1402	365	2073	1	= Divorced Or Annulled
74	120	150	354	2	= Separated
12	49	43	110	3	= Widowed

MAREND02 11800-11800 VAR314: How the second marriage ended.

Inapplicable:
 R has never been married, her second marriage is intact, or she had no second marriage.

1517	6150	2373	10398	Blank	= Blank, inapplicable
23	281	41	349	1	= Divorced Or Annulled
11	41	27	81	2	= Separated
2	11	5	19	3	= Widowed

MAREND03 11801-11801 VAR315: How the third marriage ended.

Inapplicable:
 R has never been married, her third marriage is intact, or she had no third marriage.

1547	6422	2438	10772	Blank	= Blank, inapplicable
3	51	3	57	1	= Divorced Or Annulled
1	8	5	14	2	= Separated
2	2	0	4	3	= Widowed

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section C Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MAREND04 11802-11802

VAR316: How the fourth marriage ended.

Inapplicable:
 R has never been married, her fourth marriage is intact, or she had no fourth marriage.

1553	6469	2446	10833	Blank	= Blank, inapplicable
0	10	0	10	1	= Divorced Or Annulled
0	3	0	3	2	= Separated
0	1	0	1	3	= Widowed

MAREND05 11803-11803

VAR317: How the fifth marriage ended.

Inapplicable:
 R has never been married, her fifth marriage is intact, or she had no fifth marriage.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	1	0	1	1	= Divorced Or Annulled
0	0	0	0	2	= Separated
0	0	0	0	3	= Widowed

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section C Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FMAR1AGE 11804-11805

VAR318: Age at first marriage.

Inapplicable:
 R has never been married.

533	2029	1301	4003	Blank	= Blank, inapplicable
17	18	6	43	13-14	= Under 15 years
29	55	13	100	15	= 15 years
59	158	36	262	16	= 16 years
86	271	49	414	17	= 17 years
103	531	112	768	18	= 18 years
122	509	117	765	19	= 19 years
110	496	102	718	20	= 20 years
99	447	88	657	21	= 21 years
78	438	90	626	22	= 22 years
67	333	105	523	23	= 23 years
40	255	65	371	24	= 24 years
38	203	71	326	25	= 25 years
42	179	57	287	26	= 26 years
31	146	52	244	27	= 27 years
26	108	33	181	28	= 28 years
19	75	22	123	29	= 29 years
26	78	31	141	30	= 30 years
5	48	16	75	31	= 31 years
5	34	19	62	32	= 32 years
8	20	14	44	33	= 33 years
4	15	13	33	34	= 34 years
6	32	33	75	35-39	= 35-39 years
0	5	1	6	40-44	= 40-44 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section C Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGEDISS1 11806-11807

VAR319: Age at dissolution of first marriage.

Inapplicable:
 R has never been married or 1st marriage is intact.

1209	4912	1888	8310	Blank	= Blank, inapplicable
13	49	9	74	14-17	= Under 18 years
15	66	12	97	18	= 18 years
20	85	18	123	19	= 19 years
19	112	30	171	20	= 20 years
30	110	35	176	21	= 21 years
27	141	39	211	22	= 22 years
34	95	46	178	23	= 23 years
21	118	36	179	24	= 24 years
19	93	34	148	25	= 25 years
25	94	35	157	26	= 26 years
16	75	46	138	27	= 27 years
12	78	35	129	28	= 28 years
12	75	27	118	29	= 29 years
17	61	25	106	30	= 30 years
8	66	24	103	31	= 31 years
13	43	13	71	32	= 32 years
5	37	19	63	33	= 33 years
8	33	18	60	34	= 34 years
28	116	44	194	35-39	= 35-39 years
2	24	13	41	40-44	= 40-44 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section C Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGEDD1 11808-11809 VAR320: Age at divorce or death: 1st marriage.

Inapplicable:
 R has never been married, her first marriage is intact, or her first marriage ended in separation only.

	1283	5032	2038	8664	Blank	
	7	25	4	38	14-17	= Under 18 years
	9	45	4	60	18	= 18 years
	10	52	8	71	19	= 19 years
	14	93	21	132	20	= 20 years
	12	102	20	137	21	= 21 years
	26	122	14	167	22	= 22 years
	27	102	25	157	23	= 23 years
	18	100	25	144	24	= 24 years
	23	91	31	148	25	= 25 years
	14	88	28	132	26	= 26 years
	10	78	31	122	27	= 27 years
	12	82	24	119	28	= 28 years
	13	81	26	125	29	= 29 years
	11	61	21	94	30	= 30 years
	12	52	21	86	31	= 31 years
	20	63	23	108	32	= 32 years
	3	38	15	57	33	= 33 years
	4	37	14	59	34	= 34 years
	19	109	39	175	35-39	= 35-39 years
	6	30	14	52	40-44	= 40-44 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section C Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MAR1DISS 11810-11812

VAR321: Months between first marriage
 and dissolution of first marriage (or
 interview).

Inapplicable:
 R has never been married.

533	2029	1301	4003	Blank	= Blank, inapplicable
4	9	5	20	000	= Less than 1 month
5	27	7	40	001	= 1 month
4	33	7	44	002	= 2 months
12	24	10	46	003	= 3 months
6	29	13	48	004	= 4 months
5	26	6	37	005	= 5 months
3	41	15	60	006	= 6 months
8	27	10	48	007	= 7 months
2	28	7	39	008	= 8 months
5	28	3	37	009	= 9 months
10	27	9	47	010	= 10 months
7	25	7	40	011	= 11 months
5	26	13	44	012	= 12 months (1 year)
29	180	56	274	013-018	= 13-18 months (1-1 1/2 years)
39	218	56	321	019-024	= 19-24 months (1 1/2-2 years)
51	134	55	247	025-030	= 25-30 months (2-2 1/2 years)
37	163	49	256	031-036	= 31-36 months (2 1/2-3 years)
67	300	96	482	037-048	= 37-48 months (3-4 years)
84	266	94	463	049-060	= 49-60 months (4-5 years)
77	249	87	425	061-072	= 61-72 months (5-6 years)
58	220	63	354	073-084	= 73-84 months (6-7 years)
50	188	53	303	085-096	= 85-96 months (7-8 years)
63	185	50	307	097-108	= 97-108 months (8-9 years)
49	176	45	284	109-120	= 109-120 months (9-10 years)
340	1825	329	2578	121-348	= Longer than 10 years (121+ months)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section C Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DD1REMAR 11813-11815

VAR322: Months between divorce or death (first marriage) and remarriage (or interview).

Inapplicable:
 R has never been married, her first marriage is intact, or her first marriage ended in separation only.

	1282	5031	2038	8662	Blank	
	2	25	5	33	000	= Blank, inapplicable
	6	60	10	76	001	= Less than 1 month
	3	18	4	27	002	= 1 month
	3	26	7	39	003	= 2 months
	5	28	6	42	004	= 3 months
	2	28	2	33	005	= 4 months
	5	27	1	34	006	= 5 months
	3	29	5	37	007	= 6 months
	2	23	2	28	008	= 7 months
	2	23	5	30	009	= 8 months
	0	20	6	26	010	= 9 months
	4	18	4	26	011	= 10 months
	4	16	11	32	012	= 11 months
	17	120	20	162	013-018	= 12 months
	16	108	20	147	019-024	= 13-18 months (1-1 1/2 years)
	14	101	28	143	025-030	= 19-24 months (1 1/2-2 years)
	20	83	21	125	031-036	= 25-30 months (2-2 1/2 years)
	33	133	42	214	037-048	= 31-36 months (2 1/2-3 years)
	27	127	31	189	049-060	= 37-48 months (3-4 years)
	20	88	29	141	061-072	= 49-60 months (4-5 years)
	8	63	22	97	073-084	= 61-72 months (5-6 years)
	13	62	15	93	085-096	= 73-84 months (6-7 years)
	9	47	18	76	097-108	= 85-96 months (7-8 years)
	14	38	22	76	109-120	= 97-108 months (8-9 years)
	39	141	72	259	121-297	= 109-120 months (9-10 years)
						= Longer than 10 years (121+ months)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section C Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MAR1_NOW 11816-11817

VAR323: Years since first marriage.

Inapplicable:
 R has never been married.

533	2029	1301	4003	Blank	= Blank, inapplicable
33	131	35	205	00	= Less Than One Year
26	157	42	231	01	= 1 Year
42	144	59	256	02	= 2 Years
42	169	47	274	03	= 3 Years
62	180	60	318	04	= 4 Years
61	199	51	319	05	= 5 Years
41	164	43	259	06	= 6 Years
43	157	49	259	07	= 7 Years
58	186	50	299	08	= 8 Years
51	195	65	325	09	= 9 Years
45	183	61	301	10	= 10 Years
32	181	54	278	11	= 11 Years
54	206	43	312	12	= 12 Years
56	188	51	305	13	= 13 Years
29	201	37	275	14	= 14 Years
50	183	53	296	15	= 15 Years
32	179	41	258	16	= 16 Years
34	192	39	272	17	= 17 Years
42	201	28	279	18	= 18 Years
38	172	31	250	19	= 19 Years
25	182	28	242	20	= 20 Years
31	154	36	229	21	= 21 Years
33	162	32	231	22	= 22 Years
19	131	38	191	23	= 23 Years
21	96	29	150	24	= 24 Years
7	75	21	104	25	= 25 Years
4	52	15	73	26	= 26 Years
4	19	4	28	27	= 27 Years
4	11	2	18	28	= 28 Years
0	4	1	6	29	= 29 Years
1	0	0	1	30	= 30 Years

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section C Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MAR1BIR1 11818-11820

VAR324: Months between first marriage
 and first birth or date of interview.

Inapplicable:
 R has not had a live birth, and she
 has never been married.

342	1790	571	2821	Blank	= Blank, inapplicable
6	14	12	33	000	= Less than 1 month
14	32	13	59	001	= 1 month
13	41	23	81	002	= 2 months
20	48	13	83	003	= 3 months
16	80	26	126	004	= 4 months
27	125	30	186	005	= 5 months
29	165	17	215	006	= 6 months
34	128	24	193	007	= 7 months
40	68	12	127	008	= 8 months
51	92	20	170	009	= 9 months
41	81	16	144	010	= 10 months
34	78	17	135	011	= 11 months
19	71	14	108	012	= 12 months
102	386	70	585	013-018	= 13-18 months (1-1 1/2 years)
97	368	45	524	019-024	= 19-24 months (1 1/2-2 years)
58	295	48	419	025-030	= 25-30 months (2-2 1/2 years)
44	270	22	351	031-036	= 31-36 months (2 1/2-3 years)
71	386	50	527	037-048	= 37-48 months (3-4 years)
36	292	34	376	049-060	= 49-60 months (4-5 years)
25	225	21	279	061-072	= 61-72 months (5-6 years)
13	139	13	171	073-084	= 73-84 months (6-7 years)
12	116	17	149	085-096	= 85-96 months (7-8 years)
7	81	17	107	097-108	= 97-108 months (8-9 years)
5	63	6	75	109-120	= 109-120 months (9-10 years)
35	405	48	501	121-331	= Longer than 10 years (121+ months)
362	644	1247	2302	888	= 1st birth occurred before 1st marriage

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section C Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MAR1CON1 11821-11823

VAR325: Months between first marriage
 and first conception or interview
 date.

Inapplicable:

R has never been pregnant, and she has
 never been married.

304	1622	451	2487	Blank	= Blank, inapplicable
61	99	16	184	000	= Less than 1 month
40	84	22	156	001	= 1 month
33	86	14	138	002	= 2 months
23	77	14	117	003	= 3 months
22	56	17	99	004	= 4 months
22	54	11	97	005	= 5 months
13	72	13	103	006	= 6 months
14	61	10	89	007	= 7 months
13	56	6	78	008	= 8 months
16	63	6	89	009	= 9 months
20	56	6	85	010	= 10 months
23	66	6	100	011	= 11 months
9	55	9	75	012	= 12 months
68	288	41	410	013-018	= 13-18 months (1-1 1/2 years)
46	265	23	350	019-024	= 19-24 months (1 1/2-2 years)
36	187	26	257	025-030	= 25-30 months (2-2 1/2 years)
26	162	20	215	031-036	= 31-36 months (2 1/2-3 years)
33	255	25	326	037-048	= 37-48 months (3-4 years)
19	192	20	241	049-060	= 49-60 months (4-5 years)
15	139	14	171	061-072	= 61-72 months (5-6 years)
7	106	13	130	073-084	= 73-84 months (6-7 years)
5	70	10	86	085-096	= 85-96 months (7-8 years)
3	56	7	67	097-108	= 97-108 months (8-9 years)
2	31	2	35	109-120	= 109-120 months (9-10 years)
20	242	27	295	121-331	= Longer than 10 years (121+ months)
421	1535	762	2793	995	= 1st conception occurred before 1st marriage

1995 NATIONAL SURVEY OF FAMILY GROWTH

File Documentation

Respondent File (Section C Recodes)

VARIABLE	COLUMN	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL		
		239	448	855	1574	996	= Has been pregnant, but has never been married

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section C Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

CON1MAR1 11824-11826

VAR326: Months between first
 conception and first marriage or
 interview date.

Inapplicable:
 R has never been pregnant, and she has
 never been married.

304	1622	451	2487	Blank	= Blank, inapplicable
0	0	0	0	000	= Less than 1 month
29	70	11	114	001	= 1 month
32	119	17	171	002	= 2 months
26	132	14	179	003	= 3 months
31	105	24	164	004	= 4 months
14	72	24	112	005	= 5 months
18	47	19	86	006	= 6 months
18	32	17	72	007	= 7 months
17	27	13	59	008	= 8 months
10	18	10	38	009	= 9 months
11	20	7	40	010	= 10 months
9	26	17	54	011	= 11 months
6	29	13	48	012	= 12 months
38	121	67	236	013-018	= 13-18 months (1-1 1/2 years)
23	109	61	199	019-024	= 19-24 months (1 1/2-2 years)
31	95	74	210	025-030	= 25-30 months (2-2 1/2 years)
20	99	52	177	031-036	= 31-36 months (2 1/2-3 years)
55	145	145	353	037-048	= 37-48 months (3-4 years)
28	139	116	288	049-060	= 49-60 months (4-5 years)
44	90	90	226	061-072	= 61-72 months (5-6 years)
26	105	83	218	073-084	= 73-84 months (6-7 years)
21	76	98	198	085-096	= 85-96 months (7-8 years)
20	66	67	154	097-108	= 97-108 months (8-9 years)
18	53	60	132	109-120	= 109-120 months (9-10 years)
115	188	518	839	121-359	= Longer than 10 years (121+ months)
530	2336	301	3293	995	= 1st conception occurred after or in same month as 1st

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section C Recodes)

VARIABLE NAME	COLUMN LOCATION	HISP	NON-HISPANIC WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES
		59	542	77	700	996	marriage = Has been married, but has never been pregnant
COHEVER	11827-11827						VAR327: Ever cohabited outside of marriage. Non-blank for all Rs.
		599	2814	1082	4622	1	= Yes, Ever Cohabited
		954	3669	1364	6225	2	= No, Never Cohabited
COHAB1	11828-11831						VAR328: Century month of first cohabitation. Inapplicable: R has never cohabited outside of marriage.
		954	3669	1364	6225	Blank	= Blank, inapplicable
		7	17	11	39	0762-0840	= Before 1970
		127	716	244	1126	0841-0960	= 1970-1979
		295	1361	539	2244	0961-1080	= 1980-1989
		170	720	288	1213	1081-1147	= 1990-1995
COHSTAT	11832-11832						VAR329: Cohabitational status experience relative to first marriage. Non-blank for all Rs.
		954	3669	1364	6225	1	= Never Cohabited
		490	2262	952	3816	2	= 1st Cohabited Before 1st Marriage
		109	552	130	806	3	= 1st Cohabited After 1st Marriage

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section C Recodes)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK			
COHOUT	11833-11833					VAR330: Outcome of first cohabitation.	
						Inapplicable: R has never cohabited outside of marriage.	
		954	3669	1364	6225	Blank	= Blank, inapplicable
		75	256	106	446	1	= Intact Cohabitation
		215	1121	247	1624	2	= Intact Marriage
		108	623	203	968	3	= Dissolved Marriage
		201	814	526	1584	4	= Dissolved Cohabitation
HADSEX	11834-11834					VAR331: Has R ever had intercourse at all.	
						Non-blank for all Rs.	
		1409	5896	2297	9904	1	= Yes, Ever Had Intercourse
		144	587	149	943	2	= No, Never Had Intercourse
EVVOLSEX	11835-11835					VAR332: Has R ever had voluntary sexual intercourse.	
						Non-blank for all Rs.	
		1406	5881	2289	9875	1	= Yes, Ever Had Voluntary Intercourse
		147	602	157	972	2	= No, Never Had Voluntary Intercourse

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section C Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

SEXEVER 11836-11836 VAR333: Has R ever had (voluntary) intercourse since first menstrual period.
 Non-blank for all Rs.

1406	5879	2295	9881	1	= Yes, Ever had (Voluntary) Intercourse After 1st Menstrual Period
147	604	151	966	2	= No, Never Had (Voluntary) Intercourse After 1st Menstrual Period

VRY1STAG 11837-11838 VAR334: Age at first intercourse (even if before first menstrual period).
 Inapplicable:
 R has never had intercourse.

144	587	149	943	Blank	= Blank, inapplicable
9	43	23	79	02-10	= Under 11 years
9	19	23	52	11	= 11 years
17	70	62	153	12	= 12 years
50	195	158	411	13	= 13 years
96	352	233	705	14	= 14 years
161	712	345	1238	15	= 15 years
177	993	376	1575	16	= 16 years
184	1006	385	1598	17	= 17 years
182	798	286	1302	18	= 18 years
138	552	152	870	19	= 19 years
104	382	96	599	20	= 20 years
83	283	60	447	21	= 21 years
50	145	36	248	22	= 22 years
51	118	21	202	23	= 23 years
24	68	12	117	24	= 24 years
22	51	8	91	25	= 25 years
14	37	8	66	26	= 26 years
13	15	5	41	27	= 27 years
9	19	3	36	28	= 28 years
6	9	3	21	29	= 29 years
10	29	2	53	30-41	= 30 years or older

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section C Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

VOL1AGE 11839-11840

VAR335: Age at first voluntary
 intercourse.

Inapplicable:
 R has never had voluntary intercourse.

147	602	157	972	Blank	= Blank, inapplicable
1	3	8	12	06-10	= Under 11 years
4	12	19	35	11	= 11 years
11	49	52	115	12	= 12 years
44	161	145	355	13	= 13 years
92	341	228	684	14	= 14 years
155	702	345	1223	15	= 15 years
173	1003	381	1587	16	= 16 years
188	1032	392	1636	17	= 17 years
198	830	291	1355	18	= 18 years
140	566	161	894	19	= 19 years
108	390	99	615	20	= 20 years
83	287	65	458	21	= 21 years
53	149	36	255	22	= 22 years
51	124	24	212	23	= 23 years
28	68	11	119	24	= 24 years
22	52	9	94	25	= 25 years
15	36	8	66	26	= 26 years
13	19	6	46	27	= 27 years
11	19	3	38	28	= 28 years
6	9	3	21	29	= 29 years
10	29	3	55	30-41	= 30 years or older

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section C Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

SEX1AGE 11841-11842 VAR336: Age at first (voluntary) intercourse since first menstrual period.
 Inapplicable:
 R has never had voluntary intercourse, never had (voluntary) intercourse after first menstrual period, or never had a menstrual period.

148	605	157	976	Blank	= Blank, inapplicable
11	46	57	117	09-12	= Under 13 years
45	157	139	346	13	= 13 years
89	338	224	672	14	= 14 years
158	706	344	1227	15	= 15 years
175	1010	400	1618	16	= 16 years
189	1038	400	1652	17	= 17 years
198	832	294	1360	18	= 18 years
140	567	163	897	19	= 19 years
108	390	99	615	20	= 20 years
82	288	65	458	21	= 21 years
54	150	36	257	22	= 22 years
51	124	24	212	23	= 23 years
28	68	12	120	24	= 24 years
22	53	9	95	25	= 25 years
15	35	8	65	26	= 26 years
13	19	6	46	27	= 27 years
11	19	3	38	28	= 28 years
6	9	3	21	29	= 29 years
10	29	3	55	30-41	= 30 years or older

VRY1STSX 11843-11846 VAR337: Century month of first intercourse (even if before first menstrual period).

Inapplicable:
 Never had intercourse.

144	587	149	943	Blank	= Blank, inapplicable
1212	5224	2083	8770	0698-1092	= Before 1991
197	672	214	1134	1093-1150	= 1991 or later

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section C Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DATEVOL1 11847-11850

VAR338: Century month of first
 voluntary intercourse.

Inapplicable:
 Never had voluntary intercourse.

147	602	157	972	Blank	= Blank, inapplicable
1203	5196	2068	8714	0737-1092	= Before 1991
203	685	221	1161	1093-1150	= 1991 or later

DATESEX1 11851-11854

VAR339: Century month of first
 (voluntary) intercourse after first
 menstrual period.

Inapplicable:
 R has never had voluntary intercourse,
 never had (voluntary) intercourse
 after first menstrual period, or never
 had a menstrual period.

148	605	157	976	Blank	= Blank, inapplicable
1203	5192	2064	8706	0749-1092	= Before 1991
202	686	225	1165	1093-1150	= 1991 or later

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section C Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

VARIABLE NAME	COLUMN LOCATION	HISP	NON-HISPANIC WHITE	NON-HISPANIC BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES
SEXMAR	11855-11857						VAR340: Months between first intercourse (even if involuntary or before first. menstrual period) and first marriage (or interview)
							Inapplicable: Never had intercourse.
		144	587	149	943	Blank	= Blank, inapplicable
		349	617	76	1132	000	= First intercourse occurred in same month as marriage
		22	54	7	87	001	= 1 month
		22	71	10	105	002	= 2 months
		23	62	7	93	003	= 3 months
		15	61	12	94	004	= 4 months
		16	54	13	84	005	= 5 months
		15	54	14	85	006	= 6 months
		18	60	12	93	007	= 7 months
		9	53	6	71	008	= 8 months
		10	50	10	71	009	= 9 months
		16	43	11	70	010	= 10 months
		9	50	12	72	011	= 11 months
		18	66	10	99	012	= 12 months
		64	313	77	468	013-018	= 13-18 months (1-1 1/2 years)
		50	322	64	444	019-024	= 19-24 months (1 1/2-2 years)
		53	294	68	421	025-030	= 25-30 months (2-2 1/2 years)
		57	296	84	448	031-036	= 31-36 months (2 1/2-3 years)
		90	580	177	865	037-048	= 37-48 months (3-4 years)
		81	513	154	770	049-060	= 49-60 months (4-5 years)
		78	456	152	704	061-072	= 61-72 months (5-6 years)
		65	355	129	562	073-084	= 73-84 months (6-7 years)
		44	259	151	463	085-096	= 85-96 months (7-8 years)
		39	246	136	432	097-108	= 97-108 months (8-9 years)
		39	179	79	306	109-120	= 109-120 months (9-10 years)
		185	758	813	1793	121-398	= Longer than 10 years (121+ months)
		22	30	13	72	996	= First intercourse

(5847)

1995 NATIONAL SURVEY OF FAMILY GROWTH

File Documentation

Respondent File (Section C Recodes)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	

occurred more than 1
month after first
marriage

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section C Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

VOLSXMAR 11858-11860

VAR341: Months between first
 voluntary intercourse and first
 marriage (or interview).

Inapplicable:
 Never had voluntary intercourse.

147	602	157	972	Blank	= Blank, inapplicable
349	636	77	1150	000	= First voluntary intercourse occurred in same month as marriage
22	61	10	97	001	= 1 month
22	73	11	108	002	= 2 months
24	66	10	101	003	= 3 months
16	63	12	97	004	= 4 months
17	60	14	92	005	= 5 months
17	65	16	100	006	= 6 months
18	64	13	97	007	= 7 months
10	50	7	72	008	= 8 months
9	48	11	69	009	= 9 months
15	47	9	73	010	= 10 months
8	53	12	74	011	= 11 months
17	68	13	102	012	= 12 months
66	314	80	473	013-018	= 13-18 months (1-1 1/2 years)
59	333	63	464	019-024	= 19-24 months (1 1/2-2 years)
57	301	68	433	025-030	= 25-30 months (2-2 1/2 years)
57	292	79	436	031-036	= 31-36 months (2 1/2-3 years)
88	569	178	852	037-048	= 37-48 months (3-4 years)
77	503	156	756	049-060	= 49-60 months (4-5 years)
77	453	155	704	061-072	= 61-72 months (5-6 years)
59	342	126	539	073-084	= 73-84 months (6-7 years)
42	248	150	451	085-096	= 85-96 months (7-8 years)
41	237	131	418	097-108	= 97-108 months (8-9 years)
38	179	80	305	109-120	= 109-120 months (9-10 years)
170	713	793	1708	121-374	= Longer than 10 years (121+ months)
31	43	15	104	996	= First voluntary

(5849)

1995 NATIONAL SURVEY OF FAMILY GROWTH

File Documentation

Respondent File (Section C Recodes)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	

intercourse occurred
more than 1 month
after first marriage

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section C Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

VARIABLE NAME	COLUMN LOCATION	HISP	NON-HISPANIC WHITE	NON-HISPANIC BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES
SEX1FOR	11861-11863						VAR342: Months between first (voluntary) intercourse after first menstrual period. and first marriage (or interview).
							Inapplicable: R has never had voluntary intercourse, never had (voluntary) intercourse after first menstrual period, or never had a menstrual period.
		148	605	157	976	Blank	= Blank, inapplicable
		349	635	77	1149	000	= First (voluntary) intercourse after menarche occurred in same month as marriage
		22	62	10	98	001	= 1 month
		22	73	11	108	002	= 2 months
		24	66	11	102	003	= 3 months
		16	63	12	97	004	= 4 months
		17	61	15	94	005	= 5 months
		17	65	16	100	006	= 6 months
		18	64	13	97	007	= 7 months
		10	50	7	72	008	= 8 months
		9	48	11	69	009	= 9 months
		15	47	9	73	010	= 10 months
		8	53	13	75	011	= 11 months
		17	69	13	103	012	= 12 months
		66	315	81	475	013-018	= 13-18 months (1-1 1/2 years)
		59	333	65	468	019-024	= 19-24 months (1 1/2-2 years)
		57	306	70	439	025-030	= 25-30 months (2-2 1/2 years)
		59	292	80	439	031-036	= 31-36 months (2 1/2-3 years)
		86	566	175	844	037-048	= 37-48 months (3-4 years)
		77	504	155	757	049-060	= 49-60 months (4-5 years)
		78	454	154	704	061-072	= 61-72 months (5-6 years)
		59	340	124	535	073-084	= 73-84 months (6-7 years)
		42	251	153	456	085-096	= 85-96 months (7-8 years)
		41	229	128	407	097-108	= 97-108 months (8-9 years)
		37	179	81	305	109-120	= 109-120 months (9-10 years)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section C Recodes)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
		169	708	788	1697	121-374 = Longer than 10 years (121+ months)
		31	45	17	108	996 = First (voluntary) intercourse after menarche occurred more than 1 month after first marriage

RMARIT_I 11864-11864 RMARITAL (VAR301) Imputation Flag

Non-blank for all Rs.

1553	6483	2446	10847	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

FMARNO_I 11865-11865 FMARNO (VAR302) Imputation Flag

Non-blank for all Rs.

1553	6481	2445	10844	0	= Questionnaire data
0	2	1	3	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

MAR1_I 11866-11866 MARDAT01 (VAR303) Imputation Flag

Non-blank for all Rs.

1549	6475	2437	10825	0	= Questionnaire data
3	6	9	18	1	= Stochastic imputation
0	0	0	1	2	= Logical imputation
1	2	0	3	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section C Recodes)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
MAR2_I	11867-11867						MARDAT02 (VAR304) Imputation Flag Non-blank for all Rs.
		1551	6474	2444	10834	0	= Questionnaire data
		0	8	2	10	1	= Stochastic imputation
		0	0	0	0	2	= Logical imputation
		2	1	0	3	3	= Computed based on imputed value(s) of other recode(s)
MAR3_I	11868-11868						MARDAT03 (VAR305) Imputation Flag Non-blank for all Rs.
		1553	6477	2445	10840	0	= Questionnaire data
		0	5	1	6	1	= Stochastic imputation
		0	0	0	0	2	= Logical imputation
		0	1	0	1	3	= Computed based on imputed value(s) of other recode(s)
MAR4_I	11869-11869						MARDAT04 (VAR306) Imputation Flag Non-blank for all Rs.
		1553	6481	2445	10844	0	= Questionnaire data
		0	2	1	3	1	= Stochastic imputation
		0	0	0	0	2	= Logical imputation
		0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)
MAR5_I	11870-11870						MARDAT05 (VAR307) Imputation Flag Non-blank for all Rs.
		1553	6481	2445	10844	0	= Questionnaire data
		0	2	1	3	1	= Stochastic imputation
		0	0	0	0	2	= Logical imputation
		0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section C Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MARDS1_I 11871-11871 MARDIS01 (VAR308) Imputation Flag
 Non-blank for all Rs.

1547	6469	2426	10804	0	= Questionnaire data
5	7	12	26	1	= Stochastic imputation
1	2	4	7	2	= Logical imputation
0	5	4	10	3	= Computed based on imputed value(s) of other recode(s)

MARDS2_I 11872-11872 MARDIS02 (VAR309) Imputation Flag
 Non-blank for all Rs.

1551	6468	2441	10825	0	= Questionnaire data
1	11	4	16	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
1	4	1	6	3	= Computed based on imputed value(s) of other recode(s)

MARDS3_I 11873-11873 MARDIS03 (VAR310) Imputation Flag
 Non-blank for all Rs.

1552	6476	2444	10837	0	= Questionnaire data
1	5	2	8	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	2	0	2	3	= Computed based on imputed value(s) of other recode(s)

MARDS4_I 11874-11874 MARDIS04 (VAR311) Imputation Flag
 Non-blank for all Rs.

1553	6481	2445	10844	0	= Questionnaire data
0	2	1	3	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section C Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MARDS5_I 11875-11875 MARDIS05 (VAR312) Imputation Flag
 Non-blank for all Rs.

1553	6481	2445	10844	0		= Questionnaire data
0	2	1	3	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

MAREN1_I 11876-11876 MAREND01 (VAR313) Imputation Flag
 Non-blank for all Rs.

1552	6481	2443	10841	0		= Questionnaire data
1	2	3	6	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

MAREN2_I 11877-11877 MAREND02 (VAR314) Imputation Flag
 Non-blank for all Rs.

1553	6481	2445	10844	0		= Questionnaire data
0	2	1	3	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

MAREN3_I 11878-11878 MAREND03 (VAR315) Imputation Flag
 Non-blank for all Rs.

1553	6481	2445	10844	0		= Questionnaire data
0	2	1	3	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section C Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MAREN4_I 11879-11879 MAREND04 (VAR316) Imputation Flag
 Non-blank for all Rs.

1553	6481	2445	10844	0	= Questionnaire data
0	2	1	3	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

MAREN5_I 11880-11880 MAREND05 (VAR317) Imputation Flag
 Non-blank for all Rs.

1553	6481	2445	10844	0	= Questionnaire data
0	2	1	3	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

FMAR1A_I 11881-11881 FMAR1AGE (VAR318) Imputation Flag
 Non-blank for all Rs.

1549	6475	2437	10825	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
4	8	9	22	3	= Computed based on imputed value(s) of other recode(s)

AGEDIS_I 11882-11882 AGEDISS1 (VAR319) Imputation Flag
 Non-blank for all Rs.

1547	6469	2426	10804	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
6	14	20	43	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section C Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGEDD1_I 11883-11883 AGEDD1 (VAR320) Imputation Flag

Non-blank for all Rs.

1541	6462	2427	10793	0	= Questionnaire data
7	8	4	19	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
5	13	15	35	3	= Computed based on imputed value(s) of other recode(s)

MAR1DI_I 11884-11884 MAR1DISS (VAR321) Imputation Flag

Non-blank for all Rs.

1543	6463	2423	10790	0	= No imputation needed
1	3	0	4	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	1	0	1	3	= Computed based on imputed value(s) of other recode(s)
5	9	14	31	4	= Based on imputed value of start recode
2	5	4	12	5	= Based on imputed value of end recode
2	2	5	9	6	= Based on imputed values for both recodes

DIS1MA_I 11885-11885 DD1REMAR (VAR322) Imputation Flag

Non-blank for all Rs.

1542	6462	2432	10800	0	= No imputation needed
2	6	1	9	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
5	6	5	17	3	= Computed based on imputed value(s) of other recode(s)
0	1	0	1	4	= Based on imputed value of start recode
4	7	8	19	5	= Based on imputed value of end recode
0	1	0	1	6	= Based on imputed values for both recodes

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section C Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MAR1_N_I 11886-11886 MAR1_NOW (VAR323) Imputation Flag
 Non-blank for all Rs.

1549	6475	2437	10825	0	= Questionnaire data
0	2	1	3	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
4	6	8	19	3	= Computed based on imputed value(s) of other recode(s)

MAR1BR_I 11887-11887 MAR1BIR1 (VAR324) Imputation Flag
 Non-blank for all Rs.

1547	6473	2435	10818	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
6	10	11	29	3	= Computed based on imputed value(s) of other recode(s)

MAR1CN_I 11888-11888 MAR1CON1 (VAR325) Imputation Flag
 Non-blank for all Rs.

1547	6459	2431	10798	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
6	24	15	49	3	= Computed based on imputed value(s) of other recode(s)

CON1MR_I 11889-11889 CON1MAR1 (VAR326) Imputation Flag
 Non-blank for all Rs.

1547	6456	2427	10791	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
6	27	19	56	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section C Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

COHEVE_I 11890-11890 COHEVER (VAR327) Imputation Flag
 Non-blank for all Rs.

1553	6483	2446	10847	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

COHAB1_I 11891-11891 COHAB1 (VAR328) Imputation Flag
 Non-blank for all Rs.

1547	6451	2426	10786	0	= Questionnaire data
0	1	7	8	1	= Stochastic imputation
4	20	7	31	2	= Logical imputation
2	11	6	22	3	= Computed based on imputed value(s) of other recode(s)

COHSTA_I 11892-11892 COHSTAT (VAR329) Imputation Flag
 Non-blank for all Rs.

1545	6451	2431	10789	0	= Questionnaire data
3	10	7	22	1	= Stochastic imputation
4	20	7	31	2	= Logical imputation
1	2	1	5	3	= Computed based on imputed value(s) of other recode(s)

COHOUT_I 11893-11893 COHOUT (VAR330) Imputation Flag
 Non-blank for all Rs.

1551	6471	2433	10817	0	= Questionnaire data
0	4	8	12	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
2	8	5	18	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section C Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

HADSEX_I 11894-11894 HADSEX (VAR331) Imputation Flag
 Non-blank for all Rs.

1553	6480	2444	10842	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	3	2	5	3	= Computed based on imputed value(s) of other recode(s)

EVVOLS_I 11895-11895 EVVOLSEX (VAR332) Imputation Flag
 Non-blank for all Rs.

1553	6479	2442	10839	0	= Questionnaire data
0	1	1	2	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	3	3	6	3	= Computed based on imputed value(s) of other recode(s)

SEXEVERI 11896-11896 SEXEVER (VAR333) Imputation Flag
 Non-blank for all Rs.

1551	6474	2434	10822	0	= Questionnaire data
0	5	3	8	1	= Stochastic imputation
2	4	9	17	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

VRY1STAI 11897-11897 VRY1STAG (VAR334) Imputation Flag
 Non-blank for all Rs.

1544	6427	2411	10742	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
9	56	35	105	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section C Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

VOL1AG_I 11898-11898 VOL1AGE (VAR335) Imputation Flag
 Non-blank for all Rs.

1545	6431	2412	10749	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
8	52	34	98	3	= Computed based on imputed value(s) of other recode(s)

SEX1AG_I 11899-11899 SEX1AGE (VAR336) Imputation Flag
 Non-blank for all Rs.

1547	6416	2405	10730	0	= Questionnaire data
0	1	1	2	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
6	66	40	115	3	= Computed based on imputed value(s) of other recode(s)

VRY1ST_I 11900-11900 VRY1STSX (VAR337) Imputation Flag
 Non-blank for all Rs.

1544	6428	2411	10744	0	= Questionnaire data
9	55	35	103	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

DATEV1_I 11901-11901 DATEVOL1 (VAR338) Imputation Flag
 Non-blank for all Rs.

1545	6431	2412	10749	0	= Questionnaire data
8	52	34	98	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section C Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DATESEX1I 11902-11902 DATESEX1 (VAR339) Imputation Flag
 Non-blank for all Rs.

1547	6417	2407	10733	0	= Questionnaire data
6	66	38	113	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	1	1	3	= Computed based on imputed value(s) of other recode(s)

SEXMAR_I 11903-11903 SEXMAR (VAR340) Imputation Flag
 Non-blank for all Rs.

1541	6419	2405	10724	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
12	64	41	123	3	= Computed based on imputed value(s) of other recode(s)

VOLSXM_I 11904-11904 VOLSXMAR (VAR341) Imputation Flag
 Non-blank for all Rs.

1542	6423	2406	10731	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
11	60	40	116	3	= Computed based on imputed value(s) of other recode(s)

SEX1FO_I 11905-11905 SEX1FOR (VAR342) Imputation Flag
 Non-blank for all Rs.

1542	6409	2395	10705	0	= Questionnaire data
1	1	6	10	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
10	73	45	132	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

PAYTL 11906-11906 VAR401: Payment for tubal ligation

Inapplicable:
 R has never had intercourse, or R has
 not reported a tubal ligation.

1202	5364	1747	8628	Blank	= Blank, inapplicable
33	91	31	158	1	= Own Income Only
156	580	263	1024	2	= Insurance Only
27	233	60	330	3	= Own Income & Insurance Only
131	200	338	679	4	= Medicaid at all
1	10	7	20	5	= Government Assistance Other than Medicaid
3	5	0	8	6	= All Other Combinations

PAYVAS 11907-11907 VAR402: Payment for vasectomy

Inapplicable:
 R has never had intercourse, R is not
 married or cohabiting, or R does not
 report that her current
 husband/partner has had a vasectomy
 during their relationship.

1511	5888	2419	10169	Blank	= Blank, inapplicable
12	99	4	120	1	= Own Income Only
24	328	20	378	2	= Insurance Only
5	154	3	165	3	= Own Income & Insurance Only
1	8	0	9	4	= Medicaid at all
0	0	0	0	5	= Government Assistance Other than Medicaid
0	6	0	6	6	= All Other Combinations

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Sections D & E Recodes)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

PAYHYST 11908-11908 VAR403: Payment for hysterectomy

Inapplicable:
R has never had intercourse, R is currently pregnant, R is still menstruating or spotting, or R has not reported a hysterectomy.

	1497	6127	2302	10280	Blank	= Blank, inapplicable
	6	24	13	45	1	= Own Income Only
	32	182	79	301	2	= Insurance Only
	11	106	13	131	3	= Own Income & Insurance Only
	7	37	37	81	4	= Medicaid at all
	0	2	1	3	5	= Government Assistance Other than Medicaid
	0	5	1	6	6	= All Other Combinations

STRLOPER 11909-11909 VAR404: Type of sterilization operation

Non-blank for all Rs.

	347	1105	695	2197	1	= Tubal Ligation
	32	198	81	319	2	= Hysterectomy
	45	599	25	686	3	= Vasectomy
	5	19	9	34	4	= Other Operations
	1124	4562	1636	7611	5	= Not Surgically Sterilized

ANYMTHD 11910-11910 VAR405: Ever used any method

Non-blank for all Rs.

	1364	5905	2279	9827	1	= Yes
	189	578	167	1020	2	= No

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHINTM1 11911-11912

VAR406.1: Method Calendar entry for
 the month of interview

Inapplicable:

R has never used a method.

189	578	167	1020	Blank	= Blank, inapplicable
222	1226	367	1851	01	= Pill
206	885	369	1527	02	= Condom (male)
0	1	0	1	03	= Female condom/vaginal pouch
2	27	3	32	04	= Foam
2	11	3	16	05	= Jelly or cream (without diaphragm)
4	25	8	39	06	= Suppository or insert
4	89	11	105	07	= Diaphragm
18	47	36	104	08	= Norplant(TM)
47	93	78	224	09	= Depo-provera injectable
17	33	15	68	10	= IUD
379	1299	734	2472	11	= Female sterilization
25	368	10	413	12	= Vasectomy
2	18	0	20	13	= Natural Family Planning (NFP), temperature rhythm
27	98	17	155	14	= Calendar rhythm
35	142	23	210	15	= Withdrawal
0	13	7	20	16	= Today(TM) sponge
0	0	0	0	17	= Morning-after pill
1	2	0	3	18	= Cervical cap
22	194	15	235	19	= Partner sterile (unknown reasons)
2	6	10	18	20	= Other method-- not shown separately
349	1328	573	2314	96	= No method, none

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHINTM2 11913-11914

VAR406.2: Method Calendar entry for
 the month of interview

Inapplicable:

R has never used a method or never
 used a 2nd method.

1487	6059	2297	10179	Blank	= Blank, inapplicable
1	5	6	12	01	= Pill
12	136	66	223	02	= Condom (male)
0	0	0	0	03	= Female condom/vaginal pouch
6	22	8	36	04	= Foam
4	20	6	30	05	= Jelly or cream (without diaphragm)
3	13	7	23	06	= Suppository or insert
3	16	4	23	07	= Diaphragm
0	1	2	3	08	= Norplant(TM)
0	3	2	5	09	= Depo-provera injectable
0	0	0	0	10	= IUD
2	10	15	27	11	= Female sterilization
1	11	2	14	12	= Vasectomy
0	9	1	10	13	= Natural Family Planning (NFP), temperature rhythm
12	51	6	77	14	= Calendar rhythm
22	111	20	163	15	= Withdrawal
0	6	3	10	16	= Today(TM) sponge
0	1	0	1	17	= Morning-after pill
0	0	0	0	18	= Cervical cap
0	9	1	11	19	= Partner sterile (unknown reasons)
0	0	0	0	20	= Other method-- not shown separately
0	0	0	0	96	= No method, none

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHINTM3 11915-11916

VAR406.3: Method Calendar entry for
 the month of interview

Inapplicable:
 R has never used a method or never
 used a 3rd method.

1545	6417	2417	10741	Blank		
0	1	0	1	01	=	Blank, inapplicable
0	4	0	4	02	=	Pill
1	0	0	1	03	=	Condom (male)
					=	Female condom/vaginal pouch
0	1	0	1	04	=	Foam
0	3	1	4	05	=	Jelly or cream (without diaphragm)
0	4	0	4	06	=	Suppository or insert
0	0	0	0	07	=	Diaphragm
0	0	0	0	08	=	Norplant(TM)
0	0	0	0	09	=	Depo-provera injectable
0	0	0	0	10	=	IUD
1	10	23	34	11	=	Female sterilization
0	0	0	0	12	=	Vasectomy
0	4	0	5	13	=	Natural Family Planning (NFP), temperature rhythm
2	9	2	13	14	=	Calendar rhythm
2	27	3	33	15	=	Withdrawal
1	3	0	4	16	=	Today(TM) sponge
0	0	0	0	17	=	Morning-after pill
0	0	0	0	18	=	Cervical cap
0	0	0	0	19	=	Partner sterile (unknown reasons)
1	0	0	2	20	=	Other method-- not shown separately
0	0	0	0	96	=	No method, none

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHINTM4 11917-11918

VAR406.4: Method Calendar entry for
 the month of interview

Inapplicable:

R has never used a method or never
 used a 4th method.

1552	6475	2444	10836	Blank	= Blank, inapplicable
0	0	0	0	01	= Pill
0	1	0	1	02	= Condom (male)
0	0	0	0	03	= Female condom/vaginal pouch
0	0	0	0	04	= Foam
0	0	0	0	05	= Jelly or cream (without diaphragm)
0	0	1	1	06	= Suppository or insert
0	0	0	0	07	= Diaphragm
0	0	0	0	08	= Norplant(TM)
0	0	0	0	09	= Depo-provera injectable
0	0	0	0	10	= IUD
1	0	0	1	11	= Female sterilization
0	0	0	0	12	= Vasectomy
0	1	1	2	13	= Natural Family Planning (NFP), temperature rhythm
0	2	0	2	14	= Calendar rhythm
0	3	0	3	15	= Withdrawal
0	1	0	1	16	= Today(TM) sponge
0	0	0	0	17	= Morning-after pill
0	0	0	0	18	= Cervical cap
0	0	0	0	19	= Partner sterile (unknown reasons)
0	0	0	0	20	= Other method-- not shown separately
0	0	0	0	96	= No method, none

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTPRIOR1 11919-11920 VAR407.1: Method used in month prior to interview

Inapplicable:
 R has never used a method.

189	578	167	1020	Blank	= Blank, inapplicable
220	1219	363	1840	01	= Pill
215	907	386	1577	02	= Condom (male)
0	1	0	1	03	= Female condom/vaginal pouch
4	25	3	32	04	= Foam
2	11	2	15	05	= Jelly or cream (without diaphragm)
4	27	8	41	06	= Suppository or insert
5	89	9	104	07	= Diaphragm
18	49	36	106	08	= Norplant(TM)
48	87	77	217	09	= Depo-provera injectable
17	33	15	68	10	= IUD
376	1296	728	2460	11	= Female sterilization
25	369	11	415	12	= Vasectomy
2	18	0	20	13	= Natural Family Planning (NFP), temperature rhythm
27	99	17	154	14	= Calendar rhythm
36	139	26	211	15	= Withdrawal
0	14	7	21	16	= Today(TM) sponge
0	0	0	0	17	= Morning-after pill
1	2	0	3	18	= Cervical cap
21	195	15	235	19	= Partner sterile (unknown reasons)
2	7	10	19	20	= Other method-- not shown separately
341	1318	566	2288	96	= No method, none

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTPRIOR2 11921-11922

VAR407.2: Method used in month prior to interview

Inapplicable:

R has never used a method or never used a 2nd method.

1487	6045	2295	10164	Blank	= Blank, inapplicable
1	7	7	15	01	= Pill
12	135	66	220	02	= Condom (male)
0	0	0	0	03	= Female condom/vaginal pouch
6	23	7	36	04	= Foam
4	21	6	31	05	= Jelly or cream (without diaphragm)
2	11	6	19	06	= Suppository or insert
3	18	4	25	07	= Diaphragm
0	1	2	3	08	= Norplant(TM)
0	5	3	8	09	= Depo-provera injectable
0	0	0	0	10	= IUD
2	9	15	26	11	= Female sterilization
0	11	2	13	12	= Vasectomy
0	9	1	10	13	= Natural Family Planning (NFP), temperature rhythm
13	54	7	82	14	= Calendar rhythm
23	116	20	170	15	= Withdrawal
0	7	4	12	16	= Today(TM) sponge
0	1	0	1	17	= Morning-after pill
0	0	0	0	18	= Cervical cap
0	9	1	11	19	= Partner sterile (unknown reasons)
0	1	0	1	20	= Other method-- not shown separately
0	0	0	0	96	= No method, none

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTPRIOR3 11923-11924

VAR407.3: Method used in month prior to interview

Inapplicable:

R has never used a method or never used a 3rd method.

1543	6417	2418	10740	Blank		
0	1	0	1	01	=	Blank, inapplicable
1	3	0	4	02	=	Pill
1	0	0	1	03	=	Condom (male)
					=	Female condom/vaginal pouch
0	1	0	1	04	=	Foam
0	3	0	3	05	=	Jelly or cream (without diaphragm)
0	4	0	4	06	=	Suppository or insert
0	0	0	0	07	=	Diaphragm
0	0	0	0	08	=	Norplant(TM)
0	0	0	0	09	=	Depo-provera injectable
0	0	0	0	10	=	IUD
2	10	23	35	11	=	Female sterilization
0	0	0	0	12	=	Vasectomy
0	4	0	5	13	=	Natural Family Planning (NFP), temperature rhythm
2	9	2	13	14	=	Calendar rhythm
2	28	3	34	15	=	Withdrawal
1	3	0	4	16	=	Today(TM) sponge
0	0	0	0	17	=	Morning-after pill
0	0	0	0	18	=	Cervical cap
0	0	0	0	19	=	Partner sterile (unknown reasons)
1	0	0	2	20	=	Other method-- not shown separately
0	0	0	0	96	=	No method, none

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTPRIOR4 11925-11926

VAR407.4: Method used in month prior to interview

Inapplicable:

R has never used a method or never used a 4th method.

1552	6475	2444	10836	Blank	= Blank, inapplicable
0	0	0	0	01	= Pill
0	1	0	1	02	= Condom (male)
0	0	0	0	03	= Female condom/vaginal pouch
0	0	0	0	04	= Foam
0	0	0	0	05	= Jelly or cream (without diaphragm)
0	0	1	1	06	= Suppository or insert
0	0	0	0	07	= Diaphragm
0	0	0	0	08	= Norplant(TM)
0	0	0	0	09	= Depo-provera injectable
0	0	0	0	10	= IUD
1	0	0	1	11	= Female sterilization
0	0	0	0	12	= Vasectomy
0	1	1	2	13	= Natural Family Planning (NFP), temperature rhythm
0	2	0	2	14	= Calendar rhythm
0	3	0	3	15	= Withdrawal
0	1	0	1	16	= Today(TM) sponge
0	0	0	0	17	= Morning-after pill
0	0	0	0	18	= Cervical cap
0	0	0	0	19	= Partner sterile (unknown reasons)
0	0	0	0	20	= Other method-- not shown separately
0	0	0	0	96	= No method, none

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

NOSEX12	11927-11928					VAR408: Number of months of nonintercourse in the 12 months prior to interview
---------	-------------	--	--	--	--	--

Non-blank for all Rs.

992	4296	1605	7103	00		= No Months of Nonintercourse
35	115	38	191	01		= 1 Month of Nonintercourse
59	228	96	396	02		= 2 Months of Nonintercourse
42	190	71	314	03		= 3 Months of Nonintercourse
26	127	58	213	04		= 4 Months of Nonintercourse
22	117	45	190	05		= 5 Months of Nonintercourse
17	86	37	146	06		= 6 Months of Nonintercourse
15	89	32	140	07		= 7 Months of Nonintercourse
20	73	28	125	08		= 8 Months of Nonintercourse
18	53	28	101	09		= 9 Months of Nonintercourse
13	47	17	82	10		= 10 Months of Nonintercourse
10	57	21	91	11		= 11 Months of Nonintercourse
140	418	221	812	12		= 12 Months of Nonintercourse
144	587	149	943	95		= Never Had Intercourse

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

NOSEX36	11929-11930					VAR409: Number of months of nonintercourse in the 36 months prior to interview
---------	-------------	--	--	--	--	--

Non-blank for all Rs.

828	3359	1294	5641	00		= No Months of Nonintercourse
15	87	26	130	01		= 1 Month of Nonintercourse
62	282	90	454	02		= 2 Months of Nonintercourse
56	251	97	416	03		= 3 Months of Nonintercourse
53	204	70	334	04		= 4 Months of Nonintercourse
26	160	63	259	05		= 5 Months of Nonintercourse
26	131	67	230	06		= 6 Months of Nonintercourse
16	131	53	202	07		= 7 Months of Nonintercourse
19	100	36	165	08		= 8 Months of Nonintercourse
16	83	34	136	09		= 9 Months of Nonintercourse
17	72	26	122	10		= 10 Months of Nonintercourse
18	66	26	114	11		= 11 Months of Nonintercourse
16	67	35	121	12		= 12 Months of Nonintercourse
17	71	21	115	13		= 13 Months of Nonintercourse
15	74	18	110	14		= 14 Months of Nonintercourse
9	38	18	67	15		= 15 Months of Nonintercourse
8	39	17	69	16		= 16 Months of Nonintercourse
12	35	19	69	17		= 17 Months of Nonintercourse
8	41	16	68	18		= 18 Months of Nonintercourse
10	43	15	69	19		= 19 Months of Nonintercourse
10	24	6	40	20		= 20 Months of Nonintercourse
6	25	17	51	21		= 21 Months of Nonintercourse

(5874)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		7	22	13	45	22	Nonintercourse = 22 Months of Nonintercourse
		7	32	9	49	23	= 23 Months of Nonintercourse
		5	26	7	40	24	= 24 Months of Nonintercourse
		9	18	15	43	25	= 25 Months of Nonintercourse
		7	34	8	50	26	= 26 Months of Nonintercourse
		5	22	6	33	27	= 27 Months of Nonintercourse
		3	16	6	25	28	= 28 Months of Nonintercourse
		5	22	10	39	29	= 29 Months of Nonintercourse
		3	24	8	35	30	= 30 Months of Nonintercourse
		2	20	5	28	31	= 31 Months of Nonintercourse
		9	15	6	31	32	= 32 Months of Nonintercourse
		3	11	6	20	33	= 33 Months of Nonintercourse
		3	14	8	27	34	= 34 Months of Nonintercourse
		7	16	6	29	35	= 35 Months of Nonintercourse
		71	221	120	428	36	= 36 Months of Nonintercourse
		144	587	149	943	95	= Never Had Intercourse

SEXP3MO 11931-11931

VAR410: Intercourse in the 3 months
prior to interview month

Inapplicable:

R has never had (voluntary)
intercourse since first period.

147	604	151	966	Blank	= Blank, inapplicable
1201	5205	1946	8598	1	= Yes, Had Intercourse in 3 Months Prior to Interview
205	674	349	1283	2	= No, Did Not Have Intercourse in 3 Months Prior to Interview

(5875)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FECUND 11932-11932 VAR411: Fecundity status

Non-blank for all Rs.

392	1704	720	2883	1	= Contraceptively surgically sterile
37	217	90	353	2	= Non-contraceptively surgically sterile
31	106	44	186	3	= Nonsurgically sterile
122	504	168	828	4	= Subfecund
23	45	25	102	5	= Long Interval
948	3907	1399	6495	6	= Fecund

INFERT 11933-11933 VAR412: Infertility status

Inapplicable:
 R is not currently married or cohabiting, or R has never had intercourse.

632	2392	1594	4783	Blank	= Blank, inapplicable
334	1679	398	2476	1	= Surgically Sterile
60	251	84	420	2	= Infertile
527	2161	370	3168	3	= Fecund

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Sections D & E Recodes)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
CONSTAT1	11934-11935					VAR413: Current contraceptive status 1995.
						Non-blank for all Rs.
		360	1113	707	2231	01 = Female sterilization
		46	627	27	719	02 = Male sterilization
		18	45	38	104	03 = Norplant(TM) implant
		46	95	79	225	04 = Depo-provera injectable
		217	1192	360	1806	05 = Pill
		0	1	0	1	06 = Morning-after pill
		16	31	15	64	07 = IUD
		7	103	12	123	08 = Diaphragm
		200	833	303	1405	09 = Condom (Male)
		0	1	0	1	10 = Female condom/vaginal pouch
		2	23	3	28	11 = Foam
		1	2	0	3	12 = Cervical cap
		0	14	7	21	13 = Today(TM) sponge
		5	21	8	36	14 = Suppository or insert
		2	10	3	15	15 = Jelly or cream (without diaphragm)
		2	20	1	23	16 = Natural Family Planning (NFP), temperature rhythm
		23	82	14	131	17 = Calendar rhythm
		30	134	19	192	18 = Withdrawal
		2	5	10	17	19 = Other method
		81	238	102	430	30 = Pregnant
		63	239	111	439	31 = Seeking pregnancy
		14	41	14	74	32 = Postpartum
		23	82	40	149	33 = Sterile, nonsurgical-female
		8	24	4	37	34 = Sterile, nonsurgical-male
		38	213	87	346	35 = Sterile, surgical-female
		0	4	4	9	36 = Sterile, surgical-male
		2	8	1	11	38 = Sterile, unknown-male
		149	603	150	967	40 = Other nonuser-no (voluntary) sex since 1st menses
		113	359	164	660	41 = Other nonuser-R did not have sex in 3 months before interview
		85	320	163	580	42 = Other nonuser-R had sex in 3 months before

(5877)

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Sections D & E Recodes)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	

interview

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
CONSTAT2	11936-11937					VAR414: 2nd priority code on CONSTAT. Non-blank for all Rs.
		2	10	15	27	01 = Female sterilization
		1	11	2	14	02 = Male sterilization
		0	1	2	3	03 = Norplant(TM) implant
		0	3	2	5	04 = Depo-provera injectable
		1	5	6	12	05 = Pill
		0	1	0	1	06 = Morning-after pill
		0	0	0	0	07 = IUD
		3	16	4	23	08 = Diaphragm
		12	136	66	223	09 = Condom (Male)
		0	0	0	0	10 = Female condom/vaginal pouch
		6	22	8	36	11 = Foam
		0	0	0	0	12 = Cervical cap
		0	6	3	10	13 = Today(TM) sponge
		3	13	7	23	14 = Suppository or insert
		4	20	6	30	15 = Jelly or cream (without diaphragm)
		0	9	1	10	16 = Natural Family Planning (NFP), temperature rhythm
		12	51	6	77	17 = Calendar rhythm
		22	111	20	163	18 = Withdrawal
		0	0	0	0	19 = Other method
		0	0	0	0	30 = Pregnant
		0	0	0	0	31 = Seeking pregnancy
		0	0	0	0	32 = Postpartum
		0	0	0	0	33 = Sterile, nonsurgical-female
		0	0	0	0	34 = Sterile, nonsurgical-male
		0	0	0	0	35 = Sterile, surgical-female
		0	0	0	0	36 = Sterile, surgical-male
		0	9	1	11	38 = Sterile, unknown-male
		0	0	0	0	40 = Other nonuser-no (voluntary) sex since 1st menses
		0	0	0	0	41 = Other nonuser-R did not have sex in 3 months before interview
		0	0	0	0	42 = Other nonuser-R had sex in 3 months before interview

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Sections D & E Recodes)

VARIABLE	COLUMN	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
NAME	LOCATION	HISP	WHITE	BLACK			TOTAL
		1487	6059	2297	10179	88	= Inapplicable, no 2nd code

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
CONSTAT3	11938-11939					VAR415: 3rd priority code on CONSTAT. Non-blank for all Rs.
		1	10	23	34	01 = Female sterilization
		0	0	0	0	02 = Male sterilization
		0	0	0	0	03 = Norplant(TM) implant
		0	0	0	0	04 = Depo-provera injectable
		0	1	0	1	05 = Pill
		0	0	0	0	06 = Morning-after pill
		0	0	0	0	07 = IUD
		0	0	0	0	08 = Diaphragm
		0	4	0	4	09 = Condom (Male)
		1	0	0	1	10 = Female condom/vaginal pouch
		0	1	0	1	11 = Foam
		0	0	0	0	12 = Cervical cap
		1	3	0	4	13 = Today(TM) sponge
		0	4	0	4	14 = Suppository or insert
		0	3	1	4	15 = Jelly or cream (without diaphragm)
		0	4	0	5	16 = Natural Family Planning (NFP), temperature rhythm
		2	9	2	13	17 = Calendar rhythm
		2	27	3	33	18 = Withdrawal
		1	0	0	2	19 = Other method
		0	0	0	0	30 = Pregnant
		0	0	0	0	31 = Seeking pregnancy
		0	0	0	0	32 = Postpartum
		0	0	0	0	33 = Sterile, nonsurgical-female
		0	0	0	0	34 = Sterile, nonsurgical-male
		0	0	0	0	35 = Sterile, surgical-female
		0	0	0	0	36 = Sterile, surgical-male
		0	0	0	0	38 = Sterile, unknown-male
		0	0	0	0	40 = Other nonuser-no (voluntary) sex since 1st menses
		0	0	0	0	41 = Other nonuser-R did not have sex in 3 months before interview
		0	0	0	0	42 = Other nonuser-R had sex in 3 months before interview

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Sections D & E Recodes)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		1545	6417	2417	10741	88	= Inapplicable, no 3rd code

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
CONSTAT4	11940-11941					VAR416: 4th priority code on CONSTAT. Non-blank for all Rs.
		1	0	0	1	01 = Female sterilization
		0	0	0	0	02 = Male sterilization
		0	0	0	0	03 = Norplant(TM) implant
		0	0	0	0	04 = Depo-provera injectable
		0	0	0	0	05 = Pill
		0	0	0	0	06 = Morning-after pill
		0	0	0	0	07 = IUD
		0	0	0	0	08 = Diaphragm
		0	1	0	1	09 = Condom (Male)
		0	0	0	0	10 = Female condom/vaginal pouch
		0	0	0	0	11 = Foam
		0	0	0	0	12 = Cervical cap
		0	1	0	1	13 = Today(TM) sponge
		0	0	1	1	14 = Suppository or insert
		0	0	0	0	15 = Jelly or cream (without diaphragm)
		0	1	1	2	16 = Natural Family Planning (NFP), temperature rhythm
		0	2	0	2	17 = Calendar rhythm
		0	3	0	3	18 = Withdrawal
		0	0	0	0	19 = Other method
		0	0	0	0	30 = Pregnant
		0	0	0	0	31 = Seeking pregnancy
		0	0	0	0	32 = Postpartum
		0	0	0	0	33 = Sterile, nonsurgical-female
		0	0	0	0	34 = Sterile, nonsurgical-male
		0	0	0	0	35 = Sterile, surgical-female
		0	0	0	0	36 = Sterile, surgical-male
		0	0	0	0	38 = Sterile, unknown-male
		0	0	0	0	40 = Other nonuser-no (voluntary) sex since 1st menses
		0	0	0	0	41 = Other nonuser-R did not have sex in 3 months before interview
		0	0	0	0	42 = Other nonuser-R had sex in 3 months before interview

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		1552	6475	2444	10836	88	= Inapplicable, no 4th code
PILLR	11942-11942						VAR417: Ever used pill Non-blank for all Rs.
		1048	5118	1936	8285	1	= Yes
		505	1365	510	2562	2	= No
CONDOMR	11943-11943						VAR418: Ever used condom Inapplicable: R has never had (voluntary) intercourse since first period.
		147	604	151	966	Blank	= Blank, inapplicable
		952	4994	1858	8022	1	= Yes
		454	885	437	1859	2	= No
NONSURG	11944-11944						VAR419: Ever used any nonsurgical method Inapplicable: R has never had (voluntary) intercourse since first period, AND R has never used the pill or Norplant(TM).
		135	538	131	867	Blank	= Blank, inapplicable
		1323	5872	2241	9709	1	= Yes
		95	73	74	271	2	= No

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

SEX1MTHD 11945-11946

VAR420: Method used at first
 intercourse, if any

Inapplicable:
 R has never had (voluntary)
 intercourse since first period.

147	604	151	966	Blank	= Blank, inapplicable
160	1243	482	1923	01	= Pill
260	1827	504	2655	02	= Condom (male)
1	0	0	1	03	= Female condom/vaginal pouch
1	40	13	54	04	= Foam
1	6	3	10	05	= Jelly or cream (without diaphragm)
2	23	8	34	06	= Suppository or insert
4	53	6	63	07	= Diaphragm
0	2	1	3	08	= Norplant(TM)
0	1	1	2	09	= Depo-provera injectable
2	11	2	15	10	= IUD
0	0	0	1	11	= Female sterilization
2	15	0	18	12	= Vasectomy
2	6	0	10	13	= Natural Family Planning (NFP), temperature rhythm
7	73	15	103	14	= Calendar rhythm
61	457	68	611	15	= Withdrawal
1	11	3	15	16	= Today(TM) sponge
0	4	0	4	17	= Morning-after pill
0	0	0	0	18	= Cervical cap
0	1	0	2	19	= Partner sterile (unknown reasons)
1	0	2	3	20	= Other method-- not shown separately
92	68	74	261	95	= Never used a method
809	2038	1113	4093	96	= No method used at 1st sex

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
LASTBC	11947-11948					VAR421: Method used at last intercourse in the three months prior to interview
						Inapplicable: R has never had (voluntary) intercourse since first period, or did not have intercourse in the 3 months prior to interview.
		346	1243	483	2191	Blank = Blank, inapplicable
		156	997	278	1462	01 = Pill
		168	731	257	1204	02 = Condom (male)
		0	3	0	3	03 = Female condom/vaginal pouch
		1	18	2	21	04 = Foam
		2	10	1	13	05 = Jelly or cream (without diaphragm)
		5	18	8	33	06 = Suppository or insert
		5	76	9	92	07 = Diaphragm
		2	3	3	8	08 = Norplant(TM)
		8	14	12	34	09 = Depo-provera injectable
		0	0	0	1	10 = IUD
		1	5	2	8	11 = Female sterilization
		1	13	3	17	12 = Vasectomy
		0	15	1	16	13 = Natural Family Planning (NFP), temperature rhythm
		20	48	7	84	14 = Calendar rhythm
		24	134	17	185	15 = Withdrawal
		0	8	5	13	16 = Today(TM) sponge
		0	0	0	0	17 = Morning-after pill
		1	1	0	2	18 = Cervical cap
		0	9	0	9	19 = Partner sterile (unknown reasons)
		0	4	0	4	20 = Other method-- not shown separately
		74	53	58	205	95 = Never used a method
		739	3080	1300	5242	96 = No method used at last sex in 3 months before interview

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHOD1 11949-11950 VAR422: First method ever used

Inapplicable:
 R has never used a method.

226	603	205	1124	Blank	= Blank, inapplicable
687	2519	1335	4639	01	= Pill
408	2358	678	3547	02	= Condom (male)
1	0	0	1	03	= Female condom/vaginal pouch
10	87	28	127	04	= Foam
3	10	5	18	05	= Jelly or cream (without diaphragm)
8	35	13	59	06	= Suppository or insert
9	95	18	123	07	= Diaphragm
3	3	6	13	08	= Norplant(TM)
27	5	9	42	09	= Depo-provera injectable
48	52	32	142	10	= IUD
3	3	1	8	11	= Female sterilization
3	16	1	22	12	= Vasectomy
3	11	0	17	13	= Natural Family Planning (NFP), temperature rhythm
23	115	26	182	14	= Calendar rhythm
85	545	82	743	15	= Withdrawal
6	20	5	31	16	= Today(TM) sponge
0	5	0	5	17	= Morning-after pill
0	0	0	0	18	= Cervical cap
0	1	1	3	19	= Partner sterile (unknown reasons)
0	0	1	1	20	= Other method-- not shown separately

CONDLAST 11951-11951 VAR423: Whether condom was used at last intercourse in the period 3 months prior to interview

Inapplicable:
 R has never had (voluntary) intercourse since first period, or did not have intercourse in the 3 months prior to interview.

420	1296	541	2396	Blank	= Blank, inapplicable
171	814	324	1366	1	= Yes
962	4373	1581	7085	2	= No

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE	COLUMN	NON-HISPANIC			
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL
QX TEXT AND CODE CATEGORIES					

DATEUSE1 11952-11956

VAR424: Century months R used first method for the first time

Inapplicable:
 R has never had (voluntary) intercourse or has never used a method.

239	672	225	1227	Blank	= Blank, inapplicable
1044	5086	1927	8270	00737-01092	= Before 1991
254	685	261	1258	01093-01150	= 1991 or later
14	36	28	81	90835-91092	= Before 1991; date estimated
2	4	5	11	91093-91150	= 1991 or later; date estimated

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

SOURCEM1 11957-11958

VAR425.1: Source of method used in month prior to interview

Note: Responses coded in categories 14 and 15 were volunteered by some respondents; they did not appear on Card E-9. Respondents who said "Hospital" were probed whether it was the emergency room.

Inapplicable:
 R did not use a method in the month prior to interview.

1062	4203	1669	7192	Blank	= Blank, inapplicable
18	81	87	188	01	= Clinic-Title X, Public Health Dept
38	109	39	189	02	= Clinic-Title X, Non-Public Health Dept
16	12	8	36	03	= Clinic-NonTitle X, Public Health Dept
35	46	50	138	04	= Clinic-NonTitle X, Non-Public Health Dept
42	98	57	203	05	= Clinic, Not in database
3	9	5	17	06	= Clinic, Database not consulted
155	1021	270	1476	07	= Private doctor or HMO
2	5	3	10	08	= Hospital-Emergency Room
3	13	13	32	09	= Hospital-NonEmergency Room
1	10	4	17	10	= School or college health center
1	7	2	10	11	= Military facility
0	0	0	0	12	= Home
13	27	17	60	13	= Some other place
142	741	172	1096	14	= Pharmacy, drug store, or other store
22	101	50	183	15	= Male partner supplied it

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

SOURCEM2 11959-11960

VAR425.2: Source of method used in month prior to interview

Note: Responses coded in categories 14 and 15 were volunteered by some respondents; they did not appear on Card E-9. Respondents who said "Hospital" were probed whether it was the emergency room.

Inapplicable:
 R did not use a 2nd method in the month prior to interview.

1526	6268	2351	10504	Blank	= Blank, inapplicable
0	7	10	17	01	= Clinic-Title X, Public Health Dept
2	7	3	12	02	= Clinic-Title X, Non-Public Health Dept
0	4	4	8	03	= Clinic-NonTitle X, Public Health Dept
4	2	4	10	04	= Clinic-NonTitle X, Non-Public Health Dept
0	5	8	13	05	= Clinic, Not in database
0	1	1	2	06	= Clinic, Database not consulted
6	31	16	53	07	= Private doctor or HMO
0	0	0	0	08	= Hospital-Emergency Room
0	0	1	1	09	= Hospital-NonEmergency Room
0	2	1	3	10	= School or college health center
0	0	0	0	11	= Military facility
0	0	0	0	12	= Home
0	7	4	12	13	= Some other place
15	127	34	179	14	= Pharmacy, drug store, or other store
0	22	9	33	15	= Male partner supplied it

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

SOURCEM3 11961-11962

VAR425.3: Source of method used in month prior to interview

Note: Responses coded in categories 14 and 15 were volunteered by some respondents; they did not appear on Card E-9. Respondents who said "Hospital" were probed whether it was the emergency room.

Inapplicable:
 R did not use a 3rd method in the month prior to interview.

1551	6468	2446	10830	Blank	= Blank, inapplicable
0	1	0	1	01	= Clinic-Title X, Public Health Dept
0	0	0	0	02	= Clinic-Title X, Non-Public Health Dept
0	0	0	0	03	= Clinic-NonTitle X, Public Health Dept
0	0	0	0	04	= Clinic-NonTitle X, Non-Public Health Dept
0	0	0	0	05	= Clinic, Not in database
0	0	0	0	06	= Clinic, Database not consulted
0	1	0	1	07	= Private doctor or HMO
0	0	0	0	08	= Hospital-Emergency Room
0	0	0	0	09	= Hospital-NonEmergency Room
0	0	0	0	10	= School or college health center
0	0	0	0	11	= Military facility
0	0	0	0	12	= Home
0	1	0	1	13	= Some other place
2	12	0	14	14	= Pharmacy, drug store, or other store
0	0	0	0	15	= Male partner supplied it

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

SOURCEM4 11963-11964

VAR425.4: Source of method used in month prior to interview

Note: Responses coded in categories 14 and 15 were volunteered by some respondents; they did not appear on Card E-9. Respondents who said "Hospital" were probed whether it was the emergency room.

Inapplicable:
 R did not use a 4th method in the month prior to interview.

1553	6481	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= Clinic-Title X, Public Health Dept
0	0	0	0	02	= Clinic-Title X, Non-Public Health Dept
0	0	0	0	03	= Clinic-NonTitle X, Public Health Dept
0	0	0	0	04	= Clinic-NonTitle X, Non-Public Health Dept
0	0	0	0	05	= Clinic, Not in database
0	0	0	0	06	= Clinic, Database not consulted
0	0	0	0	07	= Private doctor or HMO
0	0	0	0	08	= Hospital-Emergency Room
0	0	0	0	09	= Hospital-NonEmergency Room
0	0	0	0	10	= School or college health center
0	0	0	0	11	= Military facility
0	0	0	0	12	= Home
0	1	0	1	13	= Some other place
0	1	1	2	14	= Pharmacy, drug store, or other store
0	0	0	0	15	= Male partner supplied it

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWP01 11965-11965 VAR426.01: Wantedness of 1st
 Pregnancy-- Respondent's Partner-Cycle
 4 version

Note: See section on "data quality"
 for discussion pertaining to this
 item.

Inapplicable:
 R has never been pregnant or R has
 never had voluntary intercourse.

347	2103	517	3099	Blank	= Blank, inapplicable
56	234	47	348	1	= Later, Overdue
623	1916	731	3380	2	= Right Time
240	1093	413	1800	3	= Too Soon, Mistimed
33	140	88	272	4	= Didn't Care, Indifferent
178	705	422	1339	5	= Unwanted
76	292	228	609	6	= Don't know, not sure

OLDWP02 11966-11966 VAR 426.02: Wantedness of 2nd
 Pregnancy-- Respondent's Partner-Cycle
 4 version

Inapplicable:
 R has not had a 2nd pregnancy or R has
 never had voluntary intercourse.

586	3138	953	4866	Blank	= Blank, inapplicable
27	175	32	240	1	= Later, Overdue
571	2016	700	3390	2	= Right Time
155	583	273	1035	3	= Too Soon, Mistimed
21	117	60	208	4	= Didn't Care, Indifferent
145	328	297	794	5	= Unwanted
48	126	131	314	6	= Don't know, not sure

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES

OLDWP03	11967-11967						VAR426.03: Wantedness of 3rd Pregnancy-- Respondent's Partner-Cycle 4 version
							Inapplicable: R has not had a 3rd pregnancy or R has never had voluntary intercourse.
		907	4540	1454	7157	Blank	= Blank, inapplicable
		19	115	32	172	1	= Later, Overdue
		383	1092	459	1987	2	= Right Time
		89	285	126	515	3	= Too Soon, Mistimed
		17	70	37	131	4	= Didn't Care, Indifferent
		113	276	235	642	5	= Unwanted
		25	105	103	243	6	= Don't know, not sure

OLDWP04	11968-11968						VAR426.04: Wantedness of 4th Pregnancy-- Respondent's Partner-Cycle 4 version
							Inapplicable: R has not had a 4th pregnancy or R has never had voluntary intercourse.
		1171	5522	1865	8859	Blank	= Blank, inapplicable
		14	36	14	69	1	= Later, Overdue
		219	512	266	1031	2	= Right Time
		39	147	56	248	3	= Too Soon, Mistimed
		15	33	21	71	4	= Didn't Care, Indifferent
		77	186	176	452	5	= Unwanted
		18	47	48	117	6	= Don't know, not sure

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

OLDWP05 11969-11969 VAR426.05: Wantedness of 5th
 Pregnancy-- Respondent's Partner-Cycle
 4 version

Inapplicable:
 R has not had a 5th pregnancy or R has
 never had voluntary intercourse.

1362	6042	2132	9874	Blank	= Blank, inapplicable
2	21	6	29	1	= Later, Overdue
100	227	137	477	2	= Right Time
22	49	37	110	3	= Too Soon, Mistimed
6	16	13	35	4	= Didn't Care, Indifferent
49	92	91	238	5	= Unwanted
12	36	30	84	6	= Don't know, not sure

OLDWP06 11970-11970 VAR426.06: Wantedness of 6th
 Pregnancy-- Respondent's Partner-Cycle
 4 version

Inapplicable:
 R has not had a 6th pregnancy or R has
 never had voluntary intercourse.

1458	6281	2292	10381	Blank	= Blank, inapplicable
5	8	3	17	1	= Later, Overdue
45	103	68	226	2	= Right Time
12	22	13	48	3	= Too Soon, Mistimed
6	8	2	16	4	= Didn't Care, Indifferent
17	47	46	112	5	= Unwanted
10	14	22	47	6	= Don't know, not sure

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWP07 11971-11971 VAR426.07: Wantedness of 7th
 Pregnancy-- Respondent's Partner-Cycle
 4 version

Inapplicable:
 R has not had a 7th pregnancy or R has
 never had voluntary intercourse.

1501	6391	2367	10617	Blank	= Blank, inapplicable
4	5	1	10	1	= Later, Overdue
24	53	28	109	2	= Right Time
3	8	4	16	3	= Too Soon, Mistimed
3	5	0	8	4	= Didn't Care, Indifferent
10	17	37	66	5	= Unwanted
8	4	9	21	6	= Don't know, not sure

OLDWP08 11972-11972 VAR426.08: Wantedness of 8th
 Pregnancy-- Respondent's Partner-Cycle
 4 version

Inapplicable:
 R has not had an 8th pregnancy or R
 has never had voluntary intercourse.

1528	6439	2412	10740	Blank	= Blank, inapplicable
1	3	0	5	1	= Later, Overdue
12	26	7	48	2	= Right Time
0	4	5	9	3	= Too Soon, Mistimed
2	1	1	4	4	= Didn't Care, Indifferent
6	7	16	29	5	= Unwanted
4	3	5	12	6	= Don't know, not sure

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWP09 11973-11973 VAR426.09: Wantedness of 9th
 Pregnancy-- Respondent's Partner-Cycle
 4 version

Inapplicable:
 R has not had a 9th pregnancy or R has
 never had voluntary intercourse.

1541	6454	2429	10786	Blank	= Blank, inapplicable
0	2	0	2	1	= Later, Overdue
3	21	4	31	2	= Right Time
0	2	1	3	3	= Too Soon, Mistimed
4	0	1	5	4	= Didn't Care, Indifferent
4	3	8	15	5	= Unwanted
1	1	3	5	6	= Don't know, not sure

OLDWP10 11974-11974 VAR426.10: Wantedness of 10th
 Pregnancy-- Respondent's Partner-Cycle
 4 version

Inapplicable:
 R has not had a 10th pregnancy or R
 has never had voluntary intercourse.

1545	6469	2437	10814	Blank	= Blank, inapplicable
0	1	0	1	1	= Later, Overdue
5	8	1	16	2	= Right Time
0	3	0	3	3	= Too Soon, Mistimed
0	0	0	0	4	= Didn't Care, Indifferent
2	1	5	8	5	= Unwanted
1	1	3	5	6	= Don't know, not sure

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

OLDWP11 11975-11975 VAR426.11: Wantedness of 11th
 Pregnancy-- Respondent's Partner-Cycle
 4 version

Inapplicable:
 R has not had an 11th pregnancy or R
 has never had voluntary intercourse.

1547	6477	2443	10831	Blank	= Blank, inapplicable
0	1	0	1	1	= Later, Overdue
3	4	2	10	2	= Right Time
0	1	0	1	3	= Too Soon, Mistimed
0	0	0	0	4	= Didn't Care, Indifferent
2	0	1	3	5	= Unwanted
1	0	0	1	6	= Don't know, not sure

OLDWP12 11976-11976 VAR426.12: Wantedness of 12th
 Pregnancy-- Respondent's Partner-Cycle
 4 version

Inapplicable:
 R has not had a 12th pregnancy or R
 has never had voluntary intercourse.

1550	6480	2443	10837	Blank	= Blank, inapplicable
0	0	0	0	1	= Later, Overdue
1	2	1	5	2	= Right Time
0	1	1	2	3	= Too Soon, Mistimed
0	0	0	0	4	= Didn't Care, Indifferent
2	0	1	3	5	= Unwanted
0	0	0	0	6	= Don't know, not sure

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWP13 11977-11977 VAR426.13: Wantedness of 13th
 Pregnancy-- Respondent's Partner-Cycle
 4 version

Inapplicable:
 R has not had a 13th pregnancy or R
 has never had voluntary intercourse.

1552	6482	2443	10841	Blank	= Blank, inapplicable
0	0	0	0	1	= Later, Overdue
0	1	1	2	2	= Right Time
0	0	1	2	3	= Too Soon, Mistimed
0	0	0	0	4	= Didn't Care, Indifferent
1	0	0	1	5	= Unwanted
0	0	1	1	6	= Don't know, not sure

OLDWP14 11978-11978 VAR426.14: Wantedness of 14th
 Pregnancy-- Respondent's Partner-Cycle
 4 version

Inapplicable:
 R has not had a 14th pregnancy or R
 has never had voluntary intercourse.

1552	6482	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	1	= Later, Overdue
0	1	0	1	2	= Right Time
0	0	0	0	3	= Too Soon, Mistimed
0	0	0	0	4	= Didn't Care, Indifferent
1	0	1	2	5	= Unwanted
0	0	0	0	6	= Don't know, not sure

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWP15 11979-11979 VAR426.15: Wantedness of 15th
 Pregnancy-- Respondent's Partner-Cycle
 4 version

Inapplicable:
 R has not had a 15th pregnancy or R
 has never had voluntary intercourse.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	1	= Later, Overdue
0	1	0	1	2	= Right Time
0	0	0	0	3	= Too Soon, Mistimed
0	0	0	0	4	= Didn't Care, Indifferent
0	0	0	0	5	= Unwanted
0	0	0	0	6	= Don't know, not sure

OLDWR01 11980-11980 VAR427.01: Wantedness of 1st
 Pregnancy-- Respondent-- Cycle 4
 version

Note: See section on "data quality"
 for discussion pertaining to this
 item.

Inapplicable:
 R has never been pregnant or R has
 never had voluntary intercourse.

347	2103	517	3099	Blank	= Blank, inapplicable
66	317	57	449	1	= Later, Overdue
587	1876	560	3132	2	= Right Time
410	1766	947	3214	3	= Too Soon, Mistimed
23	90	32	151	4	= Didn't Care, Indifferent
117	316	324	775	5	= Unwanted
3	15	9	27	6	= Don't know, not sure

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

OLDWR02	11981-11981				VAR427.02: Wantedness of 2nd Pregnancy-- Respondent-- Cycle 4 version	
Inapplicable: R has not had a 2nd pregnancy or R has never had voluntary intercourse.						
		586	3138	953	4866	Blank = Blank, inapplicable
		36	220	40	302	1 = Later, Overdue
		534	2054	622	3319	2 = Right Time
		250	789	502	1577	3 = Too Soon, Mistimed
		17	95	33	152	4 = Didn't Care, Indifferent
		129	182	291	619	5 = Unwanted
		1	5	5	12	6 = Don't know, not sure

OLDWR03	11982-11982				VAR427.03: Wantedness of 3rd Pregnancy-- Respondent-- Cycle 4 version	
Inapplicable: R has not had a 3rd pregnancy or R has never had voluntary intercourse.						
		907	4540	1454	7157	Blank = Blank, inapplicable
		22	129	36	191	1 = Later, Overdue
		351	1108	423	1936	2 = Right Time
		141	404	231	797	3 = Too Soon, Mistimed
		17	52	21	97	4 = Didn't Care, Indifferent
		115	242	277	657	5 = Unwanted
		0	8	4	12	6 = Don't know, not sure

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWR04 11983-11983 VAR427.04: Wantedness of 4th
 Pregnancy-- Respondent-- Cycle 4
 version

Inapplicable:
 R has not had a 4th pregnancy or R has
 never had voluntary intercourse.

1171	5522	1865	8859	Blank	= Blank, inapplicable
17	39	10	68	1	= Later, Overdue
196	524	235	990	2	= Right Time
63	188	128	389	3	= Too Soon, Mistimed
12	23	20	56	4	= Didn't Care, Indifferent
93	180	183	471	5	= Unwanted
1	7	5	14	6	= Don't know, not sure

OLDWR05 11984-11984 VAR427.05: Wantedness of 5th
 Pregnancy-- Respondent-- Cycle 4
 version

Inapplicable:
 R has not had a 5th pregnancy or R has
 never had voluntary intercourse.

1362	6042	2132	9874	Blank	= Blank, inapplicable
4	20	7	31	1	= Later, Overdue
96	244	114	469	2	= Right Time
28	77	63	173	3	= Too Soon, Mistimed
6	10	10	26	4	= Didn't Care, Indifferent
57	85	115	263	5	= Unwanted
0	5	5	11	6	= Don't know, not sure

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWR06 11985-11985 VAR427.06: Wantedness of 6th
 Pregnancy-- Respondent-- Cycle 4
 version

Inapplicable:
 R has not had a 6th pregnancy or R has
 never had voluntary intercourse.

	1458	6281	2292	10381	Blank	= Blank, inapplicable
	2	10	3	17	1	= Later, Overdue
	39	101	51	198	2	= Right Time
	16	39	29	86	3	= Too Soon, Mistimed
	7	6	5	18	4	= Didn't Care, Indifferent
	31	45	65	144	5	= Unwanted
	0	1	1	3	6	= Don't know, not sure

OLDWR07 11986-11986 VAR427.07: Wantedness of 7th
 Pregnancy-- Respondent-- Cycle 4
 version

Inapplicable:
 R has not had a 7th pregnancy or R has
 never had voluntary intercourse.

	1501	6391	2367	10617	Blank	= Blank, inapplicable
	3	4	1	8	1	= Later, Overdue
	21	53	26	103	2	= Right Time
	9	11	13	33	3	= Too Soon, Mistimed
	5	4	2	11	4	= Didn't Care, Indifferent
	14	20	37	75	5	= Unwanted
	0	0	0	0	6	= Don't know, not sure

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWR08 11987-11987 VAR427.08: Wantedness of 8th
 Pregnancy-- Respondent-- Cycle 4
 version

Inapplicable:
 R has not had an 8th pregnancy or R
 has never had voluntary intercourse.

	1528	6439	2412	10740	Blank	= Blank, inapplicable
	1	3	0	4	1	= Later, Overdue
	7	26	8	43	2	= Right Time
	2	8	6	17	3	= Too Soon, Mistimed
	4	1	0	5	4	= Didn't Care, Indifferent
	11	6	20	38	5	= Unwanted
	0	0	0	0	6	= Don't know, not sure

OLDWR09 11988-11988 VAR427.09: Wantedness of 9th
 Pregnancy-- Respondent-- Cycle 4
 version

Inapplicable:
 R has not had a 9th pregnancy or R has
 never had voluntary intercourse.

	1541	6454	2429	10786	Blank	= Blank, inapplicable
	0	1	0	1	1	= Later, Overdue
	2	23	3	30	2	= Right Time
	1	4	2	7	3	= Too Soon, Mistimed
	2	0	0	2	4	= Didn't Care, Indifferent
	7	1	12	21	5	= Unwanted
	0	0	0	0	6	= Don't know, not sure

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWR10 11989-11989 VAR427.10: Wantedness of 10th
 Pregnancy-- Respondent-- Cycle 4
 version

Inapplicable:
 R has not had a 10th pregnancy or R
 has never had voluntary intercourse.

	1545	6469	2437	10814	Blank	= Blank, inapplicable
	0	1	0	1	1	= Later, Overdue
	3	9	1	15	2	= Right Time
	0	3	1	4	3	= Too Soon, Mistimed
	0	0	0	0	4	= Didn't Care, Indifferent
	5	1	6	12	5	= Unwanted
	0	0	1	1	6	= Don't know, not sure

OLDWR11 11990-11990 VAR427.11: Wantedness of 11th
 Pregnancy-- Respondent-- Cycle 4
 version

Inapplicable:
 R has not had an 11th pregnancy or R
 has never had voluntary intercourse.

	1547	6477	2443	10831	Blank	= Blank, inapplicable
	0	1	0	1	1	= Later, Overdue
	2	4	1	8	2	= Right Time
	0	1	0	1	3	= Too Soon, Mistimed
	0	0	0	0	4	= Didn't Care, Indifferent
	4	0	2	6	5	= Unwanted
	0	0	0	0	6	= Don't know, not sure

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

OLDWR12	11991-11991				VAR427.12: Wantedness of 12th Pregnancy-- Respondent-- Cycle 4 version	
Inapplicable: R has not had a 12th pregnancy or R has never had voluntary intercourse.						
		1550	6480	2443	10837	Blank = Blank, inapplicable
		0	0	0	0	1 = Later, Overdue
		0	2	1	3	2 = Right Time
		1	1	1	4	3 = Too Soon, Mistimed
		0	0	0	0	4 = Didn't Care, Indifferent
		2	0	1	3	5 = Unwanted
		0	0	0	0	6 = Don't know, not sure

OLDWR13	11992-11992				VAR427.13: Wantedness of 13th Pregnancy-- Respondent-- Cycle 4 version	
Inapplicable: R has not had a 13th pregnancy or R has never had voluntary intercourse.						
		1552	6482	2443	10841	Blank = Blank, inapplicable
		0	0	1	1	1 = Later, Overdue
		0	1	1	3	2 = Right Time
		0	0	0	0	3 = Too Soon, Mistimed
		0	0	0	0	4 = Didn't Care, Indifferent
		1	0	1	2	5 = Unwanted
		0	0	0	0	6 = Don't know, not sure

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

OLDWR14	11993-11993				VAR427.14: Wantedness of 14th Pregnancy-- Respondent-- Cycle 4 version	
Inapplicable: R has not had a 14th pregnancy or R has never had voluntary intercourse.						
		1552	6482	2445	10844	Blank = Blank, inapplicable
		0	0	0	0	1 = Later, Overdue
		0	1	0	1	2 = Right Time
		0	0	0	0	3 = Too Soon, Mistimed
		0	0	0	0	4 = Didn't Care, Indifferent
		1	0	1	2	5 = Unwanted
		0	0	0	0	6 = Don't know, not sure

OLDWR15	11994-11994				VAR427.15: Wantedness of 15th Pregnancy-- Respondent-- Cycle 4 version	
Inapplicable: R has not had a 15th pregnancy or R has never had voluntary intercourse.						
		1553	6482	2446	10846	Blank = Blank, inapplicable
		0	0	0	0	1 = Later, Overdue
		0	1	0	1	2 = Right Time
		0	0	0	0	3 = Too Soon, Mistimed
		0	0	0	0	4 = Didn't Care, Indifferent
		0	0	0	0	5 = Unwanted
		0	0	0	0	6 = Don't know, not sure

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTRP01 11995-11995

VAR428.01: Wantedness of 1st
 Pregnancy-- Respondent

Note: See section on "data quality"
 for discussion pertaining to this
 item.

Inapplicable:

R has never been pregnant or R has
 never had voluntary intercourse.

347	2103	517	3099	Blank	= Blank, inapplicable
66	317	58	450	1	= Later, Overdue
588	1878	563	3138	2	= Right Time
437	1826	1026	3386	3	= Too Soon, Mistimed
23	91	32	152	4	= Didn't Care, Indifferent
89	253	241	595	5	= Unwanted
3	15	9	27	6	= Don't know, not sure

WANTRP02 11996-11996

VAR428.02: Wantedness of 2nd
 Pregnancy-- Respondent

Inapplicable:

R has not had a 2nd pregnancy or R has
 never had voluntary intercourse.

586	3138	953	4866	Blank	= Blank, inapplicable
36	221	41	304	1	= Later, Overdue
534	2054	625	3322	2	= Right Time
290	817	543	1690	3	= Too Soon, Mistimed
18	95	33	153	4	= Didn't Care, Indifferent
88	153	246	500	5	= Unwanted
1	5	5	12	6	= Don't know, not sure

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Sections D & E Recodes)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

WANTRP03 11997-11997

VAR428.03: Wantedness of 3rd
Pregnancy-- Respondent

Inapplicable:
R has not had a 3rd pregnancy or R has
never had voluntary intercourse.

907	4540	1454	7157	Blank	= Blank, inapplicable
22	131	37	194	1	= Later, Overdue
351	1110	423	1938	2	= Right Time
155	420	258	858	3	= Too Soon, Mistimed
17	53	21	98	4	= Didn't Care, Indifferent
101	221	248	589	5	= Unwanted
0	8	5	13	6	= Don't know, not sure

WANTRP04 11998-11998

VAR428.04: Wantedness of 4th
Pregnancy-- Respondent

Inapplicable:
R has not had a 4th pregnancy or R has
never had voluntary intercourse.

1171	5522	1865	8859	Blank	= Blank, inapplicable
18	39	10	69	1	= Later, Overdue
197	525	235	993	2	= Right Time
74	196	142	424	3	= Too Soon, Mistimed
12	23	20	56	4	= Didn't Care, Indifferent
80	171	169	432	5	= Unwanted
1	7	5	14	6	= Don't know, not sure

WANTRP05 11999-11999

VAR428.05: Wantedness of 5th
Pregnancy-- Respondent

Inapplicable:
R has not had a 5th pregnancy or R has
never had voluntary intercourse.

1362	6042	2132	9874	Blank	= Blank, inapplicable
4	20	7	31	1	= Later, Overdue
97	244	114	470	2	= Right Time
31	84	64	184	3	= Too Soon, Mistimed
6	10	10	26	4	= Didn't Care, Indifferent
53	78	114	251	5	= Unwanted
0	5	5	11	6	= Don't know, not sure

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTRP06 12000-12000

VAR428.06: Wantedness of 6th
 Pregnancy-- Respondent

Inapplicable:
 R has not had a 6th pregnancy or R has
 never had voluntary intercourse.

1458	6281	2292	10381	Blank	= Blank, inapplicable
2	10	3	17	1	= Later, Overdue
39	101	51	198	2	= Right Time
18	40	33	93	3	= Too Soon, Mistimed
7	6	5	18	4	= Didn't Care, Indifferent
29	44	60	136	5	= Unwanted
0	1	2	4	6	= Don't know, not sure

WANTRP07 12001-12001

VAR428.07: Wantedness of 7th
 Pregnancy-- Respondent

Inapplicable:
 R has not had a 7th pregnancy or R has
 never had voluntary intercourse.

1501	6391	2367	10617	Blank	= Blank, inapplicable
3	4	1	8	1	= Later, Overdue
21	53	26	103	2	= Right Time
10	12	13	36	3	= Too Soon, Mistimed
5	4	2	11	4	= Didn't Care, Indifferent
13	19	37	72	5	= Unwanted
0	0	0	0	6	= Don't know, not sure

WANTRP08 12002-12002

VAR428.08: Wantedness of 8th
 Pregnancy-- Respondent

Inapplicable:
 R has not had an 8th pregnancy or R
 has never had voluntary intercourse.

1528	6439	2412	10740	Blank	= Blank, inapplicable
1	3	0	4	1	= Later, Overdue
7	26	8	43	2	= Right Time
4	8	6	19	3	= Too Soon, Mistimed
4	1	0	5	4	= Didn't Care, Indifferent
9	6	20	36	5	= Unwanted
0	0	0	0	6	= Don't know, not sure

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTRP09 12003-12003

VAR428.09: Wantedness of 9th
Pregnancy-- Respondent

Inapplicable:
R has not had a 9th pregnancy or R has
never had voluntary intercourse.

1541	6454	2429	10786	Blank	= Blank, inapplicable
0	1	0	1	1	= Later, Overdue
2	23	3	30	2	= Right Time
2	4	2	8	3	= Too Soon, Mistimed
2	0	0	2	4	= Didn't Care, Indifferent
6	1	12	20	5	= Unwanted
0	0	0	0	6	= Don't know, not sure

WANTRP10 12004-12004

VAR428.10: Wantedness of 10th
Pregnancy-- Respondent

Inapplicable:
R has not had a 10th pregnancy or R
has never had voluntary intercourse.

1545	6469	2437	10814	Blank	= Blank, inapplicable
0	1	0	1	1	= Later, Overdue
3	9	1	15	2	= Right Time
1	3	1	5	3	= Too Soon, Mistimed
0	0	0	0	4	= Didn't Care, Indifferent
4	1	6	11	5	= Unwanted
0	0	1	1	6	= Don't know, not sure

WANTRP11 12005-12005

VAR428.11: Wantedness of 11th
Pregnancy-- Respondent

Inapplicable:
R has not had an 11th pregnancy or R
has never had voluntary intercourse.

1547	6477	2443	10831	Blank	= Blank, inapplicable
0	1	0	1	1	= Later, Overdue
2	4	1	8	2	= Right Time
0	1	0	1	3	= Too Soon, Mistimed
0	0	0	0	4	= Didn't Care, Indifferent
4	0	2	6	5	= Unwanted
0	0	0	0	6	= Don't know, not sure

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTRP12 12006-12006

VAR428.12: Wantedness of 12th
 Pregnancy-- Respondent

Inapplicable:
 R has not had a 12th pregnancy or R
 has never had voluntary intercourse.

1550	6480	2443	10837	Blank	= Blank, inapplicable
0	0	0	0	1	= Later, Overdue
0	2	1	3	2	= Right Time
1	1	1	4	3	= Too Soon, Mistimed
0	0	0	0	4	= Didn't Care, Indifferent
2	0	1	3	5	= Unwanted
0	0	0	0	6	= Don't know, not sure

WANTRP13 12007-12007

VAR428.13: Wantedness of 13th
 Pregnancy-- Respondent

Inapplicable:
 R has not had a 13th pregnancy or R
 has never had voluntary intercourse.

1552	6482	2443	10841	Blank	= Blank, inapplicable
0	0	1	1	1	= Later, Overdue
0	1	1	3	2	= Right Time
0	0	0	0	3	= Too Soon, Mistimed
0	0	0	0	4	= Didn't Care, Indifferent
1	0	1	2	5	= Unwanted
0	0	0	0	6	= Don't know, not sure

WANTRP14 12008-12008

VAR428.14: Wantedness of 14th
 Pregnancy-- Respondent

Inapplicable:
 R has not had a 14th pregnancy or R
 has never had voluntary intercourse.

1552	6482	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	1	= Later, Overdue
0	1	0	1	2	= Right Time
0	0	0	0	3	= Too Soon, Mistimed
0	0	0	0	4	= Didn't Care, Indifferent
1	0	1	2	5	= Unwanted
0	0	0	0	6	= Don't know, not sure

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTRP15 12009-12009

VAR428.15: Wantedness of 15th
 Pregnancy-- Respondent

Inapplicable:
 R has not had a 15th pregnancy or R
 has never had voluntary intercourse.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	1	= Later, Overdue
0	1	0	1	2	= Right Time
0	0	0	0	3	= Too Soon, Mistimed
0	0	0	0	4	= Didn't Care, Indifferent
0	0	0	0	5	= Unwanted
0	0	0	0	6	= Don't know, not sure

WANTPT01 12010-12010

VAR429.01: Wantedness of 1st
 Pregnancy-- Partner

Note: See section on "data quality"
 for discussion pertaining to this
 item.

Inapplicable:
 R has never been pregnant or R has
 never had voluntary intercourse.

347	2103	517	3099	Blank	= Blank, inapplicable
56	234	47	348	1	= Later, Overdue
624	1921	732	3387	2	= Right Time
240	1097	413	1805	3	= Too Soon, Mistimed
33	141	88	273	4	= Didn't Care, Indifferent
179	706	426	1345	5	= Unwanted
74	281	223	590	6	= Don't know, not sure

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Sections D & E Recodes)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

WANTPT02 12011-12011

VAR429.02: Wantedness of 2nd
Pregnancy-- Partner

Inapplicable:
R has not had a 2nd pregnancy or R has
never had voluntary intercourse.

586	3138	953	4866	Blank	= Blank, inapplicable
27	175	32	240	1	= Later, Overdue
571	2016	702	3392	2	= Right Time
155	584	273	1036	3	= Too Soon, Mistimed
21	117	60	208	4	= Didn't Care, Indifferent
147	331	299	801	5	= Unwanted
46	122	127	304	6	= Don't know, not sure

WANTPT03 12012-12012

VAR429.03: Wantedness of 3rd
Pregnancy-- Partner

Inapplicable:
R has not had a 3rd pregnancy or R has
never had voluntary intercourse.

907	4540	1454	7157	Blank	= Blank, inapplicable
19	115	32	172	1	= Later, Overdue
383	1093	459	1988	2	= Right Time
89	286	127	517	3	= Too Soon, Mistimed
17	70	37	131	4	= Didn't Care, Indifferent
113	276	236	643	5	= Unwanted
25	103	101	239	6	= Don't know, not sure

WANTPT04 12013-12013

VAR429.04: Wantedness of 4th
Pregnancy-- Partner

Inapplicable:
R has not had a 4th pregnancy or R has
never had voluntary intercourse.

1171	5522	1865	8859	Blank	= Blank, inapplicable
14	36	15	70	1	= Later, Overdue
219	512	266	1031	2	= Right Time
39	147	56	248	3	= Too Soon, Mistimed
15	33	21	71	4	= Didn't Care, Indifferent
77	188	176	454	5	= Unwanted
18	45	47	114	6	= Don't know, not sure

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTPT05 12014-12014

VAR429.05: Wantedness of 5th
Pregnancy-- Partner

Inapplicable:
R has not had a 5th pregnancy or R has
never had voluntary intercourse.

1362	6042	2132	9874	Blank	= Blank, inapplicable
2	21	6	29	1	= Later, Overdue
100	227	137	477	2	= Right Time
22	49	37	110	3	= Too Soon, Mistimed
6	16	13	35	4	= Didn't Care, Indifferent
49	92	91	238	5	= Unwanted
12	36	30	84	6	= Don't know, not sure

WANTPT06 12015-12015

VAR429.06: Wantedness of 6th
Pregnancy-- Partner

Inapplicable:
R has not had a 6th pregnancy or R has
never had voluntary intercourse.

1458	6281	2292	10381	Blank	= Blank, inapplicable
5	8	3	17	1	= Later, Overdue
45	103	69	227	2	= Right Time
12	23	13	49	3	= Too Soon, Mistimed
6	8	2	16	4	= Didn't Care, Indifferent
17	47	46	112	5	= Unwanted
10	13	21	45	6	= Don't know, not sure

WANTPT07 12016-12016

VAR429.07: Wantedness of 7th
Pregnancy-- Partner

Inapplicable:
R has not had a 7th pregnancy or R has
never had voluntary intercourse.

1501	6391	2367	10617	Blank	= Blank, inapplicable
4	5	1	10	1	= Later, Overdue
24	53	28	109	2	= Right Time
3	8	4	16	3	= Too Soon, Mistimed
3	5	0	8	4	= Didn't Care, Indifferent
10	17	37	66	5	= Unwanted
8	4	9	21	6	= Don't know, not sure

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTPT11 12020-12020 VAR429.11: Wantedness of 11th
 Pregnancy-- Partner

Inapplicable:
 R has not had an 11th pregnancy or R
 has never had voluntary intercourse.

1547	6477	2443	10831	Blank		= Blank, inapplicable
0	1	0	1	1		= Later, Overdue
3	4	2	10	2		= Right Time
0	1	0	1	3		= Too Soon, Mistimed
0	0	0	0	4		= Didn't Care, Indifferent
2	0	1	3	5		= Unwanted
1	0	0	1	6		= Don't know, not sure

WANTPT12 12021-12021 VAR429.12: Wantedness of 12th
 Pregnancy-- Partner

Inapplicable:
 R has not had a 12th pregnancy or R
 has never had voluntary intercourse.

1550	6480	2443	10837	Blank		= Blank, inapplicable
0	0	0	0	1		= Later, Overdue
1	2	1	5	2		= Right Time
0	1	1	2	3		= Too Soon, Mistimed
0	0	0	0	4		= Didn't Care, Indifferent
2	0	1	3	5		= Unwanted
0	0	0	0	6		= Don't know, not sure

WANTPT13 12022-12022 VAR429.13: Wantedness of 13th
 Pregnancy-- Partner

Inapplicable:
 R has not had a 13th pregnancy or R
 has never had voluntary intercourse.

1552	6482	2443	10841	Blank		= Blank, inapplicable
0	0	0	0	1		= Later, Overdue
0	1	1	2	2		= Right Time
0	0	1	2	3		= Too Soon, Mistimed
0	0	0	0	4		= Didn't Care, Indifferent
1	0	0	1	5		= Unwanted
0	0	1	1	6		= Don't know, not sure

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTPT14 12023-12023

VAR429.14: Wantedness of 14th
 Pregnancy-- Partner

Inapplicable:
 R has not had a 14th pregnancy or R
 has never had voluntary intercourse.

1552	6482	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	1	= Later, Overdue
0	1	0	1	2	= Right Time
0	0	0	0	3	= Too Soon, Mistimed
0	0	0	0	4	= Didn't Care, Indifferent
1	0	1	2	5	= Unwanted
0	0	0	0	6	= Don't know, not sure

WANTPT15 12024-12024

VAR429.15: Wantedness of 15th
 Pregnancy-- Partner

Inapplicable:
 R has not had a 15th pregnancy or R
 has never had voluntary intercourse.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	1	= Later, Overdue
0	1	0	1	2	= Right Time
0	0	0	0	3	= Too Soon, Mistimed
0	0	0	0	4	= Didn't Care, Indifferent
0	0	0	0	5	= Unwanted
0	0	0	0	6	= Don't know, not sure

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

WANTP5	12025-12025					VAR430: Number of wanted pregnancies in the last 5 years
						Inapplicable: R had no pregnancies in the last 5 years.
		877	4545	1526	7188	Blank = Blank, inapplicable
		81	203	197	495	0 = No Wanted Pregnancy In Last 5 Years
		397	1168	508	2152	1 = 1 wanted pregnancy in last 5 years
		150	453	163	792	2 = 2 wanted pregnancies in last 5 years
		43	86	42	176	3 = 3 wanted pregnancies in last 5 years
		3	21	7	32	4 = 4 wanted pregnancies in last 5 years
		2	5	3	10	5 = 5 wanted pregnancies in last 5 years
		0	2	0	2	6 = 6 wanted pregnancies in last 5 years

PAYTL_I	12026-12026					PAYTL (VAR401) Imputation Flag
						Non-blank for all Rs.
		1551	6481	2443	10840	0 = Questionnaire data
		2	2	3	7	1 = Stochastic imputation
		0	0	0	0	2 = Logical imputation
		0	0	0	0	3 = Computed based on imputed value(s) of other recode(s)

PAYVAS_I	12027-12027					PAYVAS (VAR402) n Flag
						Non-blank for all Rs.
		1553	6476	2444	10838	0 = Questionnaire data
		0	7	2	9	1 = Stochastic imputation
		0	0	0	0	2 = Logical imputation
		0	0	0	0	3 = Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

PAYHYSTI 12028-12028						PAYHYST (VAR403) n Flag	
						Non-blank for all Rs.	
		1553	6483	2445	10846	0	= Questionnaire data
		0	0	1	1	1	= Stochastic imputation
		0	0	0	0	2	= Logical imputation
		0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

STRLOP_I 12029-12029						STRLOPER (VAR404) Imputation Flag	
						Non-blank for all Rs.	
		1553	6483	2446	10847	0	= Questionnaire data
		0	0	0	0	1	= Stochastic imputation
		0	0	0	0	2	= Logical imputation
		0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

ANYMTH_I 12030-12030						ANYMTHD (VAR405) Imputation Flag	
						Non-blank for all Rs.	
		1553	6483	2446	10847	0	= Questionnaire data
		0	0	0	0	1	= Stochastic imputation
		0	0	0	0	2	= Logical imputation
		0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

MTHINT1I 12031-12031						MTHINTM1 (VAR406.1) Imputation Flag	
						Inapplicable: R has never used a method.	
		1542	6417	2424	10746	0	= Questionnaire data
		11	66	22	101	1	= Stochastic imputation
		0	0	0	0	2	= Logical imputation
		0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

MTHINT2I	12032-12032					MTHINTM2 (VAR406.2) Imputation Flag
Inapplicable:						
R has never used a method or never used a 2nd method.						
		1553	6483	2446	10847	0
		0	0	0	0	1
		0	0	0	0	2
		0	0	0	0	3
						= Questionnaire data
						= Stochastic imputation
						= Logical imputation
						= Computed based on imputed value(s) of other recode(s)

MTHINT3I	12033-12033					MTHINTM3 (VAR406.3) Imputation Flag
Inapplicable:						
R has never used a method or never used a 3rd method.						
		1553	6483	2446	10847	0
		0	0	0	0	1
		0	0	0	0	2
		0	0	0	0	3
						= Questionnaire data
						= Stochastic imputation
						= Logical imputation
						= Computed based on imputed value(s) of other recode(s)

MTHINT4I	12034-12034					MTHINTM4 (VAR406.4) Imputation Flag
Inapplicable:						
R has never used a method or never used a 4th method.						
		1553	6483	2446	10847	0
		0	0	0	0	1
		0	0	0	0	2
		0	0	0	0	3
						= Questionnaire data
						= Stochastic imputation
						= Logical imputation
						= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

MTPRIO1I	12035-12035					MTPRIOR1 (VAR407.1) Imputation Flag	
						Inapplicable: R has never used a method.	
		1542	6416	2424	10745	0	= Questionnaire data
		11	67	22	102	1	= Stochastic imputation
		0	0	0	0	2	= Logical imputation
		0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

MTPRIO2I	12036-12036					MTPRIOR2 (VAR407.2) Imputation Flag	
						Inapplicable: R has never used a method or never used a 2nd method.	
		1553	6483	2446	10847	0	= Questionnaire data
		0	0	0	0	1	= Stochastic imputation
		0	0	0	0	2	= Logical imputation
		0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

MTPRIO3I	12037-12037					MTPRIOR3 (VAR407.3) Imputation Flag	
						Inapplicable: R has never used a method or never used a 3rd method.	
		1553	6483	2446	10847	0	= Questionnaire data
		0	0	0	0	1	= Stochastic imputation
		0	0	0	0	2	= Logical imputation
		0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

MTPRIO4I 12038-12038 MTPRIOR4 (VAR407.4) Imputation Flag

Inapplicable:
 R has never used a method or never used a 4th method.

	1553	6483	2446	10847	0	
	0	0	0	0	1	= Questionnaire data
	0	0	0	0	2	= Stochastic imputation
	0	0	0	0	3	= Logical imputation
						= Computed based on imputed value(s) of other recode(s)

NOSEX12I 12039-12039 NOSEX12 (VAR408) Imputation Flag

Non-blank for all Rs.

	1535	6281	2372	10546	0	
	18	202	74	301	1	= Questionnaire data
	0	0	0	0	2	= Stochastic imputation
	0	0	0	0	3	= Logical imputation
						= Computed based on imputed value(s) of other recode(s)

NOSEX36I 12040-12040 NOSEX36 (VAR409) Imputation Flag

Non-blank for all Rs.

	1535	6281	2372	10546	0	
	18	202	74	301	1	= Questionnaire data
	0	0	0	0	2	= Stochastic imputation
	0	0	0	0	3	= Logical imputation
						= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

CONDOM_I 12049-12049 CONDOMR (VAR418) Imputation Flag

Inapplicable:
 R has never had (voluntary)
 intercourse since first period.

1553	6479	2445	10842	0		= Questionnaire data
0	4	1	5	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

NONSUR_I 12050-12050 NONSURG (VAR419) Imputation Flag

Inapplicable:
 R has never had (voluntary)
 intercourse since first period AND R
 has never used the pill or
 Norplant(TM).

1553	6478	2445	10841	0		= Questionnaire data
0	5	1	6	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

LASTBC_I 12051-12051 LASTBC (VAR421) Imputation Flag

Inapplicable:
 R has never had (voluntary)
 intercourse since first period, or did
 not have intercourse in the 3 months
 prior to interview.

1518	6385	2412	10673	0		= Questionnaire data
35	98	34	174	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

SEX1MT_I 12052-12052 SEX1MTHD (VAR420) Imputation Flag

Inapplicable:
 R has never had (voluntary)
 intercourse since first period.

1549	6452	2418	10782	0		
4	31	28	65	1		= Questionnaire data
0	0	0	0	2		= Stochastic imputation
0	0	0	0	3		= Logical imputation
						= Computed based on imputed value(s) of other recode(s)

METH1_I 12053-12053 METHOD1 (VAR422) Imputation Flag

Inapplicable:
 R has never used a method.

1551	6478	2445	10839	0		
2	5	1	8	1		= Questionnaire data
0	0	0	0	2		= Stochastic imputation
0	0	0	0	3		= Logical imputation
						= Computed based on imputed value(s) of other recode(s)

CONDLS_I 12054-12054 CONDLAST (VAR423) Imputation Flag

Inapplicable:
 R has never had (voluntary)
 intercourse since first period, or did
 not have intercourse in the 3 months
 prior to interview.

1518	6385	2412	10673	0		
35	98	34	174	1		= Questionnaire data
0	0	0	0	2		= Stochastic imputation
0	0	0	0	3		= Logical imputation
						= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DATUS1_I 12055-12055 DATEUSE1 (VAR424) Imputation Flag

Inapplicable:
 R has never had (voluntary)
 intercourse or has never used a
 method.

1547	6418	2401	10730	0		= Questionnaire data
6	65	45	117	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

SOURCM1I 12056-12056 SOURCEM1 (VAR425.1) Imputation Flag

Inapplicable:
 R did not use a method in the month
 prior to interview.

1549	6474	2446	10834	0		= Questionnaire data
4	9	0	13	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

SOURCM2I 12057-12057 SOURCEM2 (VAR425.2) Imputation Flag

Inapplicable:
 R did not use a 2nd method in the
 month prior to interview.

1552	6482	2445	10844	0		= Questionnaire data
1	1	1	3	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

SOURCM3I 12058-12058 SOURCEM3 (VAR425.3) Imputation Flag

Inapplicable:
 R did not use a 3rd method in the
 month prior to interview.

1553	6483	2446	10847	0		= Questionnaire data
0	0	0	0	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

SOURCM4I 12059-12059 SOURCEM4 (VAR425.4) Imputation Flag

Inapplicable:
 R did not use a 4th method in the
 month prior to interview.

1553	6483	2446	10847	0		= Questionnaire data
0	0	0	0	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWPI01 12060-12060 OLDWTP01 (VAR426.01) Imputation Flag

Inapplicable:

R has never been pregnant or R has never had voluntary intercourse.

345	2100	511	3086	Blank	= Blank, inapplicable
1056	4128	1663	7057	0	= Questionnaire data
3	16	13	34	1	= Stochastic imputation -- all other missing data
42	51	60	159	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
2	20	9	32	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
71	123	163	371	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
34	45	27	108	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWPI02 12061-12061

OLDWTP02 (VAR426.02) Imputation Flag

Inapplicable:

R has not had a 2nd pregnancy or R has never had voluntary intercourse.

586	3138	950	4863	Blank	= Blank, inapplicable
945	3307	1447	5870	0	= Questionnaire data
2	4	10	19	1	= Stochastic imputation -- all other missing data
2	0	3	5	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
6	19	15	40	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
8	10	15	35	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
4	5	6	15	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWPI03 12062-12062

OLDWTP03 (VAR426.03) Imputation Flag

Inapplicable:

R has not had a 3rd pregnancy or R has never had voluntary intercourse.

907	4540	1452	7155	Blank	= Blank, inapplicable
636	1912	968	3622	0	= Questionnaire data
1	6	8	17	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
8	22	12	42	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
1	1	2	5	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	2	4	6	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWPI04 12063-12063

OLDWTP04 (VAR426.04) Imputation Flag

Inapplicable:

R has not had a 4th pregnancy or R has never had voluntary intercourse.

1171	5522	1864	8858	Blank	= Blank, inapplicable
376	940	568	1945	0	= Questionnaire data
0	5	2	9	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
5	15	8	28	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	2	3	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
1	1	2	4	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWPI05 12064-12064

OLDWTP05 (VAR426.05) Imputation Flag

Inapplicable:

R has not had a 5th pregnancy or R has never had voluntary intercourse.

1362	6042	2132	9874	Blank	= Blank, inapplicable
187	427	301	940	0	= Questionnaire data
0	1	2	5	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
3	12	8	23	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	2	2	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
1	1	1	3	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWPI06 12065-12065

OLDWTP06 (VAR426.06) Imputation Flag

Inapplicable:

R has not had a 6th pregnancy or R has never had voluntary intercourse.

1458	6281	2292	10381	Blank	= Blank, inapplicable
92	192	145	442	0	= Questionnaire data
0	1	2	5	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
3	9	5	17	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	1	1	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	0	1	1	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWPI07 12066-12066

OLDWTP07 (VAR426.07) Imputation Flag

Inapplicable:

R has not had a 7th pregnancy or R has never had voluntary intercourse.

1501	6391	2367	10617	Blank	= Blank, inapplicable
49	83	74	211	0	= Questionnaire data
0	1	2	5	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
3	8	2	13	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	0	0	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	0	1	1	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWPI08 12067-12067 OLDWTP08 (VAR426.08) Imputation Flag

Inapplicable:
 R has not had an 8th pregnancy or R
 has never had voluntary intercourse.

1528	6439	2412	10740	Blank	= Blank, inapplicable
23	39	30	95	0	= Questionnaire data
0	1	2	4	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
2	4	1	7	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	0	0	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	0	1	1	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWPI09 12068-12068

OLDWTP09 (VAR426.09) Imputation Flag

Inapplicable:

R has not had a 9th pregnancy or R has never had voluntary intercourse.

1541	6454	2429	10786	Blank	= Blank, inapplicable
10	25	14	51	0	= Questionnaire data
0	0	2	3	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
2	4	1	7	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	0	0	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	0	0	0	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWPI10 12069-12069 OLDWTP10 (VAR426.10) Imputation Flag

Inapplicable:
 R has not had a 10th pregnancy or R
 has never had voluntary intercourse.

1545	6469	2437	10814	Blank	= Blank, inapplicable
7	12	7	27	0	= Questionnaire data
0	0	1	2	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
1	2	1	4	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	0	0	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	0	0	0	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWPI11 12070-12070 OLDWTP11 (VAR426.11) Imputation Flag

Inapplicable:
 R has not had an 11th pregnancy or R
 has never had voluntary intercourse.

1547	6477	2443	10831	Blank	= Blank, inapplicable
6	4	1	11	0	= Questionnaire data
0	0	1	2	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
0	2	1	3	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	0	0	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	0	0	0	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWPI12 12071-12071 OLDWTP12 (VAR426.12) Imputation Flag

Inapplicable:
 R has not had a 12th pregnancy or R
 has never had voluntary intercourse.

1550	6480	2443	10837	Blank	= Blank, inapplicable
3	1	1	5	0	= Questionnaire data
0	0	1	2	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
0	2	1	3	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	0	0	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	0	0	0	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWPI13 12072-12072 OLDWTP13 (VAR426.13) Imputation Flag

Inapplicable:
 R has not had a 13th pregnancy or R
 has never had voluntary intercourse.

1552	6482	2443	10841	Blank	= Blank, inapplicable
1	0	2	3	0	= Questionnaire data
0	0	1	2	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
0	1	0	1	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	0	0	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	0	0	0	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWPI14 12073-12073 OLDWTP14 (VAR426.14) Imputation Flag

Inapplicable:
 R has not had a 14th pregnancy or R
 has never had voluntary intercourse.

1552	6482	2445	10844	Blank	= Blank, inapplicable
1	0	1	2	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
0	1	0	1	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	0	0	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	0	0	0	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWPI15 12074-12074 OLDWTP15 (VAR426.15) Imputation Flag

Inapplicable:
 R has not had a 15th pregnancy or R
 has never had voluntary intercourse.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	1	0	1	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
0	0	0	0	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	0	0	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	0	0	0	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWRI01 12075-12075 OLDWTR01 (VAR427.01) Imputation Flag

Inapplicable:

R has never been pregnant or R has never had voluntary intercourse.

345	2100	511	3086	Blank	= Blank, inapplicable
1048	4120	1659	7035	0	= Questionnaire data
1	5	1	7	1	= Stochastic imputation -- all other missing data
42	51	60	159	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
3	26	12	43	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
72	124	163	373	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
42	57	40	144	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWRI02 12076-12076

OLDWTR02 (VAR427.02) Imputation Flag

Inapplicable:

R has not had a 2nd pregnancy or R has never had voluntary intercourse.

586	3138	950	4863	Blank	= Blank, inapplicable
942	3298	1447	5858	0	= Questionnaire data
2	3	2	7	1	= Stochastic imputation -- all other missing data
2	0	3	5	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
7	22	18	49	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
8	10	15	35	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
6	12	11	30	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWRI03 12077-12077

OLDWTR03 (VAR427.03) Imputation Flag

Inapplicable:

R has not had a 3rd pregnancy or R has never had voluntary intercourse.

907	4540	1452	7155	Blank	= Blank, inapplicable
633	1901	966	3606	0	= Questionnaire data
0	3	1	4	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
8	24	14	47	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
1	1	2	5	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
4	14	11	30	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWRI04 12078-12078

OLDWTR04 (VAR427.04) Imputation Flag

Inapplicable:

R has not had a 4th pregnancy or R has never had voluntary intercourse.

1171	5522	1864	8858	Blank	= Blank, inapplicable
374	937	567	1939	0	= Questionnaire data
0	3	0	3	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
5	15	9	30	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	2	3	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
3	6	4	14	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWRI05 12079-12079

OLDWTR05 (VAR427.05) Imputation Flag

Inapplicable:

R has not had a 5th pregnancy or R has never had voluntary intercourse.

1362	6042	2132	9874	Blank	= Blank, inapplicable
187	424	298	934	0	= Questionnaire data
0	1	2	3	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
3	12	9	25	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	2	2	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
1	4	3	9	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWRI06 12080-12080

OLDWTR06 (VAR427.06) Imputation Flag

Inapplicable:

R has not had a 6th pregnancy or R has never had voluntary intercourse.

1458	6281	2292	10381	Blank	= Blank, inapplicable
92	190	144	439	0	= Questionnaire data
0	2	1	3	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
3	9	6	19	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	1	1	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	1	2	4	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWRI07 12081-12081

OLDWTR07 (VAR427.07) Imputation Flag

Inapplicable:

R has not had a 7th pregnancy or R has never had voluntary intercourse.

1501	6391	2367	10617	Blank	= Blank, inapplicable
49	83	74	211	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
3	8	3	15	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	0	0	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	1	2	4	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWRI08 12082-12082 OLDWTR08 (VAR427.08) Imputation Flag

Inapplicable:
 R has not had an 8th pregnancy or R
 has never had voluntary intercourse.

1528	6439	2412	10740	Blank	= Blank, inapplicable
23	39	31	96	0	= Questionnaire data
0	1	0	1	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
2	4	2	8	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	0	0	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	0	1	2	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWRI09 12083-12083

OLDWTR09 (VAR427.09) Imputation Flag

Inapplicable:

R has not had a 9th pregnancy or R has never had voluntary intercourse.

1541	6454	2429	10786	Blank	= Blank, inapplicable
10	25	14	51	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
2	4	2	8	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	0	0	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	0	1	2	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWRI10 12084-12084 OLDWTR10 (VAR427.10) Imputation Flag

Inapplicable:
 R has not had a 10th pregnancy or R
 has never had voluntary intercourse.

1545	6469	2437	10814	Blank	= Blank, inapplicable
7	12	7	27	0	= Questionnaire data
0	0	1	1	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
1	2	1	4	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	0	0	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	0	0	1	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWRI11 12085-12085 OLDWTR11 (VAR427.11) Imputation Flag

Inapplicable:
 R has not had an 11th pregnancy or R
 has never had voluntary intercourse.

1547	6477	2443	10831	Blank	= Blank, inapplicable
6	4	1	11	0	= Questionnaire data
0	0	1	1	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
0	2	1	3	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	0	0	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	0	0	1	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWRI12 12086-12086

OLDWTR12 (VAR427.12) Imputation Flag

Inapplicable:

R has not had a 12th pregnancy or R
 has never had voluntary intercourse.

1550	6480	2443	10837	Blank	= Blank, inapplicable
3	1	1	5	0	= Questionnaire data
0	0	1	1	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
0	2	1	3	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	0	0	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	0	0	1	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWRI13 12087-12087

OLDWTR13 (VAR427.13) Imputation Flag

Inapplicable:

R has not had a 13th pregnancy or R
 has never had voluntary intercourse.

1552	6482	2443	10841	Blank	= Blank, inapplicable
1	0	2	3	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
0	1	0	1	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	0	0	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	0	1	2	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWRI14 12088-12088 OLDWTR14 (VAR427.14) Imputation Flag

Inapplicable:
 R has not had a 14th pregnancy or R
 has never had voluntary intercourse.

1552	6482	2445	10844	Blank	= Blank, inapplicable
1	0	1	2	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
0	1	0	1	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	0	0	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	0	0	0	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWRI15 12089-12089 OLDWTR15 (VAR427.15) Imputation Flag

Inapplicable:
 R has not had a 15th pregnancy or R
 has never had voluntary intercourse.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	1	0	1	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
0	0	0	0	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	0	0	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	0	0	0	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTRI01 12090-12090 WANTRP01 (VAR428.01) Imputation Flag

Inapplicable:

R has never been pregnant or R has never had voluntary intercourse.

345	2100	511	3086	Blank	= Blank, inapplicable
1048	4120	1659	7035	0	= Questionnaire data
0	4	1	5	1	= Stochastic imputation -- all other missing data
42	51	60	159	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
3	26	12	43	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
72	124	163	373	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
43	58	40	146	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTRI02 12091-12091

WANTRP02 (VAR428.02) Imputation Flag

Inapplicable:

R has not had a 2nd pregnancy or R has never had voluntary intercourse.

586	3138	950	4863	Blank	= Blank, inapplicable
942	3298	1447	5858	0	= Questionnaire data
2	2	2	6	1	= Stochastic imputation -- all other missing data
2	0	3	5	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
7	22	18	49	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
8	10	15	35	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
6	13	11	31	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTRI03 12092-12092

WANTRP03 (VAR428.03) Imputation Flag

Inapplicable:

R has not had a 3rd pregnancy or R has never had voluntary intercourse.

907	4540	1452	7155	Blank	= Blank, inapplicable
633	1901	967	3607	0	= Questionnaire data
0	2	1	3	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
8	24	14	47	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
1	1	2	5	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
4	15	10	30	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTRI04 12093-12093

WANTRP04 (VAR428.04) Imputation Flag

Inapplicable:

R has not had a 4th pregnancy or R has never had voluntary intercourse.

1171	5522	1864	8858	Blank	= Blank, inapplicable
374	937	567	1939	0	= Questionnaire data
0	1	0	1	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
5	15	9	30	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	2	3	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
3	8	4	16	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTRI05 12094-12094

WANTRP05 (VAR428.05) Imputation Flag

Inapplicable:

R has not had a 5th pregnancy or R has never had voluntary intercourse.

1362	6042	2132	9874	Blank	= Blank, inapplicable
187	424	299	935	0	= Questionnaire data
0	1	1	2	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
3	12	9	25	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	2	2	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
1	4	3	9	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTRI06 12095-12095

WANTRP06 (VAR428.06) Imputation Flag

Inapplicable:

R has not had a 6th pregnancy or R has never had voluntary intercourse.

1458	6281	2292	10381	Blank	= Blank, inapplicable
92	190	145	440	0	= Questionnaire data
0	0	1	1	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
3	9	6	19	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	1	1	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	3	1	5	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTRI07 12096-12096

WANTRP07 (VAR428.07) Imputation Flag

Inapplicable:

R has not had a 7th pregnancy or R has never had voluntary intercourse.

1501	6391	2367	10617	Blank	= Blank, inapplicable
49	83	74	211	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
3	8	3	15	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	0	0	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	1	2	4	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTRI08 12097-12097 WANTRP08 (VAR428.08) Imputation Flag

Inapplicable:
 R has not had an 8th pregnancy or R
 has never had voluntary intercourse.

1528	6439	2412	10740	Blank	= Blank, inapplicable
23	39	31	96	0	= Questionnaire data
0	1	0	1	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
2	4	2	8	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	0	0	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	0	1	2	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTRI09 12098-12098

WANTRP09 (VAR428.09) Imputation Flag

Inapplicable:

R has not had a 9th pregnancy or R has never had voluntary intercourse.

1541	6454	2429	10786	Blank	= Blank, inapplicable
10	25	14	51	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
2	4	2	8	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	0	0	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	0	1	2	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTRI10 12099-12099 WANTRP10 (VAR428.10) Imputation Flag

Inapplicable:
 R has not had a 10th pregnancy or R
 has never had voluntary intercourse.

1545	6469	2437	10814	Blank	= Blank, inapplicable
7	12	7	27	0	= Questionnaire data
0	0	1	1	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
1	2	1	4	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	0	0	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	0	0	1	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTRI11 12100-12100 WANTRP11 (VAR428.11) Imputation Flag

Inapplicable:
 R has not had an 11th pregnancy or R
 has never had voluntary intercourse.

1547	6477	2443	10831	Blank	= Blank, inapplicable
6	4	1	11	0	= Questionnaire data
0	0	1	1	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
0	2	1	3	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	0	0	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	0	0	1	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTRI12 12101-12101 WANTRP12 (VAR428.12) Imputation Flag

Inapplicable:
 R has not had a 12th pregnancy or R
 has never had voluntary intercourse.

1550	6480	2443	10837	Blank	= Blank, inapplicable
3	1	1	5	0	= Questionnaire data
0	0	1	1	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
0	2	1	3	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	0	0	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	0	0	1	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTRI13 12102-12102 WANTRP13 (VAR428.13) Imputation Flag

Inapplicable:
 R has not had a 13th pregnancy or R
 has never had voluntary intercourse.

1552	6482	2443	10841	Blank	= Blank, inapplicable
1	0	2	3	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
0	1	0	1	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	0	0	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	0	1	2	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTRI14 12103-12103 WANTRP14 (VAR428.14) Imputation Flag

Inapplicable:
 R has not had a 14th pregnancy or R
 has never had voluntary intercourse.

1552	6482	2445	10844	Blank	= Blank, inapplicable
1	0	1	2	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
0	1	0	1	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	0	0	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	0	0	0	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTPI01 12105-12105 WANTPT01 (VAR429.01) Imputation Flag

Inapplicable:

R has never been pregnant or R has never had voluntary intercourse.

345	2100	511	3086	Blank	= Blank, inapplicable
1054	4117	1657	7037	0	= Questionnaire data
2	17	10	30	1	= Stochastic imputation -- all other missing data
42	51	60	159	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
2	21	12	37	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
72	124	163	373	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
36	53	33	125	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTPI02 12106-12106

WANTPT02 (VAR429.02) Imputation Flag

Inapplicable:

R has not had a 2nd pregnancy or R has never had voluntary intercourse.

586	3138	950	4863	Blank	= Blank, inapplicable
943	3303	1443	5860	0	= Questionnaire data
3	7	9	19	1	= Stochastic imputation -- all other missing data
2	0	3	5	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
6	19	17	43	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
8	10	15	35	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
5	6	9	22	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTPI03 12107-12107

WANTPT03 (VAR429.03) Imputation Flag

Inapplicable:

R has not had a 3rd pregnancy or R has never had voluntary intercourse.

907	4540	1452	7155	Blank	= Blank, inapplicable
636	1910	966	3618	0	= Questionnaire data
1	3	6	10	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
8	22	13	44	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
1	1	2	5	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	7	7	15	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTPI04 12108-12108 WANTPT04 (VAR 429.04) Imputation Flag

Inapplicable:
 R has not had a 4th pregnancy or R has never had voluntary intercourse.

1171	5522	1864	8858	Blank	= Blank, inapplicable
376	938	566	1941	0	= Questionnaire data
0	3	1	4	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
5	15	9	30	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	2	3	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
1	5	4	11	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTPI05 12109-12109

WANTPT05 (VAR429.05) Imputation Flag

Inapplicable:

R has not had a 5th pregnancy or R has never had voluntary intercourse.

1362	6042	2132	9874	Blank	= Blank, inapplicable
187	426	301	939	0	= Questionnaire data
0	1	0	1	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
3	12	9	25	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	2	2	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
1	2	2	6	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTPI06 12110-12110 WANTPT06 (VAR429.06) Imputation Flag

Inapplicable:
 R has not had a 6th pregnancy or R has never had voluntary intercourse.

1458	6281	2292	10381	Blank	= Blank, inapplicable
92	190	144	439	0	= Questionnaire data
0	0	1	1	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
3	9	6	19	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	1	1	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	3	2	6	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTPI07 12111-12111

WANTPT07 (VAR429.07) Imputation Flag

Inapplicable:

R has not had a 7th pregnancy or R has never had voluntary intercourse.

1501	6391	2367	10617	Blank	= Blank, inapplicable
49	83	74	211	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
3	8	3	15	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	0	0	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	1	2	4	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTPI08 12112-12112 WANTPT08 (VAR429.08) Imputation Flag

Inapplicable:
 R has not had an 8th pregnancy or R
 has never had voluntary intercourse.

1528	6439	2412	10740	Blank	= Blank, inapplicable
23	39	30	95	0	= Questionnaire data
0	1	1	2	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
2	4	2	8	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	0	0	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	0	1	2	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTPI09 12113-12113

WANTPT09 (VAR429.09) Imputation Flag

Inapplicable:

R has not had a 9th pregnancy or R has never had voluntary intercourse.

1541	6454	2429	10786	Blank	= Blank, inapplicable
10	25	14	51	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
2	4	2	8	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	0	0	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	0	1	2	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTPI10 12114-12114 WANTPT10 (VAR429.10) Imputation Flag

Inapplicable:
 R has not had a 10th pregnancy or R
 has never had voluntary intercourse.

1545	6469	2437	10814	Blank	= Blank, inapplicable
7	12	7	27	0	= Questionnaire data
0	0	1	1	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
1	2	1	4	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	0	0	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	0	0	1	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTPI11 12115-12115 WANTPT11 (VAR429.11) Imputation Flag

Inapplicable:
 R has not had an 11th pregnancy or R
 has never had voluntary intercourse.

1547	6477	2443	10831	Blank	= Blank, inapplicable
6	4	1	11	0	= Questionnaire data
0	0	1	1	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
0	2	1	3	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	0	0	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	0	0	1	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTPI12 12116-12116 WANTPT12 (VAR429.12) Imputation Flag

Inapplicable:
 R has not had a 12th pregnancy or R
 has never had voluntary intercourse.

1550	6480	2443	10837	Blank	= Blank, inapplicable
3	1	1	5	0	= Questionnaire data
0	0	1	1	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
0	2	1	3	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	0	0	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	0	0	1	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTPI13 12117-12117 WANTPT13 (VAR429.13) Imputation Flag

Inapplicable:
 R has not had a 13th pregnancy or R
 has never had voluntary intercourse.

1552	6482	2443	10841	Blank	= Blank, inapplicable
1	0	2	3	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
0	1	0	1	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	0	0	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	0	1	2	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTPI14 12118-12118 WANTPT14 (VAR429.14) Imputation Flag

Inapplicable:
 R has not had a 14th pregnancy or R
 has never had voluntary intercourse.

1552	6482	2445	10844	Blank	= Blank, inapplicable
1	0	1	2	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
0	1	0	1	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	0	0	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	0	0	0	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Sections D & E Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTPI15 12119-12119 WANTPT15 (VAR429.15) Imputation Flag

Inapplicable:
 R has not had a 15th pregnancy or R
 has never had voluntary intercourse.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	1	0	1	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation -- all other missing data
0	0	0	0	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
0	0	0	0	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
0	0	0	0	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
0	0	0	0	5	= Stochastic imputation -- R had preg end date, but other timing data missing

WANTP5I 12120-12120 WANTP5 (VAR430) Imputation Flag

Inapplicable:
 R had no pregnancies in the last 5
 years.

1553	6483	2446	10847	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FP1STER 12121-12121 VAR501: Services received at the first family planning visit: a sterilizing operation

Inapplicable:
 R is 25 years of age or older, or R never received any of listed family planning services.

1281	5456	1979	9028	Blank	= Blank, inapplicable
2	4	6	12	1	= Yes
270	1023	461	1807	2	= No

FP1MTHD 12122-12122 VAR500: Services received at the first family planning visit: a method or prescription for a method

Inapplicable:
 R is 25 years of age or older, or R never received any of the listed family planning services.

1281	5456	1979	9028	Blank	= Blank, inapplicable
224	906	406	1577	1	= Yes
48	121	61	242	2	= No

FP1CHECK 12123-12123 VAR502: Services received at the first family planning visit: received a check-up or medical test related to using a birth control method

Inapplicable:
 R is 25 years of age or older, or R never received any of listed family planning services.

1281	5456	1979	9028	Blank	= Blank, inapplicable
172	738	297	1237	1	= Yes
100	289	170	582	2	= No

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FP1COUBC 12124-12124

VAR503: Services received at the first family planning visit: counseling about birth control

Inapplicable:
 R is 25 years of age or older, or R never received any of listed family planning services.

1281	5456	1979	9028	Blank	= Blank, inapplicable
179	700	325	1247	1	= Yes
93	327	142	572	2	= No

FP1COUST 12125-12125

VAR504: Services received at the first family planning visit: counseling about getting sterilized

Inapplicable:
 R is 25 years of age or older, or R never received any of listed family planning services.

1281	5456	1979	9028	Blank	= Blank, inapplicable
12	25	18	57	1	= Yes
260	1002	449	1762	2	= No

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPTYPFST 12126-12126

VAR505: Type of provider used for first family planning services

Note: Responses coded in categories 3 through 6 were volunteered by some respondents; they did not appear on Card F-2. If hospital was volunteered, whether or not it was the emergency room was probed.

Inapplicable:
 R is 25 years of age or older, or R never received any of listed family planning services.

	1281	5457	1979	9029	Blank	
	133	417	254	830	1	= Clinic
	116	561	180	881	2	= Private doctor's office, or HMO
	3	0	2	5	3	= Hospital-emergency room
	13	12	22	48	4	= Hospital-not emergency room
	2	27	7	38	5	= School or college health center
	2	3	2	7	6	= Military facility
	3	6	0	9	7	= Some other place

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPTITFST 12127-12127

VAR506: Type of clinic, when first birth control services were received at clinic in last 12 months

Inapplicable:
 R is 25 years of age or older, or R never received any of listed family planning services, or R did not receive first family planning services at a clinic, or R received first family planning services at a clinic but not in last 12 months.

	1533	6412	2420	10725	Blank	
	3	15	6	24	1	= Blank, inapplicable
	4	33	3	40	2	= Clinic-Title X, Public Health Dept
	1	2	1	4	3	= Clinic-Title X, Non-Public Health Dept
	6	4	3	14	4	= Clinic-NonTitle X, Public Health Dept
	5	14	11	34	5	= Clinic-NonTitle X, Non-Public Health Dept
	1	3	2	6	6	= Clinic-not found or not recognized in database or coded 98 or 99
						= Clinic-database not accessed. Provider was specified under "some other place" and later re-coded as "clinic"

FPSTER12 12128-12128

VAR507: Whether the respondent received a sterilizing operation from a medical care provider in last 12 months

Non-blank for all Rs.

	48	108	77	237	1	= Yes
	1505	6375	2369	10610	2	= No

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPMTHD12 12129-12129 VAR508: Whether the respondent received a method of birth control or prescription for a method from a medical care provider in last 12 months

Non-blank for all Rs.

392	1836	638	2931	1	= Yes
1161	4647	1808	7916	2	= No

FPCHEC12 12130-12130 VAR509: Whether the respondent received a check-up or medical test related to using a birth control method from a medical care provider in last 12 months

Non-blank for all Rs.

314	1498	520	2386	1	= Yes
1239	4985	1926	8461	2	= No

FPCNBC12 12131-12131 VAR510: Whether the respondent received counseling about birth control from a medical care provider in last 12 months

Non-blank for all Rs.

234	906	392	1572	1	= Yes
1319	5577	2054	9275	2	= No

FPCNST12 12132-12132 VAR511: Whether the respondent received counseling about getting sterilized from a medical care provider in last 12 months

Non-blank for all Rs.

64	211	97	383	1	= Yes
1489	6272	2349	10464	2	= No

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPTIT12 12133-12133

VAR512: Type of clinic used for family planning services in last 12 months

Inapplicable:
 R did not receive family planning services at a clinic in last 12 months.

1360	6093	2150	9940	Blank	= Blank, inapplicable
68	191	155	422	1	= Title X database clinic
71	78	68	227	2	= Non-Title X database clinic
50	110	69	238	3	= Clinic-not listed or not recognized in database or coded 98 or 99
4	11	4	20	4	= Clinic-database not accessed. Provider was specified under "some other place" and later re-coded as "clinic"

FPPGTS12 12134-12134

VAR513: Whether the respondent received a pregnancy test from a medical care provider in last 12 months

Non-blank for all Rs.

296	943	493	1787	1	= Yes
1256	5531	1950	9047	2	= No
0	7	2	9	7	= Not ascertained
1	1	0	2	8	= Refused
0	1	1	2	9	= Don't know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPABOR12 12135-12135

VAR514: Whether the respondent received an abortion from a medical care provider in the last 12 months

Note: The receipt of an abortion tends to be underreported in household surveys. See section on "data quality" for discussion pertaining to this item.

Non-blank for all Rs.

23	39	40	105	1	= Yes
1529	6436	2404	10731	2	= No
0	7	2	9	7	= Not ascertained
1	1	0	2	8	= Refused
0	0	0	0	9	= Don't know

FPPREN12 12136-12136

VAR515: Whether the respondent received prenatal care from a medical provider in the last 12 months

Non-blank for all Rs.

197	584	214	1033	1	= Yes
1355	5892	2230	9804	2	= No
0	7	2	9	7	= Not ascertained
1	0	0	1	8	= Refused
0	0	0	0	9	= Don't know

FPPART12 12137-12137

VAR516: Whether the respondent received post-pregnancy care from a medical care provider in last 12 months

Non-blank for all Rs.

118	383	111	640	1	= Yes
1428	6070	2328	10162	2	= No
7	30	7	45	7	= Not ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPTITMED 12138-12138

VAR517: Type of clinic used for
 "medical services" in last 12 months

Inapplicable:
 R did not receive "medical services"
 at a clinic in last 12 months.

1162	5717	1821	9008	Blank	= Blank, inapplicable
122	342	294	774	1	= Title X database clinic
124	147	165	452	2	= Non-Title X database clinic
140	252	160	576	3	= Clinic: not listed or not recognized in database or coded 98 or 99
5	25	6	37	4	= Clinic: database not accessed. Provider was specified under "some other place" and later re-coded as "clinic"

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPTITSTE 12139-12139

VAR518: Source of service in the last
 12 months: Sterilization operation

Inapplicable:
 R did not report receiving a
 sterilizing operation in last 12
 months.

	1505	6375	2369	10610	Blank	
	0	0	0	0	1	= Blank, inapplicable
	0	0	0	0	2	= Clinic-Title X, Public Health Dept
	0	0	0	0	3	= Clinic-Title X, Non-Public Health Dept
	0	1	0	1	4	= Clinic-NonTitle X, Public Health Dept
	1	0	2	3	5	= Clinic-not listed or not recognized in database or coded 98 or 99
	0	1	0	1	6	= Clinic-database not accessed. Provider was specified under "some other place" and later re-coded as "clinic"
	1	2	5	8	7	= Private doctor's office or HMO
	46	103	70	223	8	= Hospital
	0	1	0	1	9	= Some other place

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPTITBC 12140-12141

VAR519: Source of service in the last 12 months: Method of birth control or prescription for a method

Note: Responses coded in categories 8 through 12 were volunteered by some respondents; they did not appear on Card F-6. If hospital was volunteered, whether or not it was the emergency room was probed.

Inapplicable:

R did not report receiving a method or prescription for a method in the last 12 months from medical care provider.

Count	White	Black	Total	QX	Description
1163	4657	1810	7930	Blank	= Blank, inapplicable
14	86	93	196	01	= Clinic-Title X, Public Health Dept
42	125	42	213	02	= Clinic-Title X, Non-Public Health Dept
14	13	4	31	03	= Clinic-NonTitle X, Public Health Dept
42	53	54	160	04	= Clinic-NonTitle X, Non-Public Health Dept
36	106	57	210	05	= Clinic-not listed or recognized in database or coded 98 or 99
6	12	4	23	06	= Clinic-database not accessed. Provider was specified under "some other place" and later re-coded as "clinic"
222	1380	356	1987	07	= Private doctor's office or HMO
0	3	2	5	08	= Hospital-emergency room
10	11	20	44	09	= Hospital-not emergency room
0	17	3	23	10	= School or college health center
1	9	0	10	11	= Military facility
0	0	0	0	12	= Home
3	11	1	15	13	= Some other place

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPTITCHK 12142-12143

VAR520: Source of service in the last 12 months: Check-up or medical test related to using a birth control method

Note: Responses coded in categories 8 through 12 were volunteered by some respondents; they did not appear on Card F-6. If hospital was volunteered, whether or not it was the emergency room was probed.

Inapplicable:
 R did not report receiving a check-up or medical test related to using birth control method in last 12 months from medical care provider.

1261	5090	1962	8631	Blank		
12	65	74	154	01	=	Blank, inapplicable
39	86	31	161	02	=	Clinic-Title X, Public Health Dept
15	13	5	33	03	=	Clinic-Title X, Non-Public Health Dept
32	46	44	128	04	=	Clinic-NonTitle X, Public Health Dept
29	79	39	155	05	=	Clinic-NonTitle X, Non-Public Health Dept
2	7	2	12	06	=	Clinic-not listed or recognized in database or coded 98 or 99
					=	Clinic-database not accessed. Provider was specified under "some other place" and later re-coded as "clinic"
156	1075	280	1533	07	=	Private doctor's office or HMO
0	0	0	0	08	=	Hospital-emergency room
5	7	7	20	09	=	Hospital-not emergency room
0	8	1	10	10	=	School or college health center
1	4	0	5	11	=	Military facility
0	0	0	0	12	=	Home
1	3	1	5	13	=	Some other place

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPTITCBC 12144-12145

VAR521: Source of service in the last 12 months: Counseling about BC

Note: Responses coded in categories 8 through 12 were volunteered by some respondents; they did not appear on Card F-6. If hospital was volunteered, whether or not it was the emergency room was probed.

Inapplicable:
 R did not report receiving counseling about birth control in the last 12 months from medical care provider.

1335	5617	2077	9355	Blank	
10	54	69	135	01	= Blank, inapplicable
33	83	26	145	02	= Clinic-Title X, Public Health Dept
10	8	5	23	03	= Clinic-Title X, Non-Public Health Dept
31	40	31	109	04	= Clinic-NonTitle X, Public Health Dept
24	55	40	127	05	= Clinic-NonTitle X, Non-Public Health Dept
1	8	1	10	06	= Clinic-not listed or recognized in database or coded 98 or 99
101	597	184	899	07	= Clinic-database not accessed. Provider was specified under "some other place" and later re-coded as "clinic"
0	1	2	3	08	= Private doctor's office or HMO
7	6	8	22	09	= Hospital-emergency room
0	8	3	12	10	= Hospital-not emergency room
0	2	0	2	11	= School or college health center
0	0	0	0	12	= Military facility
1	4	0	5	13	= Home
					= Some other place

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPTITCST 12146-12147

VAR522: Source of service in the last 12 months: Counseling about sterilization

Note: Responses coded in categories 8 through 12 were volunteered by some respondents; they did not appear on Card F-6. If hospital was volunteered, whether or not it was the emergency room was probed.

Inapplicable:
 R did not report receiving counseling about sterilization in the last 12 months from a medical care provider.

	1489	6273	2351	10467	Blank	
	1	8	11	20	01	= Blank, inapplicable
	5	6	5	17	02	= Clinic-Title X, Public Health Dept
	3	0	2	5	03	= Clinic-Title X, Non-Public Health Dept
	11	7	9	27	04	= Clinic-NonTitle X, Public Health Dept
	5	10	10	28	05	= Clinic-NonTitle X, Non-Public Health Dept
	1	0	0	1	06	= Clinic-not listed or recognized in database or coded 98 or 99
	35	175	54	271	07	= Clinic-database not accessed. Provider was specified under "some other place" and later re-coded as "clinic"
	0	0	1	1	08	= Private doctor's office or HMO
	3	3	3	9	09	= Hospital-emergency room
	0	0	0	0	10	= Hospital-not emergency room
	0	1	0	1	11	= School or college health center
	0	0	0	0	12	= Military facility
	0	0	0	0	13	= Home
						= Some other place

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPTITPRE 12148-12149

VAR523: Source of service in the last 12 months: Pregnancy test

Note: Responses coded in categories 8 through 12 were volunteered by some respondents; they did not appear on Card F-6. If hospital was volunteered, whether or not it was the emergency room was probed.

Inapplicable:
 R did not report receiving pregnancy test from a medical provider in the last 12 months.

1257	5540	1953	9060	Blank		
8	35	52	97	01	= Blank, inapplicable	
					= Clinic-Title X, Public Health Dept	
26	64	37	130	02	= Clinic-Title X, Non-Public Health Dept	
9	9	5	23	03	= Clinic-NonTitle X, Public Health Dept	
31	33	48	118	04	= Clinic-NonTitle X, Non-Public Health Dept	
51	57	41	158	05	= Clinic-not listed or recognized in database or coded 98 or 99	
1	7	0	8	06	= Clinic-database not accessed. Provider was specified under "some other place" and later re-coded as "clinic"	
143	661	263	1097	07	= Private doctor's office or HMO	
5	22	19	46	08	= Hospital-emergency room	
17	25	26	72	09	= Hospital-not emergency room	
0	3	2	5	10	= School or college health center	
2	9	0	12	11	= Military facility	
2	10	0	12	12	= Home	
1	8	0	9	13	= Some other place	

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPTITABO 12150-12150

VAR524: Source of service in the last 12 months: Abortion

Note: Responses coded in categories 8 and 9 were volunteered by some respondents; they did not appear on Card F-6. If hospital was volunteered, whether or not it was the emergency room was probed.

Inapplicable:
 R did not report receiving an abortion from a medical provider in the last 12 months.

	1530	6444	2406	10742	Blank	
	1	0	1	2	1	= Blank, inapplicable
	3	2	2	7	2	= Clinic-Title X, Public Health Dept
	0	0	0	0	3	= Clinic-Title X, Non-Public Health Dept
	6	7	12	25	4	= Clinic-NonTitle X, Public Health Dept
	5	8	10	26	5	= Clinic-NonTitle X, Non-Public Health Dept
	0	1	3	4	6	= Clinic-not listed or recognized in database or coded 98 or 99
	7	17	9	33	7	= Clinic-database not accessed. Provider was specified under "some other place" and later re-coded as "clinic"
	0	0	0	0	8	= Private doctor's office or HMO
	1	4	3	8	9	= Hospital-emergency room
						= Hospital-not emergency room

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPTITPAP 12151-12152

VAR525: Source of service in the last 12 months: Pap smear

Note: Responses coded in categories 8 through 12 were volunteered by some respondents; they did not appear on Card F-6. If hospital was volunteered, whether or not it was the emergency room was probed.

Inapplicable:

R did not report receiving a Pap smear from a medical provider in the last 12 months.

QX	WHITE	BLACK	TOTAL	CODE	TEXT AND CODE CATEGORIES
716	2355	743	3998	Blank	= Blank, inapplicable
29	110	160	302	01	= Clinic-Title X, Public Health Dept
63	158	84	312	02	= Clinic-Title X, Non-Public Health Dept
22	19	16	58	03	= Clinic-NonTitle X, Public Health Dept
60	83	115	271	04	= Clinic-NonTitle X, Non-Public Health Dept
82	194	120	412	05	= Clinic-not listed or recognized in database or coded 98 or 99
2	16	3	22	06	= Clinic-database not accessed. Provider was specified under "some other place" and later re-coded as "clinic"
548	3467	1121	5265	07	= Private doctor's office or HMO
5	14	13	33	08	= Hospital-emergency room
18	30	60	116	09	= Hospital-not emergency room
1	15	5	22	10	= School or college health center
3	14	2	20	11	= Military facility
0	0	0	0	12	= Home
4	8	4	16	13	= Some other place

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPTITPEL 12153-12154

VAR526: Source of service in the last 12 months: Pelvic exam

Note: Responses coded in categories 8 through 12 were volunteered by some respondents; they did not appear on Card F-6. If hospital was volunteered, whether or not it was the emergency room was probed.

Inapplicable:
 R did not report receiving a pelvic exam from a medical provider in the last 12 months.

QX	WHITE	BLACK	TOTAL	CODE	TEXT AND CODE CATEGORIES
721	2351	845	4102	Blank	= Blank, inapplicable
27	105	127	262	01	= Clinic-Title X, Public Health Dept
66	151	78	302	02	= Clinic-Title X, Non-Public Health Dept
27	16	14	57	03	= Clinic-NonTitle X, Public Health Dept
53	88	109	264	04	= Clinic-NonTitle X, Non-Public Health Dept
94	190	115	417	05	= Clinic-not listed or recognized in database or coded 98 or 99
2	14	4	20	06	= Clinic-database not accessed. Provider was specified under "some other place" and later re-coded as "clinic"
528	3476	1069	5200	07	= Private doctor's office or HMO
8	20	18	47	08	= Hospital-emergency room
19	33	57	117	09	= Hospital-not emergency room
1	16	4	22	10	= School or college health center
4	13	2	19	11	= Military facility
0	0	0	0	12	= Home
3	10	4	18	13	= Some other place

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPTITPRN 12155-12156

VAR527: Source of service in the last 12 months: Prenatal Care

Note: Responses coded in categories 8 through 12 were volunteered by some respondents; they did not appear on Card F-6. If hospital was volunteered, whether or not it was the emergency room was probed.

Inapplicable:
 R did not report receiving prenatal care from a medical provider in the last 12 months.

1356	5899	2232	9814	Blank		
4	15	22	42	01	= Blank, inapplicable	
					= Clinic-Title X, Public Health Dept	
13	10	16	41	02	= Clinic-Title X, Non-Public Health Dept	
7	0	2	9	03	= Clinic-NonTitle X, Public Health Dept	
13	15	21	53	04	= Clinic-NonTitle X, Non-Public Health Dept	
27	28	13	69	05	= Clinic-not listed or recognized in database or coded 98 or 99	
0	0	0	0	06	= Clinic-database not accessed. Provider was specified under "some other place" and later re-coded as "clinic"	
122	498	127	774	07	= Private doctor's office or HMO	
0	1	2	3	08	= Hospital-emergency room	
10	6	11	30	09	= Hospital-not emergency room	
0	0	0	0	10	= School or college health center	
0	2	0	2	11	= Military facility	
0	1	0	1	12	= Home	
1	8	0	9	13	= Some other place	

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPTITPPR 12157-12158

VAR528: Source of service in the last 12 months: Post-pregnancy care

Note: Responses coded in categories 8 through 12 were volunteered by some respondents; they did not appear on Card F-6. If hospital was volunteered, whether or not it was the emergency room was probed.

Inapplicable:
 R did not report receiving post-pregnancy care from a medical care provider in the last 12 months.

1435	6100	2335	10207	Blank		
3	5	14	23	01	= Blank, inapplicable	
					= Clinic-Title X, Public Health Dept	
9	6	6	22	02	= Clinic-Title X, Non-Public Health Dept	
3	0	1	4	03	= Clinic-NonTitle X, Public Health Dept	
9	7	9	28	04	= Clinic-NonTitle X, Non-Public Health Dept	
15	19	11	48	05	= Clinic-not listed or recognized in database or coded 98 or 99	
0	1	0	1	06	= Clinic-database not accessed. Provider was specified under "some other place" and later re-coded as "clinic"	
72	335	62	487	07	= Private doctor's office or HMO	
0	0	0	0	08	= Hospital-emergency room	
6	4	8	20	09	= Hospital-not emergency room	
0	0	0	0	10	= School or college health center	
0	1	0	1	11	= Military facility	
0	1	0	1	12	= Home	
1	4	0	5	13	= Some other place	

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPTITHIV 12159-12160

VAR529: Source of service in the last 12 months: HIV test

Note: Responses coded in categories 8 through 12 were volunteered by some respondents; they did not appear on Card F-6. If hospital was volunteered, whether or not it was the emergency room was probed.

Inapplicable:
 R did not report receiving an HIV test from a medical care provider in the last 12 months.

Column	White	Black	Total	QX	Text and Code Categories
1208	5549	1715	8779	Blank	= Blank, inapplicable
21	60	86	168	01	= Clinic-Title X, Public Health Dept
27	33	41	105	02	= Clinic-Title X, Non-Public Health Dept
8	13	14	36	03	= Clinic-NonTitle X, Public Health Dept
31	30	63	130	04	= Clinic-NonTitle X, Non-Public Health Dept
47	63	80	197	05	= Clinic-not listed or recognized in database or coded 98 or 99
1	10	4	15	06	= Clinic-database not accessed. Provider was specified under "some other place" and later re-coded as "clinic"
166	538	339	1069	07	= Private doctor's office or HMO
4	20	12	36	08	= Hospital-emergency room
21	80	59	165	09	= Hospital-not emergency room
0	8	2	12	10	= School or college health center
2	13	4	20	11	= Military facility
8	44	8	62	12	= Home
9	22	19	53	13	= Some other place

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPTITSTD 12161-12162

VAR530: Source of service in the last 12 months: testing/treatment for other STD

Note: Responses coded in categories 8 through 12 were volunteered by some respondents; they did not appear on Card F-6. If hospital was volunteered, whether or not it was the emergency room was probed.

Inapplicable:

R did not report receiving testing/treatment for other STD from a medical care provider in the last 12 months.

1443	6033	2172	9993	Blank	
4	26	36	68	01	= Blank, inapplicable
11	46	18	77	02	= Clinic-Title X, Public Health Dept
3	6	4	13	03	= Clinic-Title X, Non-Public Health Dept
14	28	30	77	04	= Clinic-NonTitle X, Public Health Dept
14	29	29	77	05	= Clinic-NonTitle X, Non-Public Health Dept
1	4	0	5	06	= Clinic-not listed or recognized in database or coded 98 or 99
54	281	136	476	07	= Clinic-database not accessed. Provider was specified under "some other place" and later re-coded as "clinic"
2	5	6	13	08	= Private doctor's office or HMO
4	12	11	27	09	= Hospital-emergency room
1	2	2	6	10	= Hospital-not emergency room
1	4	0	5	11	= School or college health center
0	0	0	0	12	= Military facility
1	7	2	10	13	= Home
					= Some other place

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPTITINF 12163-12164

VAR531: Source of service in the last 12 months: Testing/Treatment for vaginal, urinary tract, or pelvic infection

Note: Responses coded in categories 8 through 12 were volunteered by some respondents; they did not appear on Card F-6. If hospital was volunteered, whether or not it was the emergency room was probed.

Inapplicable:
 R did not report receiving testing or treatment for a vaginal, urinary tract, or pelvic infection from a medical care provider in the last 12 months.

Column	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES
1228	5126	1841	8506	Blank		= Blank, inapplicable
11	32	48	92	01		= Clinic-Title X, Public Health Dept
19	46	33	102	02		= Clinic-Title X, Non-Public Health Dept
6	9	3	18	03		= Clinic-NonTitle X, Public Health Dept
17	33	39	95	04		= Clinic-NonTitle X, Non-Public Health Dept
31	71	56	162	05		= Clinic-not listed or recognized in database or coded 98 or 99
2	1	1	4	06		= Clinic-database not accessed. Provider was specified under "some other place" and later re-coded as "clinic"
206	1085	363	1685	07		= Private doctor's office or HMO
16	34	27	78	08		= Hospital-emergency room
13	27	26	71	09		= Hospital-not emergency room
1	6	4	12	10		= School or college health center
1	5	1	8	11		= Military facility
0	0	1	1	12		= Home
2	8	3	13	13		= Some other place

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPPAYBC 12165-12165

VAR532: Method of payment for service received in the last 12 months: birth control method or prescription for method

Note: Responses coded in categories 5 through 7 were volunteered by some respondents; they did not appear on Card F-7.

Inapplicable:
 R did not report receiving birth control method or prescription for method from a medical care provider in last 12 months.

1163	4657	1810	7930	Blank	= Blank, inapplicable
128	711	134	996	1	= Out-of-pocket income only
103	426	192	733	2	= Insurance only
43	485	74	608	3	= Out-of-pocket income and insurance, only
91	131	202	442	4	= Medicaid mentioned at all
21	48	30	104	5	= Else other public assistance or free service mentioned at all
3	3	0	7	6	= Military coverage only
0	7	4	11	7	= School program only
1	15	0	16	8	= Other payment methods or combinations

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPPAYCHK 12166-12166

VAR533: Method of payment for service received in the last 12 months: Check-up or medical test related to using a birth control method

Note: Responses coded in categories 5 through 7 were volunteered by some respondents; they did not appear on Card F-7.

Inapplicable:

R did not report receiving a check-up or medical test related to using a birth control method from a medical care provider in the last 12 months.

	1261	5091	1962	8632	Blank	
	102	520	101	736	1	= Blank, inapplicable
	69	350	149	581	2	= Out-of-pocket income only
	34	386	62	485	3	= Insurance only
	69	97	146	323	4	= Out-of-pocket income and insurance, only
	15	29	24	74	5	= Medicaid mentioned at all
	3	1	0	5	6	= Else other public assistance or free service mentioned at all
	0	5	2	7	7	= Military coverage only
	0	4	0	4	8	= School program only
						= Other payment methods or combinations

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPPAYCBC 12167-12167

VAR534: Method of payment for service received in the last 12 months: Birth Control Counseling

Note: Responses coded in categories 5 through 7 were volunteered by some respondents; they did not appear on Card F-7.

Inapplicable:

R did not receive counseling about birth control from a medical care provider in last 12 months.

	1335	5617	2077	9355	Blank	
	67	305	78	460	1	= Blank, inapplicable
						= Out-of-pocket income only
	48	219	91	368	2	= Insurance only
	24	208	42	278	3	= Out-of-pocket income and insurance, only
	64	93	132	300	4	= Medicaid mentioned at all
	14	34	24	74	5	= Else other public assistance or free service mentioned at all
	1	0	0	2	6	= Military coverage only
	0	4	2	7	7	= School program only
	0	3	0	3	8	= Other payment methods or combinations

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPPAYCST 12168-12168

VAR535: Method of payment for service received in the last 12 months: Counseling about getting sterilized

Note: Responses coded in categories 5 through 7 were volunteered by some respondents; they did not appear on Card F-7.

Inapplicable:
 R did not report receiving counseling about getting sterilized from a medical care provider in last 12 months.

1489	6273	2351	10467	Blank	= Blank, inapplicable
19	38	15	74	1	= Out-of-pocket income only
16	64	19	102	2	= Insurance only
6	66	14	88	3	= Out-of-pocket income and insurance, only
20	36	47	106	4	= Medicaid mentioned at all
3	5	0	8	5	= Else other public assistance or free service mentioned at all
0	1	0	2	6	= Military coverage only
0	0	0	0	7	= School program only
0	0	0	0	8	= Other payment methods or combinations

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPPAYPRE 12169-12169

VAR536: Method of payment for service received in the last 12 months:
 Pregnancy test

Note: Responses coded in categories 5 through 7 were volunteered by some respondents; they did not appear on Card F-7.

Inapplicable:
 R did not report receiving a pregnancy test from a medical care provider in the last 12 months.

1257	5540	1953	9060	Blank	= Blank, inapplicable
74	265	82	433	1	= Out-of-pocket income only
71	269	137	493	2	= Insurance only
31	226	46	314	3	= Out-of-pocket income and insurance, only
99	128	203	442	4	= Medicaid mentioned at all
18	42	20	82	5	= Else other public assistance or free service mentioned at all
2	6	1	10	6	= Military coverage only
1	1	2	5	7	= School program only
0	6	2	8	8	= Other payment methods or combinations

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPPAYABO 12170-12170

VAR537: Method of payment for service received in the last 12 months: Abortion

Note: Responses coded in categories 5 through 7 were volunteered by some respondents; they did not appear on Card F-7.

Inapplicable:
 R did not report receiving an abortion from a medical care provider in the last 12 months.

1530	6444	2406	10742	Blank	= Blank, inapplicable
10	27	14	53	1	= Out-of-pocket income only
4	7	6	17	2	= Insurance only
2	3	0	5	3	= Out-of-pocket income and insurance, only
7	2	19	29	4	= Medicaid mentioned at all
0	0	1	1	5	= Else other public assistance or free service mentioned at all
0	0	0	0	6	= Military coverage only
0	0	0	0	7	= School program only
0	0	0	0	8	= Other payment methods or combinations

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPPAYPAP 12171-12171

VAR538: Method of payment for service received in the last 12 months: Pap smear

Note: Responses coded in categories 5 through 7 were volunteered by some respondents; they did not appear on Card F-7.

Inapplicable:
 R did not report receiving a Pap smear from a medical care provider in the last 12 months.

716	2355	743	3998	Blank	= Blank, inapplicable
220	1227	316	1799	1	= Out-of-pocket income only
277	1276	577	2201	2	= Insurance only
112	1226	226	1606	3	= Out-of-pocket income and insurance, only
187	289	521	1014	4	= Medicaid mentioned at all
36	72	53	173	5	= Else other public assistance or free service mentioned at all
3	14	3	22	6	= Military coverage only
1	11	4	17	7	= School program only
1	13	3	17	8	= Other payment methods or combinations

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPPAYPEL 12172-12172

VAR539: Method of payment for service received in the last 12 months:
 Pelvic exam

Note: Responses coded in categories 5 through 7 were volunteered by some respondents; they did not appear on Card F-7.

Inapplicable:

R did not report receiving a pelvic exam from a medical care provider in the last 12 months.

721	2351	845	4102	Blank	= Blank, inapplicable
214	1202	296	1745	1	= Out-of-pocket income only
265	1304	550	2190	2	= Insurance only
110	1223	219	1596	3	= Out-of-pocket income and insurance, only
196	291	486	993	4	= Medicaid mentioned at all
39	72	41	162	5	= Else other public assistance or free service mentioned at all
4	16	4	25	6	= Military coverage only
2	9	2	14	7	= School program only
2	15	3	20	8	= Other payment methods or combinations

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPPAYPRN 12173-12173

VAR540: Method of payment for service received in the last 12 months: Prenatal Care

Note: Responses coded in categories 5 through 7 were volunteered by some respondents; they did not appear on Card F-7.

Inapplicable:
 R did not report receiving prenatal care from a medical care provider in the last 12 months.

1356	5899	2232	9814	Blank	= Blank, inapplicable
23	71	13	108	1	= Out-of-pocket income only
65	203	59	343	2	= Insurance only
19	177	16	225	3	= Out-of-pocket income and insurance, only
87	121	121	336	4	= Medicaid mentioned at all
3	9	3	15	5	= Else other public assistance or free service mentioned at all
0	3	0	4	6	= Military coverage only
0	0	0	0	7	= School program only
0	0	2	2	8	= Other payment methods or combinations

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPPAYPPR 12174-12174

VAR541: Method of payment for service received in the last 12 months: Post-Pregnancy Care

Note: Responses coded in categories 5 through 7 were volunteered by some respondents; they did not appear on Card F-7.

Inapplicable:
 R did not report receiving post-pregnancy care from a medical care provider in the last 12 months.

1435	6100	2335	10207	Blank	= Blank, inapplicable
15	45	1	62	1	= Out-of-pocket income only
38	148	28	225	2	= Insurance only
12	105	16	142	3	= Out-of-pocket income and insurance, only
51	80	64	202	4	= Medicaid mentioned at all
1	4	0	5	5	= Else other public assistance or free service mentioned at all
1	1	0	2	6	= Military coverage only
0	0	0	0	7	= School program only
0	0	2	2	8	= Other payment methods or combinations

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPPAYHIV 12175-12175

VAR542: Method of payment for service received in the last 12 months: Blood test for infection with HIV (other than at blood donations)

Note: Responses coded in categories 5 through 7 were volunteered by some respondents; they did not appear on Card F-7.

Inapplicable:

R did not report receiving a blood test from HIV (other than at blood donations) from a medical care provider in the last 12 months.

1208	5549	1715	8779	Blank	= Blank, inapplicable
73	222	89	393	1	= Out-of-pocket income only
94	280	205	599	2	= Insurance only
22	154	60	243	3	= Out-of-pocket income and insurance, only
116	128	299	551	4	= Medicaid mentioned at all
26	75	52	161	5	= Else other public assistance or free service mentioned at all
3	14	5	23	6	= Military coverage only
0	3	2	6	7	= School program only
11	58	19	92	8	= Other payment methods or combinations

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPPAYSTD 12176-12176

VAR543: Method of payment for service received in the last 12 months:
 Testing/treatment for other STD

Note: Responses coded in categories 5 through 7 were volunteered by some respondents; they did not appear on Card F-7.

Inapplicable:
 R did not report receiving testing/treatment for other STD from a medical care provider in last 12 months.

1443	6033	2172	9993	Blank	= Blank, inapplicable
32	145	46	228	1	= Out-of-pocket income only
22	117	54	197	2	= Insurance only
14	93	32	141	3	= Out-of-pocket income and insurance, only
34	65	122	226	4	= Medicaid mentioned at all
6	23	18	50	5	= Else other public assistance or free service mentioned at all
1	3	1	5	6	= Military coverage only
1	1	1	4	7	= School program only
0	3	0	3	8	= Other payment methods or combinations

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPPAYINF 12177-12177

VAR544: Method of payment for service received in the last 12 months: Testing/treatment for vaginal, urinary tract, or pelvic infection

Note: Responses coded in categories 5 through 7 were volunteered by some respondents; they did not appear on Card F-7.

Inapplicable:
 R did not report receiving testing/treatment for vaginal, urinary tract, or pelvic infection from a medical care provider in the last 12 months.

Count	White	Black	Total	Code	Description
1228	5126	1841	8506	Blank	= Blank, inapplicable
80	363	104	553	1	= Out-of-pocket income only
107	419	181	728	2	= Insurance only
49	395	80	538	3	= Out-of-pocket income and insurance, only
72	136	207	419	4	= Medicaid mentioned at all
13	31	30	82	5	= Else other public assistance or free service mentioned at all
2	4	3	9	6	= Military coverage only
1	3	0	5	7	= School program only
1	6	0	7	8	= Other payment methods or combinations

FPREGFP 12178-12178

VAR545: Whether a Title X clinic where R received (a) family planning service(s) in the last 12 months was R's regular place for medical care

Inapplicable:
 R did not report receiving a family planning service at a Title X clinic in the last 12 months.

Count	White	Black	Total	Code	Description
1481	6248	2282	10368	Blank	= Blank, inapplicable
60	119	135	318	1	= Yes
12	116	29	161	2	= No

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPREGMED 12179-12179

VAR546: Whether a Title X clinic where R received (a) medical service(s) in the last 12 months was R's regular place for medical care

Inapplicable:
 R did not report receiving a medical service at a Title X clinic in the last 12 months.

1431	6141	2152	10073	Blank	= Blank, inapplicable
95	176	226	510	1	= Yes
27	166	68	264	2	= No

FPCLIFP 12180-12180

VAR547: Services received at first clinic visit after first menstrual period: a family planning service

Inapplicable:
 R is 25 years of age or older, or R has not reported receiving a birth control or medical service at a clinic since first menstrual period.

1334	5824	2060	9544	Blank	= Blank, inapplicable
115	447	241	827	1	= Yes
104	212	145	476	2	= No

FPCLIPRE 12181-12181

VAR548: Services received at first clinic visit after first menstrual period: pregnancy test or abortion

Inapplicable:
 R is 25 years of age or older, or R has not reported receiving a birth control or medical service at a clinic since first menstrual period.

1335	5828	2061	9550	Blank	= Blank, inapplicable
88	193	146	440	1	= Yes
130	462	239	857	2	= No

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPCLIEXM 12182-12182

VAR549: Services received at first
 clinic visit after first menstrual
 period: medical exam

Inapplicable:
 R is 25 years of age or older, or R
 has not reported receiving a birth
 control or medical service at a clinic
 since first menstrual period.

1335	5828	2061	9550	Blank	= Blank, inapplicable
142	480	260	907	1	= Yes
76	175	125	390	2	= No

FPCLIIINF 12183-12183

VAR550: Services received at first
 clinic visit after first menstrual
 period: testing or treatment for
 infection or disease

Inapplicable:
 R is 25 years of age or older, or R
 has not reported receiving a birth
 control or medical service at a clinic
 since first menstrual period.

1335	5828	2061	9550	Blank	= Blank, inapplicable
44	164	94	310	1	= Yes
174	491	291	987	2	= No

FPCLIOTH 12184-12184

VAR551: Services received at first
 clinic visit after first menstrual
 period: any other service

Inapplicable:
 R is 25 years of age or older, or R
 has not reported receiving a birth
 control or medical service at a clinic
 since first menstrual period.

1335	5828	2061	9550	Blank	= Blank, inapplicable
20	120	40	187	1	= Yes
198	535	345	1110	2	= No

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPMOCLVT 12185-12188

VAR552: Century month of 1st clinic
 visit after 1st menstrual period

Inapplicable:

R is 25 years of age or older, or R
 has not reported receiving a birth
 control or medical service at a clinic
 since first menstrual period.

1335	5827	2061	9549	Blank	= Blank, inapplicable
89	277	201	580	0960-1092	= Before 1991
113	355	166	660	1093-1150	= 1991 or later
0	0	0	0	9897	= Not ascertained on DATFSTSR
0	0	0	0	9898	= Refused on DATSFTSR
1	7	3	11	9899	= Don't know on DATSFTSR
0	0	1	1	9997	= Not ascertained on MNVISDAT
0	1	0	1	9998	= Refused on MNVISDAT
15	16	14	45	9999	= Don't know on MNVISDAT

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPTITCLI 12189-12189

VAR553: Type of clinic 1st visited
 after 1st menstrual period

Inapplicable:

R is 25 years of age or older, or R
 has not reported receiving a birth
 control or medical service at a clinic
 since first menstrual period.

Column	White	Black	Total	QX	Text and Code Categories
1334	5824	2060	9544	Blank	= Blank, inapplicable
19	85	61	166	1	= Clinic-Title X, Public Health Dept
21	94	39	157	2	= Clinic-Title X, Non-Public Health Dept
15	15	8	39	3	= Clinic-NonTitle X, Public Health Dept
34	51	37	128	4	= Clinic-NonTitle X, Non-Public Health Dept
47	147	74	281	5	= Clinic-not listed or recognized in database or coded 98 or 99
83	267	167	532	6	= Clinic-database not accessed either because "1st family planning visit" was "1st visit to clinic after 1st menstrual period" and this did not occur in last 12 months, or because "some other place/specify" was re-coded "clinic" during post-interview editing

FP1STERI 12190-12190

FP1STER (VAR501) Imputation Flag

Non-blank for all Rs.

Column	White	Black	Total	QX	Text and Code Categories
1553	6483	2446	10847	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FP1MTHDI 12191-12191 FP1MTHD (VAR500) Imputation Flag
 Non-blank for all Rs.

1553	6482	2445	10845	0	= Questionnaire data
0	1	1	2	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

FP1CHECI 12192-12192 FP1CHECK (VAR502) Imputation Flag
 Non-blank for all Rs.

1553	6481	2446	10845	0	= Questionnaire data
0	2	0	2	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

FP1COUBI 12193-12193 FP1COUBC (VAR503) Imputation Flag
 Non-blank for all Rs.

1553	6482	2445	10845	0	= Questionnaire data
0	1	1	2	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

FP1COUSI 12194-12194 FP1COUST (VAR504) Imputation Flag
 Non-blank for all Rs.

1553	6483	2445	10846	0	= Questionnaire data
0	0	1	1	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPTYPFISI 12195-12195 FPTYPFST (VAR505) Imputation Flag
 Non-blank for all Rs.

1553	6481	2443	10842	0		= Questionnaire data
0	2	3	5	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

FPTITFSI 12196-12196 FPTITFST (VAR506) Imputation Flag
 Non-blank for all Rs.

1552	6480	2443	10840	0		= Questionnaire data
1	3	3	7	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

FPSTE12I 12197-12197 FPSTER12 (VAR507) Imputation Flag
 Non-blank for all Rs.

1551	6481	2445	10842	0		= Questionnaire data
2	2	1	5	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

FPMTH12I 12198-12198 FPMTHD12 (VAR508) Imputation Flag
 Non-blank for all Rs.

1545	6467	2428	10805	0		= Questionnaire data
8	16	18	42	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPCHE12I 12199-12199 FPCHEC12 (VAR509) Imputation Flag
 Non-blank for all Rs.

1551	6474	2445	10835	0	= Questionnaire data
2	9	1	12	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

FPCNB12I 12200-12200 FPCNBC12 (VAR510) Imputation Flag
 Non-blank for all Rs.

1550	6477	2444	10836	0	= Questionnaire data
3	6	2	11	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

FPCNS12I 12201-12201 FPCNST12 (VAR511) Imputation Flag
 Non-blank for all Rs.

1552	6480	2445	10842	0	= Questionnaire data
1	3	1	5	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

FPTIT12I 12202-12202 FPTIT12 (VAR512) Imputation Flag
 Non-blank for all Rs.

1553	6483	2446	10847	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPPGT12I 12203-12203 FPPGTS12 (VAR513) Imputation Flag
 Non-blank for all Rs.

1553	6483	2446	10847	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

FPABO12I 12204-12204 FPABOR12 (VAR514) Imputation Flag
 Non-blank for all Rs.

1553	6483	2446	10847	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

FPPRE12I 12205-12205 FPPREN12 (VAR515) Imputation Flag
 Non-blank for all Rs.

1553	6483	2446	10847	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

FPPAR12I 12206-12206 FPPART12 (VAR516) Imputation Flag
 Non-blank for all Rs.

1553	6483	2446	10847	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPTITMEI 12207-12207 FPTITMED (VAR517) Imputation Flag
 Non-blank for all Rs.

1553	6483	2446	10847	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

FPTITSTI 12208-12208 FPTITSTE (VAR518) Imputation Flag
 Non-blank for all Rs.

1551	6481	2445	10842	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
2	2	1	5	3	= Computed based on imputed value(s) of other recode(s)

FPTTBCI 12209-12209 FPTITBC (VAR519) Imputation Flag
 Non-blank for all Rs.

1545	6467	2428	10805	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
8	16	18	42	3	= Computed based on imputed value(s) of other recode(s)

FPTTCHKI 12210-12210 FPTITCHK (VAR520) Imputation Flag
 Non-blank for all Rs.

1551	6474	2445	10835	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
2	9	1	12	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPTTCBCI 12211-12211 FPTITCBC (VAR521) Imputation Flag
 Non-blank for all Rs.

1550	6477	2444	10836	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
3	6	2	11	3	= Computed based on imputed value(s) of other recode(s)

FPTTCSTI 12212-12212 FPTITCST (VAR522) Imputation Flag
 Non-blank for all Rs.

1552	6480	2445	10842	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
1	3	1	5	3	= Computed based on imputed value(s) of other recode(s)

FPTTPREI 12213-12213 FPTITPRE (VAR523) Imputation Flag
 Non-blank for all Rs.

1553	6482	2444	10844	0	= Questionnaire data
0	1	2	3	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

FPTTABOI 12214-12214 FPTITABO (VAR524) Imputation Flag
 Non-blank for all Rs.

1553	6483	2446	10847	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPTTPAPI 12215-12215 FPTITPAP (VAR525) Imputation Flag
 Non-blank for all Rs.

1553	6483	2444	10845	0	= Questionnaire data
0	0	2	2	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

FPTTPELI 12216-12216 FPTITPEL (VAR526) Imputation Flag
 Non-blank for all Rs.

1553	6483	2445	10846	0	= Questionnaire data
0	0	1	1	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

FPTTPRNI 12217-12217 FPTITPRN (VAR527) Imputation Flag
 Non-blank for all Rs.

1553	6483	2446	10847	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

FPTTPPRI 12218-12218 FPTITPPR (VAR528) Imputation Flag
 Non-blank for all Rs.

1553	6483	2446	10847	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPTTHIVI 12219-12219 FPTITHIV (VAR529) Imputation Flag
 Non-blank for all Rs.

1553	6483	2445	10846	0		= Questionnaire data
0	0	1	1	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

FPTTSTDI 12220-12220 FPTITSTD (VAR530) Imputation Flag
 Non-blank for all Rs.

1553	6483	2446	10847	0		= Questionnaire data
0	0	0	0	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

FPTTINFI 12221-12221 FPTITINF (VAR531) Imputation Flag
 Non-blank for all Rs.

1553	6482	2446	10846	0		= Questionnaire data
0	1	0	1	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

FPPYBCI 12222-12222 FPPAYBC (VAR532) Imputation Flag
 Non-blank for all Rs.

1544	6462	2427	10798	0		= Questionnaire data
1	5	1	7	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
8	16	18	42	3		= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPPYCHKI 12223-12223 FPPAYCHK (VAR533) Imputation Flag
 Non-blank for all Rs.

1550	6473	2444	10832	0		= Questionnaire data
1	1	1	3	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
2	9	1	12	3		= Computed based on imputed value(s) of other recode(s)

FPPYCBCI 12224-12224 FPPAYCBC (VAR534) Imputation Flag
 Non-blank for all Rs.

1549	6474	2444	10832	0		= Questionnaire data
1	3	0	4	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
3	6	2	11	3		= Computed based on imputed value(s) of other recode(s)

FPPYCSTI 12225-12225 FPPAYCST (VAR535) Imputation Flag
 Non-blank for all Rs.

1551	6480	2444	10840	0		= Questionnaire data
1	0	1	2	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
1	3	1	5	3		= Computed based on imputed value(s) of other recode(s)

FPPYPREI 12226-12226 FPPAYPRE (VAR536) Imputation Flag
 Non-blank for all Rs.

1552	6482	2445	10844	0		= Questionnaire data
1	1	1	3	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPPYABOI 12227-12227 FPPAYABO (VAR537) Imputation Flag
 Non-blank for all Rs.

1553	6483	2446	10847	0		= Questionnaire data
0	0	0	0	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

FPPYPAPI 12228-12228 FPPAYPAP (VAR538) Imputation Flag
 Non-blank for all Rs.

1552	6475	2444	10836	0		= Questionnaire data
1	8	2	11	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

FPPYPELI 12229-12229 FPPAYPEL (VAR539) Imputation Flag
 Non-blank for all Rs.

1552	6476	2444	10837	0		= Questionnaire data
1	7	2	10	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

FPPYPRNI 12230-12230 FPPAYPRN (VAR540) Imputation Flag
 Non-blank for all Rs.

1552	6483	2446	10846	0		= Questionnaire data
1	0	0	1	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPPYPPRI 12231-12231 FPPAYPPR (VAR541) Imputation Flag
 Non-blank for all Rs.

1553	6483	2446	10847	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

FPPYHIVI 12232-12232 FPPAYHIV (VAR542) Imputation Flag
 Non-blank for all Rs.

1553	6482	2445	10844	0	= Questionnaire data
0	1	1	3	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

FPPYSTDI 12233-12233 FPPAYSTD (VAR543) Imputation Flag
 Non-blank for all Rs.

1553	6482	2445	10845	0	= Questionnaire data
0	1	1	2	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

FPPYINFI 12234-12234 FPPAYINF (VAR544) Imputation Flag
 Non-blank for all Rs.

1552	6478	2446	10841	0	= Questionnaire data
1	5	0	6	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPREGFPI 12235-12235 FPREGFP (VAR545) Imputation Flag
 Non-blank for all Rs.

1553	6483	2446	10847	0		= Questionnaire data
0	0	0	0	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

FPREGMDI 12236-12236 FPREGMED (VAR546) Imputation Flag
 Non-blank for all Rs.

1553	6482	2446	10846	0		= Questionnaire data
0	1	0	1	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

FPCLIFPI 12237-12237 FPCLIFP (VAR547) Imputation Flag
 Non-blank for all Rs.

1553	6481	2445	10844	0		= Questionnaire data
0	2	1	3	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

FPCLIPRI 12238-12238 FPCLIPRE (VAR548) Imputation Flag
 Non-blank for all Rs.

1553	6481	2444	10843	0		= Questionnaire data
0	2	2	4	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPCLIEXI 12239-12239 FPCLIEXM (VAR549) Imputation Flag
 Non-blank for all Rs.

1552	6481	2443	10841	0		= Questionnaire data
1	2	3	6	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

FPCLIIINI 12240-12240 FPCLIIINF (VAR550) Imputation Flag
 Non-blank for all Rs.

1553	6480	2443	10841	0		= Questionnaire data
0	3	3	6	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

FPCLIIOTI 12241-12241 FPCLIIOTH (VAR551) Imputation Flag
 Non-blank for all Rs.

1553	6482	2443	10843	0		= Questionnaire data
0	1	3	4	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

FPMOCLVI 12242-12242 FPMOCLVT (VAR552) Imputation Flag
 Non-blank for all Rs.

1553	6483	2446	10847	0		= Questionnaire data
0	0	0	0	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section F Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FPTTCLII 12243-12243

FPTITCLI (VAR553) Imputation Flag

Non-blank for all Rs.

1552	6479	2445	10841	0		= Questionnaire data
1	4	1	6	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section G Recodes)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
INTENT	12244-12244					VAR590: Intentions for additional births
						Non-blank for all Rs.
		667	2505	834	4192	1 = R intends to have (more) children
		782	3531	1462	5924	2 = R does not intend to have (more) children
		66	370	138	597	3 = R does not know her intent
		38	77	12	134	4 = R and husband disagree
ADDEXP	12245-12247					VAR591: Central number of additional births expected
						Non-blank for all Rs.
		756	3468	1416	5791	000 = 0 additional births
		10	97	20	132	005 = additional birth
		293	870	466	1694	010 = 1 additional birth
		59	245	59	376	015 = 1.5 additional births
		242	1024	314	1649	020 = 2 additional births
		34	222	25	300	025 = 2.5 additional births
		90	339	88	538	030 = 3 additional births
		16	72	8	104	035 = 3.5 additional births
		39	99	22	168	040 = 4 additional births
		5	9	6	20	045 = 4.5 additional births
		7	16	13	40	050 = 5 additional births
		0	2	0	2	055 = 5.5 additional births
		1	11	4	17	060 = 6 additional births
		1	1	2	4	065 = 6.5 additional births
		0	2	1	4	070 = 7 additional births
		0	1	0	1	075 = 7.5 additional births
		0	3	1	4	080 = 8 additional births
		0	1	0	1	085 = 8.5 additional births
		0	1	0	1	090 = 9 additional births
		0	0	0	0	095 = 9.5 additional births
		0	0	1	1	100 = 10 additional births

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section G Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

NEXTBABY 12248-12249

VAR592: Expected age at next birth
 (excluding a current pregnancy)

Inapplicable:

R or her partner is sterile, or R (and her husband) (do/does) not expect to have a(nother) baby (after her current pregnancy), or it is not known whether she does.

	857	3830	1528	6386	Blank	
	1	0	0	1	16	= Age 16
	2	0	0	2	17	= Age 17
	2	5	4	13	18	= Age 18
	7	6	3	16	19	= Age 19
	12	24	14	52	20	= Age 20
	8	39	24	71	21	= Age 21
	17	49	14	85	22	= Age 22
	25	91	39	160	23	= Age 23
	55	138	35	231	24	= Age 24
	77	276	91	463	25	= Age 25
	45	200	60	315	26	= Age 26
	46	225	59	354	27	= Age 27
	62	223	66	365	28	= Age 28
	38	183	50	282	29	= Age 29
	65	279	86	458	30	= Age 30
	37	114	36	194	31	= Age 31
	18	131	65	224	32	= Age 32
	34	116	37	197	33	= Age 33
	28	91	39	160	34	= Age 34
	27	120	50	202	35	= Age 35
	20	62	23	111	36	= Age 36
	13	50	23	91	37	= Age 37
	17	62	25	108	38	= Age 38
	13	28	12	54	39	= Age 39
	8	38	13	65	40	= Age 40
	2	14	4	21	41	= Age 41
	3	10	6	21	42	= Age 42
	2	13	6	22	43	= Age 43
	3	5	3	13	44	= Age 44
	2	7	6	18	45	= Age 45
	0	3	3	6	46	= Age 46
	1	0	0	1	47	= Age 47
	0	0	0	0	48	= Age 48
	0	0	0	0	49	= Age 49
	0	0	1	1	50	= Age 50
	6	51	21	84	99	= Don't know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section G Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

LASTBABY 12250-12251

VAR593: Expected age at last birth

Inapplicable:

R or her partner is sterile, or R (and her husband) (do/does) not expect to have a(nother) baby (after her current pregnancy), or it is not known whether she does.

857	3830	1528	6386	Blank	= Blank, inapplicable
2	0	0	2	17	= Age 17
0	2	1	3	18	= Age 18
1	2	0	3	19	= Age 19
3	6	3	13	20	= Age 20
1	5	10	16	21	= Age 21
5	6	5	16	22	= Age 22
9	25	11	48	23	= Age 23
15	49	14	78	24	= Age 24
30	92	53	178	25	= Age 25
30	90	38	165	26	= Age 26
30	125	46	209	27	= Age 27
59	151	66	283	28	= Age 28
38	142	49	237	29	= Age 29
90	336	117	582	30	= Age 30
33	129	47	218	31	= Age 31
47	171	65	300	32	= Age 32
55	190	58	319	33	= Age 33
49	164	51	271	34	= Age 34
58	318	82	476	35	= Age 35
32	138	29	207	36	= Age 36
20	95	29	149	37	= Age 37
31	121	41	200	38	= Age 38
22	50	18	91	39	= Age 39
16	102	24	152	40	= Age 40
2	22	7	32	41	= Age 41
3	24	11	40	42	= Age 42
2	17	5	24	43	= Age 43
4	5	2	17	44	= Age 44
2	17	5	29	45	= Age 45
0	3	6	9	46	= Age 46
1	1	1	3	47	= Age 47
0	2	1	3	48	= Age 48
0	0	0	0	49	= Age 49
0	0	1	1	50	= Age 50
6	53	22	87	99	= Don't know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section G Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

INTENT_I 12252-12252 INTENT (VAR590) Imputation Flag
 Non-blank for all Rs.

1550	6475	2433	10820	0	= Questionnaire data
3	6	13	25	1	= Stochastic imputation
0	2	0	2	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

ADDEXP_I 12253-12253 ADDEXP (VAR591) Imputation Flag
 Non-blank for all Rs.

1546	6456	2427	10791	0	= Questionnaire data
6	26	19	54	1	= Stochastic imputation
1	1	0	2	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

NEXTBABI 12254-12254 NEXTBABY (VAR592) Imputation Flag
 Non-blank for all Rs.

1553	6482	2444	10844	0	= Questionnaire data
0	1	2	3	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

LASTBABI 12255-12255 LASTBABY (VAR593) Imputation Flag
 Non-blank for all Rs.

1553	6482	2444	10844	0	= Questionnaire data
0	1	2	3	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (H recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

ANYPRGHP 12256-12256 VAR600: Any medical help to become pregnant.

Inapplicable:
 R has never had (voluntary) intercourse after her first menstrual period.

147	604	151	966	Blank	= Blank, inapplicable
121	635	150	934	1	= Yes
1285	5244	2145	8947	2	= No

ANYMSCHP 12257-12257 VAR601: Any medical help to prevent miscarriage.

Inapplicable:
 R has never had (voluntary) intercourse after her first menstrual period, or R has never been pregnant.

346	2102	511	3089	Blank	= Blank, inapplicable
168	658	258	1110	1	= Yes
1039	3723	1677	6648	2	= No

INFEVER 12258-12258 VAR602: Ever used infertility services

Inapplicable:
 R has never had (voluntary) intercourse after her first menstrual period.

147	604	151	966	Blank	= Blank, inapplicable
243	1122	361	1776	1	= Yes
1163	4757	1934	8105	2	= No

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (H recodes)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

OVULATE	12259-12259					VAR603: Infertility services: drugs to improve ovulation
						Inapplicable: R has never had (voluntary) intercourse after her first menstrual period, or R did not report seeking medical help to become pregnant.
		1432	5848	2296	9913	Blank = Blank, inapplicable
		34	251	34	330	1 = Reported
		87	384	116	604	2 = Not Reported

TUBES	12260-12260					VAR604: Infertility services: surgery to correct blocked tubes
						Inapplicable: R has never had (voluntary) intercourse after her first menstrual period, or R did not report seeking medical help to become pregnant.
		1432	5848	2296	9913	Blank = Blank, inapplicable
		15	114	23	159	1 = Reported
		106	521	127	775	2 = Not Reported

INFERTR	12261-12261					VAR605: Infertility services: infertility testing on respondent
						Inapplicable: R has never had (voluntary) intercourse after her first menstrual period, or R did not report seeking medical help to become pregnant.
		1432	5848	2296	9913	Blank = Blank, inapplicable
		34	298	51	396	1 = Reported
		87	337	99	538	2 = Not Reported

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (H recodes)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES

INFERTH	12262-12262					VAR606: Infertility services: infertility testing on husband/partner	
Inapplicable: R has never had (voluntary) intercourse after her first menstrual period, or R did not report seeking medical help to become pregnant.							
		1432	5848	2296	9913	Blank	= Blank, inapplicable
		23	263	31	328	1	= Reported
		98	372	119	606	2	= Not Reported

INSEM	12263-12263					VAR608: Infertility services: artificial insemination	
Inapplicable: R has never had (voluntary) intercourse after her first menstrual period, or R did not report seeking medical help to become pregnant.							
		1432	5848	2296	9913	Blank	= Blank, inapplicable
		10	85	2	102	1	= Reported
		111	550	148	832	2	= Not Reported

INVITRO	12264-12264					VAR609: Infertility services: in vitro fertilization or other assisted reproduction	
Inapplicable: R has never had (voluntary) intercourse after her first menstrual period, or R did not report seeking medical help to become pregnant.							
		1432	5848	2296	9913	Blank	= Blank, inapplicable
		2	6	2	10	1	= Reported
		119	629	148	924	2	= Not Reported

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (H recodes)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

ENDOMET	12265-12265				VAR610: Infertility services: surgery or drug treatment for endometriosis	
Inapplicable: R has never had (voluntary) intercourse after her first menstrual period, or R did not report seeking medical help to become pregnant.						
		1432	5848	2296	9913	Blank = Blank, inapplicable
		4	61	4	69	1 = Reported
		117	574	146	865	2 = Not Reported

FIBROIDS	12266-12266				VAR611: Infertility services: surgery for uterine fibroids	
Inapplicable: R has never had (voluntary) intercourse after her first menstrual period, or R did not report seeking medical help to become pregnant.						
		1432	5848	2296	9913	Blank = Blank, inapplicable
		0	15	3	18	1 = Reported
		121	620	147	916	2 = Not Reported

ADVISE	12267-12267				VAR607: Infertility services: advice	
Inapplicable: R never had (voluntary) intercourse after her first menstrual period or R did not report seeking medical help to become pregnant.						
		1432	5848	2296	9913	Blank = Blank, inapplicable
		91	501	100	712	1 = Reported
		30	134	50	222	2 = Not Reported

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (H recodes)

VARIABLE	COLUMN	NON-HISPANIC						
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL			

INFSRC	12268-12268							VAR612: Source of most of the reported infertility services
Inapplicable: R has never had (voluntary) intercourse after her first menstrual period, or R did not report seeking medical help to become pregnant.								
		1432	5848	2296	9913	Blank	= Blank, inapplicable	
		24	33	21	82	1	= Clinic	
		94	580	123	817	2	= Private doctor or HMO	
		2	5	3	11	3	= Other Place-Not shown separately	
		1	17	3	24	4	= Hospital	

PRIVINSP	12269-12269							VAR613: Private insurance to cover costs of medical help to become pregnant
Inapplicable: R has never had (voluntary) intercourse after her first menstrual period, or R did not report seeking medical help to become pregnant.								
		1432	5848	2296	9913	Blank	= Blank, inapplicable	
		73	499	101	691	1	= Reported	
		48	136	49	243	2	= Not Reported	

OVULPROB	12270-12270							VAR621: Diagnosis: problems with ovulation
Inapplicable: R has never had (voluntary) intercourse after her first menstrual period, or R did not report seeking medical help for getting pregnant or for preventing miscarriage.								
		1310	5361	2085	9071	Blank	= Blank, inapplicable	
		27	207	31	274	1	= Reported	
		216	915	330	1502	2	= Not Reported	

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (H recodes)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

BADSPERM	12274-12274				VAR625: Diagnosis: semen or sperm problems	
Inapplicable: R has never had (voluntary) intercourse after her first menstrual period, or R did not report seeking medical help for getting pregnant or for preventing miscarriage.						
	1310	5361	2085	9071	Blank	= Blank, inapplicable
	19	125	23	172	1	= Reported
	224	997	338	1604	2	= Not Reported

OPROBINF	12275-12275				VAR626: Diagnosis: other infertility problems	
Inapplicable: R has never had (voluntary) intercourse after her first menstrual period, or R did not report seeking medical help for getting pregnant or for preventing miscarriage.						
	1310	5361	2085	9071	Blank	= Blank, inapplicable
	5	29	3	38	1	= Reported
	238	1093	358	1738	2	= Not Reported

PIDTREAT	12276-12276				VAR627: Ever been treated for PID	
Non-blank for all Rs.						
	131	485	276	904	1	= Reported
	1422	5998	2170	9943	2	= Not Reported

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (H recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

ANYHIV 12277-12277

VAR628: Ever had an HIV test

Note: See section on "data quality" for discussion pertaining to this item.

Non-blank for all Rs.

811	3352	1141	5521	0	= No Test Reported
117	1028	127	1300	1	= Yes, Part Of Blood Donation
242	888	395	1581	2	= Yes, Outside Of Blood Donation
38	273	51	366	3	= Yes, Both Within and Outside of Blood Donation
345	942	732	2079	4	= Yes, Outside of Blood Donation, but No Information on Blood Donation

WHYCONDM 12278-12278

VAR629: Reasons for using condoms

Inapplicable:
 R has never had (voluntary) intercourse after her first menstrual period, or R did not report using condoms.

599	1484	588	2819	Blank	= Blank, inapplicable
543	2893	614	4188	1	= Birth Control Only
42	169	151	376	2	= Prevention of Disease Only
369	1937	1093	3464	3	= Both for Birth Control and for Disease Prevention

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (H recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

ANYPRGHI 12279-12279 ANYPRGHP (VAR600) Imputation Flag
 Non-blank for all Rs.

1553	6478	2443	10839	0	= Questionnaire data
0	5	3	8	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

ANYMSCHI 12280-12280 ANYMSCHP (VAR601) Imputation Flag
 Non-blank for all Rs.

1553	6483	2446	10847	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

INFEVERI 12281-12281 INFEVER (VAR602) Imputation Flag
 Non-blank for all Rs.

1553	6478	2443	10839	0	= Questionnaire data
0	5	3	8	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

OVULATEI 12282-12282 OVULATE (VAR603) Imputation Flag
 Non-blank for all Rs.

1553	6478	2443	10839	0	= Questionnaire data
0	5	3	8	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (H recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

TUBES_I 12283-12283 TUBES (VAR604) Imputation Flag
 Non-blank for all Rs.

1553	6478	2443	10839	0	= Questionnaire data
0	5	3	8	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

INFERTRI 12284-12284 INFERTR (VAR605) Imputation Flag
 Non-blank for all Rs.

1553	6478	2443	10839	0	= Questionnaire data
0	5	3	8	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

INFERTHI 12285-12285 INFERTH (VAR606) Imputation Flag
 Non-blank for all Rs.

1553	6478	2443	10839	0	= Questionnaire data
0	5	3	8	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

ADVICE_I 12286-12286 ADVICE (VAR607) Imputation Flag
 Non-blank for all Rs.

1553	6478	2443	10839	0	= Questionnaire data
0	5	3	8	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (H recodes)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

INSEM_I	12287-12287				INSEM (VAR608) Imputation Flag	
Non-blank for all Rs.						
	1553	6478	2443	10839	0	= Questionnaire data
	0	5	3	8	1	= Stochastic imputation
	0	0	0	0	2	= Logical imputation
	0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

INVITROI	12288-12288				INVITRO (VAR609) Imputation Flag	
Non-blank for all Rs.						
	1553	6478	2443	10839	0	= Questionnaire data
	0	5	3	8	1	= Stochastic imputation
	0	0	0	0	2	= Logical imputation
	0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

ENDOMETI	12289-12289				ENDOMET (VAR610) Imputation Flag	
Non-blank for all Rs.						
	1553	6478	2443	10839	0	= Questionnaire data
	0	5	3	8	1	= Stochastic imputation
	0	0	0	0	2	= Logical imputation
	0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

FIBROIDI	12290-12290				FIBROIDS (VAR611) Imputation Flag	
Non-blank for all Rs.						
	1553	6478	2443	10839	0	= Questionnaire data
	0	5	3	8	1	= Stochastic imputation
	0	0	0	0	2	= Logical imputation
	0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (H recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

TUBLPELI 12295-12295 TUBLPELV (VAR623) Imputation Flag
 Non-blank for all Rs.

1553	6478	2443	10839	0	= Questionnaire data
0	5	3	8	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

ENDOPROI 12296-12296 ENDOPROB (VAR624) Imputation Flag
 Non-blank for all Rs.

1553	6478	2443	10839	0	= Questionnaire data
0	5	3	8	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

BADSPERI 12297-12297 BADSPERM (VAR625) Imputation Flag
 Non-blank for all Rs.

1553	6478	2443	10839	0	= Questionnaire data
0	5	3	8	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

OPROBINI 12298-12298 OPROBINF (VAR626) Imputation Flag
 Non-blank for all Rs.

1553	6478	2443	10839	0	= Questionnaire data
0	5	3	8	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (H recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

PIDTREATI 12299-12299 PIDTREAT (VAR627) Imputation Flag
 Non-blank for all Rs.

1552	6482	2445	10844	0		= Questionnaire data
1	1	1	3	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

ANYHIV_I 12300-12300 ANYHIV (VAR628) Imputation Flag
 Non-blank for all Rs.

1549	6455	2440	10806	0		= Questionnaire data
4	28	6	41	1		= Stochastic imputation
0	0	0	0	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

WHYCONDI 12301-12301 WHYCONDM (VAR629) Imputation Flag
 Non-blank for all Rs.

1550	6471	2443	10827	0		= Questionnaire data
3	9	3	17	1		= Stochastic imputation
0	3	0	3	2		= Logical imputation
0	0	0	0	3		= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section I recodes)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT	AND	CODE	CATEGORIES
		HISP	WHITE	BLACK					
METRO	12302-12302								VAR701: Place of residence (metropolitan-nonmetropolitan)
									Non-blank for all Rs.
		793	1458	1434	3809	1			= SMSA, Central City
		630	3413	701	4924	2			= SMSA, Other
		130	1612	311	2114	3			= Not SMSA
RURAL	12303-12303								VAR702: Place of residence (urban-rural)
									Non-blank for all Rs.
		1485	5352	2274	9441	1			= Urban
		68	1131	172	1406	2			= Rural
REGION	12304-12304								VAR703: Geographic region of residence
									Non-blank for all Rs.
		255	1294	425	2029	1			= Northeast
		112	1895	533	2593	2			= Midwest
		460	1948	1260	3751	3			= South
		726	1346	228	2474	4			= West
BIRTHPLCE	12305-12305								VAR704: Geographic region of birth
									Non-blank for all Rs.
		151	1423	377	1971	1			= Northeast
		85	2080	493	2690	2			= Midwest
		268	1679	1297	3287	3			= South
		376	1083	157	1702	4			= West
		71	1	0	72	5			= Puerto Rico
		602	217	122	1125	6			= Elsewhere Outside U.S.

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section I recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

RELIGION 12306-12306 VAR705: Current religious affiliation

Non-blank for all Rs.

124	826	196	1212	0	= None
316	3503	1987	5929	1	= Protestant
1075	1802	167	3130	2	= Roman Catholic
6	115	6	127	3	= Jewish
14	76	20	185	4	= Other
18	161	70	264	5	= No specific denomination

RELRAISD 12307-12307 VAR706: Religion in which R was raised

Non-blank for all Rs.

61	476	117	696	0	= None
217	3674	2071	6079	1	= Protestant
1253	2104	233	3694	2	= Roman Catholic
6	118	2	126	3	= Jewish
4	48	12	160	4	= Other
12	63	11	92	5	= No specific denomination

HISPANIC 12308-12308 VAR707: Hispanic origin

Non-blank for all Rs.

1553	0	0	1553	1	= Hispanic
0	6483	2446	9294	2	= Non-Hispanic

RACE 12309-12309 VAR708: Race

Non-blank for all Rs.

68	0	2446	2514	1	= Black
1263	6483	0	7746	2	= White
222	0	0	587	3	= Other

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section I recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

HISPRACE 12310-12310 Race and Hispanic origin-
 computed from VAR707 HISPANIC and
 VAR708 RACE

Non-blank for all Rs.

1553	0	0	1553	1	= Hispanic
0	6483	0	6483	2	= Non-Hispanic White
0	0	2446	2446	3	= Non-Hispanic Black
0	0	0	365	4	= Non-Hispanic Other

GENANX 12311-12311 VAR709: Whether R experienced
 period(s) of generalized anxiety

Non-blank for all Rs.

1278	5004	2135	8716	1	= No Periods Of Anxiety
275	1479	311	2131	2	= At Least One Period

GADSCOR 12312-12312 VAR710: Score for Generalized Anxiety
 Disorder

Inapplicable:
 R had no periods of anxiety.

1278	5004	2135	8716	Blank	= Blank, inapplicable
2	11	5	19	0	= No "yes" responses
14	52	15	87	1	= 1 "yes" response
22	99	29	155	2	= 2 "yes" responses
43	207	29	294	3	= 3 "yes" responses
47	305	68	430	4	= 4 "yes" responses
50	340	58	459	5	= 5 "yes" responses
46	292	65	409	6	= 6 "yes" responses
51	173	42	278	7	= 7 "yes" responses

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section I recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

LABORFOR 12313-12314

VAR711: Labor force status

Non-blank for all Rs.

586	2765	1083	4565	01	= Working Full-Time
233	1318	252	1875	02	= Working Part-Time
27	161	44	237	03	= Working, but on Vacation, Strike, or had temporary illness
6	26	8	41	04	= Working, but on Maternity Leave
19	75	71	168	05	= Unemployed, laid off, looking for work
135	514	245	947	06	= In School
473	1061	541	2154	07	= Keeping House
42	401	121	578	08	= Working 2 or more Part-Time Jobs
5	18	25	49	09	= On permanent disability
3	23	14	41	10	= Doing Nothing; taking it easy; hanging out
24	121	42	192	11	= Other

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section I recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

POVERTY 12315-12317

VAR712: Poverty level income

Non-blank for all Rs.

435	541	701	1734	000-099	= 0-99 percent of poverty level
430	1188	685	2379	100-199	= 100-199 percent of poverty level
283	1386	442	2191	200-299	= 200-299 percent of poverty level
146	1009	223	1429	300-399	= 300-399 percent of poverty level
110	952	165	1262	400-499	= 400-499 percent of poverty level
58	443	78	598	500-599	= 500-599 percent of poverty level
31	307	57	409	600-699	= 600-699 percent of poverty level
30	326	51	422	700-799	= 700-799 percent of poverty level
10	101	16	133	800-899	= 800-899 percent of poverty level
12	138	20	180	900-997	= 900-997 percent of poverty level
8	92	8	110	998	= 998 percent of poverty level or greater

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section I recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

TOTINCR 12318-12319

Total income of R's family-imputed

Note: this variable is an imputed version of total family income (II-3 TOTINC), for the purpose of imputing recode VAR712 POVERTY.

Non-blank for all Rs.

128	223	309	677	01	= UNDER \$135 (wk) / UNDER \$583 (mon) / UNDER \$7,000 (yr)
59	96	133	299	02	= \$135-162 (wk) / \$583-707 (mon) / \$7,000-8,499 (yr)
55	84	92	241	03	= \$163-191 (wk) / \$708-832 (mon) / \$8,500-9,999 (yr)
64	131	104	305	04	= \$192-230 (wk) / \$833-999 (mon) / \$10,000-11,999 (yr)
69	126	128	340	05	= \$231-268 (wk) / \$1,000-1,166 (mon) / \$12,000-13,999 (yr)
70	161	115	359	06	= \$269-307 (wk) / \$1,167-1,332 (mon) / \$14,000-15,999 (yr)
73	152	107	338	07	= \$308-345 (wk) / \$1,333-1,499 (mon) / \$16,000-17,999 (yr)
45	152	120	326	08	= \$346-384 (wk) / \$1,500-1,666 (mon) / \$18,000-19,999 (yr)
141	424	178	764	09	= \$385-480 (wk) / \$1,667-2,082 (mon) / \$20,000-24,999 (yr)
147	480	208	866	10	= \$481-576 (wk) / \$2,083-2,499 (mon) / \$25,000-29,999 (yr)
217	967	298	1541	11	= \$577-768 (wk) / \$2,500-3,332 (mon) / \$30,000-39,999 (yr)
162	942	220	1364	12	= \$769-961 (wk) / \$3,333-4,166 (mon) / \$40,000-49,999 (yr)
112	713	137	999	13	= \$962-1,153 (wk) / \$4,167-4,999 (mon) / \$50,000-59,999 (yr)
58	524	100	704	14	= \$1,154-1,345 (wk) /

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section I recodes)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
						\$5,000-5,832 (mon) / \$60,000-69,999 (yr)
		44	466	83	611	15 = \$1,346-1,537 (wk) / \$5,833-6,666 (mon) / \$70,000-79,999 (yr)
		39	284	37	371	16 = \$1,538-1,730 (wk) / \$6,667-7,499 (mon) / \$80,000-89,999 (yr)
		21	143	26	198	17 = \$1,731-1,922 (wk) / \$7,500-8,332 (mon) / \$90,000-99,999 (yr)
		49	415	51	544	18 = \$1,923 OR MORE (wk) / \$8,333 OR MORE (mon) / \$100,000 OR MORE (yr)

GEOMATCH 12320-12320

Geocode Match Indicator

Note: This applies to recodes METRO (VAR701) and RURAL (VAR702) and indicates the level of information available for classifying addresses.

Non-blank for all Rs.

1477	5708	2279	9785	1	= Based on entire address match
3	17	4	26	2	= Based on zip + 4 code centroid match
21	168	22	219	3	= Based on zip + 2 code centroid match
52	590	141	817	4	= Based on 5-digit zip code centroid match

REGION_I 12321-12321

REGION (VAR703) Imputation Flag

Non-blank for all Rs.

1551	6471	2443	10830	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
2	12	3	17	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section I recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

BIRTHPL_I 12322-12322 BIRTHPLCE (VAR704) Imputation Flag
 Non-blank for all Rs.

1538	6472	2440	10799	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
15	11	6	48	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

RELIGI_I 12323-12323 RELIGION (VAR705) Imputation Flag
 Non-blank for all Rs.

1552	6464	2441	10821	0	= Questionnaire data
1	19	5	26	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

RELRAI_I 12324-12324 RELRAISD (VAR706) Imputation Flag
 Non-blank for all Rs.

1551	6465	2441	10819	0	= Questionnaire data
2	18	5	28	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

HISPAN_I 12325-12325 HISPANIC (VAR707) Imputation Flag
 Non-blank for all Rs.

1553	6477	2446	10840	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	6	0	7	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section I recodes)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT	AND	CODE	CATEGORIES
		HISP	WHITE	BLACK					
RACE_I	12326-12326								RACE (VAR708) Imputation Flag
									Non-blank for all Rs.
		1551	6483	2445	10844	0			= Questionnaire data
		0	0	0	0	1			= Stochastic imputation
		2	0	1	3	2			= Logical imputation
		0	0	0	0	3			= Computed based on imputed value(s) of other recode(s)
HISPRACI	12327-12327								HISPRACE (computed variable) Imputation Flag
									Non-blank for all Rs.
		1551	6477	2445	10837	0			= Questionnaire data
		0	0	0	0	1			= Stochastic imputation
		0	0	0	0	2			= Logical imputation
		2	6	1	10	3			= Computed based on imputed value(s) of other recode(s)
GENANX_I	12328-12328								GENANX (VAR709) Imputation Flag
									Non-blank for all Rs.
		1548	6442	2440	10792	0			= Questionnaire data
		1	4	0	5	1			= Stochastic imputation
		4	37	6	50	2			= Logical imputation
		0	0	0	0	3			= Computed based on imputed value(s) of other recode(s)
GADSCO_I	12329-12329								GADSCOR (VAR710) Imputation Flag
									Non-blank for all Rs.
		1548	6442	2440	10792	0			= Questionnaire data
		2	26	3	34	1			= Stochastic imputation
		3	15	3	21	2			= Logical imputation
		0	0	0	0	3			= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section I recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

LABORF_I 12330-12330 LABORFOR (VAR711) Imputation Flag
 Non-blank for all Rs.

1548	6465	2431	10807	0	= Questionnaire data
5	18	15	40	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

POVERT_I 12331-12331 POVERTY (VAR712) Imputation Flag
 Note: imputation based on TOTINC, which is an imputed version of total family income (II-3 TOTINC), and number of family members in the household (VAR118 NUMFMHH).
 Non-blank for all Rs.

1382	5771	2131	9596	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
171	712	315	1251	3	= Computed based on imputed value(s) of other recode(s)

TOTINCRI 12332-12332 TOTINCR Imputation Flag
 Non-blank for all Rs.

1391	5778	2133	9614	0	= Questionnaire data
162	705	313	1233	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section J Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

TOTABORT 12333-12334 VAR714: Total number of abortions in section B and ACASI.

Non-blank for all Rs.

1251	5283	1746	8577	00	= No Abortions
188	858	416	1511	01	= 1 Abortion
64	231	163	472	02	= 2 Abortions
27	73	74	176	03	= 3 Abortions
10	21	25	58	04	= 4 Abortions
5	10	8	24	05	= 5 Abortions
5	4	5	14	06	= 6 Abortions
0	2	2	4	07	= 7 Abortions
0	1	3	4	08	= 8 Abortions
2	0	2	4	09	= 9 Abortions
1	0	1	2	10	= 10 Abortions
0	0	1	1	11	= 11 Abortions

TOTABFLG 12335-12335 Computed variable: TOTABORT derived from CAPI/A-CASI?

Non-blank for all Rs.

1475	6232	2242	10299	1	= TOTABORT derived from Section B data
78	251	204	548	2	= TOTABORT derived from Section J data

ABORT5YR 12336-12336 VAR715: Number of abortions in the last 5 years.

Non-blank for all Rs.

1451	6214	2212	10213	0	= No Abortions in Last 5 years
75	237	179	513	1	= 1 Abortion
18	26	38	88	2	= 2 Abortions
5	3	11	20	3	= 3 Abortions
2	3	4	9	4	= 4 Abortions
2	0	1	3	5	= 5 Abortions
0	0	1	1	6	= 6 Abortions
0	0	0	0	7	= 7 Abortions
0	0	0	0	8	= 8 Abortions
0	0	0	0	9	= 9 Abortions

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section J Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

TOTPREGJ 12337-12338

VAR716: Number of pregnancies in section B and ACASI.

Non-blank for all Rs.

342	2065	496	3031	00	= No Pregnancies
235	1038	424	1757	01	= 1 pregnancy
309	1361	477	2209	02	= 2 pregnancies
259	993	414	1714	03	= 3 pregnancies
199	537	276	1049	04	= 4 pregnancies
105	257	172	546	05	= 5 pregnancies
46	128	84	268	06	= 6 pregnancies
27	51	49	131	07	= 7 pregnancies
13	22	29	64	08	= 8 pregnancies
7	14	8	30	09	= 9 pregnancies
2	10	8	22	10	= 10 pregnancies
4	4	4	12	11	= 11 pregnancies
2	1	1	4	12	= 12 pregnancies
1	1	2	5	13	= 13 pregnancies
2	0	1	3	14	= 14 pregnancies
0	1	1	2	15	= 15 pregnancies

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section J Recodes)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
ALLMEN	12339-12341					VAR717: Number of male sex partners in lifetime in C and ACASI.
						Non-blank for all Rs.
		130	568	133	887	000 = No Male Sexual Partners in Lifetime
		0	0	0	0	000 = No male sexual partners
		579	1468	298	2481	001 = 1 male sexual partner
		254	759	296	1363	002 = 2 male sexual partners
		150	635	295	1107	003 = 3 male sexual partners
		91	560	301	964	004 = 4 male sexual partners
		94	517	300	930	005 = 5 male sexual partners
		38	350	159	554	006 = 6 male sexual partners
		34	238	100	386	007 = 7 male sexual partners
		27	180	64	273	008 = 8 male sexual partners
		8	93	30	133	009 = 9 male sexual partners
		36	315	142	501	010 = 10 male sexual partners
		11	45	34	93	011 = 11 male sexual partners
		13	107	41	164	012 = 12 male sexual partners
		6	30	9	47	013 = 13 male sexual partners
		1	21	4	27	014 = 14 male sexual partners
		23	124	43	196	015 = 15 male sexual partners
		1	25	5	31	016 = 16 male sexual partners
		2	5	3	10	017 = 17 male sexual partners
		2	13	8	24	018 = 18 male sexual partners
		1	3	3	7	019 = 19 male sexual partners
		19	124	56	203	020 = 20 male sexual partners
		8	81	26	118	021-025 = 21-25 male sexual partners
		7	71	24	105	026-030 = 26-30 male sexual partners
		4	16	7	27	031-035 = 31-35 male sexual partners
		1	23	5	29	036-040 = 36-40 male sexual partners
		1	9	2	12	041-045 = 41-45 male sexual

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section J Recodes)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES		
		HISP	WHITE	BLACK	TOTAL		
		0	31	13	45	046-050	partners = 46-50 male sexual partners
		7	46	24	78	051-100	= 51-100 more male sexual partners
		5	26	21	52	101-900	= More than 100 male sexual partners

ALLMNFLG 12342-12342 Computed variable: ALLMEN derived from CAPI/A-CASI?

Non-blank for all Rs.

1372	5605	1984	9281	1	= ALLMEN derived from Section C data
176	834	437	1490	2	= ALLMEN derived from Section J data
5	44	25	76	3	= ALLMEN derived by imputation

TOTABO_I 12343-12343 TOTABORT (VAR714) Imputation Flag

Non-blank for all Rs.

1553	6481	2445	10843	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	2	1	4	3	= Computed based on imputed value(s) of other recode(s)

ABORT5_I 12344-12344 ABORT5YR (VAR715) Imputation Flag

Non-blank for all Rs.

1553	6481	2445	10843	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	2	1	4	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section J Recodes)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

TOTPRE_I 12345-12345 TOTPREGJ (VAR716) Imputation Flag

Non-blank for all Rs.

1553	6481	2445	10843	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	2	1	4	3	= Computed based on imputed value(s) of other recode(s)

ALLMEN_I 12346-12346 ALLMEN (VAR717) Imputation Flag

Non-blank for all Rs.

1548	6439	2421	10771	0	= Questionnaire data
5	44	25	76	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK				
COL_STR	12347-12348							NHIS collapsed strata Non-blank for all Rs 1553 6483 2446 10847 01-62 = Strata 1-62
PANEL	12349-12349							NHIS panel identifier Non-blank for all Rs 358 1571 578 2599 1 = Panel 1 376 1650 596 2695 2 = Panel 2 392 1590 655 2752 3 = Panel 3 427 1672 617 2801 4 = Panel 4
POST_WT	12350-12359							Post adjusted weight Non-blank for all Rs 00349.8761-33549.8227 = Adjusted weight
A_DOI	12360-12363							Date section A began Non-Blank for all Rs. 0 0 0 0 Blank = Blank, inapplicable 1553 6483 2446 10847 1141-1150 = January-October, 1995
OMITTED	12364-12905							These File locations are blank.
FIUSECOM	12906-12906							INTERVIEWER QUESTION: Do you currently use a computer on another job, at home, or in school? Asked of all Interviewers. 1 38 0 39 Blank = Blank, inapplicable 933 4282 1506 6972 1 = Yes 619 2163 940 3836 2 = No 0 0 0 0 8 = Refused

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

FIFSTINT 12910-12910

INTERVIEWER QUESTION: Is the NSFG
your first job as a field interviewer?

Asked of all Interviewers.

8	74	58	144	Blank	= Blank, inapplicable
151	916	195	1318	1	= Yes
1392	5474	2164	9335	2	= No
2	19	29	50	8	= Refused

FINUMYRS 12911-12911

INTERVIEWER QUESTION: How many years
have you been a field interviewer?

Inapplicable:
NSFG is interviewer's first field
interviewing job (P-9 FIFSTINT coded
1).

166	1055	288	1571	Blank	= Blank, inapplicable
162	319	96	606	1	= Less than one year
221	616	266	1150	2	= 1-2 years
393	1499	700	2682	3	= 3-5 years
140	784	299	1255	4	= 6-9 years
469	2191	768	3533	5	= 10 or more years
2	19	29	50	8	= Refused

FIOTHCYC 12912-12912

INTERVIEWER QUESTION: Have you worked
on any other previous cycles of the
NSFG?

Inapplicable:
NSFG is interviewer's first field
interviewing job (P-9 FIFSTINT coded
1).

160	998	245	1459	Blank	= Blank, inapplicable
199	855	531	1634	1	= Yes
1192	4611	1641	7704	2	= No
2	19	29	50	8	= Refused

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FIOTHJOB 12913-12913

INTERVIEWER QUESTION: Besides interviewing on the NSFG, do you currently work at any other paying jobs?

Asked of all interviewers.

6	16	11	34	Blank	= Blank, inapplicable
1024	4292	1470	7029	1	= Yes
521	2156	936	3734	2	= No
2	19	29	50	8	= Refused

FINUMHRS 12914-12915

INTERVIEWER QUESTION: How many hours a week do you work on your other job(s)?

Inapplicable:
 Interviewer's only paying job is on NSFG (P-10 FIOTHJOB coded 2).

769	2880	1291	5105	Blank	= Blank, inapplicable
700	3082	888	4826	00-34	= 0-34 hours
81	487	207	819	35-45	= 35 or more hours
0	0	0	0	97	= Not ascertained
2	19	29	50	98	= Refused
1	15	31	47	99	= Don't know

FIOTHJFI 12916-12916

INTERVIEWER QUESTION: Is/Are your other paying job(s) as a field interviewer or something else?

Inapplicable:
 Interviewer's only paying job is on NSFG (P-10 FIOTHJOB coded 2).

593	2186	990	3896	Blank	= Blank, inapplicable
472	1744	595	2888	1	= Field Interviewer
315	1474	500	2372	2	= Something Else
171	1060	332	1641	3	= Both
2	19	29	50	8	= Refused

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FIPRMJOB 12917-12917

INTERVIEWER QUESTION: Which do you consider your primary job---the interviewing work you do or the other paid job(s)?

Inapplicable:
 Interviewer's only paying job is on NSFG (P-10 FIOTHJOB coded 2) or Interviewer's other job(s) is as a field interviewer (P-10b FIOTHJFI coded 1).

1099	4312	1671	7305	Blank	= Blank, inapplicable
225	1415	375	2078	1	= Interviewing work
227	737	371	1414	2	= Other paid job(s)
2	19	29	50	8	= Refused

FIHIGRD 12918-12919

INTERVIEWER QUESTION: What is the highest grade or year of school you have completed?

Asked of all Interviewers.

0	0	0	0	Blank	= Blank, inapplicable
21	78	18	122	01	= Less than 8 years
65	1	13	84	02	= 8 to 11 years
171	549	217	955	03	= High school graduate or GED
201	500	141	858	04	= Post high school non-college training
616	2435	991	4182	05	= Some college
231	1781	585	2707	06	= College graduate
146	717	349	1263	07	= 17 to 18 years college/university
100	403	103	626	08	= More than 18 years college/university
2	19	29	50	98	= Refused

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FICURSC 12920-12920 INTERVIEWER QUESTION: Are you currently attending school to get a degree or certificate?

Asked of all Interviewers.

0	0	0	0	Blank	= Blank, inapplicable
176	663	234	1110	1	= Yes
1375	5801	2183	9687	2	= No
2	19	29	50	8	= Refused

FIAGE 12921-12922 INTERVIEWER QUESTION: What is your age?

Asked of all Interviewers

16	77	8	108	Blank	= Blank, inapplicable
65	90	39	208	23-29	= 23-29 years
193	681	455	1367	30-39	= 30-39 years
606	2203	794	3715	40-49	= 40-49 years
478	1793	476	2875	50-59	= 50-59 years
132	1222	526	1922	60-69	= 60-69 years
23	198	27	258	70-73	= 70-73 years
0	0	0	0	97	= Not ascertained
40	219	121	394	98	= Refused
0	0	0	0	99	= Don't know

FISPAN 12923-12923 INTERVIEWER QUESTION: Are you of Spanish or Hispanic descent?

Asked of all interviewers.

9	52	3	66	Blank	= Blank, inapplicable
575	124	111	835	1	= Yes
967	6288	2303	9896	2	= No
2	19	29	50	8	= Refused

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

FIRACE 12924-12924

INTERVIEWER QUESTION: Which group best describes your racial background?

Asked of all interviewers

	26	55	7	90	Blank	= Blank, inapplicable
1341	5799	1462	8908	1		= White
	76	345	744	1199	2	= Black
	3	79	18	105	3	= American Indian
	0	0	0	0	4	= Asian
	20	145	164	345	5	= Multiple race groups mentioned
	82	34	10	128	7	= Not ascertained
	5	26	41	72	8	= Refused

FIMARSTA 12925-12925

INTERVIEWER QUESTION: What is your current marital status?

Asked of all interviewers

	10	89	37	139	Blank	= Blank, inapplicable
845	4041	1332	6396	1		= Married
	38	243	51	357	2	= Cohabiting
	55	266	132	463	3	= Widowed
	329	1162	410	1985	4	= Divorced
	47	131	164	355	5	= Separated
	227	499	287	1065	6	= Never married
	2	52	33	87	8	= Refused

FIEVRPG 12926-12926

INTERVIEWER QUESTION: Have you ever been pregnant?

Asked of all interviewers

	1	44	3	48	Blank	= Blank, inapplicable
1247	5582	2120	9238	1		= Yes
	288	765	233	1358	2	= No
	17	92	90	203	8	= Refused

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FINUMPG 12927-12928

INTERVIEWER QUESTION: Altogether, how many times have you been pregnant?

Inapplicable:
Interviewer has never been pregnant (P-16 FIEVRPG coded 2).

305	934	247	1563	Blank	= Blank, inapplicable
0	0	0	0	00	= Never
163	449	211	859	01	= 1 time
300	1084	479	1941	02	= 2 times
297	1447	621	2434	03	= 3 times
252	976	308	1576	04	= 4 times
62	609	175	880	05	= 5 times
41	474	195	725	06	= 6 times
22	171	20	217	07	= 7 times
14	185	74	279	08	= 8 times
80	62	26	170	09-18	= 9 or more times
0	0	0	0	97	= Not ascertained
17	92	90	203	98	= Refused
0	0	0	0	99	= Don't know

FINUMBAB 12929-12930

INTERVIEWER QUESTION: How many babies, if any, have you ever given birth to?

Inapplicable:
Interviewer has never been pregnant (P-16 FIEVRPG coded 2).

299	915	246	1536	Blank	= Blank, inapplicable
61	188	89	349	00	= None
133	557	279	1013	01	= 1 baby
418	1418	556	2489	02	= 2 babies
297	1617	598	2583	03	= 3 babies
165	659	322	1173	04	= 4 babies
49	560	95	724	05	= 5 babies
30	351	132	524	06	= 6 babies
5	114	35	157	07	= 7 babies
0	0	0	0	08	= 8 babies
79	12	4	96	09	= 9 babies
0	0	0	0	97	= Not ascertained
17	92	90	203	98	= Refused
0	0	0	0	99	= Don't know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FIAGEYNG 12931-12932 INTERVIEWER QUESTION: How old is your youngest child?

Inapplicable:
Interveiwer has never been pregnant (P-16 FIEVRPG coded 2) or interviewer has been pregnant but has never given birth (P-16b FINUMBAB coded 0).

362	1146	335	1934	Blank	= Blank, inapplicable
181	691	326	1237	00-09	= 0-9 years
400	1253	446	2148	10-19	= 10-19 years
370	1904	649	3031	20-29	= 20-29 years
193	1167	496	1917	30-39	= 30-39 years
22	203	103	336	40-47	= 40-47 years
0	0	0	0	97	= Not ascertained
25	119	91	244	98	= Refused
0	0	0	0	99	= Don't know

FIADOPT 12933-12933 INTERVIEWER QUESTION: Have you ever adopted a child?

Asked of all Interviewers.

12	141	26	182	Blank	= Blank, inapplicable
21	207	52	288	1	= Yes
1503	6043	2278	10174	2	= No
17	92	90	203	8	= Refused

FIREL 12934-12934 INTERVIEWER QUESTION: What is your religion?

Asked of all interviewers

64	199	35	305	Blank	= Blank, inapplicable
613	3148	1394	5319	1	= Protestant
322	1442	420	2273	2	= Catholic
71	301	67	455	3	= Jewish
387	789	313	1537	4	= Other religion
90	561	182	873	5	= No religion
6	43	35	85	8	= Refused

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FIOTHPRO 12935-12935

INTERVIEWER QUESTION: Interviewer's other Protestant religion.

Inapplicable:
 Interviewer did not report having a Protestant affiliation (P-18 FIREL not coded 1).

971	3715	1219	6116	Blank	= Blank, inapplicable
73	663	542	1308	4	= Baptist
67	303	131	511	5	= Methodist
40	255	50	354	6	= Lutheran
55	282	66	436	7	= Presbyterian
11	327	91	439	8	= Episcopalian
336	938	347	1683	9	= Other

FIRELIMP 12936-12936

INTERVIEWER QUESTION: How important is religion in your life?

Asked of all Interviewers

22	139	77	245	Blank	= Blank, inapplicable
933	3374	1523	6007	1	= Very important
444	2163	522	3236	2	= Somewhat important
148	764	289	1274	3	= Not important
6	43	35	85	8	= Refused

FITRAIN 12937-12937

INTERVIEWER QUESTION: Which NSFG field interviewer training session did you attend?

Asked of all Interviewers

2	94	39	137	Blank	= Blank, inapplicable
440	3480	1435	5485	1	= Durham, NC, Jan 5-12, 1995
1103	2858	917	5107	2	= Phoenix, AZ, Jan 16-23, 1995
1	39	46	89	3	= Attrition training (RTP)
7	12	9	29	4	= Attrition Training (Miami)
0	0	0	0	8	= Refused

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
PROCYR	12938-12939					HIS: Processing Year (HH 3-4) Non-blank for all sample women.
		1553	6483	2446	10847	93 = 1993
PROCQRT	12940-12940					HIS: Processing Quarter (HH 5) Non-blank for all sample women.
		427	1876	707	3098	1 = Quarter 1
		247	984	388	1660	2 = Quarter 2
		444	1805	674	3045	3 = Quarter 3
		435	1818	677	3044	4 = Quarter 4

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

TYPQLQ	12941-12942						HIS: Type of Living Quarters (HH 22-23)
							Non-blank for all sample women.
		27	75	39	142	00	= Housing Unit: kind unknown
		1471	5918	2296	10022	01	= House, apt, or flat
		2	8	3	14	02	= HU in nontransient hotel, motel, etc.
		1	0	1	3	03	= HU-Permanent in transient hotel, motel, etc.
		1	1	3	5	04	= HU in Rooming house
		37	356	75	480	05	= Mobile home or trailer with no permanent room added
		4	37	8	50	06	= Mobile home or trailer with one or more permanent rooms added
		0	0	0	1	07	= HU: not specified above
		0	1	0	1	08	= Quarters not HU in rooming or boarding house
		0	0	0	0	09	= Unit not permanent in transient hotel, motel, etc.
		0	0	0	0	10	= Unoccupied site for mobile home, trailer, or tent
		9	78	20	117	11	= Student quarters in college dormitory
		1	6	0	8	12	= Other unit: not specified above
		0	3	1	4	13	= Other unit: Kind unknown

HASTELE 12943-12943 HIS: Has Telephone (HH 24)

Non-blank for all sample women.

1351	6088	1988	9748	1	= Yes, phone # given
45	175	101	328	2	= Yes, no phone # given
151	211	348	744	3	= No
6	9	9	27	4	= Unknown

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

SIZEF0 12951-12952 HIS: Family Size-Primary (HH 36-37)
Non-blank for all sample women.

Column	HISP	WHITE	BLACK	TOTAL	QX	Text
68	635	202	943	00		= Not applicable or only unrelated individuals
0	2	0	3	01		= 1 member
219	1249	498	2030	02		= 2 members
342	1501	656	2563	03		= 3 members
398	1807	572	2872	04		= 4 members
274	909	293	1524	05		= 5 members
145	265	124	566	06		= 6 members
58	78	57	207	07		= 7 members
19	28	21	74	08		= 8 members
20	6	10	37	09		= 9 members
4	2	5	13	10		= 10 members
3	1	4	8	11		= 11 members
1	0	2	3	12		= 12 members
0	0	1	1	13		= 13 members
1	0	0	1	14		= 14 members
1	0	1	2	15		= 15 memers

SIZEF1 12953-12954 HIS: Family Size-Secondary No. 1 (HH 38-39)
Non-blank for all sample women.

Column	HISP	WHITE	BLACK	TOTAL	QX	Text
1539	6462	2445	10808	00		= Not applicable or only unrelated individuals
0	0	0	0	01		= 1 member
8	16	0	26	02		= 2 members
3	4	1	9	03		= 3 members
2	0	0	2	04		= 4 members
0	1	0	1	05		= 5 members
1	0	0	1	06		= 6 members

SIZEF2 12955-12956 HIS: Family Size-Secondary No. 2 (HH 40-41)
Non-blank for all sample women.

Column	HISP	WHITE	BLACK	TOTAL	QX	Text
1553	6483	2445	10846	00		= Not applicable or only unrelated individuals
0	0	0	0	01		= 1 member
0	0	1	1	02		= 2 members

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

NUMUNREL 12957-12958 HIS: Number Of Unrelated Individuals
(HH 56-57)

Non-blank for all sample women.

1473	5809	2241	9851	00	= Not applicable
67	509	181	788	01	= 1 unrelated individual
13	140	22	180	02	= 2 unrelated individuals
0	17	2	20	03	= 3 unrelated individuals
0	6	0	6	04	= 4 unrelated individuals
0	2	0	2	05	= 5 unrelated individuals

NUMINHH 12959-12960 HIS: Number Of Person Records For
Household (HH 68-69)

Non-blank for all sample women.

51	481	178	741	01	= 1 person record
228	1365	522	2186	02	= 2 person records
343	1535	657	2605	03	= 3 person records
399	1811	573	2873	04	= 4 person records
275	908	290	1522	05	= 5 person records
148	267	125	571	06	= 6 person records
57	78	57	206	07	= 7 person records
20	28	21	75	08	= 8 person records
21	7	10	39	09	= 9 person records
4	2	5	13	10	= 10 person records
4	1	4	9	11	= 11 person records
1	0	2	3	12	= 12 person records
0	0	1	1	13	= 13 person records
1	0	0	1	14	= 14 person records
1	0	1	2	15	= 15 person records
0	0	0	0	16	= 16 person records

HIS_REG 12961-12961 HIS: Region (HH 187)

Non-blank for all sample women.

254	1306	424	2041	1	= Northeast
111	1894	536	2598	2	= Midwest
462	1940	1258	3738	3	= South
726	1343	228	2470	4	= West

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

GEOGDIST 12962-12962 HIS: Size of MSA (HH 192)
Non-blank for all sample women.

931	2459	1369	4955	1	= 1, 000,000 or more
429	1743	581	2843	2	= 250, 000-999,999
50	487	172	728	3	= 100, 000-249,999
1	130	11	146	4	= Under 100 ,000
83	620	152	881	5	= Non-MSA-Other Urban Areas
59	1044	161	1294	6	= Non-MSA-Rural Areas (except in MSA)

MSARES1 12963-12963 HIS: MSA-Non-MSA Residence (HH 195)
Non-blank for all sample women.

1411	4819	2133	8672	1	= MSA
142	1575	313	2084	2	= Non-MSA-Nonfarm
0	89	0	91	3	= Non-MSA-Farm

MSARES2 12964-12964 HIS: MSA-Non-MSA Residence (HH 196)
Non-blank for all sample women.

794	1543	1506	3975	1	= MSA-Central City
617	3276	627	4697	2	= MSA-Not Central City
142	1575	313	2084	3	= Non-MSA-Nonfarm
0	89	0	91	4	= Non-MSA-Farm

ICINTLEN 12965-12967 HIS: Intermediate Tape: Combined Interview Length (IT 238-240)
Non-blank for all sample women.

1236	5285	2049	8867	000	= Unknown
317	1198	397	1980	001-998	= 001-998 minutes
0	0	0	0	999	= 999+ minutes

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

INUMINHH 12968-12969 HIS: Intermediate Tape: Number of
 Person Records in Household (IT 243-
 244)

Non-blank for all sample women.

51	481	178	741	01	= 1 person record
228	1365	522	2186	02	= 2 person records
343	1535	657	2605	03	= 3 person records
399	1811	573	2873	04	= 4 person records
275	908	290	1522	05	= 5 person records
148	267	125	571	06	= 6 person records
57	78	57	206	07	= 7 person records
20	28	21	75	08	= 8 person records
21	7	10	39	09	= 9 person records
4	2	5	13	10	= 10 person records
4	1	4	9	11	= 11 person records
1	0	2	3	12	= 12 person records
0	0	1	1	13	= 13 person records
1	0	0	1	14	= 14 person records
1	0	1	2	15	= 15 person records
0	0	0	0	16	= 16 person records

IINTLANG 12970-12970 HIS: Intermediate Tape: Language of
 Interview (IT 253)

Inapplicable:
 Language unknown.

0	0	0	0	Blank	= Blank, inapplicable
1062	6387	2399	10196	1	= English
265	5	3	274	2	= Spanish
200	1	1	202	3	= Both English/Spanish
0	3	2	14	8	= Other
26	87	41	161	9	= DK or RF

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

HISPORIG 12976-12977

HIS: Hispanic Origin (P 46-47)

Non-blank for all sample women.

13	1	0	14	00	= Multiple Hispanic
186	4	4	197	01	= Puerto Rican
56	5	1	62	02	= Cuban
401	4	0	405	03	= Mexican-Mexicano
505	16	0	521	04	= Mexican-American
10	0	0	10	05	= Chicano
149	13	2	166	06	= Other Latin American
133	14	4	156	07	= Other Spanish
8	0	1	9	08	= Spanish, DK type
3	53	10	72	09	= Unknown if Spanish origin
89	6373	2424	9235	10	= Not Spanish origin

PMARSTAT 12978-12978

HIS: Marital Status (P 48)

Non-blank for all sample women.

33	113	37	193	0	= Under 14 years
857	3861	762	5676	1	= Married-spouse in hh
24	30	36	92	2	= Married-spouse not in hh
12	17	33	66	3	= Widowed
92	401	189	693	4	= Divorced
65	107	157	338	5	= Separated
462	1911	1212	3718	6	= Never married
8	43	20	71	7	= Unknown

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

VETSTAT 12979-12979 HIS: Veteran Status (P 49)

Inapplicable:
Sample member was under 18 years of
age at time of NHIS interview (PERAGE
LT 18).

202	803	280	1337	Blank	= Blank, inapplicable
1292	5515	2077	9191	1	= Non-veteran
0	0	0	0	2	= WW I
0	0	0	0	3	= WW II
0	0	0	0	4	= Korean War
0	11	6	18	5	= Vietnam veteran
10	40	16	67	6	= Post-Vietnam
7	20	13	40	7	= Other service
2	6	5	15	8	= Served, unknown if war vet
40	88	49	179	9	= Unknown if served

EDUCYRS 12980-12981 HIS: Education of Individual-
Completed Years (P 51-52)

Non-blank for all sample women.

3	1	1	6	00	= Never attended; kindergarten only
1108	3508	1583	6385	01-12	= Grades 1-12
113	557	241	938	13	= 1 year
133	708	235	1105	14	= 2 years
39	299	95	453	15	= 3 years
101	919	189	1269	16	= 4 years
13	172	38	238	17	= 5 years
33	302	50	411	18	= 6 years or more
10	17	14	42	19	= Unknown

FAMINC 12982-12982 HIS: Family Income +/- \$20,000 (P 57)

Non-blank for all sample women.

703	1425	1363	3606	1	= Less than \$20,000
815	4937	1014	7012	2	= \$20, 000 or more
35	121	69	229	3	= Unknown

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FAMINCR 12983-12983 HIS: Family Income Recode (P 60)

Non-blank for all sample women.

85	204	288	593	0	= Under \$5 ,000
73	126	145	358	1	= \$ 5 ,000-\$ 6,999
107	176	177	470	2	= 7, 000-9,999
168	320	258	777	3	= 10, 000-14,999
166	421	252	866	4	= 15, 000-19,999
129	483	183	818	5	= 20, 000-24,999
205	1018	272	1543	6	= 25, 000-34,999
177	1383	218	1842	7	= 35, 000-49,999
197	1662	219	2160	8	= \$50, 000 or more
246	690	434	1420	9	= Unknown

POVINDX 12984-12984 HIS: NHIS Poverty Index (P 61)

Non-blank for all sample women.

991	5569	1380	8223	1	= At or above poverty threshold
420	615	752	1847	2	= Below poverty threshold
142	299	314	777	3	= Unknown

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

RELTOREF 12985-12986 HIS: Relation to Reference Person (P 63)

Non-blank for all sample women.

397	1335	1010	2811	00	= Reference person, 2+ persons in household
655	3016	519	4335	01	= Spouse, other spouse NOT in Armed Forces and living at home
12	68	11	101	02	= Spouse, other spouse IN Armed Forces and living at home
363	1475	590	2517	03	= Child of reference person or spouse
8	27	66	102	04	= Grandchild of reference person or spouse
2	4	3	10	05	= Parent of reference person or spouse
70	91	73	253	06	= Other relative
0	1	0	1	07	= Child of military family with no eligible reference person
0	0	0	0	09	= Don't know or refused
46	466	174	717	10	= Reference person, living alone

RELACODE 12987-12987 HIS: Family Relationship Recode (P 64)

Non-blank for all sample women.

46	466	174	717	1	= Living alone
18	171	27	222	2	= Living only with non-relative
856	3860	762	5674	3	= Living with spouse
633	1986	1483	4234	4	= Living with relative-other

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

PARLVARR	12990-12990						HIS: Parent/other adult relative in household? (under 25 years old and never married) (P 68)
							Inapplicable: Sample member was under 18 years of age at time of NHIS interview (PERAGE LT 18); or sample member was never married at time of NHIS interview (PMARSTAT coded 6)
		1179	4948	1757	8143	Blank	= Blank, inapplicable
		141	864	140	1186	1	= Both parents, no other relative
		78	177	199	464	2	= Mother only
		8	25	10	45	3	= Father only
		52	122	40	236	4	= Both parents and other 21+ year old adult relative
		20	51	52	129	5	= Mother and other 21+ year old adult relative
		1	7	3	11	6	= Father and other 21+ year old adult relative
		10	15	40	66	7	= No parent, but one 21+ year old adult relative
		12	13	27	53	8	= No parent, but two or more 21+ year old adult relative
		19	34	79	137	9	= Unknown
		33	227	99	377	0	= Other

MAJACT	12991-12991						HIS: Major Activity (18+ Years Old) (P 69)
							Inapplicable: Sample member was under 18 years of age at time of NHIS interview (PERAGE LT 18).

202	803	280	1337	Blank	= Blank, inapplicable
704	3731	1303	5920	1	= Working
481	1231	496	2271	2	= Keeping house
125	574	255	1012	3	= Going to school
33	118	106	267	4	= Something else
8	26	6	40	5	= Unknown

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

LIMITACT 12995-12995

HIS: Limitation Of School Activities
 (P 73)

Inapplicable:
 Sample member was over 18 years of age
 at time of NHIS interview (PERAGE GT
 18)

	1351	5680	2166	9510	Blank	
	3	4	1	9	1	= Blank, inapplicable
						= Unable to attend school
	3	10	7	20	2	= Attends special school/classes
	0	0	2	2	3	= Needs special school/classes
	1	14	2	17	4	= Limited in school attendance
	7	28	12	48	5	= Limited in other activities
	188	747	256	1241	6	= Not limited (includes unknowns)

HELPCARE 12996-12996

HIS: Needs Help With Personal Care (P
 74)

Inapplicable:
 Sample member was 5-59 years of age at
 time of NHIS interview (PERAGE GE 5
 AND LE 59) and activities not limited
 (ACSTAT CODED 4).

	1418	5870	2182	9810	Blank	
	13	14	10	38	1	= Blank, inapplicable
	18	56	35	112	2	= Unable to perform
	104	543	219	887	3	= Limited in performing
						= Not limited in performing
	0	0	0	0	4	= Unknown

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

EMP2WK 12997-12997 HIS: Employment Status Within Past 2 Weeks (P 75)

Inapplicable:
Sample member was under 18 years of age at time of NHIS interview (PERAGE LT 18).

202	803	280	1337	Blank	= Blank, inapplicable
733	4018	1285	6235	1	= Worked in past 2 weeks
29	92	37	164	2	= Did not work, has job
1	0	1	2	3	= Looking for work unemployed
2	19	6	27	4	= On lay-off, has job
0	0	0	0	5	= On lay-off and looking, has job
2	48	15	67	6	= Unknown if looking or on lay-off, has job
63	143	160	378	7	= Did not work, has no job-looking
521	1360	662	2637	8	= Not in Labor Force (18+ years)

CLASSWRK 12998-12998 HIS: Class Of Worker (P 76)

Inapplicable:
Sample member was under 18 years of age at time of NHIS interview (PERAGE LT 18).

202	803	280	1337	Blank	= Blank, inapplicable
521	1360	662	2637	0	= Not in labor force
624	3283	1059	5125	1	= Private company
23	73	70	177	2	= Federal Government employee
36	220	129	399	3	= State Government employee
92	371	158	636	4	= Local Government employee
2	38	5	47	5	= Incorporated business
30	259	29	330	6	= Self-employed
1	9	0	10	7	= Without pay
3	3	14	22	8	= Never worked
19	64	40	127	9	= Unknown

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

RESPTYPE 12999-12999

HIS: Respondent Type (P 91)

Non-blank for all sample women.

984	4089	1578	6860	1	= Self-entirely
112	350	147	622	2	= Self-partly
441	1997	703	3281	3	= Proxy
16	47	18	84	4	= Unknown

HEIGHT 13000-13001

HIS: Height Without Shoes (18+ Years)
(P 93-94)

Inapplicable:
Sample member was under 18 years of
age at time of NHIS interview (PERAGE
LT 18).

202	803	280	1337	Blank	= Blank, inapplicable
1	0	0	1	41-47	= 41-47 inches
74	84	70	245	48-59	= 48-60 inches
1259	5527	2059	9141	60-71	= 60-71 inches
1	41	20	62	72-84	= 72 or more inches
16	28	17	61	99	= Don't know

WEIGHT 13002-13004

HIS: Weight Without Shoes (18+ Years)
(P 95-97)

Inapplicable:
Sample member was under 18 years of
age at time of NHIS interview (PERAGE
LT 18).

202	803	280	1337	Blank	= Blank, inapplicable
14	76	14	125	052-099	= 52-99 pounds
836	3627	933	5616	100-149	= 100-149 pounds
408	1471	834	2771	150-199	= 150-199 pounds
61	304	260	633	200-249	= 200-249 pounds
6	51	66	124	250-299	= 250-299 pounds
2	17	11	32	300-350	= 300 or more pounds
24	134	48	209	501	= Don't know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

BIRTHPLC 13013-13014

HIS: State Or Country Of Birth (P
 142-143) (collapsed)

Non-blank for all sample women.

8	371	30	411	01	= New England
131	1035	331	1514	02	= Middle Atlantic
61	1437	398	1914	03	= East North Central
20	594	76	698	04	= West North Central
22	716	634	1388	05	= South Atlantic
6	370	259	638	06	= East South Central
231	579	389	1219	07	= West South Central
81	350	20	481	08	= Mountain
275	710	135	1166	09	= Pacific
245	221	128	797	10	= Virgin Isl; Guam; Canada; Cuba; unknown foreign cntry; other country
77	1	0	78	11	= Puerto Rico
376	2	0	378	12	= Mexico
20	97	46	165	99	= Unknown State

YRSINST 13015-13015

HIS: Years Lived In State Of
 Residence (P 144)

Inapplicable:
 Sample member foreign-born (BIRTHPLC
 NE U.S. STATE).

698	224	128	1253	Blank	= Blank, inapplicable
20	146	19	191	1	= Less than 1 year
44	443	98	592	2	= 1 yr. , less than 5 years
41	389	91	528	3	= 5 yrs. , less than 10 yrs.
79	593	193	888	4	= 10 yrs. , less than 15 yrs.
631	4514	1823	7082	5	= 15 years or more
40	174	94	313	9	= Unknown

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

YRSINUS 13016-13016 HIS: Years Lived In United States (P 145)

Inapplicable:
Sample member U.S. born (BIRTHPLC NE FOREIGN COUNTRY).

855	6259	2318	9594	Blank	= Blank, inapplicable
14	6	3	32	1	= Less than 1 year
128	30	18	228	2	= 1 yr. , less than 5 years
151	34	33	256	3	= 5 yrs. , less than 10 yrs.
136	24	31	246	4	= 10 yrs. , less than 15 yrs.
258	126	41	472	5	= 15 years or more
11	4	2	19	9	= Unknown

HPERAGE 13017-13018 HIS: Husband's Age at Time of NHIS Interview (P 27-28)

Inapplicable:
Sample member was not married at the time of the NHIS interview (PMARSTAT NE 1 OR 2) or her husband's person level record could not be identified.

759	2798	1719	5466	Blank	= Blank, inapplicable
8	18	3	29	17-19	= Age 15-19
70	217	39	334	20-24	= Age 20-24
180	556	117	879	25-29	= Age 25-29
204	860	178	1285	30-34	= Age 30-34
154	947	155	1297	35-39	= Age 35-39
113	710	147	1007	40-44	= Age 40-44
38	279	49	381	45-49	= Age 45-49
21	62	27	111	50-54	= Age 50-54
6	33	11	54	55-69	= Age 55-69
0	3	1	4	70-92	= Age 70 or older

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

HMAINR_C 13019-13020 HIS: (collapsed) Husband's Main
 Racial Background (P 41-42)

Inapplicable:
 Sample member was not married at the
 time of the NHIS interview (PMARSTAT
 NE 1 OR 2) or her husband's person
 level record could not be identified.

759	2798	1719	5466	Blank	= Blank, inapplicable
627	3564	15	4270	01	= White
21	36	693	760	02	= Black
5	20	5	40	03	= Indian (American)
13	21	4	123	04	= Asian
122	31	6	165	16	= Other race
0	1	2	3	17	= Multiple race
6	12	2	20	99	= Unknown

HOBSRCE1 13021-13021 HIS: Husband's Race Recode No.1 (P
 43)

Inapplicable:
 Sample member was not married at the
 time of the NHIS interview (PMARSTAT
 NE 1 OR 2) or her husband's person
 level record could not be identified.

759	2798	1719	5466	Blank	= Blank, inapplicable
755	3603	24	4449	1	= White
21	36	694	761	2	= Black
18	46	9	171	3	= Other

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

HHISPOG 13022-13023

HIS: Husband's Hispanic Origin (P
 46-47)

Inapplicable:
 Sample member was not married at the
 time of the NHIS interview (PMARSTAT
 NE 1 OR 2) or her husband's person
 level record could not be identified.

759	2798	1719	5466	Blank	= Blank, inapplicable
2	1	0	3	00	= Multiple Hispanic
45	13	2	60	01	= Puerto Rican
26	6	1	33	02	= Cuban
252	15	1	270	03	= Mexican-Mexicano
159	37	2	198	04	= Mexican-American
4	1	0	5	05	= Chicano
58	11	2	71	06	= Other Latin American
39	18	1	62	07	= Other Spanish
1	1	0	2	08	= Spanish, DK type
4	19	1	27	09	= Unknown if Spanish origin
204	3563	717	4650	10	= Not Spanish origin

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

HMARSTAT 13024-13024

HIS: Husband's Marital Status (P 48)

Note: husbands were identified with information on 1) respondent's marital status and 2) relationships of other household members. 9 cases have inconsistent information: respondent was married, and her spouse was identified, but the husband's marital status was something other than "married".

Inapplicable:
 Sample member was not married at the time of the NHIS interview (PMARSTAT NE 1 OR 2) or her husband's person level record could not be identified.

759	2798	1719	5466	Blank	= Blank, inapplicable
0	0	0	0	0	= Under 14 years
791	3681	725	5372	1	= Married-spouse in hh
1	2	2	5	2	= Married-spouse not in hh
0	1	0	1	3	= Widowed
0	0	0	0	4	= Divorced
0	0	0	0	5	= Separated
2	0	0	2	6	= Never married
0	1	0	1	7	= Unknown

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

HVETSTAT 13025-13025 HIS: Husband's Veteran Status (P 49)

Inapplicable:
Sample member was not married at the time of the NHIS interview (PMARSTAT NE 1 OR 2) or her husband's person level record could not be identified; or sample member's husband was under 18 years of age at time of NHIS interview (HPERAGE LT 18)

760	2800	1719	5469	Blank	= Blank, inapplicable
705	2937	555	4345	1	= Non-veteran
0	0	0	0	2	= WW I
0	5	1	6	3	= WW II
2	8	5	15	4	= Korean War
25	382	56	474	5	= Vietnam veteran
28	195	57	289	6	= Post-Vietnam
19	116	38	179	7	= Other service
3	20	7	31	8	= Served, unknown if war vet
11	20	8	39	9	= Unknown if served

HEDUCYRS 13026-13027 HIS: Husband's Education-Completed Years (P 51-52)

Inapplicable:
Sample member was not married at the time of the NHIS interview (PMARSTAT NE 1 OR 2) or her husband's person level record could not be identified.

759	2798	1719	5466	Blank	= Blank, inapplicable
9	0	1	10	00	= Never attended; kindergarten only
540	1789	440	2836	01-12	= Grades 1-12
45	284	60	402	13	= 1 year
72	454	78	617	14	= 2 years
22	136	24	189	15	= 3 years
64	603	74	779	16	= 4 years
7	93	10	117	17	= 5 years
32	314	36	410	18	= 6 years or more
3	12	4	21	19	= Unknown

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

HREL2REF 13028-13029 HIS: Husband's Relation to Reference Person (P 63)

Inapplicable:
 Sample member was not married at the time of the NHIS interview (PMARSTAT NE 1 OR 2) or her husband's person level record could not be identified.

759	2798	1719	5466	Blank	= Blank, inapplicable
651	2994	518	4307	00	= Reference person, 2+ persons in household
143	691	209	1074	01	= Spouse, other spouse NOT in Armed Forces and living at home

HRELCODE 13030-13030 HIS: Husband's Family Relationship Recode (P 64)

Inapplicable:
 Sample member was not married at the time of the NHIS interview (PMARSTAT NE 1 OR 2) or her husband's person level record could not be identified.

759	2798	1719	5466	Blank	= Blank, inapplicable
0	0	0	0	1	= Living alone
1	0	0	1	2	= Living only with non-relative
791	3681	725	5372	3	= Living with spouse
2	4	2	8	4	= Living with relative-other

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

HMAJACT 13031-13031 HIS: Husband's Major Activity (18+ Years Old) (P 69)

Inapplicable:
 Sample member was not married at the time of the NHIS interview (PMARSTAT NE 1 OR 2) or her husband's person level record could not be identified; or sample members's husband was under 18 years of age at time of NHIS interview (HPERAGE LT 18).

	760	2800	1719	5469	Blank	= Blank, inapplicable
	733	3421	641	4947	1	= Working
	5	35	12	54	2	= Keeping house
	7	65	15	97	3	= Going to school
	45	155	59	270	4	= Something else
	3	7	0	10	5	= Unknown

HHLTSTAT 13032-13032 HIS: Husband's Health Status (P 70)

Inapplicable:
 Sample member was not married at the time of the NHIS interview (PMARSTAT NE 1 OR 2) or her husband's person level record could not be identified.

	759	2798	1719	5466	Blank	= Blank, inapplicable
	290	1638	261	2256	1	= Excellent
	188	1231	191	1664	2	= Very Good
	248	610	197	1094	3	= Good
	58	161	62	292	4	= Fair
	8	39	15	66	5	= Poor
	2	6	1	9	6	= Unknown

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

HACSTAT 13033-13033

HIS: Husband's Activity Limitation
Status (P 71)

Inapplicable:
Sample member was not married at the
time of the NHIS interview (PMARSTAT
NE 1 OR 2) or her husband's person
level record could not be identified.

759	2798	1719	5466	Blank	= Blank, inapplicable
29	83	32	149	1	= Unable to perform major activity
23	151	26	201	2	= Limited in kind/amount major activity
20	137	15	178	3	= Limited in other activities
722	3314	654	4853	4	= Not limited (includes unknowns)

HACSTAT2 13034-13034

HIS: Husband's Activity Limitation
Status Measured by Ability to Work (P
72)

Inapplicable:
Sample member was not married at the
time of the NHIS interview (PMARSTAT
NE 1 OR 2) or her husband's person
level record could not be identified;
or sample member's husband was under
18 years of age at time of NHIS
interview (HPERAGE LT 18).

760	2803	1720	5473	Blank	= Blank, inapplicable
29	84	33	151	1	= Unable to work
24	147	23	195	2	= Limited in kind/amount of work
19	140	16	181	3	= Limited in other activities
721	3309	654	4847	4	= Not limited (includes unknowns)

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

HLIMITACT 13035-13035

HIS: Husband's Limitation Of School Activities (P 73)

Inapplicable:

Sample member was not married at the time of the NHIS interview (PMARSTAT NE 1 OR 2) or her husband's person level record could not be identified; or sample member's husband was over 18 years of age at time of NHIS interview (HPERAGE GT 18).

1552	6481	2446	10844	Blank	= Blank, inapplicable
0	0	0	0	1	= Unable to attend school
0	0	0	0	2	= Attends special school/classes
0	0	0	0	3	= Needs special school/classes
0	0	0	0	4	= Limited in school attendance
0	0	0	0	5	= Limited in other activities
1	2	0	3	6	= Not limited (includes unknowns)

HHLPCARE 13036-13036

HIS: Husband Needs Help With Personal Care (P 74)

Inapplicable:

Sample member was not married at the time of the NHIS interview (PMARSTAT NE 1 OR 2) or her husband's person level record could not be identified; or sample member's husband was 5-59 years of age at time of NHIS interview (HPERAGE GE 5 AND LE 59) and activities not limited (HACSTAT CODED 4).

1480	6106	2371	10310	Blank	= Blank, inapplicable
6	7	1	15	1	= Unable to perform
5	24	13	44	2	= Limited in performing
62	346	61	478	3	= Not limited in performing
0	0	0	0	4	= Unknown

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

HEMP2WK 13037-13037 HIS: Husband's Employment Status In
 Past 2 Weeks (P 75)

Inapplicable:
 Sample member was not married at the
 time of the NHIS interview (PMARSTAT
 NE 1 OR 2) or her husband's person
 level record could not be identified;
 or sample member's husband was under
 18 years of age at time of NHIS
 interview (HPERAGE LT 18).

760	2800	1719	5469	Blank	= Blank, inapplicable
689	3384	613	4840	1	= Worked in past 2 weeks
10	42	7	61	2	= Did not work, has job
1	6	0	7	3	= Looking for work unemployed
3	10	2	15	4	= On lay-off, has job
0	1	0	1	5	= On lay-off and looking, has job
4	12	5	21	6	= Unknown if looking or on lay-off, has job
29	95	22	150	7	= Did not work, has no job-looking
57	133	78	283	8	= Not in Labor Force (18+ years)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

HCLASWRK 13038-13038

HIS: Husband's Class Of Worker (P 76)

Inapplicable:

Sample member was not married at the time of the NHIS interview (PMARSTAT NE 1 OR 2) or her husband's person level record could not be identified; or sample member's husband was under 18 years of age at time of NHIS interview (HPERAGE LT 18).

760	2800	1719	5469	Blank	= Blank, inapplicable
57	133	78	283	0	= Not in labor force
599	2599	476	3799	1	= Private company
10	94	24	131	2	= Federal Government employee
14	126	26	176	3	= State Government employee
49	227	69	353	4	= Local Government employee
13	114	11	140	5	= Incorporated business
40	365	34	450	6	= Self-employed
0	0	0	0	7	= Without pay
0	0	0	0	8	= Never worked
11	25	9	46	9	= Unknown

HRESPTYT 13039-13039

HIS: Husband's Respondent Type (P 91)

Inapplicable:

Sample member was not married at the time of the NHIS interview (PMARSTAT NE 1 OR 2) or her husband's person level record could not be identified.

759	2798	1719	5466	Blank	= Blank, inapplicable
342	1480	322	2221	1	= Self-entirely
68	313	73	468	2	= Self-partly
375	1872	327	2657	3	= Proxy
9	20	5	35	4	= Unknown

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

HHEIGHT 13040-13041 HIS: Husband's Height Without Shoes
(P 93-94)

Inapplicable:
Sample member was not married at the time of the NHIS interview (PMARSTAT NE 1 OR 2) or her husband's person level record could not be identified; or sample member's husband was under 18 years of age at time of NHIS interview (HPERAGE LT 18).

760	2800	1719	5469	Blank	= Blank, inapplicable
3	0	0	4	52-59	= 52-59 inches
631	2211	480	3466	60-71	= 60-71 inches
147	1461	244	1879	72-95	= 72 or more inches
12	11	3	29	99	= Don't know

HWEIGHT 13042-13044 HIS: Husband's Weight Without Shoes
(P 95-97)

Inapplicable:
Sample member was not married at the time of the NHIS interview (PMARSTAT NE 1 OR 2) or her husband's person level record could not be identified; or sample member's husband was under 18 years of age at time of NHIS interview (HPERAGE LT 18).

760	2800	1719	5469	Blank	= Blank, inapplicable
1	0	0	1	081-099	= 81-99 pounds
116	269	66	501	100-149	= 100-149 pounds
505	2215	402	3213	150-199	= 150-199 pounds
138	980	197	1340	200-249	= 200-249 pounds
15	166	48	232	250-299	= 250-299 pounds
5	38	5	49	300-500	= 300 or more pounds
13	15	9	42	501	= Don't know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

HREACTDY 13045-13046

HIS: Husband's Total Restricted
 Activity Days in Past Two Weeks (P 98-
 99)

Inapplicable:
 Sample member was not married at the
 time of the NHIS interview (PMARSTAT
 NE 1 OR 2) or her husband's person
 level record could not be identified.

759	2798	1719	5466	Blank	= Blank, inapplicable
732	3324	664	4882	00	= None
62	361	63	499	01-14	= 1 to 14 Days

HBEDDAYS 13047-13049

HIS: Husband's Bed Days In Past 12
 Months (P 108-110)

Inapplicable:
 Sample member was not married at the
 time of the NHIS interview (PMARSTAT
 NE 1 OR 2) or her husband's person
 level record could not be identified.

759	2798	1719	5466	Blank	= Blank, inapplicable
514	1873	467	2964	000	= None
261	1747	237	2306	001-030	= 1-30 days
8	25	6	40	031-060	= 31-60 days
4	11	1	18	061-090	= 61-90 days
1	5	3	10	091-120	= 91-120 days
2	16	7	25	121-365	= 121 or more days
4	8	6	18	366	= Don't know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

HDRVISTS 13050-13052

HIS: Husband's Doctor Visits In Past
 12 Months (P 112-114)

Inapplicable:
 Sample member was not married at the
 time of the NHIS interview (PMARSTAT
 NE 1 OR 2) or her husband's person
 level record could not be identified.

759	2798	1719	5466	Blank	= Blank, inapplicable
374	1242	266	1951	000	= None
367	2191	416	3070	001-009	= 1-9 visits
26	146	27	205	010-019	= 10-19 visits
15	41	4	62	020-029	= 20-29 visits
3	22	2	27	030-039	= 30-39 visits
0	10	5	15	040-049	= 40-49 visits
3	7	1	11	050-059	= 50-59 visits
0	5	0	5	060-069	= 60-69 visits
1	1	0	2	070-079	= 70-79 visits
0	0	0	0	080-089	= 80-89 visits
0	0	0	1	090-099	= 90-99 visits
3	11	2	16	100-410	= 100 or more visits
2	9	4	16	998	= Don't know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

HBIRTHPLC 13053-13054

HIS: Husband's State Or Country of Birth (P 142-143) (collapsed)

Inapplicable:
 Sample member was not married at the time of the NHIS interview (PMARSTAT NE 1 OR 2) or her husband's person level record could not be identified.

759	2798	1719	5466	Blank	= Blank, inapplicable
5	212	6	227	01	= New England
47	608	69	733	02	= Middle Atlantic
37	801	91	938	03	= East North Central
17	371	22	416	04	= West North Central
12	378	236	638	05	= South Atlantic
5	216	82	306	06	= East South Central
105	328	118	556	07	= West South Central
35	165	2	216	08	= Mountain
117	404	28	570	09	= Pacific
123	165	64	442	10	= Virgin Isl; Guam; Canada; Cuba; unknown foreign cntry; other country
31	5	1	37	11	= Puerto Rico
254	14	1	270	12	= Mexico
6	18	7	32	99	= Unknown State

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

HYRSINST 13055-13055

HIS: Husband's Years in State Of
Residence (P 144)

Inapplicable:
Sample member was not married at the
time of the NHIS interview (PMARSTAT
NE 1 OR 2) or her husband's person
level record could not be identified;
or sample member's husband
foreign-born (HBRTHPLC NE U.S.
STATE).

1167	2982	1785	6215	Blank	= Blank, inapplicable
7	52	8	71	1	= Less than 1 year
23	219	28	277	2	= 1 yr. , less than 5 years
13	217	27	264	3	= 5 yrs. , less than 10 yrs.
21	185	27	236	4	= 10 yrs. , less than 15 yrs.
316	2786	551	3714	5	= 15 years or more
6	42	20	70	9	= Unknown

HYRSINUS 13056-13056

HIS: Husband's Years Lived In United
States (P 145)

Inapplicable:
Sample member was not married at the
time of the NHIS interview (PMARSTAT
NE 1 OR 2) or her husband's person
level record could not be identified;
or sample member's husband U.S. born
(HBRTHPLC NE FOREIGN COUNTRY).

1145	6299	2380	10098	Blank	= Blank, inapplicable
1	4	0	9	1	= Less than 1 year
37	12	9	74	2	= 1 yr. , less than 5 years
97	16	13	146	3	= 5 yrs. , less than 10 yrs.
113	37	19	200	4	= 10 yrs. , less than 15 yrs.
150	114	23	307	5	= 15 years or more
10	1	2	13	9	= Unknown

FILLER 13057-13064

This file location is blank

(6121)

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

CASEID 1-8 Case Identification Number.
Non-blank for all sample women.

PREGORDR 9-10 Pregnancy order (number)
Non-blank for all pregnancies.

1208	4383	1935	7761	01	= First pregnancy
967	3345	1496	5984	02	= Second pregnancy
646	1943	994	3692	03	= Third pregnancy
382	961	582	1989	04	= Fourth pregnancy
191	441	314	973	05	= Fifth pregnancy
95	202	154	466	06	= Sixth pregnancy
52	92	79	230	07	= Seventh pregnancy
25	44	34	107	08	= Eighth pregnancy
12	29	17	61	09	= Ninth pregnancy
8	14	9	33	10	= Tenth pregnancy
6	6	3	16	11	= Eleventh pregnancy
3	3	3	10	12	= Twelfth pregnancy
1	1	3	6	13	= Thirteenth pregnancy
1	1	1	3	14	= Fourteenth pregnancy
0	1	0	1	15	= Fifteenth pregnancy

PREGXEN1 11-11 Now I would like to ask some questions specifically about your (Nth) pregnancy. In which of the ways shown on Card B-1 did the pregnancy end? (1st OUTCOME MENTIONED)

Inapplicable:
This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES).

81	236	102	428	Blank	= Blank, inapplicable
398	1646	589	2713	1	= Miscarriage
26	72	63	171	2	= Stillbirth
405	1402	907	2788	3	= Abortion
38	134	98	275	4	= Ectopic Pregnancy
527	1519	767	2890	5	= Livebirth by Cesarean section
2122	6455	3095	12061	6	= Livebirth by vaginal delivery
0	0	1	1	7	= Not Ascertained
0	2	2	4	8	= Refused
0	0	0	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

PREGXEN2 12-12

Now I would like to ask some questions specifically about your (Nth) pregnancy. In which of the ways shown on Card B-1 did the pregnancy end? (2nd OUTCOME MENTIONED)

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); or R mentioned fewer than 2 pregnancy outcomes for this pregnancy.

3594	11442	5616	21295	Blank	= Blank, inapplicable
2	5	1	8	1	= Miscarriage
1	2	1	4	2	= Stillbirth
0	0	0	0	3	= Abortion
0	1	0	1	4	= Ectopic Pregnancy
0	0	0	0	5	= Livebirth by Cesarean section
0	14	3	18	6	= Livebirth by vaginal delivery
0	0	1	1	7	= Not Ascertained
0	2	2	4	8	= Refused
0	0	0	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

PREGXEN3 13-13

Now I would like to ask some questions specifically about your (Nth) pregnancy. In which of the ways shown on Card B-1 did the pregnancy end? (3rd OUTCOME MENTIONED)

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); or R mentioned fewer than 3 pregnancy outcomes for this pregnancy.

3597	11463	5620	21324	Blank	= Blank, inapplicable
0	0	0	0	1	= Miscarriage
0	0	1	1	2	= Stillbirth
0	0	0	0	3	= Abortion
0	0	0	0	4	= Ectopic Pregnancy
0	0	0	0	5	= Livebirth by Cesarean section
0	1	0	1	6	= Livebirth by vaginal delivery
0	0	1	1	7	= Not Ascertained
0	2	2	4	8	= Refused
0	0	0	1	9	= Don't Know

NBRNLV 14-14

(With your (Nth) pregnancy,) How many babies did you have that were born alive? Please include babies that may have died shortly after birth and babies that you placed for adoption.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); or R did not report a live birth from this pregnancy (all responses for BC-1 PREGXENn coded 1, 2, 3, or 4).

948	3486	1762	6374	Blank	= Blank, inapplicable
2626	7897	3817	14804	1	= 1 baby
23	80	44	150	2	= 2 babies
0	1	1	2	3	= 3 babies
0	2	0	2	4	= 4 babies
0	0	0	0	5	= 5 babies
0	0	0	0	6	= 6 babies
0	0	0	0	7	= Not ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MULTBRTH 15-15

Did you have (twins/triplets/all of these babies) with this (Nth) pregnancy)?

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 Numpregs and CURRPREG =YES); R did not report a live birth from this pregnancy (all responses for BC-1 PREGXENn coded 1, 2, 3, or 4); only one baby was born from this pregnancy (BC-2 NBRNLV coded 01); or answer was not ascertained, R refused to report, or R did not know how many babies were born during that pregnancy (BC-2 NBRNLV coded 97, 98, or 99).

3574	11383	5579	21178	Blank	= Blank, inapplicable
23	82	45	153	1	= YES
0	1	0	1	2	= NO
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

DATPRGEN 16-19

On what date did this pregnancy end?

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 Numpregs and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born during that pregnancy (BC-2 NBRNLV coded 97, 98, or 99); or pregnancy resulted in a livebirth (BC-1 PREGXENn coded 5 or 6).

2730	8216	3964	15386	Blank	= Blank, inapplicable
608	2499	1208	4434	0792-1092	= Before 1991
229	638	388	1302	1093-1149	= 1991 or later
1	2	0	3	9997	= Not Ascertained
0	3	10	13	9998	= Refused
29	108	54	194	9999	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MON_PREG 20-21

How many months or weeks had you been pregnant when (the baby was born/the twins were born/the triplets were born/the babies were born/that pregnancy ended)?

Inapplicable:
 This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); or answer was not ascertained, R refused to report, or R did not know how many babies were born during that pregnancy (BC-2 NBRNLV coded 97, 98, or 99).

81	236	102	428	Blank	= Blank, inapplicable
555	3107	977	4747	00	= Answer not reported in months (SEE WKS_PREG)
133	288	172	615	01	= 1 month
157	506	309	998	02	= 2 months
104	375	194	695	03	= 3 months
53	147	100	303	04	= 4 months
27	62	76	168	05	= 5 months
18	45	67	134	06	= 6 months
60	170	155	400	07	= 7 months
226	728	289	1291	08	= 8 months
2155	5548	3104	11184	09	= 9 months
16	187	41	250	10	= 10 months
1	1	1	3	11	= 11 months
0	7	3	10	97	= Not Ascertained
0	2	10	12	98	= Refused
11	57	24	94	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WKS_PREG 22-23

How many months or weeks had you been pregnant when (the baby was born/the twins were born/the triplets were born/the babies were born/that pregnancy ended)?

Inapplicable:
This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); or answer was not ascertained, R refused to report, or R did not know how many babies were born during that pregnancy (BC-2 NBRNLV coded 97, 98, or 99).

81	236	102	428	Blank	= Blank, inapplicable
2498	6054	3948	12915	00	= Answer not reported in weeks (SEE MON_PREG)
98	431	99	648	01	= 1 week
283	1245	383	1985	02	= 2 weeks
130	439	157	752	03	= 3 weeks
46	196	103	352	04	= 4 weeks
29	94	26	154	05	= 5 weeks
80	405	171	675	06	= 6 weeks
25	134	31	193	07	= 7 weeks
52	314	124	502	08	= 8 weeks
15	74	18	109	09	= 9 weeks
23	118	52	204	10	= 10 weeks
2	53	16	72	11	= 11 weeks
10	124	51	190	12	= 12 weeks
5	27	5	37	13	= 13 weeks
3	25	5	37	14	= 14 weeks
2	6	3	11	15	= 15 weeks
2	19	6	29	16	= 16 weeks
1	5	4	10	17	= 17 weeks
2	4	3	10	18	= 18 weeks
0	4	1	5	19	= 19 weeks
0	15	10	25	20	= 20 weeks
1	0	1	2	21	= 21 weeks
1	6	3	11	22	= 22 weeks
1	6	3	10	23	= 23 weeks
3	4	4	11	24	= 24 weeks
0	1	1	2	25	= 25 weeks
1	6	2	9	26	= 26 weeks
0	3	0	3	27	= 27 weeks
0	5	5	10	28	= 28 weeks
1	5	3	9	29	= 29 weeks
2	3	2	7	30	= 30 weeks
0	3	0	3	31	= 31 weeks

(6127)

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		6	8	9	23	32 = 32 weeks
		0	16	3	19	33 = 33 weeks
		5	30	8	43	34 = 34 weeks
		5	27	9	43	35 = 55 weeks
		16	109	22	148	36 = 36 weeks
		12	102	13	128	37 = 37 weeks
		25	181	39	252	38 = 38 weeks
		21	142	18	184	39 = 39 weeks
		59	385	88	540	40 = 40 weeks
		18	134	12	166	41 = 41 weeks
		16	147	17	182	42 = 42 weeks
		6	36	3	45	43 = 43 weeks
		2	19	3	24	44 = 44 weeks
		0	7	3	10	97 = Not Ascertained
		0	2	9	11	98 = Refused
		9	57	26	94	99 = Don't Know

DK2GEST 24-24

A preterm delivery is one that occurs at 36 weeks or earlier in pregnancy. As far as you know, did you have a preterm delivery?

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born during that pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R knew how many months or weeks pregnant she was when the pregnancy ended/baby was born (BC-5 MON_PREG and BC-5 WKS_PREG not both coded 99); or R did not know how many months or weeks pregnant she was when the pregnancy ended/baby was born (BC-5 MON_PREG and BC-5 WKS_PREG both coded 99) but no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6).

3597	11465	5624	21331	Blank	= Blank, inapplicable
0	0	0	0	1	= YES
0	1	0	1	2	= NO
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE	COLUMN	NON-HISPANIC			
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL QX TEXT AND CODE CATEGORIES

DK1GEST	25-25				Was it less than 6 months, or 6 months or more?
---------	-------	--	--	--	---

Inapplicable:
 This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born during that pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R knew how many months or weeks pregnant she was when the pregnancy ended/baby was born (BC-5 MON_PREG and BC-5 WKS_PREG not both coded 99); or R did not know how many months or weeks pregnant she was when the pregnancy ended/baby was born (BC-5 MON_PREG and BC-5 WKS_PREG both coded 99) but the pregnancy ended in some way other than stillbirth (BC-1 PREGXENn coded 1, 3, 4, 5, or 6).

3597	11465	5624	21331	Blank	= Blank, inapplicable
0	0	0	0	1	= Less than 6 months
0	0	0	0	2	= 6 months or more
0	0	0	0	7	= Not Ascertained
0	1	0	1	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DK3GEST 26-26 Was it less than 3 months, 3 months or more, but less than 6 months, or 6 months or more?

Inapplicable:
 This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born during that pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R knew how many months or weeks pregnant she was when the pregnancy ended/baby was born (BC-5 MON_PREG and BC-5 WKS_PREG not both coded 99); or R did not know how many months or weeks pregnant she was when the pregnancy ended/baby was born (BC-5 MON_PREG and BC-5 WKS_PREG both coded 99) but the pregnancy outcome(s) included stillbirth or livebirth (BC-1 PREGXENn coded 2, 5, or 6).

3587	11402	5586	21218	Blank	= Blank, inapplicable
7	49	26	83	1	= Less than 3 months
1	3	0	5	2	= 3 months or more, but less than 6 months
0	0	0	0	3	= 6 months or more
1	7	3	11	7	= Not Ascertained
0	0	8	8	8	= Refused
1	5	1	7	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

BABDOB 27-30 On what date (was (NAME OF BABY)/was she/was he/were the (twins/triplets/babies)) born?

Inapplicable:
This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); or no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6).

948	3486	1762	6374	Blank	= Blank, inapplicable
1956	6205	3060	11573	0770-1092	= Before 1991
686	1764	796	3360	1093-1148	= 1991 or later
0	0	0	0	9997	= Not Ascertained
5	8	5	18	9998	= Refused
2	3	1	7	9999	= Don't Know

DIFDOBMB 31-31 Babies from a multiple birth born on different days. (Computed)

Inapplicable:
This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); or R only had one baby from this pregnancy (BC-2 NBRNLV coded 01).

3574	11383	5579	21178	Blank	= Blank, inapplicable
1	0	1	2	1	= YES
22	83	44	152	2	= NO
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

HLPGETPR 32-32

(Before you became pregnant (the first time)/Between your (Nth-1) pregnancy and your (Nth) pregnancy,) did you or the father receive any medical help to get pregnant? By medical help, I mean the types of services listed on Card B-3.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn coded only 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); or R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA').

487	1676	1012	3260	Blank	= Blank, inapplicable
86	466	74	643	1	= YES
3023	9313	4535	17414	2	= NO
0	9	1	10	7	= Not Ascertained
1	1	2	4	8	= Refused
0	1	0	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

HLPMISCR 33-33

Some women receive special medical help beyond routine prenatal care to prevent miscarriage. During your (Nth) pregnancy, did you receive any medical advice, testing or treatment to prevent miscarriage?

Inapplicable:
 This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); or R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA').

487	1676	1012	3260	Blank	= Blank, inapplicable
217	888	382	1519	1	= YES
2892	8890	4226	16536	2	= NO
0	9	1	10	7	= Not Ascertained
1	1	3	5	8	= Refused
0	2	0	2	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

PRIORSMK 34-35

In the 6 months before you found out you were pregnant this (Nth) time, how many cigarettes did you smoke a day, on the average?

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); or R is not currently a smoker (AX-3 SMKKNOW not coded 1 and AX-5 SMKWHEN not coded 2 (some days)) and R did not smoke at all within 1 year of this pregnancy's end date (AX-6 LASTSMK coded more than 12 months earlier than PREGEND).

3437	10596	5375	20033	Blank	= Blank, inapplicable
60	110	57	231	00	= NONE
16	49	14	79	01	= ABOUT ONE A DAY OR LESS
24	97	49	177	02	= JUST A FEW (2-4)
35	242	78	363	03	= ABOUT HALF A PACK (5-14)
21	297	42	360	04	= ABOUT A PACK (15-24)
3	42	7	52	05	= ABOUT 1 1/2 PACKS (25-34)
1	17	0	19	06	= ABOUT 2 PACKS (35-44)
0	11	2	13	07	= MORE THAN 2 PACKS (35-44)
0	5	0	5	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

POSTSMKS 36-36

After you found out you were pregnant this (Nth) time, did you smoke at all during the pregnancy?

Inapplicable:
 This is a current pregnancy (PREGORDR EQ BB-1 Numpregs and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); or R is not currently a smoker (AX-3 SMKNOW not coded 1 and AX-5 SMKWHEN not coded 2 (some days)) and R did not smoke at all within 1 year of this pregnancy's end date (AX-6 LASTSMK coded more than 12 months earlier than PREGEND).

3437	10596	5375	20033	Blank	= Blank, inapplicable
40	475	148	673	1	= YES
120	390	101	621	2	= NO
0	5	0	5	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

NPOSTSMK 37-38

On the average, how many cigarettes did you smoke per day after you found out that you were pregnant this (Nth) time?

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); R is not currently a smoker (AX-3 SMKNOW not coded 1 and AX-5 SMKWHEN not coded 2 (some days)) and R did not smoke at all within 1 year of this pregnancy's end date (AX-6 LASTSMK coded more than 12 months earlier than PREGEND); or R did not smoke at all during the pregnancy after she found out she was pregnant (BG-2 POSTSMKS coded 2).

3557	10991	5476	20659	Blank	= Blank, inapplicable
7	38	17	63	01	= ABOUT ONE A DAY OR LESS
14	92	44	152	02	= JUST A FEW (2-4)
12	199	57	275	03	= ABOUT HALF A PACK (5-14)
5	117	24	146	04	= ABOUT A PACK (15-24)
1	18	3	22	05	= ABOUT 1 1/2 PACKS (25-34)
1	7	3	11	06	= ABOUT 2 PACKS (35-44)
0	3	0	3	07	= MORE THAN 2 PACKS (35-44)
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

KNEWPREG 39-40

How many weeks pregnant were you when you learned that you were pregnant this (Nth) time?

Inapplicable:
This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENN only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093).

2786	9276	4645	17218	Blank	
0	0	0	0	00	= Blank, inapplicable
25	82	46	156	01	= Less than 1 week
70	262	88	432	02	= 1 week
79	252	75	420	03	= 2 weeks
225	529	233	1026	04	= 3 weeks
48	236	37	333	05	= 4 weeks
135	352	121	629	06	= 5 weeks
17	84	29	130	07	= 6 weeks
113	202	137	464	08	= 7 weeks
7	24	13	49	09	= 8 weeks
12	33	21	71	10	= 9 weeks
4	4	10	19	11	= 10 weeks
49	65	84	201	12	= 11 weeks
2	8	8	19	13	= 12 weeks
3	9	5	17	14	= 13 weeks
0	2	1	3	15	= 14 weeks
9	15	34	59	16	= 15 weeks
1	1	1	3	17	= 16 weeks
0	1	3	5	18	= 17 weeks
0	1	0	1	19	= 18 weeks
7	7	14	29	20	= 19 weeks
0	1	1	2	21	= 20 weeks
0	2	2	4	22	= 21 weeks
0	0	0	0	23	= 22 weeks
1	4	5	11	24	= 23 weeks
3	3	3	9	25-42	= 24 weeks
0	5	0	5	97	= 25 weeks or later
0	0	0	0	98	= Not Ascertained
1	6	8	17	99	= Refused
					= Don't Know

(6137)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

LTRIMEST 41-41

Was it less than 3 months or more than 3 months?

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); or R knew how many weeks pregnant she was when she learned she was pregnant with this pregnancy (BG-4 KNEWPREG not coded 99); R was less than 3 months pregnant when this pregnancy ended (BC-5 MON_PREG + BC-5 WKS_PREG coded less than 3 months or BC-8 DK3GEST coded 1); or R was 6 or more months pregnant when this pregnancy ended (BC-5 MON_PREG + BC-5 WKS_PREG coded 6 or more months or BC-8 DK3GEST coded 3).

3597	11466	5624	21332	Blank	= Blank, inapplicable
0	0	0	0	1	= Less than 3 months
0	0	0	0	2	= 3 months or more
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

TRIMESTR 42-42

Was it less than 3 months, at least 3 months but less than 6 months, or 6 months or more?

Inapplicable:
 This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); R knew how many weeks pregnant she was when she learned she was pregnant with this pregnancy (BG-4 KNEWPREG not coded 99); R was less than 3 months pregnant when this pregnancy ended (BC-5 MON_PREG + BC-5 WKS_PREG coded less than 3 months or BC-8 DK3GEST coded 1); or R was more than 3 months but less than 6 months pregnant when this pregnancy ended (BC-5 MON_PREG + BC-5 WKS_PREG coded less than 6 months or BC-8 DK3GEST coded 2).

3597	11463	5621	21324	Blank	= Blank, inapplicable
0	2	3	7	1	= Less than 3 months
0	0	0	0	2	= At least 3 months but less than 6 months
0	1	0	1	3	= 6 months or more
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

GETPRENA 43-43

During this (Nth) pregnancy, did you ever visit a doctor or other medical care provider for prenatal care, that is, for one or more pregnancy check-ups?

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093).

2786	9276	4645	17218	Blank	= Blank, inapplicable
729	1988	864	3707	1	= YES
82	197	114	401	2	= NO
0	5	0	5	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	1	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

BGNPRENA 44-45

How many weeks pregnant were you at the time of your first prenatal care visit?

Inapplicable:
 This is a current pregnancy (PREGORDR EQ BB-1 Numpregs and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093 1093); R never had any prenatal care (BH-1 GETPRENA coded 2); or answer was not ascertained, R refused to report, or R did not know whether she had any prenatal care (BH-1 GETPRENA coded 7, 8, or 9).

2868	9478	4760	17625	Blank	= Blank, inapplicable
0	0	0	0	00	= Less than 1 week
4	14	10	28	01	= 1 week
30	46	34	116	02	= 2 weeks
20	76	44	146	03	= 3 weeks
128	291	140	584	04	= 4 weeks
40	165	36	246	05	= 5 weeks
116	389	104	632	06	= 6 weeks
27	107	23	160	07	= 7 weeks
141	380	162	700	08	= 8 weeks
12	72	17	111	09	= 9 weeks
22	126	28	181	10	= 10 weeks
8	23	19	52	11	= 11 weeks
94	179	108	391	12	= 12 weeks
7	15	12	35	13	= 13 weeks
10	17	4	32	14	= 14 weeks
4	6	7	17	15	= 15 weeks
24	32	52	110	16	= 16 weeks
1	5	1	7	17	= 17 weeks
2	4	3	10	18	= 18 weeks
0	0	0	0	19	= 19 weeks
21	17	29	70	20	= 20 weeks
1	1	1	3	21	= 21 weeks
1	3	3	8	22	= 22 weeks

(6141)

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	23 = 23 weeks
			6	10	16	33 24 = 24 weeks
		10	7	10	29	25-44 = 25 weeks or later
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	3	1	6	99 = Don't Know

LPNCTRIM 46-46

Was it less than 3 months, or more than 3 months?

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); R never had any prenatal care (BH-1 GETPRENA coded 2); answer was not ascertained, R refused to report, or R did not know whether she had any prenatal care (BH-1 GETPRENA coded 7, 8, or 9); R knew how many weeks pregnant she was at the time of her first prenatal visit for this pregnancy (BH-2 BGNPRENA not coded 99); R was less than 3 months pregnant when this pregnancy ended (BC-5 MON_PREG + BC-5 WKS_PREG coded less than 3 months or BC-8 DK3GEST coded 1); or R was 6 months or more pregnant when this pregnancy ended (BC-5 MON_PREG + BC-5 WKS_PREG coded 6 or more or BC-8 DK3GEST coded 3).

3597	11466	5624	21332	Blank		= Blank, inapplicable
0	0	0	0	1		= Less than 3 months
0	0	0	0	2		= 3 months or more
0	0	0	0	7		= Not Ascertained
0	0	0	0	8		= Refused
0	0	0	0	9		= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

PNCTRIM 47-47 Was it less than 3 months, at least 3 months but less than 6 months, or 6 months or more?

Inapplicable:
This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENN only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); R never had any prenatal care (BH-1 GETPRENA coded 2); answer was not ascertained, R refused to report, or R did not know whether she had any prenatal care (BH-1 GETPRENA coded 7, 8, or 9); R knew how many weeks pregnant she was at the time of her first prenatal visit for this pregnancy (BH-2 BGNPRENA not coded 99); R was less than 3 months pregnant when this pregnancy ended (BC-5 MON_PREG + BC-5 WKS_PREG coded less than 3 months or BC-8 DK3GEST coded 1); or R was more than 3 months but less than 6 months pregnant when this pregnancy ended (BC-5 MON_PREG + BC-5 WKS_PREG coded less than 6 months or BC-8 DK3GEST coded 2).

3597	11464	5623	21327	Blank	= Blank, inapplicable
0	2	1	4	1	= Less than 3 months
0	0	0	1	2	= At least 3 months but less than 6 months
0	0	0	0	3	= 6 months or more
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

PLCPRENA 48-49

Please look at Card B-4. Where did you go for most of your prenatal care visits?

Note: responses coded in categories 4 through 8 were volunteered by some respondents; they did not appear on Card B-4. If R mentioned "hospital," interviewer probed whether or not it was the emergency room.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); R never had any prenatal care (BH-1 GETPRENA coded 2); or answer was not ascertained, R refused to report, or R did not know whether she had any prenatal care (BH-1 GETPRENA coded 7, 8, or 9).

2868	9478	4760	17625	Blank	= Blank, inapplicable
301	287	351	978	01	= Clinic
400	1648	457	2584	02	= Private doctor's office or HMO
0	1	1	3	03	= Other place-not shown separately
2	1	2	5	04	= HOSPITAL-EMERGENCY ROOM
22	15	48	92	05	= HOSPITAL-NOT EMERGENCY ROOM
3	21	0	24	06	= Midwife/Birthing Center
0	2	0	2	07	= Health Department
1	13	5	19	08	= Military facility
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know

(6144)

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

PAYPREN1 50-51

When you made visits for prenatal care, in which of the ways on Card B-5 was the bill paid? (If R volunteered that the bill has not yet been paid, she was asked "How do you think that the bill will be paid?") (1st MENTIONED)

Note: responses coded in categories 5 through 11 were volunteered by some respondents; they did not appear on Card B-5.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); R never had any prenatal care (BH-1 GETPRENA coded 2); or answer was not ascertained, R refused to report, or R did not know whether she had any prenatal care (BH-1 GETPRENA coded 7, 8, or 9).

2868	9478	4760	17625	Blank	= Blank, inapplicable
275	1321	296	1967	01	= Insurance
91	246	46	396	02	= Co-payment or out-of-pocket payment
343	381	507	1267	03	= Medicaid
0	0	0	0	04	= Other payment-not shown separately
3	15	4	22	05	= CHAMPUS/CHAMPVA
13	13	2	29	06	= Other government assistance
0	3	2	5	07	= Family/partner/friends
0	0	0	0	08	= Charity
1	0	0	2	09	= National health insurance
2	5	4	11	10	= No charge

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	3	2	5	11	= Not yet paid
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		1	1	1	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

PAYPREN2 52-53

When you made visits for prenatal care, in which of the ways on Card B-5 was the bill paid? (If R volunteered that the bill has not yet been paid, she was asked "How do you think that the bill will be paid?") (2nd MENTIONED)

Note: responses coded in categories 5 through 11 were volunteered by some respondents; they did not appear on Card B-5.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); R never had any prenatal care (BH-1 GETPRENA coded 2); or answer was not ascertained, R refused to report, or R did not know whether she had any prenatal care (BH-1 GETPRENA coded 7, 8, or 9); or R mentioned fewer than 2 ways her prenatal visit bills were paid.

3524	10905	5541	20578	Blank	= Blank, inapplicable
2	6	0	8	01	= Insurance
63	531	71	701	02	= Co-payment or out-of-pocket payment
7	22	11	41	03	= Medicaid
0	0	0	0	04	= Other payment-not shown separately
0	0	0	0	05	= CHAMPUS/CHAMPVA
0	1	0	1	06	= Other government assistance
0	0	0	0	07	= Family/partner/friends
0	0	0	0	08	= Charity
0	0	0	0	09	= National health

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
		0	0	0	0	insurance
		0	0	0	0	= No charge
		0	0	0	0	= Not yet paid
		0	0	0	0	= Not Ascertained
		0	0	0	0	= Refused
		1	1	1	3	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

PAYPREN3 54-55

When you made visits for prenatal care, in which of the ways on Card B-5 was the bill paid? (If R volunteered that the bill has not yet been paid, she was asked "How do you think that the bill will be paid?") (3rd MENTIONED)

Note: responses coded in categories 5 through 11 were volunteered by some respondents; they did not appear on Card B-5.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); R never had any prenatal care (BH-1 GETPRENA coded 2); or answer was not ascertained, R refused to report, or R did not know whether she had any prenatal care (BH-1 GETPRENA coded 7, 8, or 9); or R mentioned fewer than 3 ways her prenatal visit bills were paid.

3596	11465	5623	21329	Blank	= Blank, inapplicable
0	0	0	0	01	= Insurance
0	0	0	0	02	= Co-payment or out-of-pocket payment
0	0	0	0	03	= Medicaid
0	0	0	0	04	= Other payment-not shown separately
0	0	0	0	05	= CHAMPUS/CHAMPVA
0	0	0	0	06	= Other government assistance
0	0	0	0	07	= Family/partner/friends
0	0	0	0	08	= Charity
0	0	0	0	09	= National health

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE	COLUMN	NON-HISPANIC			QX	TEXT AND CODE	CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK			

						insurance
		0	0	0	0	10 = No charge
		0	0	0	0	11 = Not yet paid
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		1	1	1	3	99 = Don't Know

PRBPrena 56-56

During your (Nth) pregnancy, did you have any problems that required medical attention beyond routine prenatal care?

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 Numpregs and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); or this pregnancy did not result in a live birth (BC-1 PREGXENn not coded 5 or 6).

2911	9705	4829	17976	Blank	= Blank, inapplicable
144	545	173	882	1	= YES
542	1216	621	2473	2	= NO
0	0	1	1	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

VGBLDFST 57-57

Please look at Card B-6. As I read each item, please tell me if you experienced this problem during your (Nth) pregnancy. bleeding or spotting during first 6 months of pregnancy (that is, a threatened miscarriage)?

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); R did not have any medical problems during this pregnancy which required extra medical attention (BH-6 PRBPRENA coded 2); or answer was not ascertained, R refused to report, or R did not know whether she had any medical problems during the pregnancy that required extra medical attention (BH-6 PRBPRENA coded 7, 8, or 9).

3328	10492	5267	19692	Blank	= Blank, inapplicable
144	483	177	822	1	= YES
125	485	180	812	2	= NO
0	5	0	5	7	= Not Ascertained
0	1	0	1	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

VGBLST 58-58

(Please look at Card B-6. As I read each item, please tell me if you experienced this problem during your (Nth) pregnancy.) bleeding or spotting at 6 months or more of pregnancy?

Inapplicable:
 This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); R did not have any medical problems during this pregnancy which required extra medical attention (BH-6 PRBPREGA coded 2); answer was not ascertained, R refused to report, or R did not know whether she had any medical problems during the pregnancy that required extra medical attention (BH-6 PRBPREGA coded 7, 8, or 9); or this pregnancy ended prior to 6 months (BC-5 MON_PREG + BC-5 WKS_PREG coded less than 6 months or BC-8 DK3GEST coded 1 or 2).

3448	10910	5438	20421	Blank	= Blank, inapplicable
30	80	32	144	1	= YES
119	476	153	766	2	= NO
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	1	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

GESTDBTS 59-59

(Please look at Card B-6. As I read each item, please tell me if you experienced this problem during your (Nth) pregnancy.) related to pregnancy?

Inapplicable:
 This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); R did not have any medical problems during this pregnancy which required extra medical attention (BH-6 PRBPRENA coded 2); or answer was not ascertained, R refused to report, or R did not know whether she had any medical problems during the pregnancy that required extra medical attention (BH-6 PRBPRENA coded 7, 8, or 9).

3328	10492	5267	19692	Blank	= Blank, inapplicable
27	84	31	150	1	= YES
242	883	326	1483	2	= NO
0	5	0	5	7	= Not Ascertained
0	1	0	1	8	= Refused
0	1	0	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

ANEMIA 60-60 (Please look at Card B-6. As I read each item, please tell me if you experienced this problem during your (Nth) pregnancy.) related to pregnancy (that is, low iron level in blood during pregnancy)?

Inapplicable:
 This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); R did not have any medical problems during this pregnancy which required extra medical attention (BH-6 PRBPREENA coded 2); or answer was not ascertained, R refused to report, or R did not know whether she had any medical problems during the pregnancy that required extra medical attention (BH-6 PRBPREENA coded 7, 8, or 9).

3328	10492	5267	19692	Blank	= Blank, inapplicable
60	150	79	296	1	= YES
209	817	278	1337	2	= NO
0	5	0	5	7	= Not Ascertained
0	1	0	1	8	= Refused
0	1	0	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

PREECLMP 61-61

(Please look at Card B-6. As I read each item, please tell me if you experienced this problem during your (Nth) pregnancy.)-related high blood pressure, also known as pre-eclampsia?

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); R did not have any medical problems during this pregnancy which required extra medical attention (BH-6 PRBPRENA coded 2); or answer was not ascertained, R refused to report, or R did not know whether she had any medical problems during the pregnancy that required extra medical attention (BH-6 PRBPRENA coded 7, 8, or 9).

3328	10492	5267	19692	Blank	= Blank, inapplicable
47	137	83	269	1	= YES
222	831	274	1365	2	= NO
0	5	0	5	7	= Not Ascertained
0	1	0	1	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

TOXEMIA 62-62 (Please look at Card B-6. As I read each item, please tell me if you experienced this problem during your (Nth) pregnancy.) or serious infection?

Inapplicable:
This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); R did not have any medical problems during this pregnancy which required extra medical attention (BH-6 PRBPRENA coded 2); or answer was not ascertained, R refused to report, or R did not know whether she had any medical problems during the pregnancy that required extra medical attention (BH-6 PRBPRENA coded 7, 8, or 9).

3328	10492	5267	19692	Blank	= Blank, inapplicable
23	75	32	131	1	= YES
246	892	323	1500	2	= NO
0	5	0	5	7	= Not Ascertained
0	1	0	1	8	= Refused
0	1	2	3	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WEAKCRVX 63-63

(Please look at Card B-6. As I read each item, please tell me if you experienced this problem during your (Nth) pregnancy.) or "incompetent" cervix?

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); R did not have any medical problems during this pregnancy which required extra medical attention (BH-6 PRBPRENA coded 2); or answer was not ascertained, R refused to report, or R did not know whether she had any medical problems during the pregnancy that required extra medical attention (BH-6 PRBPRENA coded 7, 8, or 9).

3328	10492	5267	19692	Blank	= Blank, inapplicable
31	62	47	142	1	= YES
238	905	308	1488	2	= NO
0	5	0	5	7	= Not Ascertained
0	1	0	1	8	= Refused
0	1	2	4	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

SWLNANKL 64-64

(Please look at Card B-6. As I read each item, please tell me if you experienced this problem during your (Nth) pregnancy.) retention or edema?

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); R did not have any medical problems during this pregnancy which required extra medical attention (BH-6 PRBPRENA coded 2); or answer was not ascertained, R refused to report, or R did not know whether she had any medical problems during the pregnancy that required extra medical attention (BH-6 PRBPRENA coded 7, 8, or 9).

3328	10492	5267	19692	Blank	= Blank, inapplicable
53	172	56	287	1	= YES
216	796	301	1347	2	= NO
0	5	0	5	7	= Not Ascertained
0	1	0	1	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OTHRPROB 65-65

(Please look at Card B-6. As I read each item, please tell me if you experienced this problem during your (Nth) pregnancy.) other problem?

Note: See NEWPR for responses volunteered by respondents who answered YES.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); R did not have any medical problems during this pregnancy which required extra medical attention (BH-6 PRBPRENA coded 2); or answer was not ascertained, R refused to report, or R did not know whether she had any medical problems during the pregnancy that required extra medical attention (BH-6 PRBPRENA coded 7, 8, or 9).

3328	10492	5267	19692	Blank	= Blank, inapplicable
90	348	89	540	1	= YES
179	619	268	1093	2	= NO
0	5	0	5	7	= Not Ascertained
0	1	0	1	8	= Refused
0	1	0	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

NEWPR	66-67					CODE FOR RESPONSE TO: "Any other problem during your pregnancy"
-------	-------	--	--	--	--	---

Note: All responses were volunteered by respondents. They were not read aloud by the interviewer nor did they appear on Card B-6.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); pregnancy ended only as an abortion (BC-1 PREGXENn only coded 3); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); end date for pregnancy was prior to 1/91 (PREGEND coded less than 1093); R did not have any medical problems during this pregnancy which required extra medical attention (BH-6 PRBPRENA coded 2); or answer was not ascertained, R refused to report, or R did not know whether she had any medical problems during the pregnancy that required extra medical attention (BH-6 PRBPRENA coded 7, 8, or 9); or R reported no other problems during pregnancy (BH-7 OTHRPROB NE 1).

3507	11119	5535	20793	Blank		= Blank, inapplicable
1	1	2	4	01		= Bleeding or spotting-unstated gestational age
1	8	0	9	02		= Rh factor incompatibility
12	68	11	92	03		= Premature, early, or false labor
11	42	11	67	04		= Baby had a health problem
3	5	4	12	05		= Asthma
6	26	6	38	06		= Severe morning sickness
5	14	1	20	07		= Placenta previa

(6160)

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	1	0	1	08 = DES exposure
		4	7	8	20	09 = Cramping or pain in pelvis/abdomen
		6	8	2	17	10 = Cardiovascular problems including blood clots
		1	10	2	13	11 = Cyst
		2	8	4	15	12 = Ectopic or tubal pregnancy
		19	85	20	127	13 = Other health problem for woman
		0	5	2	7	14 = Baby died in utero
		18	54	14	88	66 = Other problem-not shown separately
		1	2	1	5	97 = Not ascertained
		0	0	0	0	98 = Refused
		0	3	1	4	99 = Don't know

HSPBIRTH 68-68

Did you give birth in a hospital?

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); or answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99).

948	3486	1762	6374	Blank	= Blank, inapplicable
2544	7876	3802	14675	1	= YES
102	102	59	277	2	= NO
2	0	1	3	7	= Not Ascertained
1	1	0	2	8	= Refused
0	1	0	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WHEREBRN 69-70

Where did you give birth to (this baby/these babies)?

Note: responses coded in categories 3 through 5 were volunteered by some respondents; they were not read aloud by the interviewer.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 Numpregs and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); or R gave birth in a hospital (BD-7 HSPBIRTH coded 1).

3492	11362	5564	21049	Blank	= Blank, inapplicable
67	71	39	190	01	= In your home
8	11	16	36	02	= Other place-not shown separately
5	3	4	12	03	= Midwife
3	14	0	17	04	= Birthing Center
19	3	0	22	05	= Clinic-unspecified
2	0	1	3	97	= Not Ascertained
1	1	0	2	98	= Refused
0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

BIRTHEXP 71-71

Although you did not deliver in a hospital, were there any expenses for the delivery, such as costs of a home visit by a nurse, midwife, or doctor?

Inapplicable:
 This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENN not coded 5 or 6); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); or R gave birth in a hospital (BD-7 HSPBIRTH coded 1).

3495	11364	5565	21055	Blank	= Blank, inapplicable
81	78	45	211	1	= YES
21	24	14	66	2	= NO
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

PAYBIRT1 72-73

(When (NAME OF BABY) was/your babies were) born), in which of the ways on Card B-2 was the delivery bill paid? (If R volunteered that the bill has not yet been paid, she was asked "How do you think that the bill will be paid?") (1st MENTIONED)

Note: responses coded in categories 5 through 11 were volunteered by some respondents; they did not appear on Card B-2.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 Numpregs and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); or R did not have any expenses for the non-hospital delivery (BE-1 BIRTHEXP coded 2).

969	3510	1776	6440	Blank	= Blank, inapplicable
1043	5408	1400	8097	01	= Insurance
534	1151	303	2040	02	= Co-payment or out-of-pocket payment
927	1101	2036	4146	03	= Medicaid
2	10	6	18	04	= Other payment-not shown separately
31	147	31	226	05	= CHAMPUS/CHAMPVA
25	65	18	152	06	= Other government assistance
2	29	9	41	07	= Family/partner/friends
10	9	6	27	08	= Charity
24	11	13	58	09	= National health insurance
16	10	4	33	10	= No charge
3	7	9	19	11	= Not yet paid
2	0	1	3	97	= Not Ascertained
1	1	0	2	98	= Refused
8	7	12	30	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

PAYBIRT2 74-75

(When (NAME OF BABY) was/your babies were) born), in which of the ways on Card B-2 was the delivery bill paid? (If R volunteered that the bill has not yet been paid, she was asked "How do you think that the bill will be paid?") (2nd MENTIONED)

Note: responses coded in categories 5 through 11 were volunteered by some respondents; they did not appear on Card B-2.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); or R did not have any expenses for the non-hospital delivery (BE-1 BIRTHEXP coded 2); or R mentioned fewer than 2 ways her delivery bills were paid.

3364	9484	5354	18759	Blank	= Blank, inapplicable
1	10	4	16	01	= Insurance
195	1879	223	2378	02	= Co-payment or out-of-pocket payment
24	55	28	110	03	= Medicaid
2	2	0	4	04	= Other payment-not shown separately
1	10	3	14	05	= CHAMPUS/CHAMPVA
2	8	1	12	06	= Other government assistance
0	0	0	0	07	= Family/partner/friends
0	4	0	4	08	= Charity
0	0	1	1	09	= National health insurance
0	4	0	4	10	= No charge
0	2	0	2	11	= Not yet paid
2	0	1	3	97	= Not Ascertained
1	1	0	2	98	= Refused
5	7	9	23	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

PAYBIRT3 76-77

(When (NAME OF BABY) was/your babies were) born), in which of the ways on Card B-2 was the delivery bill paid? (If R volunteered that the bill has not yet been paid, she was asked "How do you think that the bill will be paid?") (3rd MENTIONED)

Note: responses coded in categories 5 through 11 were volunteered by some respondents; they did not appear on Card B-2.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 Numpregs and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); or R did not have any expenses for the non-hospital delivery (BE-1 BIRTHEXP coded 2); or R mentioned fewer than 3 ways her delivery bills were paid.

	3589	11450	5610	21292	Blank	
	0	0	0	0	01	= Insurance
	0	2	1	3	02	= Co-payment or out-of-pocket payment
	0	4	3	7	03	= Medicaid
	0	0	0	0	04	= Other payment-not shown separately
	0	0	0	0	05	= CHAMPUS/CHAMPVA
	0	1	0	1	06	= Other government assistance
	0	0	0	0	07	= Family/partner/friends
	0	1	0	1	08	= Charity
	0	0	0	0	09	= National health insurance
	0	0	0	0	10	= No charge
	0	0	0	0	11	= Not yet paid
	2	0	1	3	97	= Not Ascertained
	1	1	0	2	98	= Refused
	5	7	9	23	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WORKBORN 78-78

Did you ever take maternity leave, paid or unpaid, from a job you held (when you were pregnant with ((NAME OF BABY)/your babies/during this pregnancy)?

Inapplicable:
 This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); R was never employed (AG-2 CATEG coded 2 and AG-3 EVERCHNG coded 2); R reported that a baby from this pregnancy died shortly after birth (Any baby's name coded 'BDS'); or no live births resulted from this pregnancy (BC-1 PREGXENN not coded 5 or 6).

1377	3725	2191	7522	Blank	= Blank, inapplicable
611	2802	1073	4623	1	= YES
1601	4914	2354	9148	2	= NO
7	24	6	37	7	= Not Ascertained
1	1	0	2	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DIDWORK 79-80 Was this because you were not employed during this pregnancy, were employed but quit before you delivered, or some other reason?

Note: responses coded in categories 4 through 11 were volunteered by some respondents; they were not read aloud by the interviewer.

Inapplicable:
This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); R was never employed (AG-2 CATEG coded 2 and AG-3 EVERCHNG coded 2); R reported that a baby from this pregnancy died shortly after birth (Any baby's name coded 'BDS'); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); or R reported that she took maternity leave during this pregnancy (BH-8 WORKBORN coded 1).

1991	6537	3266	12160	Blank	= Blank, inapplicable
1237	3458	1885	6795	01	= Not employed during this pregnancy
276	1060	374	1751	02	= Employed but quit before you delivered
7	25	11	46	03	= Other reason-not shown separately
10	35	16	63	04	= Lost job while pregnant
9	118	6	138	05	= Self-employed
12	108	15	137	06	= Employed but did not need to take leave
21	49	19	92	07	= Employed but employer did not offer maternity leave
3	11	1	15	08	= Employed but could not afford to take leave
7	8	2	17	09	= On disability leave
5	6	1	12	10	= Quit AFTER delivery

(6168)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		19	41	21	84	11	= Continued to work
		0	3	0	8	97	= Not Ascertained
		0	0	2	2	98	= Refused
		0	7	5	12	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MATWEEKS 81-82

In total, how many weeks of maternity leave, paid or unpaid, did you take?

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); R was never employed (AG-2 CATEG coded 2 and AG-3 EVERCHNG coded 2); R reported that a baby from this pregnancy died shortly after birth (Any baby's name coded 'BDS'); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); R did not take maternity leave during this pregnancy (BH-8 WORKBORN coded 2); or answer not ascertained, R refused to report, or R did not know whether she took maternity leave during this pregnancy (BH-8 WORKBORN coded 7, 8, or 9).

2986	8664	4551	16709	Blank	= Blank, inapplicable
2	8	3	14	00	= Less than 1 week
18	76	23	126	01-02	= 1-2 weeks
64	208	80	364	03-04	= 3-4 weeks
142	771	282	1231	05-06	= 5-6 weeks
95	451	213	783	07-08	= 7-8 weeks
52	214	48	324	09-10	= 9-10 weeks
98	408	166	693	11-12	= 11-12 weeks
12	74	20	107	13-14	= 13-14 weeks
34	166	50	259	15-16	= 15-16 weeks
9	22	11	43	17-18	= 17-18 weeks
24	65	34	127	19-20	= 19-20 weeks
3	17	3	23	21-22	= 21-22 weeks
13	92	46	156	23-24	= 23-24 weeks
9	20	13	43	25-26	= 25-26 weeks
2	28	9	39	27-28	= 27-28 weeks
2	6	4	12	29-30	= 29-30 weeks
6	23	8	37	31-32	= 31-32 weeks
0	5	1	6	33-34	= 33-34 weeks
4	22	15	41	35-36	= 35-36 weeks
14	94	34	144	37-52	= 37-52 weeks
6	28	8	43	97	= Not Ascertained

(6170)

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE	COLUMN	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL			

		0	0	0	0	98	= Refused
		2	4	2	8	99	= Don't Know

WEEKSDK 83-83

Did you take 4 weeks or less, or longer than 4 weeks?

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); R was never employed (AG-2 CATEG coded 2 and AG-3 EVERCHNG coded 2); R reported that a baby from this pregnancy died shortly after birth (Any baby's name coded 'BDS'); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); R did not take maternity leave during this pregnancy (BH-8 WORKBORN coded 2); answer not ascertained, R refused to report, or R did not know whether she took maternity leave during this pregnancy (BH-8 WORKBORN coded 7, 8, or 9); or R reported an exact number of weeks she took maternity leave during this pregnancy, answer was not ascertained, or R refused to report her duration of maternity leave (BH-9 MATWEEKS not coded 99).

3589	11434	5614	21281	Blank	= Blank, inapplicable
0	0	0	0	1	= 4 weeks or less
2	3	2	7	2	= Longer than 4 weeks
6	28	8	43	7	= Not Ascertained
0	0	0	0	8	= Refused
0	1	0	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MATSTART 84-87

Please tell me the beginning and ending dates of your maternity leave. (START DATE)

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); R was never employed (AG-2 CATEG coded 2 and AG-3 EVERCHNG coded 2); R reported that a baby from this pregnancy died shortly after birth (Any baby's name coded 'BDS'); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); R did not take maternity leave during this pregnancy (BH-8 WORKBORN coded 2); or answer not ascertained, R refused to report, or R did not know whether she took maternity leave during this pregnancy (BH-8 WORKBORN coded 7, 8, or 9).

2986	8664	4551	16709	Blank	= Blank, inapplicable
406	1939	789	3229	0794-1092	= Before 1991
191	835	269	1335	1093-1147	= 1991 or later
9	21	9	40	9997	= Not Ascertained
0	0	0	0	9998	= Refused
5	7	6	19	9999	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

MATEND	88-91				Please tell me the beginning and ending dates of your maternity leave. (END DATE)
--------	-------	--	--	--	---

Inapplicable:
This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); R was never employed (AG-2 CATEG coded 2 and AG-3 EVERCHNG coded 2); R reported that a baby from this pregnancy died shortly after birth (Any baby's name coded 'BDS'); no live births resulted from this pregnancy (BC-1 PREGXENN not coded 5 or 6); R did not take maternity leave during this pregnancy (BH-8 WORKBORN coded 2); or answer not ascertained, R refused to report, or R did not know whether she took maternity leave during this pregnancy (BH-8 WORKBORN coded 7, 8, or 9).

2986	8664	4551	16709	Blank	= Blank, inapplicable
387	1841	755	3073	0799-1092	= Before 1991
192	829	276	1336	1093-1150	= 1991 or later
6	34	11	55	1189	= Still on maternity leave at time of interview
12	59	15	88	1196	= Quit job after beginning maternity leave
9	32	11	53	9997	= Not Ascertained
0	0	0	0	9998	= Refused
5	7	5	18	9999	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MATLEAVE 92-93

Some women receive pay from their jobs during their maternity leave, through vacation pay, sick pay, maternity benefits, and other kinds of paid leave. In total, how many weeks of paid leave did you receive from your job while you were on maternity leave?

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 Numpregs and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); R was never employed (AG-2 CATEG coded 2 and AG-3 EVERCHNG coded 2); R reported that a baby from this pregnancy died shortly after birth (Any baby's name coded 'BDS'); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); R did not take maternity leave during this pregnancy (BH-8 WORKBORN coded 2); or answer not ascertained, R refused to report, or R did not know whether she took maternity leave during this pregnancy (BH-8 WORKBORN coded 7, 8, or 9).

2985	8657	4550	16700	Blank	= Blank, inapplicable
162	896	304	1387	00	= Less than 1 week
46	168	71	303	01-02	= 1-2 weeks
50	202	85	347	03-04	= 3-4 weeks
125	599	238	995	05-06	= 5-6 weeks
83	323	140	569	07-08	= 7-8 weeks
39	148	35	228	09-10	= 9-10 weeks
49	191	94	346	11-12	= 11-12 weeks
6	45	20	71	13-14	= 13-14 weeks
13	68	18	104	15-16	= 15-16 weeks
4	13	6	24	17-18	= 17-18 weeks
6	26	8	42	19-20	= 19-20 weeks
0	11	1	12	21-22	= 21-22 weeks
5	28	10	44	23-24	= 23-24 weeks
5	5	8	18	25-26	= 25-26 weeks
1	7	4	12	27-28	= 27-28 weeks
0	2	1	3	29-30	= 29-30 weeks

(6174)

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES		
		HISP	WHITE	BLACK			
		2	6	6	14	31-32	= 31-32 weeks
		0	0	1	1	33-34	= 33-34 weeks
		0	4	1	5	35-36	= 35-36 weeks
		3	13	6	22	37-52	= 37-52 weeks
		12	44	12	69	97	= Not Ascertained
		0	0	0	0	98	= Refused
		1	10	5	16	99	= Don't Know

VAGORCE1 94-94

Was (NAME OF BABY/the baby you placed for adoption/the baby that died) delivered vaginally or by Cesarean section?

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 Numpregs and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born during that pregnancy (BC-2 NBRNLV coded 97, 98, or 99); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); only one baby was born (BC-2 NBRNLV coded 01); or more than one baby was born but either all babies were born vaginally or all were born by cesarean section (BC-1 PREGXENn is only coded 5 or only coded 6 for that pregnancy).

3597	11460	5624	21326	Blank	= Blank, inapplicable
0	5	0	5	1	= VAGINALLY
0	1	0	1	2	= CESAREAN SECTION
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

KIDSSEX1 95-95

(ASKED ONLY IF NECESSARY): (Is (NAME OF BABY)/Was the baby you placed for adoption/Was the baby that died) male or female?

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born during that pregnancy (BC-2 NBRNLV coded 97, 98, or 99); or no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6).

948	3486	1762	6374	Blank	= Blank, inapplicable
1407	4134	2090	7877	1	= MALE
1240	3845	1772	7078	2	= FEMALE
1	0	0	1	7	= Not Ascertained
1	0	0	1	8	= Refused
0	1	0	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

LBS_BOR1 96-97

How much did ((NAME OF BABY)/this
(Nth) baby) weigh at birth? (POUNDS)

Inapplicable:

This is a current pregnancy (PREGORDR
EQ BB-1 Numpregs and CURRPREG =YES);
answer was not ascertained, R refused
to report, or R did not know how many
babies were born during that pregnancy
(BC-2 NBRNLV coded 97, 98, or 99); or
no live births resulted from this
pregnancy (BC-1 PREGXENn not coded 5
or 6).

948	3486	1762	6374	Blank	= Blank, inapplicable
0	3	5	8	00	= Answer not reported in pounds (SEE OZS_BOR1)
6	20	26	52	01	= 1 pound
13	37	35	86	02	= 2 pounds
15	40	58	115	03	= 3 pounds
54	127	134	327	04	= 4 pounds
174	499	438	1142	05	= 5 pounds
598	1565	1074	3353	06	= 6 pounds
934	2824	1282	5205	07	= 7 pounds
562	2026	580	3263	08	= 8 pounds
203	657	180	1072	09	= 9 pounds
46	142	40	233	10	= 10 pounds
17	21	6	46	11-14	= 11 pounds or more
1	0	1	2	97	= Not Ascertained
1	1	0	2	98	= Refused
25	18	3	52	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OZS_BOR1 98-99

How much did ((NAME OF BABY)/this
(Nth) baby) weigh at birth? (OUNCES)

Inapplicable:

This is a current pregnancy (PREGORDR
EQ BB-1 Numpregs and CURRPREG =YES);
answer was not ascertained, R refused
to report, or R did not know how many
babies were born during that pregnancy
(BC-2 NBRNLV coded 97, 98, or 99); or
no live births resulted from this
pregnancy (BC-1 PREGXENn not coded 5
or 6).

948	3486	1762	6374	Blank	= Blank, inapplicable
462	634	419	1592	00	= Answer not reported in ounces (SEE LBS_BOR1)
111	447	163	736	01	= 1 ounce
153	571	257	998	02	= 2 ounces
119	473	222	838	03	= 3 ounces
142	515	241	930	04	= 4 ounces
139	415	243	828	05	= 5 ounces
210	665	328	1238	06	= 6 ounces
126	445	224	824	07	= 7 ounces
302	666	289	1303	08	= 8 ounces
130	409	222	784	09	= 9 ounces
115	469	155	762	10	= 10 ounces
149	470	222	871	11	= 11 ounces
116	508	272	924	12	= 12 ounces
116	458	232	822	13	= 13 ounces
117	439	199	764	14	= 14 ounces
100	371	160	655	15	= 15 ounces
1	0	1	2	97	= Not Ascertained
1	1	0	2	98	= Refused
40	24	13	85	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

LOBTHWT1 100-100

Did (she/he) weigh 5 1/2 pounds or more, or less than 5 1/2 pounds?

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born during that pregnancy (BC-2 NBRNLV coded 97, 98, or 99); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); or R provided an exact weight (BD-4 LBS_BORn not coded 99 and BD-4 OZS_BORn not coded 99).

3571	11446	5615	21271	Blank	= Blank, inapplicable
19	13	2	38	1	= 5 1/2 POUNDS OR MORE
2	4	6	14	2	= LESS THAN 5 1/2 POUNDS
1	0	1	2	7	= Not Ascertained
0	0	0	0	8	= Refused
4	3	0	7	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

LIVEHER1 101-101

Earlier I don't think you mentioned (NAME OF BABY) when you told me who lives with you. Does (NAME OF BABY) still live with you? (If the baby's name is listed in the household roster, this variable is set to yes (1) without asking).

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); or child's name matches name listed in household roster and relationship is natural child (AH-6 RELARnn coded 4).

954	3531	1777	6442	Blank	= Blank, inapplicable
2350	6948	3251	12942	1	= YES
293	986	595	1946	2	= NO
0	0	0	0	7	= Not Ascertained
0	1	1	2	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

ALIVENW1 102-102

Is (she/he) still living?

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 Numpregs and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); child's name matches name listed in household roster and relationship is natural child (AH-6 RELARnn coded 4); or child is still living with R (BI-1 LIVEHERn coded 1).

3304	10482	5028	19387	Blank	= Blank, inapplicable
265	894	532	1755	1	= YES
27	85	63	183	2	= NO
1	0	0	1	7	= Not Ascertained
0	0	0	0	8	= Refused
0	5	1	6	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WHENDIE1 103-106

When did (NAME OF BABY) die?

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 Numpregs and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); child's name matches name listed in household roster and relationship is natural child (AH-6 RELARnn coded 4); child is still living with R (BI-1 LIVEHERn coded 1); child is still living (BI-2 ALIVENWn coded 1); or answer was not ascertained, R refused to report, or R did not know whether the child is still living (BI-2 ALIVENWn coded 7, 8, or 9).

3570	11381	5561	21149	Blank	= Blank, inapplicable
23	54	53	135	0810-1092	= Before 1991
3	28	10	44	1093-1148	= 1991 or later
0	0	0	0	9997	= Not Ascertained
1	3	0	4	9998	= Refused
0	0	0	0	9999	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

WHENLEF1 107-110

When did (NAME OF BABY) stop living with you?

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 Numpregs and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); child's name matches name listed in household roster and relationship is natural child (AH-6 RELARnn coded 4); child is still living with R (BI-1 LIVEHERn coded 1); or child is deceased (BI-2 ALIVENWn coded 2).

3331	10567	5091	19570	Blank	= Blank, inapplicable
119	325	244	707	0843-1092	= Before 1991
143	572	285	1045	1093-1150	= 1991 or later
1	0	0	1	9997	= Not Ascertained
0	1	1	2	9998	= Refused
3	1	3	7	9999	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

ANYNURS1 111-111

(When (NAME OF BABY) was an infant,) (have you breastfed/did you breastfeed) (her/him) at all?

Inapplicable:
 This is a current pregnancy (PREGORDR EQ BB-1 Numpregs and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days).

980	3592	1833	6589	Blank	= Blank, inapplicable
1451	4370	865	6986	1	= YES
1165	3503	2925	7754	2	= NO
1	1	1	3	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

RNONUR11 112-113

Please look at Card B-7. What were your reasons for not breastfeeding (NAME OF BABY)? (1st REASON MENTIONED)

Note: responses coded in categories 6 through 9 were volunteered by some respondents; they did not appear on Card B-7.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 Numpregs and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); R breastfed this baby (BJ-1 ANYNURSn coded 1); or answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9).

2432	7963	2699	13578	Blank	= Blank, inapplicable
107	364	128	623	01	= Job or schedule difficulties
213	556	212	1011	02	= Physical or medical difficulties
714	2363	2448	5623	03	= R preferred to bottle-feed
66	83	89	242	04	= R did not know how to breastfeed
6	35	8	50	05	= Other reason-not shown separately
51	34	28	114	06	= Baby refused or did not accept breast milk
2	42	1	48	07	= Baby's father did not want her to breastfeed

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		2	16	4	22	08	= Discouraged by someone other than baby's father
		4	9	4	17	09	= Fears about breastfeeding
		0	0	0	0	97	= Not Ascertained
		0	0	2	2	98	= Refused
		0	1	1	2	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

RNONUR12 114-115

Please look at Card B-7. What were your reasons for not breastfeeding (NAME OF BABY)? (2nd REASON MENTIONED)

Note: responses coded in categories 6 through 9 were volunteered by some respondents; they did not appear on Card B-7.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 Numpregs and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); R breastfed this baby (BJ-1 ANYNURSn coded 1); or answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); or R mentioned fewer than 2 reasons for not breastfeeding this baby.

3566	11272	5564	21037	Blank	= Blank, inapplicable
2	8	5	15	01	= Job or schedule difficulties
5	26	11	43	02	= Physical or medical difficulties
8	116	30	159	03	= R preferred to bottle-feed
13	28	10	54	04	= R did not know how to breastfeed
2	6	2	11	05	= Other reason-not shown separately
0	5	0	5	06	= Baby refused or did not accept breast milk

(6187)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		1	3	0	4	07 = Baby's father did not want her to breastfeed
		0	2	0	2	08 = Discouraged by someone other than baby's father
		0	0	1	1	09 = Fears about breastfeeding
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	1	1	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

RNONUR13 116-117

Please look at Card B-7. What were your reasons for not breastfeeding (NAME OF BABY)? (3rd REASON MENTIONED)

Note: responses coded in categories 6 through 9 were volunteered by some respondents; they did not appear on Card B-7.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 Numpregs and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); R breastfed this baby (BJ-1 ANYNURSn coded 1); or answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); or R mentioned fewer than 3 reasons for not breastfeeding this baby.

3593	11449	5620	21307	Blank	= Blank, inapplicable
0	1	0	1	01	= Job or schedule difficulties
1	2	2	5	02	= Physical or medical difficulties
1	8	1	10	03	= R preferred to bottle-feed
1	2	0	3	04	= R did not know how to breastfeed
1	2	0	3	05	= Other reason-not shown separately
0	0	0	0	06	= Baby refused or did not accept breast milk

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	1	0	1	07 = Baby's father did not want her to breastfeed
		0	0	0	0	08 = Discouraged by someone other than baby's father
		0	1	0	1	09 = Fears about breastfeeding
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	1	1	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DIFNUR11 118-119

Which of the physical or medical difficulties on Card B-8 did you have with breastfeeding? (1st MENTIONED)

Note: responses coded in category 7 were were volunteered by some respondents; this category did not appear on Card B-8.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); R breastfed this baby (BJ-1 ANYNURSn coded 1); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); or R did not report having any physical or medical difficulties breastfeeding this baby (BJ-2 RNONURN1, BJ-2 RNONURN2, AND BJ-2 RNONURN3 not coded 2).

3377	10878	5404	20273	Blank	= Blank, inapplicable
38	111	46	202	01	= Baby was ill or weak
55	113	40	211	02	= R were ill or weak
52	166	31	255	03	= R produced insufficient milk
37	83	56	188	04	= R had a nipple or breast problem (such as pain or dryness)
33	89	42	166	05	= R did not want to pass dangerous things through breast milk
3	17	4	25	06	= Other reason-not shown

(6191)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		2	8	1	11	07	separately = Baby had allergies to breast milk
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DIFNUR12 120-121

Which of the physical or medical difficulties on Card B-8 did you have with breastfeeding? (2nd MENTIONED)

Note: responses coded in category 7 were were volunteered by some respondents; this category did not appear on Card B-8.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); R breastfed this baby (BJ-1 ANYNURSn coded 1); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not report having any physical or medical difficulties breastfeeding this baby (BJ-2 RNONURN1, BJ-2 RNONURN2, AND BJ-2 RNONURN3 not coded 2); or R mentioned fewer than 2 physical or medical difficulties as reasons for not breastfeeding this baby.

3592	11427	5608	21270	Blank	= Blank, inapplicable
0	5	0	5	01	= Baby was ill or weak
0	9	6	16	02	= R were ill or weak
2	7	1	10	03	= R produced insufficient milk
2	12	2	17	04	= R had a nipple or breast problem (such as pain or dryness)
1	5	7	13	05	= R did not want to pass

(6193)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		0	1	0	1	06	dangerous things through breast milk
		0	0	0	0	07	= Other reason-not shown separately
		0	0	0	0	97	= Baby had allergies to breast milk
		0	0	0	0	98	= Not Ascertained
		0	0	0	0	99	= Refused = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DIFNUR13 122-123

Which of the physical or medical difficulties on Card B-8 did you have with breastfeeding? (3rd MENTIONED)

Note: responses coded in category 7 were were volunteered by some respondents; this category did not appear on Card B-8.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); R breastfed this baby (BJ-1 ANYNURSn coded 1); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not report having any physical or medical difficulties breastfeeding this baby (BJ-2 RNONURN1, BJ-2 RNONURN2, AND BJ-2 RNONURN3 not coded 2); or R mentioned fewer than 3 physical or medical difficulties as reasons for not breastfeeding this baby.

3595	11464	5622	21326	Blank	= Blank, inapplicable
0	0	0	0	01	= Baby was ill or weak
0	0	0	0	02	= R were ill or weak
0	0	0	0	03	= R produced insufficient milk
0	0	0	0	04	= R had a nipple or breast problem (such as pain or dryness)
2	2	2	6	05	= R did not want to pass

(6195)

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	06	dangerous things through breast milk = Other reason-not shown separately
		0	0	0	07	= Baby had allergies to breast milk
		0	0	0	97	= Not Ascertained
		0	0	0	98	= Refused
		0	0	0	99	= Don't Know

FEDSOLI1 124-124

(Have you fed/Did you feed) (NAME OF
BABY) something other than breastmilk
yet?

Inapplicable:

This is a current pregnancy (PREGORDR
EQ BB-1 NUMPREGS and CURRPREG =YES);
no live births resulted from this
pregnancy (BC-1 PREGXENn not coded 5
or 6); this baby died shortly after
birth (Baby's name coded 'BDS');
answer was not ascertained, R refused
to report, or R did not know how many
babies were born from this pregnancy
(BC-2 NBRNLV coded 97, 98, or 99); R
reported that all babies from this
pregnancy were placed for adoption
(Babies' names are all coded 'BPA');
or this baby died or stopped living
with R prior to 62 days of age (BI-3
WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB
is less than 62 days); answer was not
ascertained, R refused to report, or R
did not know whether she breastfed
this baby (BJ-1 ANYNURSn coded 7, 8,
or 9); R did not breastfeed this baby
(BJ-1 ANYNURSn coded 2); or this baby
is alive and over the age of 2 years
(BI-3 WHENDIEn is blank and BD-6
BABDOB is greater than 2 years prior
to interview date).

3383	10955	5528	20471	Blank	= Blank, inapplicable
193	476	92	797	1	= YES
21	35	4	64	2	= NO
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MON_EAT1 125-126

How old was (she/he) when you first
fed (her/him) something other than
breast milk? (MONTHS)

Inapplicable:

This is a current pregnancy (PREGORDR
EQ BB-1 NUMPREGS and CURRPREG =YES);
no live births resulted from this
pregnancy (BC-1 PREGXENn not coded 5
or 6); this baby died shortly after
birth (Baby's name coded 'BDS');
answer was not ascertained, R refused
to report, or R did not know how many
babies were born from this pregnancy
(BC-2 NBRNLV coded 97, 98, or 99); R
reported that all babies from this
pregnancy were placed for adoption
(Babies' names are all coded 'BPA');
this baby died or stopped living with
R prior to 62 days of age (BI-3
WHENDIE n or BI-4 WHENLEF n-BD-6 BABDOB
is less than 62 days); answer was not
ascertained, R refused to report, or R
did not know whether she breastfed
this baby (BJ-1 ANYNURSn coded 7, 8,
or 9); R did not breastfeed this baby
(BJ-1 ANYNURSn coded 2); or R has not
fed this baby anything other than
breast milk yet (BJ-4 FEDSOLIn coded
2).

2167	7131	4763	14410	Blank	= Blank, inapplicable
289	1349	280	1985	00	= Answer not reported in months (SEE WKS_EAT1 or DAY_EAT1)
129	423	102	682	01	= 1 month
173	412	79	684	02	= 2 months
272	677	154	1149	03	= 3 months
180	546	78	856	04	= 4 months
73	251	37	369	05	= 5 months
155	464	72	742	06	= 6 months
32	53	8	98	07	= 7 months
35	46	10	98	08	= 8 months
28	47	11	90	09	= 9 months
6	17	8	31	10	= 10 months
5	4	2	11	11	= 11 months
48	31	17	103	12	= 12 months
3	5	3	12	13-24	= 13 months or longer
1	2	0	3	97	= Not Ascertained

(6197)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	98	= Refused
		1	8	0	9	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WKS_EAT1 127-128

How old was (she/he) when you first fed (her/him) something other than breast milk? (WEEKS)

Inapplicable:
 This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); or R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2).

2167	7131	4763	14410	Blank	= Blank, inapplicable
1188	3137	653	5216	00	= Answer not reported in weeks (SEE MON_EAT1 or DAY_EAT1)
61	168	47	292	01	= 1 week
96	473	85	679	02	= 2 weeks
29	165	27	227	03	= 3 weeks
21	103	15	139	04	= 4 weeks
4	23	5	32	05	= 5 weeks
22	183	20	236	06	= 6 weeks
1	16	1	18	07	= 7 weeks
2	29	5	36	08	= 8 weeks
4	28	3	35	09-20	= 9 weeks or longer
1	2	0	3	97	= Not Ascertained
0	0	0	0	98	= Refused
1	8	0	9	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DAY_EAT1 129-130

How old was (she/he) when you first fed (her/him) something other than breast milk? (DAYS)

Inapplicable:
This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); or R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2).

2167	7131	4763	14410	Blank	= Blank, inapplicable
1271	3936	734	6209	00	= Answer not reported in days (SEE MON_EAT1 or WKS_EAT1)
71	132	54	265	01	= 1 day
34	75	28	148	02	= 2 days
21	66	15	108	03	= 3 days
8	35	6	49	04	= 4 days
6	34	3	44	05	= 5 days
2	7	3	13	06	= 6 days
6	14	5	25	07	= 7 days
9	25	13	48	08-30	= 8 days or longer
1	2	0	3	97	= Not Ascertained
0	0	0	0	98	= Refused
1	9	0	10	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

QUITNUR1 131-131

Have you stopped breastfeeding
(her/him) altogether?

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); this baby is alive and over the age of 4 years (BI-3 WHENDIEn is blank and BD-6 BABDOB is greater than 4 years prior to interview date); or this baby died (BI-3 WHENDIEn is not blank).

3214	10480	5431	19700	Blank	= Blank, inapplicable
337	850	175	1416	1	= YES
46	136	18	216	2	= NO
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MON_QNU1 132-133

How old was (she/he) when you stopped
 breastfeeding (her/him) altogether?
 (MONTHS)

Inapplicable:
 This is a current pregnancy (PREGORDR
 EQ BB-1 NUMPREGS and CURRPREG =YES);
 no live births resulted from this
 pregnancy (BC-1 PREGXENn not coded 5
 or 6); this baby died shortly after
 birth (Baby's name coded 'BDS');
 answer was not ascertained, R refused
 to report, or R did not know how many
 babies were born from this pregnancy
 (BC-2 NBRNLV coded 97, 98, or 99); R
 reported that all babies from this
 pregnancy were placed for adoption
 (Babies' names are all coded 'BPA');
 this baby died or stopped living with
 R prior to 62 days of age (BI-3
 WHENDIE n or BI-4 WHENLEFn-BD-6 BABDOB
 is less than 62 days); answer was not
 ascertained, R refused to report, or R
 did not know whether she breastfed
 this baby (BJ-1 ANYNURSn coded 7, 8,
 or 9); R did not breastfeed this baby
 (BJ-1 ANYNURSn coded 2); or R has not
 fed this baby anything other than
 breast milk yet (BJ-4 FEDSOLIn coded
 2); or R has not stopped breastfeeding
 this baby yet (BJ-6 QUITNURn coded 2).

2213	7267	4781	14626	Blank	= Blank, inapplicable
169	799	173	1185	00	= Answer not reported in months (SEE WKS_QNU1 or DAY_QNU1)
116	235	68	441	01	= 1 month
135	246	60	456	02	= 2 months
153	385	122	680	03	= 3 months
106	301	59	494	04	= 4 months
72	197	46	325	05	= 5 months
121	449	97	703	06	= 6 months
52	149	28	236	07	= 7 months
63	190	29	289	08	= 8 months
67	235	35	348	09	= 9 months
30	140	19	195	10	= 10 months
27	87	10	127	11	= 11 months
122	281	47	485	12	= 12 months
64	316	23	421	13-18	= 13-18 months

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES		
		HISP	WHITE	BLACK			TOTAL
		54	106	17	190	19-24	= 19-24 months
		14	42	2	61	25-30	= 25-30 months
		14	28	4	47	31-36	= 31-36 months
		2	12	1	16	37-48	= 37 months or longer
		1	0	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		2	1	3	6	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WKS_QNU1 134-135

How old was (she/he) when you stopped
breastfeeding (her/him) altogether?
(WEEKS)

Inapplicable:

This is a current pregnancy (PREGORDR
EQ BB-1 NUMPREGS and CURRPREG =YES);
no live births resulted from this
pregnancy (BC-1 PREGXENn not coded 5
or 6); this baby died shortly after
birth (Baby's name coded 'BDS');
answer was not ascertained, R refused
to report, or R did not know how many
babies were born from this pregnancy
(BC-2 NBRNLV coded 97, 98, or 99); R
reported that all babies from this
pregnancy were placed for adoption
(Babies' names are all coded 'BPA');
this baby died or stopped living with
R prior to 62 days of age (BI-3
WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB
is less than 62 days); answer was not
ascertained, R refused to report, or R
did not know whether she breastfed
this baby (BJ-1 ANYNURSn coded 7, 8,
or 9); R did not breastfeed this baby
(BJ-1 ANYNURSn coded 2); or R has not
fed this baby anything other than
breast milk yet (BJ-4 FEDSOLIn coded
2); or R has not stopped breastfeeding
this baby yet (BJ-6 QUITNURn coded 2).

2213	7267	4781	14626	Blank	= Blank, inapplicable
1156	3323	670	5386	00	= Answer not reported in weeks (SEE MON_QNU1 or DAY_QNU1)
46	102	31	186	01	= 1 week
99	332	70	520	02	= 2 weeks
24	106	21	157	03	= 3 weeks
14	50	12	76	04	= 4 weeks
6	26	5	38	05	= 5 weeks
20	147	17	194	06	= 6 weeks
3	23	1	27	07	= 7 weeks
6	48	7	61	08	= 8 weeks
7	40	6	53	09-44	= 9 weeks or longer
1	0	0	1	97	= Not Ascertained
0	0	0	0	98	= Refused
2	2	3	7	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DAY_QNU1 136-137

How old was (she/he) when you stopped
breastfeeding (her/him) altogether?
(DAYS)

Inapplicable:

This is a current pregnancy (PREGORDR
EQ BB-1 NUMPREGS and CURRPREG =YES);
no live births resulted from this
pregnancy (BC-1 PREGXENn not coded 5
or 6); this baby died shortly after
birth (Baby's name coded 'BDS');
answer was not ascertained, R refused
to report, or R did not know how many
babies were born from this pregnancy
(BC-2 NBRNLV coded 97, 98, or 99); R
reported that all babies from this
pregnancy were placed for adoption
(Babies' names are all coded 'BPA');
this baby died or stopped living with
R prior to 62 days of age (BI-3
WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB
is less than 62 days); answer was not
ascertained, R refused to report, or R
did not know whether she breastfed
this baby (BJ-1 ANYNURSn coded 7, 8,
or 9); R did not breastfeed this baby
(BJ-1 ANYNURSn coded 2); or R has not
fed this baby anything other than
breast milk yet (BJ-4 FEDSOLIn coded
2); or R has not stopped breastfeeding
this baby yet (BJ-6 QUITNURn coded 2).

2213	7267	4781	14626	Blank	= Blank, inapplicable
1306	4025	785	6379	00	= Answer not reported in days (SEE MON_QNU1 or WKS_QNU1)
16	20	11	50	01	= 1 day
18	42	16	83	02	= 2 days
12	39	9	65	03	= 3 days
8	20	6	34	04	= 4 days
2	23	4	29	05	= 5 days
3	3	0	8	06	= 6 days
4	6	2	12	07	= 7 days
12	19	7	38	08-30	= 8 days or longer
1	0	0	1	97	= Not Ascertained
0	0	0	0	98	= Refused
2	2	3	7	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

YSTPNU11 138-139

Please look at Card B-9. Why did you stop breastfeeding (her/him) when you did? (1st REASON MENTIONED)

Note: responses coded in categories 6 through 9 were volunteered by some respondents; they did not appear on Card B-9.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); or R has not stopped breastfeeding this baby yet (BJ-6 QUITNURN coded 2).

2213	7267	4781	14626	Blank	= Blank, inapplicable
202	745	142	1129	01	= Job or schedule difficulties
325	1029	166	1588	02	= Physical or medical difficulties
289	541	208	1086	03	= R preferred to bottle-feed
520	1753	302	2689	04	= Baby was old enough to wean
5	36	6	48	05	= Other reason-not shown separately
35	64	10	114	06	= Baby refused or did

(6206)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		3	9	1	15	07	not accept breast milk = Baby's father did not want her to breastfeed
		2	13	1	17	08	= Discouraged by someone other than baby's father
		2	5	4	12	09	= Fears about breastfeeding
		1	1	0	2	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	3	3	6	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

YSTPNU12 140-141

Please look at Card B-9. Why did you stop breastfeeding (her/him) when you did? (2nd REASON MENTIONED)

Note: responses coded in categories 6 through 9 were volunteered by some respondents; they did not appear on Card B-9.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); or R has not stopped breastfeeding this baby yet (BJ-6 QUITNURN coded 2); or R mentioned fewer than 2 reasons for stopping her breastfeeding of this baby.

3557	11237	5598	21025	Blank	= Blank, inapplicable
1	13	5	20	01	= Job or schedule difficulties
9	52	5	71	02	= Physical or medical difficulties
9	72	13	95	03	= R preferred to bottle-feed
18	78	2	100	04	= Baby was old enough to wean

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		2	3	1	8	05	= Other reason-not shown separately
		0	7	0	8	06	= Baby refused or did not accept breast milk
		1	0	0	1	07	= Baby's father did not want her to breastfeed
		0	2	0	2	08	= Discouraged by someone other than baby's father
		0	0	0	0	09	= Fears about breastfeeding
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	2	0	2	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

YSTPNU13 142-143

Please look at Card B-9. Why did you stop breastfeeding (her/him) when you did? (3rd REASON MENTIONED)

Note: responses coded in categories 6 through 9 were volunteered by some respondents; they did not appear on Card B-9.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); or R has not stopped breastfeeding this baby yet (BJ-6 QUITNURN coded 2); or R mentioned fewer than 3 reasons for stopping her breastfeeding of this baby.

3596	11440	5620	21297	Blank	= Blank, inapplicable
0	2	0	2	01	= Job or schedule difficulties
0	0	0	0	02	= Physical or medical difficulties
1	6	2	13	03	= R preferred to bottle-feed
0	16	2	18	04	= Baby was old enough to wean

(6210)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	05 = Other reason-not shown separately
		0	0	0	0	06 = Baby refused or did not accept breast milk
		0	0	0	0	07 = Baby's father did not want her to breastfeed
		0	0	0	0	08 = Discouraged by someone other than baby's father
		0	0	0	0	09 = Fears about breastfeeding
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	2	0	2	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DIFSTN11 144-145

Which of the physical or medical difficulties on Card B-10 did you have with breastfeeding? (1st MENTIONED)

Note: responses coded in category 7 were were volunteered by some respondents; this category did not appear on Card B-10.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); R has not stopped breastfeeding this baby yet (BJ-6 QUITNURn coded 2); or R did not report having physical or medical difficulties with breastfeeding this baby (BJ-8 YSTPNUn1, BJ-8 YSTPNUn2 and BJ-8 YSTPNUn3 not coded 2).

3261	10376	5453	19662	Blank	= Blank, inapplicable
28	149	15	198	01	= Baby was ill or weak
42	128	20	197	02	= R were ill or weak
194	530	58	826	03	= R produced insufficient milk
50	191	62	315	04	= R had a nipple or breast problem (such

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		17	52	9	80	05	as pain or dryness)
							= R did not want to pass dangerous things through breast milk
		4	13	5	23	06	= Other reason-not shown separately
		1	25	2	29	07	= Baby had allergies to breast milk
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DIFSTN12 146-147

Which of the physical or medical difficulties on Card B-10 did you have with breastfeeding? (2nd MENTIONED)

Note: responses coded in category 7 were were volunteered by some respondents; this category did not appear on Card B-10.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); R has not stopped breastfeeding this baby yet (BJ-6 QUITNURN coded 2); or R did not report having physical or medical difficulties with breastfeeding this baby (BJ-8 YSTPNUn1, BJ-8 YSTPNUn2 and BJ-8 YSTPNUn3 not coded 2); or R mentioned fewer than 2 physical or medical difficulties as reasons for quitting her breastfeeding of this baby.

3582	11385	5615	21223	Blank	= Blank, inapplicable
0	1	0	1	01	= Baby was ill or weak
1	14	1	16	02	= R were ill or weak
3	24	1	28	03	= R produced

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		10	33	5	51	04	insufficient milk = R had a nipple or breast problem (such as pain or dryness)
		0	5	2	8	05	= R did not want to pass dangerous things through breast milk
		0	2	0	2	06	= Other reason-not shown separately
		1	1	0	2	07	= Baby had allergies to breast milk
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DIFSTN13 148-149

Which of the physical or medical difficulties on Card B-10 did you have with breastfeeding? (3rd MENTIONED)

Note: responses coded in category 7 were were volunteered by some respondents; this category did not appear on Card B-10.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); R has not stopped breastfeeding this baby yet (BJ-6 QUITNURn coded 2); or R did not report having physical or medical difficulties with breastfeeding this baby (BJ-8 YSTPNUn1, BJ-8 YSTPNUn2 and BJ-8 YSTPNUn3 not coded 2); or R mentioned fewer than 3 physical or medical difficulties as reasons for quitting her breastfeeding of this baby.

3597	11462	5624	21327	Blank	= Blank, inapplicable
0	1	0	1	01	= Baby was ill or weak
0	0	0	0	02	= R were ill or weak
0	2	0	2	03	= R produced

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		0	0	0	0	04	insufficient milk = R had a nipple or breast problem (such as pain or dryness)
		0	0	0	1	05	= R did not want to pass dangerous things through breast milk
		0	0	0	0	06	= Other reason-not shown separately
		0	0	0	0	07	= Baby had allergies to breast milk
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

VAGORCE2 150-150

Was (NAME OF 2ND BABY/the baby you placed for adoption/the baby that died) delivered vaginally or by Cesarean section?

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 Numpregs and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born during that pregnancy (BC-2 NBRNLV coded 97, 98, or 99); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); only one baby was born (BC-2 NBRNLV coded 01); or more than one baby was born but either all babies were born vaginally or all were born by cesarean section (BC-1 PREGXENn is only coded 5 or only coded 6 for that pregnancy); or R had only one baby with this pregnancy.

3597	11460	5624	21326	Blank		= Blank, inapplicable
0	1	0	1	1		= VAGINALLY
0	5	0	5	2		= CESAREAN SECTION
0	0	0	0	7		= Not Ascertained
0	0	0	0	8		= Refused
0	0	0	0	9		= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

KIDSSEX2 151-151

(ASKED ONLY IF NECESSARY): (Is (NAME OF 2ND BABY)/Was the baby you placed for adoption/Was the baby that died) male or female?

Inapplicable:
 This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born during that pregnancy (BC-2 NBRNLV coded 97, 98, or 99); or no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); or R had only one baby with this pregnancy.

3574	11383	5579	21178	Blank	= Blank, inapplicable
10	44	21	76	1	= MALE
13	39	24	78	2	= FEMALE
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

LBS_BOR2 152-153

How much did ((NAME OF 2ND BABY)/this (Nth) baby) weigh at birth? (POUNDS)

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 Numpregs and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born during that pregnancy (BC-2 NBRNLV coded 97, 98, or 99); or no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); or R had only one baby with this pregnancy.

3574	11383	5579	21178	Blank	= Blank, inapplicable
0	0	0	0	00	= Answer not reported in pounds (SEE OZS_BOR2)
2	1	2	5	01	= 1 pound
4	6	2	12	02	= 2 pounds
1	12	5	18	03	= 3 pounds
3	14	13	30	04	= 4 pounds
5	23	12	43	05	= 5 pounds
7	18	7	32	06	= 6 pounds
1	8	4	13	07	= 7 pounds
0	0	0	0	08	= 8 pounds
0	0	0	0	09	= 9 pounds
0	0	0	0	10	= 10 pounds
0	0	0	0	11-14	= 11 pounds or more
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OZS_BOR2 154-155

How much did ((NAME OF 2ND BABY)/this (Nth) baby) weigh at birth? (OUNCES)

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 Numpregs and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born during that pregnancy (BC-2 NBRNLV coded 97, 98, or 99); or no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); or R had only one baby with this pregnancy.

3574	11383	5579	21178	Blank	= Blank, inapplicable
3	3	3	10	00	= Answer not reported in ounces (SEE LBS_BOR2)
2	10	1	13	01	= 1 ounce
2	3	3	8	02	= 2 ounces
2	6	4	12	03	= 3 ounces
0	3	4	8	04	= 4 ounces
1	3	4	8	05	= 5 ounces
0	8	0	9	06	= 6 ounces
4	5	2	11	07	= 7 ounces
0	9	3	12	08	= 8 ounces
2	1	1	4	09	= 9 ounces
0	5	2	7	10	= 10 ounces
2	4	4	10	11	= 11 ounces
2	8	4	14	12	= 12 ounces
1	3	2	6	13	= 13 ounces
1	5	4	10	14	= 14 ounces
1	6	3	10	15	= 15 ounces
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	1	1	2	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

LOBTHWT2 156-156

Did (she/he) weigh 5 1/2 pounds or more, or less than 5 1/2 pounds? (BABY 2)

Inapplicable:
 This is a current pregnancy (PREGORDR EQ BB-1 Numpregs and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born during that pregnancy (BC-2 NBRNLV coded 97, 98, or 99); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); or R provided an exact weight (BD-4 LBS_BORn not coded 99 and BD-4 OZS_BORn not coded 99); or R had only one baby with this pregnancy.

3597	11465	5624	21331	Blank	= Blank, inapplicable
0	0	0	0	1	= 5 1/2 POUNDS OR MORE
0	1	0	1	2	= LESS THAN 5 1/2 POUNDS
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

LIVEHER2 157-157

Earlier I don't think you mentioned (NAME OF 2ND BABY) when you told me who lives with you. Does (NAME OF 2ND BABY) still live with you? (If the baby's name is listed in the household roster, this variable is set to yes (1) without asking).

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); or child's name matches name listed in household roster and relationship is natural child (AH-6 RELARnn coded 4); or R had only one baby with this pregnancy.

3575	11384	5580	21181	Blank	= Blank, inapplicable
20	66	40	128	1	= YES
2	16	4	23	2	= NO
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

ALIVENW2 158-158

Is (she/he) still living? (BABY 2)

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 Numpregs and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); child's name matches name listed in household roster and relationship is natural child (AH-6 RELARnn coded 4); or child is still living with R (BI-1 LIVEHERn coded 1); or R had only one baby with this pregnancy.

3595	11450	5620	21309	Blank	= Blank, inapplicable
0	8	1	10	1	= YES
2	8	3	13	2	= NO
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WHENDIE2 159-162

When did (NAME OF 2ND BABY) die?

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 Numpregs and CURRPREG =YES); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); child's name matches name listed in household roster and relationship is natural child (AH-6 RELARnn coded 4); child is still living with R (BI-1 LIVEHERn coded 1); child is still living (BI-2 ALIVENWn coded 1); or answer was not ascertained, R refused to report, or R did not know whether the child is still living (BI-2 ALIVENWn coded 7, 8, or 9); or R had only one baby with this pregnancy.

3595	11458	5621	21319	Blank	= Blank, inapplicable
1	7	3	11	0810-1092	= Before 1991
1	1	0	2	1093-1148	= 1991 or later
0	0	0	0	9997	= Not Ascertained
0	0	0	0	9998	= Refused
0	0	0	0	9999	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WHENLEF2 163-166

When did (NAME OF 2ND BABY) stop
 living with you?

Inapplicable:

This is a current pregnancy (PREGORDR
 EQ BB-1 NUMPREGS and CURRPREG =YES);
 answer was not ascertained, R refused
 to report, or R did not know how many
 babies were born from this pregnancy
 (BC-2 NBRNLV coded 97, 98, or 99); R
 reported that all babies from this
 pregnancy were placed for adoption
 (Babies' names are all coded 'BPA');
 no live births resulted from this
 pregnancy (BC-1 PREGXENn not coded 5
 or 6); this baby died shortly after
 birth (Baby's name coded 'BDS');
 child's name matches name listed in
 household roster and relationship is
 natural child (AH-6 RELARnn coded 4);
 child is still living with R (BI-1
 LIVEHERn coded 1); or child is
 deceased (BI-2 ALIVENWn coded 2); or R
 had only one baby with this pregnancy.

3597	11458	5623	21322	Blank	= Blank, inapplicable
0	5	0	5	0843-1092	= Before 1991
0	3	1	5	1093-1150	= 1991 or later
0	0	0	0	9997	= Not Ascertained
0	0	0	0	9998	= Refused
0	0	0	0	9999	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

ANYNURS2 167-167

(When (NAME OF 2ND BABY) was an infant,) (have you breastfed/did you breastfeed) (her/him) at all?

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 Numpregs and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); or R had only one baby with this pregnancy.

3576	11392	5583	21193	Blank	= Blank, inapplicable
8	34	7	50	1	= YES
13	40	34	89	2	= NO
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

RNONUR21 168-169

Please look at Card B-7. What were your reasons for not breastfeeding (NAME OF 2ND BABY)? (1st REASON MENTIONED)

Note: responses coded in categories 6 through 9 were volunteered by some respondents; they did not appear on Card B-7.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); R breastfed this baby (BJ-1 ANYNURSn coded 1); or answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); or R had only one baby with this pregnancy.

3584	11426	5590	21243	Blank	= Blank, inapplicable
0	4	1	5	01	= Job or schedule difficulties
6	12	3	22	02	= Physical or medical difficulties
5	23	29	58	03	= R preferred to bottle-feed
0	1	0	1	04	= R did not know how to breastfeed
0	0	0	0	05	= Other reason-not shown separately
1	0	1	2	06	= Baby refused or did not accept breast milk
0	0	0	0	07	= Baby's father did not

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		1	0	0	1	08	want her to breastfeed = Discouraged by someone other than baby's father
		0	0	0	0	09	= Fears about breastfeeding
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

RNONUR22 170-171

Please look at Card B-7. What were your reasons for not breastfeeding (NAME OF 2ND BABY)? (2nd REASON MENTIONED)

Note: responses coded in categories 6 through 9 were volunteered by some respondents; they did not appear on Card B-7.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); R breastfed this baby (BJ-1 ANYNURSn coded 1); or answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); or R had only one baby with this pregnancy; or R mentioned fewer than 2 reasons for not breastfeeding this baby.

3596	11464	5624	21328	Blank	= Blank, inapplicable
0	0	0	0	01	= Job or schedule difficulties
0	0	0	1	02	= Physical or medical difficulties
1	2	0	3	03	= R preferred to bottle-feed
0	0	0	0	04	= R did not know how to breastfeed
0	0	0	0	05	= Other reason-not shown separately
0	0	0	0	06	= Baby refused or did

(6229)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		0	0	0	0	07	not accept breast milk = Baby's father did not want her to breastfeed
		0	0	0	0	08	= Discouraged by someone other than baby's father
		0	0	0	0	09	= Fears about breastfeeding
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

RNONUR23 172-173

Please look at Card B-7. What were your reasons for not breastfeeding (NAME OF 2ND BABY)? (3rd REASON MENTIONED)

Note: responses coded in categories 6 through 9 were volunteered by some respondents; they did not appear on Card B-7.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); R breastfed this baby (BJ-1 ANYNURSn coded 1); or answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); or R had only one baby with this pregnancy; or R mentioned fewer than 3 reasons for not breastfeeding this baby.

3597	11466	5624	21332	Blank	= Blank, inapplicable
0	0	0	0	01	= Job or schedule difficulties
0	0	0	0	02	= Physical or medical difficulties
0	0	0	0	03	= R preferred to bottle-feed
0	0	0	0	04	= R did not know how to breastfeed
0	0	0	0	05	= Other reason-not shown separately
0	0	0	0	06	= Baby refused or did

(6231)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		0	0	0	0	07	not accept breast milk = Baby's father did not want her to breastfeed
		0	0	0	0	08	= Discouraged by someone other than baby's father
		0	0	0	0	09	= Fears about breastfeeding
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DIFNUR21 174-175

Which of the physical or medical difficulties on Card B-8 did you have with breastfeeding? (2nd BABY) (1st MENTIONED)

Note: responses coded in category 7 were were volunteered by some respondents; this category did not appear on Card B-8.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); R breastfed this baby (BJ-1 ANYNURSn coded 1); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not report having any physical or medical difficulties breastfeeding this baby (BJ-2 RNONURn1, BJ-2 RNONURn2, AND BJ-2 RNONURn3 not coded 2); or R had only one baby with this pregnancy.

3591	11454	5621	21309	Blank	= Blank, inapplicable
2	5	0	8	01	= Baby was ill or weak
0	1	1	2	02	= R were ill or weak
3	1	2	6	03	= R produced insufficient milk
0	0	0	1	04	= R had a nipple or breast problem (such as pain or dryness)
1	1	0	2	05	= R did not want to pass dangerous things

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	3	0	3	06 through breast milk = Other reason-not shown separately
		0	1	0	1	07 = Baby had allergies to breast milk
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DIFNUR22 176-177

Which of the physical or medical difficulties on Card B-8 did you have with breastfeeding? (2nd BABY) (2nd MENTIONED)

Note: responses coded in category 7 were were volunteered by some respondents; this category did not appear on Card B-8.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); R breastfed this baby (BJ-1 ANYNURSn coded 1); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not report having any physical or medical difficulties breastfeeding this baby (BJ-2 RNONURN1, BJ-2 RNONURN2, AND BJ-2 RNONURN3 not coded 2); R had only one baby with this pregnancy; or R mentioned fewer than 2 physical or medical difficulties as reasons for not breastfeeding this baby.

3597	11465	5624	21331	Blank	= Blank, inapplicable
0	0	0	0	01	= Baby was ill or weak
0	0	0	0	02	= R were ill or weak
0	0	0	0	03	= R produced insufficient milk
0	0	0	0	04	= R had a nipple or breast problem (such

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	05 as pain or dryness) = R did not want to pass dangerous things through breast milk
		0	1	0	1	06 = Other reason-not shown separately
		0	0	0	0	07 = Baby had allergies to breast milk
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DIFNUR23 178-179

Which of the physical or medical difficulties on Card B-8 did you have with breastfeeding? (2nd BABY) (3rd MENTIONED)

Note: responses coded in category 7 were were volunteered by some respondents; this category did not appear on Card B-8.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); R breastfed this baby (BJ-1 ANYNURSn coded 1); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not report having any physical or medical difficulties breastfeeding this baby (BJ-2 RNONURn1, BJ-2 RNONURn2, AND BJ-2 RNONURn3 not coded 2); R had only one baby with this pregnancy; or R mentioned fewer than 3 physical or medical difficulties as reasons for not breastfeeding this baby.

3597	11466	5624	21332	Blank	= Blank, inapplicable
0	0	0	0	01	= Baby was ill or weak
0	0	0	0	02	= R were ill or weak
0	0	0	0	03	= R produced insufficient milk
0	0	0	0	04	= R had a nipple or breast problem (such

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
		0	0	0	0	05 as pain or dryness) = R did not want to pass dangerous things through breast milk
		0	0	0	0	06 = Other reason-not shown separately
		0	0	0	0	07 = Baby had allergies to breast milk
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FEDSOLI2 180-180

(Have you fed/Did you feed) (NAME OF 2ND BABY) something other than breastmilk yet?

Inapplicable:
 This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); or this baby is alive and over the age of 2 years (BI-3 WHENDIEn is blank and BD-6 BABDOB is greater than 2 years prior to interview date); or R had only one baby with this pregnancy.

3595	11463	5623	21326	Blank	= Blank, inapplicable
2	3	1	6	1	= YES
0	0	0	0	2	= NO
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MON_EAT2 181-182

How old was (she/he) when you first
 fed (her/him) something other than
 breast milk? (MONTHS) (2nd BABY)

Inapplicable:
 This is a current pregnancy (PREGORDR
 EQ BB-1 NUMPREGS and CURRPREG =YES);
 no live births resulted from this
 pregnancy (BC-1 PREGXENn not coded 5
 or 6); this baby died shortly after
 birth (Baby's name coded 'BDS');
 answer was not ascertained, R refused
 to report, or R did not know how many
 babies were born from this pregnancy
 (BC-2 NBRNLV coded 97, 98, or 99); R
 reported that all babies from this
 pregnancy were placed for adoption
 (Babies' names are all coded 'BPA');
 this baby died or stopped living with
 R prior to 62 days of age (BI-3
 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB
 is less than 62 days); answer was not
 ascertained, R refused to report, or R
 did not know whether she breastfed
 this baby (BJ-1 ANYNURSn coded 7, 8,
 or 9); R did not breastfeed this baby
 (BJ-1 ANYNURSn coded 2); or R has not
 fed this baby anything other than
 breast milk yet (BJ-4 FEDSOLIn coded
 2); or R had only one baby with this
 pregnancy.

3589	11432	5617	21282	Blank	= Blank, inapplicable
4	11	1	16	00	= Answer not reported in months (SEE WKS_EAT2 or DAY_EAT2)
0	5	0	5	01	= 1 month
0	2	0	2	02	= 2 months
1	6	1	9	03	= 3 months
2	6	3	11	04	= 4 months
0	0	1	1	05	= 5 months
1	3	0	4	06	= 6 months
0	0	0	0	07	= 7 months
0	0	0	0	08	= 8 months
0	0	1	1	09	= 9 months
0	0	0	0	10	= 10 months
0	0	0	0	11	= 11 months
0	1	0	1	12	= 12 months
0	0	0	0	13-24	= 13 months or longer

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES	
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL		
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WKS_EAT2 183-184

How old was (she/he) when you first
 fed (her/him) something other than
 breast milk? (WEEKS) (2nd BABY)

Inapplicable:

This is a current pregnancy (PREGORDR
 EQ BB-1 NUMPREGS and CURRPREG =YES);
 no live births resulted from this
 pregnancy (BC-1 PREGXENn not coded 5
 or 6); this baby died shortly after
 birth (Baby's name coded 'BDS');
 answer was not ascertained, R refused
 to report, or R did not know how many
 babies were born from this pregnancy
 (BC-2 NBRNLV coded 97, 98, or 99); R
 reported that all babies from this
 pregnancy were placed for adoption
 (Babies' names are all coded 'BPA');
 this baby died or stopped living with
 R prior to 62 days of age (BI-3
 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB
 is less than 62 days); answer was not
 ascertained, R refused to report, or R
 did not know whether she breastfed
 this baby (BJ-1 ANYNURSn coded 7, 8,
 or 9); R did not breastfeed this baby
 (BJ-1 ANYNURSn coded 2); or R has not
 fed this baby anything other than
 breast milk yet (BJ-4 FEDSOLIn coded
 2); or R had only one baby with this
 pregnancy.

3589	11432	5617	21282	Blank	= Blank, inapplicable
5	29	4	38	00	= Answer not reported in weeks (SEE MON_EAT2 OR DAY_EAT2)
0	2	1	4	01	= 1 week
3	3	2	8	02	= 2 weeks
0	0	0	0	03	= 3 weeks
0	0	0	0	04	= 4 weeks
0	0	0	0	05	= 5 weeks
0	0	0	0	06	= 6 weeks
0	0	0	0	07	= 7 weeks
0	0	0	0	08	= 8 weeks
0	0	0	0	09-20	= 9 weeks or longer
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DAY_EAT2 185-186

How old was (she/he) when you first fed (her/him) something other than breast milk? (DAYS) (2nd BABY)

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); or R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); or R had only one baby with this pregnancy.

3589	11432	5617	21282	Blank	= Blank, inapplicable
7	25	6	38	00	= Answer not reported in days (SEE MON_EAT2 or WKS_EAT2)
0	7	1	9	01	= 1 day
1	1	0	2	02	= 2 days
0	0	0	0	03	= 3 days
0	0	0	0	04	= 4 days
0	1	0	1	05	= 5 days
0	0	0	0	06	= 6 days
0	0	0	0	07	= 7 days
0	0	0	0	08-30	= 8 days or longer
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

QUITNUR2 187-187

Have you stopped breastfeeding
 (her/him) altogether? (2nd BABY)

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); this baby is alive and over the age of 4 years (BI-3 WHENDIEn is blank and BD-6 BABDOB is greater than 4 years prior to interview date); or this baby died (BI-3 WHENDIEn is not blank); or R had only one baby with this pregnancy.

3593	11454	5621	21313	Blank	= Blank, inapplicable
4	12	3	19	1	= YES
0	0	0	0	2	= NO
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MON_QNU2 188-189

How old was (she/he) when you stopped
breastfeeding (her/him) altogether?
(MONTHS) (2nd BABY)

Inapplicable:

This is a current pregnancy (PREGORDR
EQ BB-1 NUMPREGS and CURRPREG =YES);
no live births resulted from this
pregnancy (BC-1 PREGXENn not coded 5
or 6); this baby died shortly after
birth (Baby's name coded 'BDS');
answer was not ascertained, R refused
to report, or R did not know how many
babies were born from this pregnancy
(BC-2 NBRNLV coded 97, 98, or 99); R
reported that all babies from this
pregnancy were placed for adoption
(Babies' names are all coded 'BPA');
this baby died or stopped living with
R prior to 62 days of age (BI-3
WHENDIE_n or BI-4 WHENLEF_n-BD-6 BABDOB
is less than 62 days); answer was not
ascertained, R refused to report, or R
did not know whether she breastfed
this baby (BJ-1 ANYNURSn coded 7, 8,
or 9); R did not breastfeed this baby
(BJ-1 ANYNURSn coded 2); R has not fed
this baby anything other than breast
milk yet (BJ-4 FEDSOLIn coded 2); R
has not stopped breastfeeding this
baby yet (BJ-6 QUITNURn coded 2); or R
had only one baby with this pregnancy.

3589	11432	5617	21282	Blank	= Blank, inapplicable
3	6	1	10	00	= Answer not reported in months (SEE WKS_QNU2 or DAY_QNU2)
0	1	0	1	01	= 1 month
1	5	0	6	02	= 2 months
1	5	0	6	03	= 3 months
1	3	1	5	04	= 4 months
0	4	0	5	05	= 5 months
1	0	1	2	06	= 6 months
0	1	0	1	07	= 7 months
1	3	1	5	08	= 8 months
0	1	2	3	09	= 9 months
0	1	0	1	10	= 10 months
0	1	0	1	11	= 11 months
0	1	1	2	12	= 12 months

(6245)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK		
		0	2	0	2	13-18 = 13-18 months
		0	0	0	0	19-24 = 19-24 months
		0	0	0	0	25-30 = 25-30 months
		0	0	0	0	31-36 = 31-36 months
		0	0	0	0	37-48 = 37 months or longer
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WKS_QNU2 190-191

How old was (she/he) when you stopped
breastfeeding (her/him) altogether?
(WEEKS) (2nd BABY)

Inapplicable:

This is a current pregnancy (PREGORDR
EQ BB-1 NUMPREGS and CURRPREG =YES);
no live births resulted from this
pregnancy (BC-1 PREGXENn not coded 5
or 6); this baby died shortly after
birth (Baby's name coded 'BDS');
answer was not ascertained, R refused
to report, or R did not know how many
babies were born from this pregnancy
(BC-2 NBRNLV coded 97, 98, or 99); R
reported that all babies from this
pregnancy were placed for adoption
(Babies' names are all coded 'BPA');
this baby died or stopped living with
R prior to 62 days of age (BI-3
WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB
is less than 62 days); answer was not
ascertained, R refused to report, or R
did not know whether she breastfed
this baby (BJ-1 ANYNURSn coded 7, 8,
or 9); R did not breastfeed this baby
(BJ-1 ANYNURSn coded 2); R has not fed
this baby anything other than breast
milk yet (BJ-4 FEDSOLIn coded 2); R
has not stopped breastfeeding this
baby yet (BJ-6 QUITNURn coded 2); or R
had only one baby with this pregnancy.

3589	11432	5617	21282	Blank	= Blank, inapplicable
5	28	4	37	00	= Answer not reported in weeks (SEE MON_QNU2 or DAY_QNU2)
0	1	1	3	01	= 1 week
3	2	2	7	02	= 2 weeks
0	0	0	0	03	= 3 weeks
0	1	0	1	04	= 4 weeks
0	0	0	0	05	= 5 weeks
0	2	0	2	06	= 6 weeks
0	0	0	0	07	= 7 weeks
0	0	0	0	08	= 8 weeks
0	0	0	0	09-44	= 9 weeks or longer
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know

(6247)

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DAY_QNU2 192-193

How old was (she/he) when you stopped
breastfeeding (her/him) altogether?
(DAYS) (2nd BABY)

Inapplicable:

This is a current pregnancy (PREGORDR
EQ BB-1 NUMPREGS and CURRPREG =YES);
no live births resulted from this
pregnancy (BC-1 PREGXENn not coded 5
or 6); this baby died shortly after
birth (Baby's name coded 'BDS');
answer was not ascertained, R refused
to report, or R did not know how many
babies were born from this pregnancy
(BC-2 NBRNLV coded 97, 98, or 99); R
reported that all babies from this
pregnancy were placed for adoption
(Babies' names are all coded 'BPA');
this baby died or stopped living with
R prior to 62 days of age (BI-3
WHENDIE n or BI-4 WHENLEFn-BD-6 BABDOB
is less than 62 days); answer was not
ascertained, R refused to report, or R
did not know whether she breastfed
this baby (BJ-1 ANYNURSn coded 7, 8,
or 9); R did not breastfeed this baby
(BJ-1 ANYNURSn coded 2); R has not fed
this baby anything other than breast
milk yet (BJ-4 FEDSOLIn coded 2); R
has not stopped breastfeeding this
baby yet (BJ-6 QUITNURn coded 2); or R
had only one baby with this pregnancy.

3589	11432	5617	21282	Blank	= Blank, inapplicable
6	31	6	44	00	= Answer not reported in days (SEE MON_QNU2 or WKS_QNU2)
0	2	1	3	01	= 1 day
1	0	0	1	02	= 2 days
1	0	0	1	03	= 3 days
0	0	0	0	04	= 4 days
0	0	0	0	05	= 5 days
0	0	0	0	06	= 6 days
0	0	0	0	07	= 7 days
0	1	0	1	08-30	= 8 days or longer
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

YSTPNU21 194-195

Please look at Card B-9. Why did you stop breastfeeding (her/him) when you did? (2nd BABY) (1st MENTIONED)

Note: responses coded in categories 6 through 9 were volunteered by some respondents; they did not appear on Card B-9.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); or R has not stopped breastfeeding this baby yet (BJ-6 QUITNURN coded 2); or R had only one baby with this pregnancy.

3589	11432	5617	21282	Blank	= Blank, inapplicable
0	7	1	8	01	= Job or schedule difficulties
2	13	1	17	02	= Physical or medical difficulties
3	5	1	9	03	= R preferred to bottle-feed
3	7	4	14	04	= Baby was old enough to wean
0	1	0	1	05	= Other reason-not shown separately

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	06 = Baby refused or did not accept breast milk
		0	0	0	0	07 = Baby's father did not want her to breastfeed
		0	0	0	0	08 = Discouraged by someone other than baby's father
		0	0	0	0	09 = Fears about breastfeeding
		0	1	0	1	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

YSTPNU22 196-197

Please look at Card B-9. Why did you stop breastfeeding (her/him) when you did? (2nd BABY) (2nd MENTIONED)

Note: responses coded in categories 6 through 9 were volunteered by some respondents; they did not appear on Card B-9.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); or R has not stopped breastfeeding this baby yet (BJ-6 QUITNURN coded 2); or R had only one baby with this pregnancy; or R mentioned fewer than 2 reasons for stopping her breastfeeding of this baby.

3597	11464	5624	21330	Blank	= Blank, inapplicable
0	0	0	0	01	= Job or schedule difficulties
0	0	0	0	02	= Physical or medical difficulties
0	1	0	1	03	= R preferred to bottle-feed
0	1	0	1	04	= Baby was old enough to

(6251)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		0	0	0	0	05	wean = Other reason-not shown separately
		0	0	0	0	06	= Baby refused or did not accept breast milk
		0	0	0	0	07	= Baby's father did not want her to breastfeed
		0	0	0	0	08	= Discouraged by someone other than baby's father
		0	0	0	0	09	= Fears about breastfeeding
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

YSTPNU23 198-199

Please look at Card B-9. Why did you stop breastfeeding (her/him) when you did? (2nd BABY) (3rd MENTIONED)

Note: responses coded in categories 6 through 9 were volunteered by some respondents; they did not appear on Card B-9.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); or R has not stopped breastfeeding this baby yet (BJ-6 QUITNURN coded 2); or R had only one baby with this pregnancy; or R mentioned fewer than 3 reasons for stopping her breastfeeding of this baby.

3597	11465	5624	21331	Blank	= Blank, inapplicable
0	0	0	0	01	= Job or schedule difficulties
0	0	0	0	02	= Physical or medical difficulties
0	0	0	0	03	= R preferred to bottle-feed
0	1	0	1	04	= Baby was old enough to

(6253)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	05 wean = Other reason-not shown separately
		0	0	0	0	06 = Baby refused or did not accept breast milk
		0	0	0	0	07 = Baby's father did not want her to breastfeed
		0	0	0	0	08 = Discouraged by someone other than baby's father
		0	0	0	0	09 = Fears about breastfeeding
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DIFSTN21 200-201

Which of the physical or medical difficulties on Card B-10 did you have with breastfeeding? (2nd BABY) (1st MENTIONED)

Note: responses coded in category 7 were were volunteered by some respondents; this category did not appear on Card B-10.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEN or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); R has not stopped breastfeeding this baby yet (BJ-6 QUITNURN coded 2); or R did not report having physical or medical difficulties with breastfeeding this baby (BJ-8 YSTPNUn1, BJ-8 YSTPNUn2 and BJ-8 YSTPNUn3 not coded 2); or R had only one baby with this pregnancy.

3595	11453	5623	21315	Blank	= Blank, inapplicable
0	2	0	3	01	= Baby was ill or weak
0	1	0	1	02	= R were ill or weak
1	6	1	8	03	= R produced insufficient milk

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	3	0	3	04 = R had a nipple or breast problem (such as pain or dryness)
		1	1	0	2	05 = R did not want to pass dangerous things through breast milk
		0	0	0	0	06 = Other reason-not shown separately
		0	0	0	0	07 = Baby had allergies to breast milk
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

DIFSTN22 202-203

Which of the physical or medical difficulties on Card B-10 did you have with breastfeeding? (2nd BABY) (2nd MENTIONED)

Note: responses coded in category 7 were were volunteered by some respondents; this category did not appear on Card B-10.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); R has not stopped breastfeeding this baby yet (BJ-6 QUITNURn coded 2); or R did not report having physical or medical difficulties with breastfeeding this baby (BJ-8 YSTPNUn1, BJ-8 YSTPNUn2 and BJ-8 YSTPNUn3 not coded 2); or R had only one baby with this pregnancy; or R mentioned fewer than 2 physical or medical difficulties as reasons for quitting her breastfeeding of this baby.

3597 11466 5624 21332 Blank = Blank, inapplicable

(6257)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	01 = Baby was ill or weak
		0	0	0	0	02 = R were ill or weak
		0	0	0	0	03 = R produced insufficient milk
		0	0	0	0	04 = R had a nipple or breast problem (such as pain or dryness)
		0	0	0	0	05 = R did not want to pass dangerous things through breast milk
		0	0	0	0	06 = Other reason-not shown separately
		0	0	0	0	07 = Baby had allergies to breast milk
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DIFSTN23 204-205

Which of the physical or medical difficulties on Card B-10 did you have with breastfeeding? (2nd BABY) (3rd MENTIONED)

Note: responses coded in category 7 were were volunteered by some respondents; this category did not appear on Card B-10.

Inapplicable:

This is a current pregnancy (PREGORDR EQ BB-1 NUMPREGS and CURRPREG =YES); no live births resulted from this pregnancy (BC-1 PREGXENn not coded 5 or 6); this baby died shortly after birth (Baby's name coded 'BDS'); answer was not ascertained, R refused to report, or R did not know how many babies were born from this pregnancy (BC-2 NBRNLV coded 97, 98, or 99); R reported that all babies from this pregnancy were placed for adoption (Babies' names are all coded 'BPA'); or this baby died or stopped living with R prior to 62 days of age (BI-3 WHENDIEn or BI-4 WHENLEFn-BD-6 BABDOB is less than 62 days); answer was not ascertained, R refused to report, or R did not know whether she breastfed this baby (BJ-1 ANYNURSn coded 7, 8, or 9); R did not breastfeed this baby (BJ-1 ANYNURSn coded 2); R has not fed this baby anything other than breast milk yet (BJ-4 FEDSOLIn coded 2); R has not stopped breastfeeding this baby yet (BJ-6 QUITNURn coded 2); or R did not report having physical or medical difficulties with breastfeeding this baby (BJ-8 YSTPNUn1, BJ-8 YSTPNUn2 and BJ-8 YSTPNUn3 not coded 2); or R had only one baby with this pregnancy; or R mentioned fewer than 3 physical or medical difficulties as reasons for quitting her breastfeeding of this baby.

3597 11466 5624 21332 Blank = Blank, inapplicable

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	01 = Baby was ill or weak
		0	0	0	0	02 = R were ill or weak
		0	0	0	0	03 = R produced insufficient milk
		0	0	0	0	04 = R had a nipple or breast problem (such as pain or dryness)
		0	0	0	0	05 = R did not want to pass dangerous things through breast milk
		0	0	0	0	06 = Other reason-not shown separately
		0	0	0	0	07 = Baby had allergies to breast milk
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

PREGEND 206-209

COMPUTED: Pregnancy end date.

Inapplicable:

This is a current pregnancy (PREGORDR
EQ BB-1 Numpregs and CURRPREG = YES.)

81	236	102	428	Blank	= Blank, inapplicable
2565	8706	4268	16010	0770-1092	= Before 1991
915	2402	1184	4662	1093-1149	= 1991 or later
0	0	0	0	9997	= Not Ascertained
5	11	15	31	9998	= Refused
31	111	55	201	9999	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

GEST_WKS 210-211

COMPUTED: Weeks of gestation.

Inapplicable:

This is a current pregnancy (PREGORDR
EQ BB-1 NUMPREGS and CURRPREG = YES.)

81	236	102	428	Blank	= Blank, inapplicable
1	2	2	5	00	= Less than 1 week
1	3	5	9	01	= 1 week
18	51	39	111	02	= 2 weeks
46	94	61	210	03	= 3 weeks
103	313	182	616	04	= 4 weeks
42	104	35	187	05	= 5 weeks
126	496	228	876	06	= 6 weeks
35	169	37	245	07	= 7 weeks
52	314	121	498	08	= 8 weeks
138	462	278	903	09	= 9 weeks
32	184	82	310	10	= 10 weeks
25	140	52	219	11	= 11 weeks
21	144	68	240	12	= 12 weeks
91	339	175	621	13	= 13 weeks
4	36	8	53	14	= 14 weeks
13	48	21	86	15	= 15 weeks
8	32	10	53	16	= 16 weeks
45	116	90	254	17	= 17 weeks
3	10	5	20	18	= 18 weeks
8	28	7	43	19	= 19 weeks
0	19	11	30	20	= 20 weeks
2	6	4	12	21	= 21 weeks
25	54	71	154	22	= 22 weeks
3	7	4	14	23	= 23 weeks
5	17	10	32	24	= 24 weeks
0	2	2	4	25	= 25 weeks
9	35	43	88	26	= 26 weeks
0	4	3	7	27	= 27 weeks
5	16	21	43	28	= 28 weeks
5	9	9	24	29	= 29 weeks
39	77	108	232	30	= 30 weeks
1	14	1	16	31	= 31 weeks
20	76	40	143	32	= 32 weeks
7	34	16	58	33	= 33 weeks
5	30	11	46	34	= 34 weeks
83	221	163	479	35	= 35 weeks
51	213	44	313	36	= 36 weeks
85	401	94	602	37	= 37 weeks
64	303	70	455	38	= 38 weeks
2039	4734	2960	10070	39	= 39 weeks
104	643	133	902	40	= 40 weeks
100	692	103	927	41	= 41 weeks

(6261)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

EVUSEINT 217-217

Did you ever use any method of birth control between (your first (voluntary) intercourse/END DATE OF PREVIOUS PREGNANCY) and (Computed variable PREGEND/(BABY NAME)'s birth)? Remember to include methods men use --that is condoms, vasectomy, and withdrawal--in your answer.

Inapplicable:

R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHVOL NE 1); R first had sex after 1/91 (CH-1 WNFSTSEX GE 1093); R is currently pregnant for the first time (BB-1 NUMPREGS = 1 and CURRPREG = 1); or this pregnancy interval began after 1/91.

2243	5304	2996	10952	Blank	= Blank, inapplicable
916	4629	1595	7301	1	= YES
438	1513	1025	3050	2	= NO
0	15	5	21	7	= Not Ascertained
0	0	0	0	8	= Refused
0	5	3	8	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

EVERSTOP 218-218

Before you became pregnant with (your (Nth) pregnancy which ended in (Computed variable PREGEND)/(BABY NAME)), had you stopped using all methods of birth control?

Inapplicable:

R has never had voluntary sex (CH-8 EVRHVOL NE 1); R first had sex after 1/91 (CH-1 WNFSTSEX GE 1093); R is currently pregnant for the first time (BB-1 NUMPREGS = 1 and CURRPREG = 1); R's pregnancy interval began after 1/91; or R did not use a birth control method in the interval (coded 2 in ED -1 EVUSEINT).

1885	3708	2795	8730	Blank	= Blank, inapplicable
1083	5050	1612	7937	1	= YES
623	2693	1210	4637	2	= NO
2	9	3	14	7	= Not Ascertained
1	0	0	1	8	= Refused
3	6	4	13	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

DATESTOP 219-222

The computer calculates that you became pregnant with (your (Nth) pregnancy which ended in (Computed variable PREGEND)/(BABY NAME)) around (PREGNANCY BEGIN DATE). In what month and year had you stopped using all methods of birth control?

Inapplicable:

R has never had voluntary sex (CH-8 EVRHDVOL NE 1); R first had sex after 1/91 (CH-1 WNFSTSEX GE 1093); R is currently pregnant for the first time (BB-1 NUMPREGS = 1 and CURRPREG = 1); R's pregnancy interval began after 1/91; R did not use a birth control method in the interval (coded 2 in ED-1 EVUSEINT); or R's pregnancy began after 1/91 (computed variable CONCEPT GE 1093).

2514	6416	4012	13395	Blank	= Blank, inapplicable
6	91	45	142	0781-0852	= 1970 or earlier
240	1584	466	2340	0853-0972	= 1971-1980
659	2690	879	4340	0973-1092	= 1981-1990
153	574	141	894	1093-1150	= 1991 or later
4	5	4	13	9997	= Not ascertained
0	0	0	0	9998	= Refused
21	106	77	208	9999	= Don't know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHUSE1 223-224

Before you became pregnant with (your (Nth) pregnancy which ended in (Computed variable PREGEND)/(BABY NAME)), which of the methods on Card E-6 was the last method of birth control that you were using? If you were using two or more methods at the same time, please tell me about this. (For example, a woman might use the pill and the man might use a condom on the same occasion.) (1st MENTIONED)

Inapplicable:

R has never had voluntary sex (CH-8 EVRHVOL NE 1); R first had sex after 1/91 (CH-1 WNFSTSEX GE 1093); R is currently pregnant for the first time (BB-1 NUMPREGS =1 and CURRPREG = 1); R's pregnancy interval began after 1/91; or R did not use a birth control method in the interval (coded 2 in ED-1 EVUSEINT); R's pregnancy began after 1/91 (computed variable CONCEPT GE 1093); R's pregnancy began on or after 1/91 and the date she stopped using a birth control method was on or after 1/91 (computed variable CONCEPT GE 1093 and ED-3 DATESTOP GE 1093).

2218	4918	3236	10767	Blank	= Blank, inapplicable
0	0	0	0	01	= OFFICE USE ONLY
0	0	0	0	02	= OFFICE USE ONLY
681	2991	1411	5181	03	= BIRTH CONTROL PILLS
273	1411	481	2238	04	= CONDOM
3	13	0	16	05	= PARTNER S VASECTOMY
59	668	98	832	06	= DIAPHRAGM
24	222	48	298	07	= FOAM
5	33	13	51	08	= JELLY OR CREAM
0	6	1	7	09	= CERVICAL CAP
20	95	29	146	10	= SUPPOSITORY, INSERT
20	86	24	132	11	= TODAY (TM) SPONGE
0	0	1	2	12	= FEMALE CONDOM, VAGINAL POUCH
113	249	111	483	13	= IUD, COIL, LOOP
1	1	0	2	14	= NORPLANT (TM)
17	1	3	21	15	= DEPO-PROVERA, INJECTABLES
0	2	0	2	16	= MORNING AFTER PILLS
78	327	54	481	17	= RHYTHM OR SAFE PERIOD

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		2	47	0	50	18	BY CALENDAR = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		78	353	92	548	19	= WITHDRAWAL
		2	11	3	16	20	= RESPONDENT STERILE
		0	1	0	1	21	= PARTNER STERILE (NOT ON CARD)
		2	14	6	23	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	2	5	7	97	= Not Ascertained
		0	1	2	3	98	= Refused
		1	14	6	25	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHUSE2 225-226

Before you became pregnant with (your (Nth) pregnancy which ended in (Computed variable PREGEND)/(BABY NAME)), which of the methods on Card E-6 was the last method of birth control that you were using? If you were using two or more methods at the same time, please tell me about this. (For example, a woman might use the pill and the man might use a condom on the same occasion.) (2nd MENTIONED)

Inapplicable:

R has never had voluntary sex (CH-8 EVRHVOL NE 1); R first had sex after 1/91 (CH-1 WNFSTSEX GE 1093); R is currently pregnant for the first time (BB-1 NUMPREGS =1 and CURRPREG = 1); R's pregnancy interval began after 1/91; or R did not use a birth control method in the interval (coded 2 in ED-1 EVUSEINT); R's pregnancy began after 1/91 (computed variable CONCEPT GE 1093); R's pregnancy began on or after 1/91 and the date she stopped using a birth control method was on or after 1/91 (computed variable CONCEPT GE 1093 and ED-3 DATESTOP GE 1093); or R mentioned fewer than 2 methods used prior to this pregnancy.

3489	10963	5493	20570	Blank	= Blank, inapplicable
0	0	0	0	01	= OFFICE USE ONLY
0	0	0	0	02	= OFFICE USE ONLY
2	4	3	10	03	= BIRTH CONTROL PILLS
16	95	44	163	04	= CONDOM
0	1	0	1	05	= PARTNER S VASECTOMY
3	39	4	46	06	= DIAPHRAGM
20	102	20	144	07	= FOAM
11	43	12	66	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
7	17	7	32	10	= SUPPOSITORY, INSERT
2	15	4	21	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	1	2	3	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
1	1	0	2	15	= DEPO-PROVERA, INJECTABLES

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		0	0	0	0	16	= MORNING AFTER PILLS
		13	61	9	84	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
		1	8	0	9	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		31	98	13	145	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	1	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	4	6	10	97	= Not Ascertained
		0	1	2	3	98	= Refused
		1	12	5	22	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHUSE3 227-228

Before you became pregnant with (your (Nth) pregnancy which ended in (Computed variable PREGEND)/(BABY NAME)), which of the methods on Card E-6 was the last method of birth control that you were using? If you were using two or more methods at the same time, please tell me about this. (For example, a woman might use the pill and the man might use a condom on the same occasion.) (3rd MENTIONED)

Inapplicable:

R has never had voluntary sex (CH-8 EVRHVOL NE 1); R first had sex after 1/91 (CH-1 WNFSTSEX GE 1093); R is currently pregnant for the first time (BB-1 NUMPREGS =1 and CURRPREG = 1); R's pregnancy interval began after 1/91; or R did not use a birth control method in the interval (coded 2 in ED-1 EVUSEINT); R's pregnancy began after 1/91 (computed variable CONCEPT GE 1093); R's pregnancy began on or after 1/91 and the date she stopped using a birth control method was on or after 1/91 (computed variable CONCEPT GE 1093 and ED-3 DATESTOP GE 1093); or R mentioned fewer than 3 methods used prior to this pregnancy.

3584	11378	5595	21197	Blank	= Blank, inapplicable
0	0	0	0	01	= OFFICE USE ONLY
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	4	1	5	04	= CONDOM
0	0	0	0	05	= PARTNER S VASECTOMY
0	2	1	3	06	= DIAPHRAGM
2	10	4	17	07	= FOAM
0	9	2	11	08	= JELLY OR CREAM
0	1	0	1	09	= CERVICAL CAP
1	6	3	10	10	= SUPPOSITORY, INSERT
0	5	3	8	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	1	1	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		0	0	0	0	16	= MORNING AFTER PILLS
		4	12	0	16	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
		0	4	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		5	18	1	24	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	4	6	10	97	= Not Ascertained
		0	1	2	3	98	= Refused
		1	12	5	22	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHUSE4 229-230

Before you became pregnant with (your (Nth) pregnancy which ended in (Computed variable PREGEND)/(BABY NAME)), which of the methods on Card E -6 was the last method of birth control that you were using? If you were using two or more methods at the same time, please tell me about this. (For example, a woman might use the pill and the man might use a condom on the same occasion.) (4th MENTIONED)

Inapplicable:

R has never had voluntary sex (CH-8 EVRHVOL NE 1); R first had sex after 1/91 (CH-1 WNFSTSEX GE 1093); R is currently pregnant for the first time (BB-1 NUMPREGS =1 and CURRPREG = 1); R's pregnancy interval began after 1/91; or R did not use a birth control method in the interval (coded 2 in ED -1 EVUSEINT); R's pregnancy began after 1/91 (computed variable CONCEPT GE 1093); R's pregnancy began on or after 1/91 and the date she stopped using a birth control method was on or after 1/91 (computed variable CONCEPT GE 1093 and ED-3 DATESTOP GE 1093); or R mentioned fewer than 4 methods used prior to this pregnancy.

3596	11430	5606	21273	Blank	= Blank, inapplicable
0	0	0	0	01	= OFFICE USE ONLY
0	0	0	0	02	= OFFICE USE ONLY
0	1	0	1	03	= BIRTH CONTROL PILLS
0	2	0	2	04	= CONDOM
0	0	0	0	05	= PARTNER S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	1	2	07	= FOAM
0	2	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	5	1	6	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	16 = MORNING AFTER PILLS
		0	3	2	5	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		0	3	0	3	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	2	0	2	19 = WITHDRAWAL
		0	0	0	0	20 = RESPONDENT STERILE
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	4	6	10	97 = Not Ascertained
		0	1	2	3	98 = Refused
		1	12	5	22	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHUSE5 231-232

Before you became pregnant with (your (Nth) pregnancy which ended in (Computed variable PREGEND)/(BABY NAME)), which of the methods on Card E-6 was the last method of birth control that you were using? If you were using two or more methods at the same time, please tell me about this. (For example, a woman might use the pill and the man might use a condom on the same occasion.) (5th MENTIONED)

Inapplicable:

R has never had voluntary sex (CH-8 EVRHVOL NE 1); R first had sex after 1/91 (CH-1 WNFSTSEX GE 1093); R is currently pregnant for the first time (BB-1 NUMPREGS =1 and CURRPREG = 1); R's pregnancy interval began after 1/91; or R did not use a birth control method in the interval (coded 2 in ED-1 EVUSEINT); R's pregnancy began after 1/91 (computed variable CONCEPT GE 1093); R's pregnancy began on or after 1/91 and the date she stopped using a birth control method was on or after 1/91 (computed variable CONCEPT GE 1093 and ED-3 DATESTOP GE 1093); or R mentioned fewer than 5 methods used prior to this pregnancy.

3596	11443	5610	21290	Blank	= Blank, inapplicable
0	0	0	0	01	= OFFICE USE ONLY
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	16	= MORNING AFTER PILLS
		0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
		0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	3	0	3	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	4	6	10	97	= Not Ascertained
		0	1	2	3	98	= Refused
		1	12	5	22	99	= Don't Know

DATSTR1 233-236

When did you start using that method (combination)? If you used that method (combination) on and off, please tell me the month and year that you began using your method the most recent time before that pregnancy.

Inapplicable:

R has never had voluntary sex (CH-8 EVRHVOL NE 1); R's pregnancy interval began after 1/91; R did not use a birth control method in the interval (coded 2 in ED-1 EVUSEINT); R first had sex after 1/91 (CH-1 WNFSTSEX GE 1093); R is currently pregnant for the first time (BB-1 NUMPREGS = 1 and CURRPREG = 1); R's pregnancy began after 1/91 (computed variable CONCEPT GE 1093); R's pregnancy began on or after 1/91 and the date she stopped using a birth control method was on or after 1/91 (computed variable CONCEPT GE 1093 and ED-3 DATESTOP GE 1093).

2218	4920	3237	10771	Blank	= Blank, inapplicable
0	0	2	4	0611-0732	= 1960 or earlier
24	269	126	426	0733-0852	= 1961-1970
511	3096	954	4648	0853-0972	= 1971-1980
800	2971	1196	5103	0973-1092	= 1981-1990
0	2	3	5	1093-1150	= 1991 or later
1	9	6	16	9997	= Not ascertained
2	2	2	6	9998	= Refused
41	197	98	353	9999	= Don't know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

STOPDUSE 237-237

Before you became pregnant (this time/with your Nth pregnancy which ended in (computed variable PREGEND)), had you stopped using all methods of birth control?

Note: See section on "data quality" for discussion pertaining to the EG series.

Inapplicable:

R has never had voluntary sex (CH-8 EVRHVOL NE 1); R's pregnancy interval began prior to 1/91, R has used a birth control method, but not in the interval (beginning of interval was before 1/91, computed variable EVERUSED = 1, and ED-1 EVUSEINT = 2); R's pregnancy interval began prior to 1/91 and she used a birth control method in the interval (beginning of interval was before 1/91 and computed variable EVERUSED = 1 and ED-1 EVUSEINT = 1); R's pregnancy interval began after 1/91 and she did not use a birth control method in the month her pregnancy began (beginning of interval was after 1/91 and EF-1 METHHnnn = 1 for computed variable CONCEPT); or R's pregnancy interval began after 1/91 and she used a birth control method in the month her pregnancy began and the month after her pregnancy began (beginning of interval was after 1/91 and EF-1 METHHnnn NE 1 and EF-1 METHHnnn NE blank for both Computed variable CONCEPT and Computed variable CONCEPT+1).

3479	11121	5483	20713	Blank	= Blank, inapplicable
78	250	105	444	1	= YES
40	93	36	173	2	= NO
0	1	0	1	7	= Not Ascertained
0	0	0	0	8	= Refused
0	1	0	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WHYSTOPD 238-238

Was the reason you stopped using all methods of birth control because you yourself wanted to become pregnant?

Note: See section on "data quality" for discussion pertaining to the EG series.

Inapplicable:

R has never had voluntary sex (CH-8 EVRHDVOL NE 1); R's pregnancy interval began prior to 1/91, R has used a birth control method, but not in the interval (beginning of interval was before 1/91, computed variable EVERUSED = 1, and ED-1 EVUSEINT = 2); R's pregnancy interval began prior to 1/91 and she used a birth control method in the interval (beginning of interval was before 1/91 and computed variable EVERUSED = 1 and ED-1 EVUSEINT = 1); R's pregnancy interval began after 1/91 and she did not use a birth control method in the month her pregnancy began (beginning of interval was after 1/91 and EF-1 METHHnnn = 1 for computed variable CONCEPT); R's pregnancy interval began after 1/91 and she used a birth control method in the month her pregnancy began and the month after her pregnancy began (beginning of interval was after 1/91 and EF-1 METHHnnn NE 1 and EF-1 METHHnnn NE blank for both Computed variable CONCEPT and computed variable CONCEPT+1); or R did not stop using all methods of birth control before she became pregnant (EG-1 STOPDUSE = 2).

3519	11216	5519	20888	Blank	= Blank, inapplicable
50	199	42	300	1	= YES
28	50	63	142	2	= NO
0	0	0	1	7	= Not Ascertained
0	0	0	0	8	= Refused
0	1	0	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WHATMET1 239-240

You may have already told me, but looking at Card E-6, what methods were you using at the time you became pregnant (this time/with your Nth pregnancy which ended in (computed variable PREGEND))? (1st MENTIONED)

Note: See section on "data quality" for discussion pertaining to the EG series.

Inapplicable:

R has never had voluntary sex (CH-8 EVRHVOL NE 1 R's pregnancy interval began prior to 1/91, R has used a birth control method, but not in the interval (beginning of interval was before 1/91, computed variable EVERUSED = 1, and ED-1 EVUSEINT = 2)); R has used a birth control method in the interval, and R stopped using it before she became pregnant (beginning of interval was before 1/91, computed variable EVERUSED = 1, ED-1 EVUSEINT = 1, and ED-2 EVERSTOP = 1); R's pregnancy interval began after 1/91 and she did not use a birth control method in the month her pregnancy began (beginning of interval was after 1/91 and EF-1 METHHnnn = 1 for computed variable CONCEPT); or R had stopped using all methods of birth control before she became pregnant (EG-1 STOPDUSE = 1).

2782	8324	4147	15748	Blank	= Blank, inapplicable
78	218	118	423	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
262	923	661	1877	03	= BIRTH CONTROL PILLS
212	769	406	1447	04	= CONDOM
1	2	0	3	05	= PARTNER S VASECTOMY
38	312	54	407	06	= DIAPHRAGM
16	120	27	165	07	= FOAM
4	21	8	33	08	= JELLY OR CREAM
2	4	1	7	09	= CERVICAL CAP
8	45	17	73	10	= SUPPOSITORY, INSERT
11	62	16	89	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		34	80	38	154	13	= IUD, COIL, LOOP
		2	5	1	8	14	= NORPLANT (TM)
		7	4	2	13	15	= DEPO-PROVERA, INJECTABLES
		0	1	0	1	16	= MORNING AFTER PILLS
		70	250	42	379	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
		5	54	0	60	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		57	252	77	405	19	= WITHDRAWAL
		1	8	4	13	20	= RESPONDENT STERILE
		1	0	0	1	21	= PARTNER STERILE (NOT ON CARD)
		2	1	0	3	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		2	2	5	9	97	= Not Ascertained
		0	3	0	4	98	= Refused
		1	6	0	9	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE	COLUMN	NON-HISPANIC			
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL QX TEXT AND CODE CATEGORIES

WHATMET2 241-242

You may have already told me, but looking at Card E-6, what methods were you using at the time you became pregnant (this time/with your Nth pregnancy which ended in (computed variable PREGEND))? (2nd MENTIONED)

Note: See section on "data quality" for discussion pertaining to the EG series.

Inapplicable:

R has never had voluntary sex (CH-8 EVRHVOL NE 1); R's pregnancy interval began prior to 1/91, R has used a birth control method, but not in the interval (beginning of interval was before 1/91, computed variable EVERUSED = 1, and ED-1 EVUSEINT = 2); R has used a birth control method in the interval, and R stopped using it before she became pregnant (beginning of interval was before 1/91, computed variable EVERUSED = 1, ED-1 EVUSEINT = 1, and ED-2 EVERSTOP = 1); R's pregnancy interval began after 1/91 and she did not use a birth control method in the month her pregnancy began (beginning of interval was after 1/91 and EF-1 METHHnnn = 1 for computed variable CONCEPT); or R had stopped using all methods of birth control before she became pregnant (EG-1 STOPDUSE = 1); or R mentioned fewer than 2 methods used around the time of conception.

3468	11022	5470	20577	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
2	4	1	7	03	= BIRTH CONTROL PILLS
23	54	50	131	04	= CONDOM
0	0	0	0	05	= PARTNER S VASECTOMY
2	31	5	38	06	= DIAPHRAGM
19	67	21	110	07	= FOAM
2	41	17	61	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
5	13	11	29	10	= SUPPOSITORY, INSERT
5	16	5	27	11	= TODAY (TM) SPONGE

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	1	1	12 = FEMALE CONDOM, VAGINAL POUCH
		0	1	2	3	13 = IUD, COIL, LOOP
		0	0	0	0	14 = NORPLANT (TM)
		2	0	1	3	15 = DEPO-PROVERA, INJECTABLES
		0	0	0	0	16 = MORNING AFTER PILLS
		23	73	7	109	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		1	3	1	6	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		42	130	27	208	19 = WITHDRAWAL
		0	0	0	0	20 = RESPONDENT STERILE
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		2	2	5	9	97 = Not Ascertained
		0	3	0	4	98 = Refused
		1	6	0	9	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WHATMET3 243-244

You may have already told me, but looking at Card E-6, what methods were you using at the time you became pregnant (this time/with your Nth pregnancy which ended in (computed variable PREGEND))? (3rd MENTIONED)

Note: See section on "data quality" for discussion pertaining to the EG series.

Inapplicable:

R has never had voluntary sex (CH-8 EVRHVOL NE 1); R's pregnancy interval began prior to 1/91, R has used a birth control method, but not in the interval (beginning of interval was before 1/91, computed variable EVERUSED = 1, and ED-1 EVUSEINT = 2); R has used a birth control method in the interval, and R stopped using it before she became pregnant (beginning of interval was before 1/91, computed variable EVERUSED = 1, ED-1 EVUSEINT = 1, and ED-2 EVERSTOP = 1); R's pregnancy interval began after 1/91 and she did not use a birth control method in the month her pregnancy began (beginning of interval was after 1/91 and EF-1 METHHnnn = 1 for computed variable CONCEPT); or R had stopped using all methods of birth control before she became pregnant (EG-1 STOPDUSE = 1); or R mentioned fewer than 3 methods used around the time of conception.

3580	11372	5601	21194	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	2	0	2	03	= BIRTH CONTROL PILLS
0	13	0	13	04	= CONDOM
0	0	0	0	05	= PARTNER S VASECTOMY
0	0	1	1	06	= DIAPHRAGM
2	8	1	12	07	= FOAM
0	11	0	11	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	8	4	13	10	= SUPPOSITORY, INSERT
0	2	2	4	11	= TODAY (TM) SPONGE

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
		0	0	1	1	13 = IUD, COIL, LOOP
		0	0	0	0	14 = NORPLANT (TM)
		0	0	0	0	15 = DEPO-PROVERA, INJECTABLES
		0	2	0	2	16 = MORNING AFTER PILLS
		1	8	4	13	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		0	4	0	4	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		9	25	5	39	19 = WITHDRAWAL
		0	0	0	0	20 = RESPONDENT STERILE
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		2	2	5	9	97 = Not Ascertained
		0	3	0	4	98 = Refused
		1	6	0	9	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

WHATMET4 245-246

You may have already told me, but looking at Card E-6, what methods were you using at the time you became pregnant (this time/with your Nth pregnancy which ended in (computed variable PREGEND))? (4th MENTIONED)

Note: See section on "data quality" for discussion pertaining to the EG series.

Inapplicable:

R has never had voluntary sex (CH-8 EVRHVOL NE 1); R's pregnancy interval began prior to 1/91, R has used a birth control method, but not in the interval (beginning of interval was before 1/91, computed variable EVERUSED = 1, and ED-1 EVUSEINT = 2); R has used a birth control method in the interval, and R stopped using it before she became pregnant (beginning of interval was before 1/91, computed variable EVERUSED = 1, ED-1 EVUSEINT = 1, and ED-2 EVERSTOP = 1); R's pregnancy interval began after 1/91 and she did not use a birth control method in the month her pregnancy began (beginning of interval was after 1/91 and EF-1 METHHnnn = 1 for computed variable CONCEPT); or R had stopped using all methods of birth control before she became pregnant (EG-1 STOPDUSE = 1); or R mentioned fewer than 4 methods used around the time of conception.

3594	11436	5616	21288	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	1	0	1	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	1	0	1	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	2	0	2	10		= SUPPOSITORY, INSERT
0	3	0	3	11		= TODAY (TM) SPONGE

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
		0	1	0	1	13 = IUD, COIL, LOOP
		0	0	0	0	14 = NORPLANT (TM)
		0	0	0	0	15 = DEPO-PROVERA, INJECTABLES
		0	0	0	0	16 = MORNING AFTER PILLS
		0	4	0	4	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		0	4	0	4	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	3	3	6	19 = WITHDRAWAL
		0	0	0	0	20 = RESPONDENT STERILE
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		2	2	5	9	97 = Not Ascertained
		0	3	0	4	98 = Refused
		1	6	0	9	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE	COLUMN	NON-HISPANIC			
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL QX TEXT AND CODE CATEGORIES

WHATMET5 247-248

You may have already told me, but looking at Card E-6, what methods were you using at the time you became pregnant (this time/with your Nth pregnancy which ended in (computed variable PREGEND))? (5th MENTIONED)

Note: See section on "data quality" for discussion pertaining to the EG series.

Inapplicable:

R has never had voluntary sex (CH-8 EVRHVOL NE 1); R's pregnancy interval began prior to 1/91, R has used a birth control method, but not in the interval (beginning of interval was before 1/91, computed variable EVERUSED = 1, and ED-1 EVUSEINT = 2); R has used a birth control method in the interval, and R stopped using it before she became pregnant (beginning of interval was before 1/91, computed variable EVERUSED = 1, ED-1 EVUSEINT = 1, and ED-2 EVERSTOP = 1); R's pregnancy interval began after 1/91 and she did not use a birth control method in the month her pregnancy began (beginning of interval was after 1/91 and EF-1 METHHnnn = 1 for computed variable CONCEPT); or R had stopped using all methods of birth control before she became pregnant (EG-1 STOPDUSE = 1); or R mentioned fewer than 5 methods used around the time of conception.

3594	11450	5619	21305	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
		0	0	0	0	13 = IUD, COIL, LOOP
		0	0	0	0	14 = NORPLANT (TM)
		0	0	0	0	15 = DEPO-PROVERA, INJECTABLES
		0	0	0	0	16 = MORNING AFTER PILLS
		0	1	0	1	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	4	0	4	19 = WITHDRAWAL
		0	0	0	0	20 = RESPONDENT STERILE
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		2	2	5	9	97 = Not Ascertained
		0	3	0	4	98 = Refused
		1	6	0	9	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

EVERMISS 249-249

In the month before you became pregnant (this time/with your Nth pregnancy (which ended (computed variable PREGEND)), how many pills that you were supposed to take did you miss? Would you say you never missed a pill, missed only one pill, or missed two or more pills?

Note: See section on "data quality" for discussion pertaining to the EG series.

Inapplicable:

R has never had voluntary sex (CH-8 EVRHVOL NE 1); R's pregnancy interval began prior to 1/91, R has used a birth control method, but not in the interval (beginning of interval was before 1/91, computed variable EVERUSED = 1, and ED-1 EVUSEINT = 2); R has used a birth control method in the interval, and R stopped using it before she became pregnant (beginning of interval was before 1/91, computed variable EVERUSED = 1, ED-1 EVUSEINT = 1, and ED-2 EVERSTOP = 1); R's pregnancy interval began after 1/91 and she did not use a birth control method in the month her pregnancy began (beginning of interval was before 1/91 and EF-1 METHHnnn = 1 for computed variable CONCEPT); R had stopped using all methods of birth control before she became pregnant (EG-1 STOPDUSE = 1); or R was not using the pill at the time she became pregnant (EG-3a WHATMET1--EG-3e WHATMET5 NE 3).

3333	10536	4962	19445	Blank	= Blank, inapplicable
89	501	201	804	1	= Never missed a pill
37	117	79	236	2	= Missed only one pill
135	304	372	826	3	= Missed two or more pills
1	4	1	6	7	= Not Ascertained
0	1	0	1	8	= Refused
2	3	9	14	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

USENSAFE 250-250

In the month before you became pregnant (this time/with your Nth pregnancy (which ended in (computed variable PREGEND)), did you have intercourse during your "safe time only," during your "safe time" and at other times, or during other times only?

Note: See section on "data quality" for discussion pertaining to the EG series.

Inapplicable:

R has never had voluntary sex (CH-8 EVRHVOL NE 1); R's pregnancy interval began prior to 1/91, R has used a birth control method, but not in the interval (beginning of interval was before 1/91, computed variable EVERUSED = 1, and ED-1 EVUSEINT = 2); R has used a birth control method in the interval, and R stopped using it before she became pregnant (beginning of interval was before 1/91, computed variable EVERUSED = 1, ED-1 EVUSEINT = 1, and ED-2 EVERSTOP = 1); R's pregnancy interval began after 1/91 and she did not use a birth control method in the month her pregnancy began (beginning of interval was after 1/91 and EF-1 METHHnnn = 1 for computed variable CONCEPT); R had stopped using all methods of birth control before she became pregnant (EG-1 STOPDUSE = 1); R was using the pill and nothing else as her method of birth control when she became pregnant (EG-3a WHATMET1--EG-3e WHATMET5 only = 3); or R was not using rhythm or safe period by temperature as a method of birth control in the month before she became pregnant (EG-3a WHATMET1--EG-3e WHATMET5 NE 17 or 18).

3497	11076	5571	20765	Blank	= Blank, inapplicable
24	143	19	193	1	= Safe times only
69	233	29	343	2	= Safe times and other times

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		7	10	5	24	3	= Other times only
		0	1	0	1	7	= Not Ascertained
		0	0	0	0	8	= Refused
		0	3	0	6	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

EVERSKIP 251-251

You mentioned you were still using a method in the month before you became pregnant (this time/with your Nth pregnancy (which ended in (computed variable PREGEND)). How often did you and your partner usually use a method of birth control for any reason? Would you say you used a method less than half the time, about half the time, more than half the time, or every time you had intercourse?

Note: See section on "data quality" for discussion pertaining to the EG series.

Inapplicable:

R has never had voluntary sex (CH-8 EVRHVOL NE 1); R's pregnancy interval began prior to 1/91, R has used a birth control method, but not in the interval (beginning of interval was before 1/91, computed variable EVERUSED = 1, and ED-1 EVUSEINT = 2); R has used a birth control method in the interval, and R stopped using it before she became pregnant (beginning of interval was before 1/91, computed ne blank' then inapplicable for RESNOUSE are the same as ARESNOUSE. If BRESNOUS variable EVERUSED = 1, ED-1 EVUSEINT = 1, and ED-2 EVERSTOP = 1); R's pregnancy interval began after 1/91 and she did not use a birth control method in the month her pregnancy began (beginning of interval was after 1/91 and EF-1 METHHnnn = 1 for computed variable CONCEPT); R had stopped using all methods of birth control before she became pregnant (EG -1 STOPDUSE = 1); R was using the pill and nothing else as her method of birth control when she became pregnant (EG-3a WHATMET1-EG-3e WHATMET5 only = 3); or R was only using the pill, rhythm, or safe period by temperature for birth control when she became pregnant (EG-3a WHATMET1--EG-3e WHATMET5 only = 3, 17, or 18).

(6291)

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK			
		3093	9494	4826	17959	Blank	= Blank, inapplicable
		108	236	155	512	1	= Less than half the time
		52	241	142	449	2	= About half the time
		123	649	246	1050	3	= More than half the time
		217	834	251	1340	4	= Every time you had intercourse
		0	1	2	3	7	= Not Ascertained
		0	2	1	3	8	= Refused
		4	9	1	16	9	= Don't Know

ARESNOUS 252-252

Before you became pregnant (this time/with your (Nth) pregnancy which ended in (computed variable PREGEND)), was the reason you did not use any birth control methods because you yourself wanted to become pregnant?

Note: See section on "data quality" for discussion pertaining to the EG series.

Inapplicable:

R has never had voluntary sex (CH-8 EVRHVOL NE 1); R was using the pill and nothing else as her method of birth control when she became pregnant (EG-3a WHATMET1--EG-3e WHATMET5 only = 3); R was only using the pill, rhythm, or safe period by temperature for birth control when she became pregnant (EG-3a WHATMET1--EG-3e WHATMET5 only = 3, 17, or 18); or R was still using a birth control method when she became pregnant (EG-6 EVERS SKIP NE blank).

		3376	11341	5452	20743	Blank	= Blank, inapplicable
		99	80	79	306	1	= YES
		121	42	93	272	2	= NO
		1	0	0	8	7	= Not Ascertained
		0	3	0	3	8	= Refused
		0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

BRESNOUS 253-253

You told me you stopped using a birth control method (before you became pregnant (this time/with your (Nth) pregnancy which ended in (computed variable PREGEND)). Was the reason you had stopped using any methods because you yourself wanted to become pregnant?

Note: See section on "data quality" for discussion pertaining to the EG series.

Inapplicable:

R has never had voluntary sex (CH-8 EVRHVOL NE 1); or R did not use a method of birth control in the interval before she became pregnant (EVUSEINT = NO or ANYUSEINT=NO).

2412	6223	3859	12933	Blank	= Blank, inapplicable
812	3955	796	5699	1	= YES
370	1278	965	2681	2	= NO
2	7	2	11	7	= Not Ascertained
1	1	1	5	8	= Refused
0	2	1	3	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

CRESNOUS 254-254

You did not use any method of birth control from (BEGINNING OF PREGNANCY INTERVAL) until you became pregnant (this time/with your (Nth) pregnancy which ended in (computed variable PREGEND)). Was the reason you were not using any methods because you yourself wanted to become pregnant?

Note: See section on "data quality" for discussion pertaining to the EG series.

Inapplicable:

R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHVOL NE 1); or R used a method of birth control in the interval before she became pregnant (EVUSEINT = YES AND ANYUSEINT=YES).

2506	9157	3904	16036	Blank	= Blank, inapplicable
550	1228	496	2343	1	= YES
533	1032	1181	2840	2	= NO
7	41	25	78	7	= Not Ascertained
0	3	13	24	8	= Refused
1	5	5	11	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE	COLUMN		NON-HISPANIC			
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

RESNOUSE 255-255

COMPUTED. If ARESNOUS NE BLANK then asked "Before you became pregnant (this time/with your (Nth) pregnancy which ended in (computed variable PREGEND)), was the reason you did not use any birth control methods because you yourself wanted to become pregnant?"; if BRESNOUS NE BLANK then asked "You told me you stopped using a birth control method (before you became pregnant (this time/with your (Nth) pregnancy which ended in (computed variable PREGEND))). Was the reason you had stopped using any methods because you yourself wanted to become pregnant?"; if CRESNOUS NE BLANK then asked "You did not use any method of birth control from (BEGINNING OF PREGNANCY INTERVAL) until you became pregnant (this time/with your (Nth) pregnancy which ended in (computed variable PREGEND))). Was the reason you were not using any method because you yourself wanted to become pregnant?"

Note: See section on "data quality" for discussion pertaining to the EG series.

Inapplicable:

If ARESNOUS NE BLANK then inapplicable specs. for RESNOUSE are the same as for ARESNOUS; if BRESNOUS NE BLANK then inapplicable specs. for RESNOUSE are the same as for BRESNOUS; if CRESNOUS NE BLANK then inapplicable specs. for RESNOUSE are the same as for CRESNOUS.

1096	3769	1953	7008	Blank	= Blank, inapplicable
1462	5269	1375	8359	1	= YES
1027	2366	2247	5820	2	= NO
7	41	27	87	7	= Not Ascertained
1	7	14	32	8	= Refused
4	14	8	26	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTBOLD 256-256

At the time you became pregnant (this time/with your (Nth) pregnancy which ended in (Computed variable PREGEND)), did you yourself actually want to have a(nother) baby at some time?

Note: See section on "data quality" for discussion pertaining to the EG series.

Inapplicable:
R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHVOL NE 1); R had stopped using all methods of birth control before she became pregnant because she wanted to become pregnant (EG-1 STOPDUSE = 1 and EG-2 WHYSTOPD = 1); or R was not using any method of birth control because she wanted to become pregnant (EG-7d RESNOUSE = 1).

1720	5857	1800	9670	Blank	= Blank, inapplicable
1287	4450	2468	8443	1	= YES
518	893	1152	2641	2	= NO
62	239	172	488	3	= NOT SURE, DON'T KNOW
0	0	0	0	4	= DIDN T CARE
10	23	22	64	7	= Not Ascertained
0	4	7	23	8	= Refused
0	0	3	3	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

PROBABE 257-257

It is sometimes difficult to recall these things but, just before that pregnancy began, would you say you probably wanted a(nother) baby or probably not?

Note: See section on "data quality" for discussion pertaining to the EG series.

Inapplicable:
 R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHVOL NE 1); R had stopped using all methods of birth control before she became pregnant because she wanted to become pregnant (EG-1 STOPDUSE = 1 and EG-2 WHYSTOPD = 1); R was not using any method of birth control because she wanted to become pregnant (EG-7d RESNOUSE = 1); or R knew whether or not she actually wanted to have a(nother) baby at some time (EG-8 WANTBOLD = 1 or 2).

3525	11200	5420	20754	Blank	= Blank, inapplicable
20	65	48	138	1	= PROBABLY YES
38	134	98	276	2	= PROBABLY NOT
4	37	28	73	3	= DIDN T CARE
10	23	22	64	7	= Not Ascertained
0	4	6	22	8	= Refused
0	3	2	5	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

CNFRMNO 258-258

So when you became pregnant (this/that) time, you thought you did not want to have (any children/a (Nth NUMBER OF LIVE BIRTHS BEFORE THAT PREGNANCY +1) child)) at any time in your life, is that correct?

Note: See section on "data quality" for discussion pertaining to the EG series.

Inapplicable:

R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHVOL NE 1); R had stopped using all methods of birth control before she became pregnant because she wanted to become pregnant (EG-1 STOPDUSE = 1 and EG-2 WHYSTOPD = 1); R was not using any method of birth control because she wanted to become pregnant (EG-7d RESNOUSE = 1); R wanted to have a(nother) baby at some time (EG-8 WANTBOLD = 1); R was not sure whether she actually wanted to have a(nother) baby at some time (EG-8 WANTBOLD = 3); or the answer was not ascertained, R refused to report or R did not know whether she actually wanted to have a(nother) baby at some time (EG-8 WANTBOLD = 7, 8, or 9).

3079	10573	4472	18691	Blank	= Blank, inapplicable
405	724	944	2130	1	= CORRECT
113	167	208	509	2	= INCORRECT
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	2	0	2	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTBLD2 259-259

At the time you became pregnant (this time/with your (Nth) pregnancy which ended in (Computed variable PREGEND)), did you yourself actually want to have a(nother) baby at some time?

Note: Text introducing this question reads "I must have gotten something wrong."

Note: See section on "data quality" for discussion pertaining to the EG series.

Inapplicable:

R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHVOL NE 1); R had stopped using all methods of birth control before she became pregnant because she wanted to become pregnant (EG-1 STOPDUSE = 1 and EG-2 WHYSTOPD = 1); R was not using any method of birth control because she wanted to become pregnant (EG-7d RESNOUSE = 1); R wanted to have a(nother) baby at some time (EG-8 WANTBOLD = 1); R was not sure whether she actually wanted to have a(nother) baby at some time (EG-8 WANTBOLD = 3); the answer was not ascertained, R refused to report or R did not know whether she actually wanted to have a(nother) baby at some time (EG-8 WANTBOLD = 7, 8, or 9); or when she became pregnant (this time), R did not want to have any (more) children at any time in her life (EG-10 CNFRMNO = 1).

3484	11297	5416	20821	Blank	= Blank, inapplicable
99	125	162	404	1	= YES
10	16	17	43	2	= NO
4	26	27	59	3	= NOT SURE, DON'T KNOW
0	1	2	4	4	= DIDN T CARE
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	1	0	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

TIMINGOK 260-260

So would you say you became pregnant too soon, at about the right time, or later than you wanted?

Note: See section on "data quality" for discussion pertaining to the EG series.

Inapplicable:

R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHVOL NE 1); when she became pregnant (this time), R did not want to have any (more) children at any time in her life (EG-10 CNFRMNO = 1); R didn't care whether she had a(nother) baby at some time or not (EG-11 WANTBLD2 = 4); or R did not actually want a(nother) baby at the time she became pregnant (EG-9 PROBABE NE 1, EG-8 WANTBOLD NE 1, and EG-11 WANTBLD2 NE 1).

681	1359	1531	3693	Blank	= Blank, inapplicable
933	3203	1872	6174	1	= TOO SOON
1751	5882	1949	9896	2	= RIGHT TIME
142	734	146	1045	3	= LATER
86	270	118	494	4	= DIDN T CARE
0	1	1	2	7	= Not Ascertained
0	3	5	8	8	= Refused
4	14	2	20	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

TOOSOONY 261-262

How much sooner than you wanted did you become pregnant? (ENTER YEARS)

Note: See section on "data quality" for discussion pertaining to the EG series.

Inapplicable:

R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHVOL NE 1); when she became pregnant (this time), R did not want to have any (more) children at any time in her life (EG-10 CNFRMNO = 1); R didn't care whether she had a(nother) baby at some time or not (EG-11 WANTBLD2 = 4); R did not actually want a(nother) baby at the time she became pregnant (EG-9 PROBABE NE 1, EG-8 WANTBOLD NE 1, and EG-11 WANTBLD2 NE 1); or R did not say she became pregnant too soon (EG-12 TIMINGOK NE 1).

2664	8263	3752	15158	Blank	= Blank, inapplicable
61	276	61	406	00	= answer not reported in years (see TOOSOONM)
199	676	247	1162	01	= 1 year too soon
235	724	457	1460	02	= 2 years too soon
311	951	730	2035	03-05	= 3-5 years too soon
66	231	172	483	06-09	= 6-9 years too soon
44	218	141	416	10-24	= 10-24 years too soon
0	1	0	1	97	= Not ascertained
0	1	2	3	98	= Refused
17	125	62	208	99	= Don't know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

TOOSOONM 263-264

How much sooner than you wanted did you become pregnant? (ENTER MONTHS)

Note: See section on "data quality" for discussion pertaining to the EG series.

Inapplicable:
R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHVOL NE 1); when she became pregnant (this time), R did not want to have any (more) children at any time in her life (EG-10 CNFRMNO = 1); R didn't care whether she had a(nother) baby at some time or not (EG-11 WANTBLD2 = 4); R did not actually want a(nother) baby at the time she became pregnant (EG-9 PROBABE NE 1, EG-8 WANTBOLD NE 1, and EG-11 WANTBLD2 NE 1); or R did not say she became pregnant too soon (EG-12 TIMINGOK NE 1).

2664	8263	3752	15158	Blank	= Blank, inapplicable
708	2379	1357	4569	00	= answer not reported in months (see TOOSOONY)
23	72	36	137	01	= 1 month too soon
50	117	93	266	02	= 2 months too soon
73	223	186	490	03-05	= 3-5 months too soon
40	200	66	319	06	= 6 months too soon
20	81	61	166	07-11	= 7-11 months too soon
1	6	8	15	12	= 12 months too soon
0	1	0	1	97	= Not ascertained
1	4	3	8	98	= Refused
17	120	62	203	99	= Don't know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FEELING 265-266

Please look at the scale on Card E-7 and tell me which number on the card best describes how you felt when you found out you were pregnant. On this scale, a one means that you were very unhappy to be pregnant and a ten means that you were very happy to be pregnant.

Note: See section on "data quality" for discussion pertaining to the EG series.

Inapplicable:
 R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHVOL NE 1); or R's pregnancy ended prior to 1/91 (PREGEND < 1093).

2620	8839	4359	16298	Blank	= Blank, inapplicable
105	246	293	671	01	= Scale value of 1 (very unhappy)
27	56	59	146	02	= Scale value of 2
30	92	44	172	03	= Scale value of 3
27	71	83	182	04	= Scale value of 4
79	197	157	444	05	= Scale value of 5
34	73	61	174	06	= Scale value of 6
44	118	75	244	07	= Scale value of 7
79	181	81	355	08	= Scale value of 8
46	156	30	238	09	= Scale value of 9
505	1425	374	2381	10	= Scale value of 10 (very happy)
0	5	1	9	97	= Not ascertained
0	2	2	7	98	= Refused
1	5	5	11	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WORRIED 267-268

You were worried that you did not know enough about how to take care of a baby. (Which number on the scale best describes your opinion about this statement?)

Note: Text introducing this question series reads "For each statement I read, please tell me which number on the card best describes your opinion about becoming pregnant (this time/with your (Nth) pregnancy which ended in (computed variable PREGEND)). On this scale, a one means that you strongly disagree with the statement and a ten means you strongly agree with the statement."

Note: See section on "data quality" for discussion pertaining to the EG series.

Inapplicable:

R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHVOL NE 1); R's pregnancy ended prior to 1/91 (PREGEND < 1093); or R is 25 or older (AA-1 AGE GE 25).

3287	10879	5151	19925	Blank	= Blank, inapplicable
131	277	239	666	01	= Scale value of 1 (strongly disagree)
29	43	34	109	02	= Scale value of 2
18	44	23	91	03	= Scale value of 3
17	15	20	52	04	= Scale value of 4
12	57	35	106	05	= Scale value of 5
17	27	17	62	06	= Scale value of 6
18	27	18	65	07	= Scale value of 7
19	18	21	58	08	= Scale value of 8
4	11	7	22	09	= Scale value of 9
45	67	58	174	10	= Scale value of 10 (strongly agree)
0	0	0	0	97	= Not ascertained
0	0	0	0	98	= Refused
0	1	1	2	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

INTEFERE 269-270

You thought that a new baby would keep you from doing the things that you were used to doing like working, going to school, going out and so on. (Which number on the scale best describes your opinion about this statement?)

Note: Text introducing this question series reads "For each statement I read, please tell me which number on the card best describes your opinion about becoming pregnant (this time/with your (Nth) pregnancy which ended in (computed variable PREGEND)). On this scale, a one means that you strongly disagree with the statement and a ten means you strongly agree with the statement."

Note: See section on "data quality" for discussion pertaining to the EG series.

Inapplicable:

R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHVOL NE 1); R's pregnancy ended prior to 1/91 (PREGEND < 1093); or R is 25 or older (AA-1 AGE GE 25).

	3287	10879	5151	19925	Blank	
	78	195	142	424	01	= Blank, inapplicable
						= Scale value of 1 (strongly disagree)
	23	45	28	97	02	= Scale value of 2
	25	36	20	83	03	= Scale value of 3
	16	21	19	57	04	= Scale value of 4
	30	54	38	126	05	= Scale value of 5
	15	23	18	58	06	= Scale value of 6
	20	39	22	82	07	= Scale value of 7
	17	39	28	87	08	= Scale value of 8
	13	34	20	67	09	= Scale value of 9
	73	100	136	323	10	= Scale value of 10 (strongly agree)
	0	0	0	0	97	= Not ascertained
	0	0	0	0	98	= Refused
	0	1	2	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

CONFIDNT 271-272

You looked forward to teaching and caring for a new baby. (Which number on the scale best describes your opinion about this statement?)

Note: Text introducing this question series reads "For each statement I read, please tell me which number on the card best describes your opinion about becoming pregnant (this time/with your (Nth) pregnancy which ended in (computed variable PREGEND)). On this scale, a one means that you strongly disagree with the statement and a ten means you strongly agree with the statement."

Note: See section on "data quality" for discussion pertaining to the EG series.

Inapplicable:

R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHVOL NE 1); R's pregnancy ended prior to 1/91 (PREGEND < 1093); or R is 25 or older (AA-1 AGE GE 25).

3287	10879	5151	19925	Blank	= Blank, inapplicable
35	54	100	197	01	= Scale value of 1 (strongly disagree)
13	14	14	41	02	= Scale value of 2
7	21	16	45	03	= Scale value of 3
7	13	14	34	04	= Scale value of 4
19	51	55	127	05	= Scale value of 5
10	12	22	46	06	= Scale value of 6
13	25	25	63	07	= Scale value of 7
25	60	37	124	08	= Scale value of 8
32	49	26	110	09	= Scale value of 9
149	287	162	617	10	= Scale value of 10 (strongly agree)
0	0	0	0	97	= Not ascertained
0	0	0	0	98	= Refused
0	1	2	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

BABYFUN 273-274

You looked forward to the new experiences that having a baby would bring. (Which number on the scale best describes your opinion about this statement?)

Note: Text introducing this question series reads "For each statement I read, please tell me which number on the card best describes your opinion about becoming pregnant (this time/with your (Nth) pregnancy which ended in (computed variable PREGEND)). On this scale, a one means that you strongly disagree with the statement and a ten means you strongly agree with the statement."

Note: See section on "data quality" for discussion pertaining to the EG series.

Inapplicable:

R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHVOL NE 1); R's pregnancy ended prior to 1/91 (PREGEND < 1093); or R is 25 or older (AA-1 AGE GE 25).

3287	10879	5151	19925	Blank	= Blank, inapplicable
31	63	112	213	01	= Scale value of 1 (strongly disagree)
14	17	19	50	02	= Scale value of 2
11	21	12	45	03	= Scale value of 3
11	16	13	42	04	= Scale value of 4
13	45	51	111	05	= Scale value of 5
15	17	26	58	06	= Scale value of 6
11	26	25	63	07	= Scale value of 7
31	58	32	124	08	= Scale value of 8
30	49	29	110	09	= Scale value of 9
143	274	152	588	10	= Scale value of 10 (strongly agree)
0	0	0	0	97	= Not ascertained
0	0	0	0	98	= Refused
0	1	2	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

CARRYFUN 275-276

You looked forward to experiencing the changes in your body that come with carrying a baby. (Which number on the scale best describes your opinion about this statement?)

Note: Text introducing this question series reads "For each statement I read, please tell me which number on the card best describes your opinion about becoming pregnant (this time/with your (Nth) pregnancy which ended in (computed variable PREGEND)). On this scale, a one means that you strongly disagree with the statement and a ten means you strongly agree with the statement."

Note: See section on "data quality" for discussion pertaining to the EG series.

Inapplicable:

R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHVOL NE 1); R's pregnancy ended prior to 1/91 (PREGEND < 1093); or R is 25 or older (AA-1 AGE GE 25).

3287	10879	5151	19925	Blank	= Blank, inapplicable
72	193	179	456	01	= Scale value of 1 (strongly disagree)
25	55	37	118	02	= Scale value of 2
21	28	27	77	03	= Scale value of 3
14	34	20	68	04	= Scale value of 4
22	61	46	133	05	= Scale value of 5
22	35	23	83	06	= Scale value of 6
21	33	22	77	07	= Scale value of 7
21	39	21	83	08	= Scale value of 8
16	23	10	50	09	= Scale value of 9
76	84	85	257	10	= Scale value of 10 (strongly agree)
0	0	0	0	97	= Not ascertained
0	0	0	0	98	= Refused
0	2	3	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

BRAG 277-278

You looked forward to telling your friends that you were pregnant. (Which number on the scale best describes your opinion about this statement?)

Note: Text introducing this question series reads "For each statement I read, please tell me which number on the card best describes your opinion about becoming pregnant (this time/with your (Nth) pregnancy which ended in (computed variable PREGEND)). On this scale, a one means that you strongly disagree with the statement and a ten means you strongly agree with the statement."

Note: See section on "data quality" for discussion pertaining to the EG series.

Inapplicable:

R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHVOL NE 1); R's pregnancy ended prior to 1/91 (PREGEND < 1093); or R is 25 or older (AA-1 AGE GE 25).

3287	10879	5151	19925	Blank	= Blank, inapplicable
54	113	161	343	01	= Scale value of 1 (strongly disagree)
14	31	31	78	02	= Scale value of 2
17	29	27	73	03	= Scale value of 3
15	24	29	68	04	= Scale value of 4
22	49	59	133	05	= Scale value of 5
9	28	30	68	06	= Scale value of 6
18	37	12	68	07	= Scale value of 7
17	48	14	83	08	= Scale value of 8
27	35	14	78	09	= Scale value of 9
117	192	94	412	10	= Scale value of 10 (strongly agree)
0	0	0	0	97	= Not ascertained
0	0	0	0	98	= Refused
0	1	2	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

BODYBAD 279-280

You were worried about what being pregnant would do to your body. (Which number on the scale best describes your opinion about this statement?)

Note: Text introducing this question series reads "For each statement I read, please tell me which number on the card best describes your opinion about becoming pregnant (this time/with your (Nth) pregnancy which ended in (computed variable PREGEND)). On this scale, a one means that you strongly disagree with the statement and a ten means you strongly agree with the statement."

Note: See section on "data quality" for discussion pertaining to the EG series.

Inapplicable:

R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHVOL NE 1); R's pregnancy ended prior to 1/91 (PREGEND < 1093); or R is 25 or older (AA-1 AGE GE 25).

3287	10879	5151	19925	Blank	= Blank, inapplicable
92	158	173	434	01	= Scale value of 1 (strongly disagree)
28	47	32	111	02	= Scale value of 2
24	38	22	85	03	= Scale value of 3
21	26	20	67	04	= Scale value of 4
27	56	58	141	05	= Scale value of 5
11	34	20	65	06	= Scale value of 6
12	47	23	83	07	= Scale value of 7
17	29	24	76	08	= Scale value of 8
14	30	24	72	09	= Scale value of 9
64	121	74	269	10	= Scale value of 10 (strongly agree)
0	0	0	0	97	= Not ascertained
0	0	0	0	98	= Refused
0	1	3	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

GETPOOR 281-282

Your were worried that you did not have enough money to take care of a baby. (Which number on the scale best describes your opinion about this statement?)

Note: Text introducing this question series reads "For each statement I read, please tell me which number on the card best describes your opinion about becoming pregnant (this time/with your (Nth) pregnancy which ended in (computed variable PREGEND)). On this scale, a one means that you strongly disagree with the statement and a ten means you strongly agree with the statement."

Note: See section on "data quality" for discussion pertaining to the EG series.

Inapplicable:

R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHVOL NE 1); R's pregnancy ended prior to 1/91 (PREGEND < 1093); or R is 25 or older (AA-1 AGE GE 25).

3287	10879	5151	19925	Blank	= Blank, inapplicable
58	99	103	270	01	= Scale value of 1 (strongly disagree)
20	30	23	76	02	= Scale value of 2
14	13	14	41	03	= Scale value of 3
14	15	15	44	04	= Scale value of 4
20	44	46	112	05	= Scale value of 5
13	29	24	66	06	= Scale value of 6
15	35	22	73	07	= Scale value of 7
28	51	22	102	08	= Scale value of 8
25	44	21	94	09	= Scale value of 9
103	226	181	526	10	= Scale value of 10 (strongly agree)
0	0	0	0	97	= Not ascertained
0	0	0	0	98	= Refused
0	1	2	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

HIDIT 283-284 You dreaded telling your friends that you were pregnant. (Which number on the scale best describes your opinion about this statement?)

Note: Text introducing this question series reads "For each statement I read, please tell me which number on the card best describes your opinion about becoming pregnant (this time/with your (Nth) pregnancy which ended in (computed variable PREGEND)). On this scale, a one means that you strongly disagree with the statement and a ten means you strongly agree with the statement."

Note: See section on "data quality" for discussion pertaining to the EG series.

Inapplicable:

R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHVOL NE 1); R's pregnancy ended prior to 1/91 (PREGEND < 1093); or R is 25 or older (AA-1 AGE GE 25).

3287	10879	5151	19925	Blank	= Blank, inapplicable
146	276	189	628	01	= Scale value of 1 (strongly disagree)
32	54	31	120	02	= Scale value of 2
25	36	33	94	03	= Scale value of 3
16	26	30	73	04	= Scale value of 4
20	37	52	113	05	= Scale value of 5
5	19	22	46	06	= Scale value of 6
12	20	17	52	07	= Scale value of 7
14	18	17	50	08	= Scale value of 8
9	22	9	42	09	= Scale value of 9
31	78	71	186	10	= Scale value of 10 (strongly agree)
0	0	0	0	97	= Not ascertained
0	0	0	0	98	= Refused
0	1	2	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

BUYBABE 285-286

You looked forward to buying things for a new baby. (Which number on the scale best describes your opinion about this statement?)

Note: Text introducing this question series reads "For each statement I read, please tell me which number on the card best describes your opinion about becoming pregnant (this time/with your (Nth) pregnancy which ended in (computed variable PREGEND)). On this scale, a one means that you strongly disagree with the statement and a ten means you strongly agree with the statement."

Note: See section on "data quality" for discussion pertaining to the EG series.

Inapplicable:

R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHVOL NE 1); R's pregnancy ended prior to 1/91 (PREGEND < 1093); or R is 25 or older (AA-1 AGE GE 25).

3287	10879	5151	19925	Blank	= Blank, inapplicable
36	52	97	191	01	= Scale value of 1 (strongly disagree)
8	14	20	45	02	= Scale value of 2
6	12	9	28	03	= Scale value of 3
4	11	11	27	04	= Scale value of 4
14	30	29	73	05	= Scale value of 5
6	17	16	39	06	= Scale value of 6
10	30	27	68	07	= Scale value of 7
25	44	30	101	08	= Scale value of 8
33	59	31	125	09	= Scale value of 9
168	317	201	707	10	= Scale value of 10 (strongly agree)
0	0	0	0	97	= Not ascertained
0	0	0	0	98	= Refused
0	1	2	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

TIMOKHP 288-288

So would you say you became pregnant sooner than he wanted, at about the right time, or later than he wanted?

Note: See section on "data quality" for discussion pertaining to the EG series.

Inapplicable:

R never used a birth control method (computed variable EVERUSED = 2); R has never had voluntary sex (CH-8 EVRHVOL NE 1); or at the time R became pregnant, the father did not want her to have a(nother) baby or she was not sure whether he wanted her to have a(nother) baby (EG-17 HPWNOLD NE 1).

946	2535	2155	5815	Blank	= Blank, inapplicable
511	2097	833	3532	1	= SOONER
1920	5850	2279	10365	2	= RIGHT TIME
122	595	130	876	3	= LATER
96	374	216	715	4	= DIDN T CARE
0	0	0	0	7	= Not Ascertained
0	1	1	2	8	= Refused
2	14	10	27	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

HPAGE 289-290 How old was the father at the time you became pregnant?

Note: See section on "data quality" for discussion pertaining to the EG series.

Inapplicable:
R never used a birth control method (computed variable EVERUSED = 2); or R has never had voluntary sex (CH-8 EVRHVOL NE 1).

201	364	370	964	Blank	= Blank, inapplicable
1	5	14	21	12-14	= Under 15 years
363	994	781	2172	15-19	= 15-19 years
974	2930	1542	5574	20-24	= 20-24 years
982	3439	1322	5906	25-29	= 25-29 years
612	2231	788	3782	30-34	= 30-34 years
259	985	344	1666	35-39	= 35-39 years
97	236	125	482	40-44	= 40-44 years
22	74	60	167	45-49	= 45-49 years
8	21	31	61	50-54	= 50-54 years
2	7	10	19	55-59	= 55-59 years
0	0	5	5	60-64	= 60-64 years
0	1	3	4	65-75	= 65 years or older
5	19	22	54	97	= Not ascertained
7	21	44	84	98	= Refused
64	139	163	371	99	= Don't Know

OUTCOME 291-291 VAR225: Pregnancy outcome

Non-blank for all pregnancies.

2649	7980	3862	14958	1	= Live Birth
405	1403	910	2793	2	= Induced Abortion
26	72	64	171	3	= Stillbirth
398	1642	588	2708	4	= Miscarriage
38	133	98	274	5	= Ectopic Pregnancy
81	236	102	428	6	= Current Pregnancy

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

PRGLNGTH 292-293

VAR226: Duration of pregnancy in weeks

Inapplicable:
This is a current pregnancy.

81	236	102	428	Blank	= Blank, inapplicable
1	3	5	9	01	= 1 week or less
18	53	39	113	02	= 2 weeks
46	94	63	212	03	= 3 weeks
103	313	182	616	04	= 4 weeks
42	105	35	188	05	= 5 weeks
126	499	230	881	06	= 6 weeks
36	171	37	248	07	= 7 weeks
52	314	121	498	08	= 8 weeks
138	463	280	907	09	= 9 weeks
32	183	86	313	10	= 10 weeks
25	142	52	221	11	= 11 weeks
19	131	57	214	12	= 12 weeks
92	342	176	626	13	= 13 weeks
4	35	8	52	14	= 14 weeks
13	48	21	86	15	= 15 weeks
8	32	11	54	16	= 16 weeks
45	117	90	255	17	= 17 weeks
3	10	5	19	18	= 18 weeks
8	27	7	42	19	= 19 weeks
0	19	11	30	20	= 20 weeks
2	6	4	12	21	= 21 weeks
25	54	71	154	22	= 22 weeks
2	7	4	13	23	= 23 weeks
5	17	10	32	24	= 24 weeks
0	2	2	4	25	= 25 weeks
10	36	43	90	26	= 26 weeks
0	4	3	7	27	= 27 weeks
5	16	21	43	28	= 28 weeks
5	9	9	24	29	= 29 weeks
39	76	107	230	30	= 30 weeks
1	14	1	16	31	= 31 weeks
20	76	40	143	32	= 32 weeks
7	35	16	59	33	= 33 weeks
5	30	11	46	34	= 34 weeks
83	220	162	477	35	= 35 weeks
51	213	44	313	36	= 36 weeks
85	401	94	602	37	= 37 weeks
64	303	70	455	38	= 38 weeks
2039	4735	2961	10072	39	= 39 weeks
104	643	133	902	40	= 40 weeks
100	692	103	927	41	= 41 weeks
25	286	44	357	42	= 42 weeks

(6317)

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES		
		HISP	WHITE	BLACK	TOTAL		
		25	218	42	292	43	= 43 weeks
		3	36	11	50	44-50	= 44 weeks or longer
DATEND	294-297						VAR227: Date pregnancy ended
							Inapplicable: This is a current pregnancy.
		81	236	102	428	Blank	= Blank, inapplicable
		2599	8803	4322	16198	0770-1092	= Before 1991
		917	2427	1200	4706	1093-1149	= 1991 or later
YRPREG	298-299						VAR228: Year pregnancy ended
							Inapplicable: This is a current pregnancy.
		81	236	102	428	Blank	= Blank, inapplicable
		41	186	170	406	64-70	= 1970 or earlier
		30	121	74	234	71	= 1971
		40	172	100	319	72	= 1972
		55	200	109	370	73	= 1973
		70	233	131	449	74	= 1974
		66	250	117	449	75	= 1975
		71	332	122	538	76	= 1976
		78	370	150	615	77	= 1977
		104	448	176	747	78	= 1978
		114	464	184	790	79	= 1979
		140	552	214	928	80	= 1980
		146	482	218	865	81	= 1981
		164	533	285	1004	82	= 1982
		156	545	242	975	83	= 1983
		165	542	281	1013	84	= 1984
		160	527	261	984	85	= 1985
		199	560	276	1071	86	= 1986
		172	567	294	1067	87	= 1987
		208	594	305	1144	88	= 1988
		222	568	302	1128	89	= 1989
		198	556	311	1101	90	= 1990
		212	589	294	1133	91	= 1991
		221	566	301	1131	92	= 1992
		227	574	268	1102	93	= 1993
		201	542	276	1055	94	= 1994
		56	157	61	286	95	= 1995

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGEPREG 300-303 VAR229: Age at pregnancy outcome

Inapplicable:
This is a current pregnancy.

81	236	102	428	Blank	= Blank, inapplicable
26	72	112	214	1100-1499	= Under 15 years
57	103	159	328	1500-1599	= 15 years
92	246	259	607	1600-1699	= 16 years
164	409	339	928	1700-1799	= 17 years
212	542	417	1200	1800-1899	= 18 years
258	677	445	1415	1900-1999	= 19 years
273	717	440	1472	2000-2099	= 20 years
262	751	426	1479	2100-2199	= 21 years
256	746	390	1428	2200-2299	= 22 years
248	781	367	1439	2300-2399	= 23 years
221	785	331	1365	2400-2499	= 24 years
207	710	298	1260	2500-2599	= 25 years
199	710	287	1230	2600-2699	= 26 years
166	654	216	1074	2700-2799	= 27 years
157	603	229	1024	2800-2899	= 28 years
145	545	173	888	2900-2999	= 29 years
130	448	143	753	3000-3099	= 30 years
98	393	109	628	3100-3199	= 31 years
91	336	97	545	3200-3299	= 32 years
67	268	62	424	3300-3399	= 33 years
53	201	65	335	3400-3499	= 34 years
32	175	55	268	3500-3599	= 35 years
36	119	31	200	3600-3699	= 36 years
26	90	31	154	3700-3799	= 37 years
12	58	13	92	3800-3899	= 38 years
9	33	13	57	3900-3999	= 39 years
7	31	8	48	4000-4099	= 40 years
8	19	3	32	4100-4199	= 41 years
3	7	3	13	4200-4299	= 42 years
1	1	0	3	4300-4399	= 43 years
0	0	1	1	4400-4499	= 44 years

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FMAROUT5 304-304 VAR230: Formal marital status at pregnancy outcome-- 5 categories

Inapplicable:
This is a current pregnancy.

81	236	102	428	Blank	= Blank, inapplicable
2217	8359	1659	12688	1	= Married
224	625	293	1182	2	= Divorced
16	27	21	68	3	= Widowed
51	31	91	178	4	= Separated
1008	2188	3458	6788	5	= Never Married

FMAROUT2 305-305 VAR231: Marital status at pregnancy outcome-- 2 categories

Inapplicable:
This is a current pregnancy.

81	236	102	428	Blank	= Blank, inapplicable
1008	2188	3458	6788	1	= Never Married
2508	9042	2064	14116	2	= Ever Married

DATECON 306-309 VAR232: Date of conception

Inapplicable:
This is a current pregnancy.

81	236	102	428	Blank	= Blank, inapplicable
2723	9160	4497	16878	0761-1092	= Before 1991
793	2070	1025	4026	1093-1147	= 1991 or later

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FMARCON5 314-314 VAR234: Formal marital status at time
 of conception-- 5 categories

Inapplicable:
 This is a current pregnancy.

81	236	102	428	Blank	= Blank, inapplicable
2023	7601	1453	11493	1	= Married
220	680	274	1215	2	= Divorced
13	28	19	63	3	= Widowed
35	21	80	141	4	= Separated
1225	2900	3696	7992	5	= Never Married

FMARCON2 315-315 VAR235: Formal marital status at time
 of conception-- 2 categories

Inapplicable:
 This is a current pregnancy.

81	236	102	428	Blank	= Blank, inapplicable
1225	2900	3696	7992	1	= Never Married
2291	8330	1826	12912	2	= Ever Married

DELIVERY 316-316 VAR236: Mode of delivery

Inapplicable:
 There was no live birth from this
 pregnancy, or this is a current
 pregnancy.

951	3498	1763	6391	Blank	= Blank, inapplicable
2120	6451	3094	12054	1	= Vaginal Delivery
526	1509	764	2876	2	= Cesarean Delivery
0	8	3	11	3	= Both Vaginal & Cesarean

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

LEARNPRG 317-318

VAR237: Number of weeks pregnant when
R learned she was pregnant

Inapplicable:

This is a current pregnancy, the pregnancy ended before January 1991, the pregnancy ended in induced abortion, or the baby was never named and placed for adoption soon after birth.

2787	9279	4650	17227	Blank	
0	0	0	0	00	= Blank, inapplicable
25	82	46	156	01	= Less than 1 week
70	262	88	432	02	= 1 week
79	253	75	421	03	= 2 weeks
225	532	233	1029	04	= 3 weeks
48	236	37	333	05	= 4 weeks
135	353	121	630	06	= 5 weeks
17	84	29	130	07	= 6 weeks
113	202	137	464	08	= 7 weeks
7	24	13	49	09	= 8 weeks
12	35	24	78	10	= 9 weeks
4	4	10	19	11	= 10 weeks
49	65	84	201	12	= 11 weeks
2	8	8	19	13	= 12 weeks
3	9	5	17	14	= 13 weeks
0	2	1	3	15	= 14 weeks
9	15	34	59	16	= 15 weeks
1	1	1	3	17	= 16 weeks
0	1	3	5	18	= 17 weeks
0	1	0	1	19	= 18 weeks
7	7	14	29	20	= 19 weeks
0	1	1	2	21	= 20 weeks
0	2	2	4	22	= 21 weeks
0	0	0	0	23	= 22 weeks
1	4	5	11	24	= 23 weeks
2	0	0	2	25	= 24 weeks
0	0	1	1	26	= 25 weeks
0	0	0	0	27	= 26 weeks
0	0	0	0	28	= 27 weeks
0	0	0	0	29	= 28 weeks
0	1	0	1	30	= 29 weeks
0	0	0	0	31	= 30 weeks
0	0	2	2	32	= 31 weeks
0	1	0	1	33	= 32 weeks
0	0	0	0	34	= 33 weeks
0	0	0	0	35	= 34 weeks
0	1	0	1	36	= 35 weeks
					= 36 weeks

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	37 = 37 weeks
		0	0	0	0	38 = 38 weeks
		0	0	0	0	39 = 39 weeks
		1	0	0	1	40 = 40 weeks
		0	0	0	0	41 = 41 weeks
		0	1	0	1	42 = 42 weeks

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

PNCAREWK 319-320

VAR238: Number of weeks pregnant at first prenatal care

Inapplicable:

This is a current pregnancy, the pregnancy ended before January 1991, the pregnancy ended in induced abortion, or the baby was never named and placed for adoption soon after birth.

2786	9281	4646	17224	Blank	
0	0	0	0	00	= Blank, inapplicable
4	14	10	28	01	= Less than 1 week
30	46	34	116	02	= 1 week
20	76	44	146	03	= 2 weeks
128	292	140	585	04	= 3 weeks
40	165	36	246	05	= 4 weeks
116	389	104	632	06	= 5 weeks
27	107	23	160	07	= 6 weeks
141	380	162	700	08	= 7 weeks
12	72	17	111	09	= 8 weeks
22	128	29	185	10	= 9 weeks
8	23	19	52	11	= 10 weeks
94	179	108	391	12	= 11 weeks
7	15	12	35	13	= 12 weeks
10	17	4	32	14	= 13 weeks
4	6	7	17	15	= 14 weeks
24	32	52	110	16	= 15 weeks
1	5	1	7	17	= 16 weeks
2	4	3	11	18	= 17 weeks
0	0	0	0	19	= 18 weeks
21	17	29	70	20	= 19 weeks
1	1	1	3	21	= 20 weeks
1	3	3	8	22	= 21 weeks
0	0	0	0	23	= 22 weeks
6	10	16	33	24	= 23 weeks
3	0	1	5	25	= 24 weeks
1	1	1	3	26	= 25 weeks
0	1	0	1	27	= 26 weeks
1	2	4	7	28	= 27 weeks
1	0	0	1	29	= 28 weeks
0	1	1	2	30	= 29 weeks
0	0	0	0	31	= 30 weeks
2	0	2	4	32	= 31 weeks
0	0	0	0	33	= 32 weeks
0	0	0	0	34	= 33 weeks
1	0	0	1	35	= 34 weeks
0	2	0	2	36	= 35 weeks
					= 36 weeks

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		1	0	0	1	37 = 37 weeks
		0	0	0	0	38 = 38 weeks
		0	0	0	0	39 = 39 weeks
		0	0	0	0	40 = 40 weeks
		0	0	0	0	41 = 41 weeks
		0	0	0	0	42 = 42 weeks
		0	0	0	0	43 = 43 weeks
		0	0	1	2	44 = 44 weeks
		82	197	114	401	95 = Did not report receiving prenatal care

PAYPNC 321-321 VAR239: Payment for prenatal care

Inapplicable:

This is a current pregnancy, the pregnancy ended before January 1991, the pregnancy ended in induced abortion, the baby was never named and placed for adoption soon after birth, or R received no prenatal care for this pregnancy.

2868	9478	4760	17625	Blank	= Blank, inapplicable
86	233	43	374	1	= Own income only
213	793	223	1269	2	= Insurance only
64	534	70	704	3	= Own income & insurance only
351	403	518	1309	4	= Medicaid mentioned at all
13	14	2	30	5	= Government assistance other than Medicaid
2	11	8	21	6	= All other combinations of payment methods

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

PAYDELIV 322-322

VAR240: Payment for delivery

Inapplicable:
This is a current pregnancy, or there was no live birth.

948	3486	1762	6374	Blank	= Blank, inapplicable
522	1098	289	1960	1	= Own income only
900	3658	1212	5960	2	= Insurance only
192	1887	221	2383	3	= Own income & insurance only
953	1161	2073	4272	4	= Medicaid mentioned at all
27	74	19	165	5	= Government assistance other than Medicaid
55	102	48	218	6	= All other combinations of payment methods

LBW1 323-323

VAR241: Low birthweight--Baby 1

Inapplicable:
This is a current pregnancy, or there was no live birth.

948	3486	1762	6374	Blank	= Blank, inapplicable
186	447	481	1144	1	= Yes, Low Birth Weight
2463	7533	3381	13814	2	= No, Not Low Birth Weight

LBW2 324-324

VAR242: Low birthweight--Baby 2

Inapplicable:
This is a current pregnancy, there was no live birth, or there was only 1 baby born alive.

3574	11383	5579	21178	Blank	= Blank, inapplicable
14	42	27	86	1	= Yes, Low Birth Weight
9	41	18	68	2	= No, Not Low Birth Weight

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

BFEEDWKS 327-329

VAR245: Duration of breastfeeding in weeks

Inapplicable:

This is a current pregnancy, there was no live birth, there was more than 1 baby born alive, or the breastfeeding series was not asked (because the baby died shortly after birth or was given up for adoption soon after birth).

1002	3672	1875	6736	Blank	= Blank, inapplicable
20	75	31	139	000	= Breastfed for less than 1 week
46	133	37	223	001	= Breastfed for 1 week
39	170	42	261	002	= Breastfed for 2 weeks
23	94	18	140	003	= Breastfed for 3 weeks
93	205	68	385	004	= Breastfed for 4 weeks
5	36	7	49	005	= Breastfed for 5 weeks
41	198	24	274	006	= Breastfed for 6 weeks
4	30	1	35	007	= Breastfed for 7 weeks
125	261	59	460	008	= Breastfed for 8 weeks
3	9	3	15	009	= Breastfed for 9 weeks
14	33	5	52	010	= Breastfed for 10 weeks
1	5	1	7	011	= Breastfed for 11 weeks
147	369	118	654	012	= Breastfed for 12 weeks
4	24	8	36	013-014	= Breastfed for 13-14 weeks
1	3	0	4	015-016	= Breastfed for 15-16 weeks
97	278	54	455	017-018	= Breastfed for 17-18 weeks
6	21	4	33	019-020	= Breastfed for 19-20 weeks
70	182	42	304	021-022	= Breastfed for 21-22 weeks
3	12	3	18	023-024	= Breastfed for 23-24 weeks
118	441	95	688	025-026	= Breastfed for 25-26 weeks
3	6	1	11	027-028	= Breastfed for 27-28 weeks
52	140	28	227	029-030	= Breastfed for 29-30 weeks
2	7	0	10	031-032	= Breastfed for 31-32 weeks
61	182	27	276	033-034	= Breastfed for 33-34 weeks
1	5	0	6	035-036	= Breastfed for 35-36 weeks

(6329)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK			
		66	224	32	333	037-038	weeks = Breastfed for 37-38 weeks
		1	10	0	11	039-040	= Breastfed for 39-40 weeks
		0	0	1	1	041-042	= Breastfed for 41-42 weeks
		28	139	20	193	043-044	= Breastfed for 43-44 weeks
		2	0	0	2	045-046	= Breastfed for 45-46 weeks
		25	80	11	119	047-048	= Breastfed for 47-48 weeks
		2	6	0	8	049-050	= Breastfed for 49-50 weeks
		113	278	46	470	051-052	= Breastfed for 51-52 weeks
		75	317	24	434	053-078	= Breastfed for 53-78 weeks (1-1 1/2 years)
		51	103	17	185	079-104	= Breastfed for 79-104 weeks (1 1/2-2 years)
		33	85	6	130	105-207	= Breastfed for 105 weeks or longer (2+ years)
		67	171	22	280	994	= Still breastfeeding this child
		1153	3462	2894	7668	995	= Never breastfed this child

MATERNLV 330-330

VAR246: Use of maternity leave

Inapplicable:

This is a current pregnancy, or there was no live birth.

948	3486	1762	6374	Blank	= Blank, inapplicable
1669	3711	2322	7973	0	= Not employed during this pregnancy
618	2812	1075	4642	1	= Took maternity leave from a job
26	234	22	289	2	= Did not take--Not needed due to job schedule or self-employment
31	84	35	155	3	= Did not take--Not offered by employer or lost job
305	1139	408	1899	4	= Did not take--Other reasons

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWANTR 331-331

VAR431: Wantedness of Pregnancy--
Respondent-- Cycle 4 Version

Note: See section on "data quality"
for discussion pertaining to this
item.

Inapplicable:
R has never had voluntary intercourse.

2	3	12	19	Blank	= Blank, inapplicable
151	745	155	1074	1	= Later, Overdue
1838	6027	2046	10251	2	= Right Time
921	3291	1923	6302	3	= Too Soon, Mistimed
93	281	123	518	4	= Didn't Care, Indifferent
587	1078	1335	3088	5	= Unwanted
5	41	30	80	6	= Don't know, not sure

OLDWANTP 332-332

VAR432: Wantedness of Pregnancy--
Respondent's Partner-- Cycle 4 Version

Note: See section on "data quality"
for discussion pertaining to this
item.

Inapplicable:
R has never had voluntary intercourse.

2	3	12	19	Blank	= Blank, inapplicable
128	601	135	894	1	= Later, Overdue
1989	5983	2405	10714	2	= Right Time
560	2198	930	3792	3	= Too Soon, Mistimed
107	390	223	750	4	= Didn't Care, Indifferent
607	1662	1336	3704	5	= Unwanted
204	629	583	1459	6	= Don't know, not sure

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTRESP 333-333

VAR433: Wantedness of pregnancy--Respondent

Note: See section on "data quality" for discussion pertaining to this item.

Inapplicable:
R has never had voluntary intercourse.

2	3	12	19	Blank	= Blank, inapplicable
152	748	158	1081	1	= Later, Overdue
1841	6032	2052	10266	2	= Right Time
1023	3412	2089	6708	3	= Too Soon, Mistimed
94	283	123	521	4	= Didn't Care, Indifferent
480	947	1158	2655	5	= Unwanted
5	41	32	82	6	= Don't know, not sure

WANTPART 334-334

VAR434: Wantedness of pregnancy--partner

Note: See section on "data quality" for discussion pertaining to this item.

Inapplicable:
R has never had voluntary intercourse.

2	3	12	19	Blank	= Blank, inapplicable
128	601	136	895	1	= Later, Overdue
1990	5989	2409	10725	2	= Right Time
560	2205	931	3801	3	= Too Soon, Mistimed
107	391	223	751	4	= Didn't Care, Indifferent
610	1668	1343	3720	5	= Unwanted
200	609	570	1421	6	= Don't know, not sure

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

AGEAPR1 335-338 VAR101: Age as of April 1, 1995

Non-blank for all Rs.

5	4	2	11	1500-1599	= Age 15
13	13	14	41	1600-1699	= Age 16
14	26	31	71	1700-1799	= Age 17
17	37	37	91	1800-1899	= Age 18
30	56	39	130	1900-1999	= Age 19
42	64	67	181	2000-2099	= Age 20
42	89	93	236	2100-2199	= Age 21
69	126	114	313	2200-2299	= Age 22
73	165	115	372	2300-2399	= Age 23
115	186	186	493	2400-2499	= Age 24
90	228	166	491	2500-2599	= Age 25
125	297	184	616	2600-2699	= Age 26
99	229	197	545	2700-2799	= Age 27
149	284	248	700	2800-2899	= Age 28
203	339	251	812	2900-2999	= Age 29
138	474	283	908	3000-3099	= Age 30
182	532	251	991	3100-3199	= Age 31
205	559	303	1104	3200-3299	= Age 32
182	653	311	1181	3300-3399	= Age 33
219	571	286	1123	3400-3499	= Age 34
160	601	275	1046	3500-3599	= Age 35
167	689	255	1159	3600-3699	= Age 36
216	773	246	1263	3700-3799	= Age 37
155	637	247	1084	3800-3899	= Age 38
176	701	261	1198	3900-3999	= Age 39
176	678	217	1103	4000-4099	= Age 40
172	545	251	987	4100-4199	= Age 41
136	695	267	1129	4200-4299	= Age 42
129	667	231	1068	4300-4399	= Age 43
98	548	196	885	4400-4499	= Age 44

RACE 339-339 VAR708: Race

Non-blank for all Rs.

137	0	5624	5761	1	= Black
2961	11466	0	14427	2	= White
499	0	0	1144	3	= Other

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES		
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL		

HISPANIC	340-340				VAR707: Hispanic origin		
Non-blank for all Rs.							
		3597	0	0	3597	1	= Hispanic
		0	11466	5624	17735	2	= Non-Hispanic

HISPRACE	341-341				Race and Hispanic origin-computed variable		
Non-blank for all Rs.							
		3597	0	0	3597	1	= Hispanic
		0	11466	0	11466	2	= Non-Hispanic White
		0	0	5624	5624	3	= Non-Hispanic Black
		0	0	0	645	4	= Non-Hispanic Other

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
EDUCAT	342-343					VAR104: Education (completed years of schooling)
						Non-blank for all Rs.
		28	6	0	41	00 = No Formal Education
		41	2	5	48	01 = 1st Grade
		23	1	5	29	02 = 2nd Grade
		46	5	7	58	03 = 3rd Grade
		57	6	4	71	04 = 4th Grade
		97	4	3	107	05 = 5th Grade
		320	35	20	382	06 = 6th Grade
		134	56	47	246	07 = 7th Grade
		223	239	166	642	08 = 8th Grade
		305	449	309	1093	09 = 9th Grade
		292	603	569	1504	10 = 10th Grade
		291	585	627	1530	11 = 11th Grade
		826	4329	2029	7402	12 = 12th Grade
		311	1020	625	2006	13 = 1 Year of College, University
		212	1267	516	2038	14 = 2 Years of College, University
		97	514	175	830	15 = 3 Years of College, University
		161	1367	297	1902	16 = 4 Years of College, University
		57	354	100	532	17 = 5 Years of College, University
		23	356	72	476	18 = 6 Years of College, University
		53	268	48	395	19 = 7 Or More Years of College, University

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

HIEDUC	344-345					VAR107: Highest completed year of school or highest degree received
Non-blank for all Rs.						
		28	4	0	39	01 = Less than 1st Grade
		167	5	16	192	02 = 1st, 2nd,3rd,Or 4th Grade
		368	22	20	420	03 = 5th or 6th Grade
		299	221	180	717	04 = 7th or 8th Grade
		210	296	256	779	05 = 9th Grade
		220	384	472	1099	06 = 10th Grade
		221	356	466	1066	07 = 11th Grade
		13	31	57	107	08 = 12th Grade ,No Diploma (nor GED)
		1157	4997	2324	8730	09 = High School Graduate (H.S. diploma or GED)
		528	1990	1059	3681	10 = Some College But No Degree
		120	885	289	1331	11 = Associate Degree In College
		214	1756	385	2458	12 = Bachelor's Degree
		39	443	77	592	13 = Master's Degree
		7	54	16	79	14 = Professional Degree
		6	22	7	42	15 = Doctorate Degree

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

POVERTY 346-348

VAR712: Poverty level of income

Non-blank for all Rs.

1303	1140	2047	4654	000-099	= 0-99 percent of poverty level
1039	2590	1596	5359	100-199	= 100-199 percent of poverty level
538	2445	876	3987	200-299	= 200-299 percent of poverty level
290	1733	438	2535	300-399	= 300-399 percent of poverty level
196	1598	274	2120	400-499	= 400-499 percent of poverty level
88	616	140	873	500-599	= 500-599 percent of poverty level
62	467	103	656	600-699	= 600-699 percent of poverty level
51	520	71	659	700-799	= 700-799 percent of poverty level
5	125	37	171	800-899	= 800-899 percent of poverty level
19	161	35	234	900-997	= 900-997 percent of poverty level
6	71	7	84	998	= 998 percent of poverty level or greater

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

LABORFOR 349-350

VAR711: Labor force status

Non-blank for all Rs.

1283	4586	2484	8600	01	= Working Full-Time
446	2201	499	3251	02	= Working Part-Time
60	322	105	497	03	= Working, but on Vacation, Strike, or temporary illness
14	55	17	88	04	= Working, but on Maternity Leave
30	120	180	336	05	= Unemployed, laid off, looking for work
76	204	192	487	06	= In School
1525	2939	1719	6415	07	= Keeping House
88	707	243	1055	08	= Working 2 or more Part-Time Jobs
11	40	64	115	09	= On permanent disability
1	32	19	52	10	= Doing Nothing; taking it easy; hanging out
63	260	102	436	11	= Other

REGION 351-351

VAR703: Geographic region of residence

Non-blank for all Rs.

559	2299	1059	4009	1	= Northeast
214	3166	1291	4769	2	= Midwest
1020	3388	2699	7239	3	= South
1804	2613	575	5315	4	= West

METRO 352-352

VAR701: Place of residence
(metropolitan-nonmetropolitan)

Non-blank for all Rs.

1801	2348	3425	7800	1	= SMSA, Central City
1482	6093	1552	9412	2	= SMSA, Other
314	3025	647	4120	3	= Not SMSA

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES	
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL		

RURAL	353-353					VAR702: Urban-rural residence	
						Non-blank for all Rs.	
		3447	9282	5270	18568	1	= Urban
		150	2184	354	2764	2	= Rural

RELIGION	354-354					VAR705: Current religious affiliation	
						Non-blank for all Rs.	
		240	1375	471	2189	0	= None
		747	6340	4561	11866	1	= Protestant
		2533	3124	384	6204	2	= Roman Catholic
		12	213	12	237	3	= Jewish
		28	103	55	320	4	= Other
		37	311	141	516	5	= No specific denomination

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

OCCCD0	355-357					<p>R What (is/was) your (last) occupation? That is, what (is/was) your (primary) job called? / Please tell me about the (NTH: IF-2 NUMJOBS) job you worked (last week/during the last week you worked). What is your occupation on that job? That what is that job called? What (are/were) your most important activities or duties on this job? (NUMERIC OCCUPATION CODE-1ST/ONLY JOB)</p>
--------	---------	--	--	--	--	---

Inapplicable:
 The answer was not ascertained, R refused to report, or R did not know what she was doing most of the time the previous week (IF-1 DOLASTWK coded 97, 98, or 99); answer was not ascertained, R refused to report, or R did not know whether she has ever worked for pay (IF-1a WKPAYEVX coded 7, 8, or 9); or R has never worked (IF-1a WKPAYEVX coded 2).

	411	157	420	1025	Blank	= Blank, inapplicable
	1958	7929	3436	13714	003-909	= Occupation code-see User's Guide: "Occupation and Industry Codes"
	5	4	13	22	995	= Other (some occupation, not listed) or insufficient information to code
	1223	3376	1755	6571	997	= Not ascertained

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MEDICAID 358-358

During the last 12 months, were you covered by MEDICAID, MEDICAL ASSISTANCE, or another public assistance program that pays for medical care?

Asked of all Rs.

0	0	0	0	Blank	= Blank, inapplicable
1215	1644	2632	5628	1	= YES
2377	9801	2984	15667	2	= NO
0	0	0	0	7	= Not Ascertained
5	18	8	31	8	= Refused
0	3	0	6	9	= Don't Know

BRNOUT 359-359

Were you born outside of the United States?

Inapplicable:

R stated that she had lived at the same address her whole life (IA-3 STRTADD coded 1189); or R had lived at her April 1990 address since she was born (IA-8 YEARS_S coded 99 and IA-8 MONTHS_S coded 99).

97	179	329	636	Blank	= Blank, inapplicable
1640	414	331	2714	1	= YES
1857	10872	4964	17978	2	= NO
0	0	0	0	7	= Not Ascertained
3	1	0	4	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

STRUS 360-363 In what month and year did you come to the United States to stay?

Inapplicable:
R stated that she had lived at the same address her whole life (IA-3 STRTADD coded 1189); R had lived at her 1990 address since she was born (IA-8 YEARS_S coded 99 and IA-8 MONTHS_S coded 99); or R was not born outside the United States (IA-9 BRNOUT coded 2).

1755	11047	5292	18397	Blank	= Blank, inapplicable
1701	381	306	2702	0623-1084	= April, 1990 or before
114	33	21	196	1085-1150	= After April, 1990
21	0	0	21	9997	= Not ascertained
0	0	0	0	9998	= Refused
6	5	5	16	9999	= Don't know

OUTCOMEI 364-364 OUTCOME (VAR225) Imputation Flag

Non-blank for all Rs.

3597	11464	5621	21326	0	= Questionnaire data
0	0	3	4	1	= Stochastic imputation
0	2	0	2	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

PRGLNGTI 365-365 PRGLNGTH (VAR226) Imputation Flag

Non-blank for all Rs.

3594	11452	5611	21301	0	= Questionnaire data
3	14	13	31	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

DATEND_I 366-366 DATEND (VAR227) Imputation Flag

Non-blank for all Rs.

3561	11344	5553	21099	0	= Questionnaire data
23	65	41	129	1	= Stochastic imputation
13	57	30	104	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

YRPREG_I 367-367 YRPREG (VAR228) Imputation Flag

Non-blank for all Rs.

3561	11344	5553	21099	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
36	122	71	233	3	= Computed based on imputed value(s) of other recode(s)

AGEPREGI 368-368 AGEPREG (VAR229) Imputation Flag

Non-blank for all Rs.

3561	11344	5553	21099	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
36	122	71	233	3	= Computed based on imputed value(s) of other recode(s)

FMAROU5I 369-369 FMAROUT5 (VAR230) Imputation Flag

Non-blank for all Rs.

3537	11304	5488	20961	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
60	162	136	371	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

FMAROU2I	370-370					FMAROUT2 (VAR231) Imputation Flag	
Non-blank for all Rs.							
		3551	11350	5563	21103	0	= Questionnaire data
		0	0	0	0	1	= Stochastic imputation
		0	0	0	0	2	= Logical imputation
		46	116	61	229	3	= Computed based on imputed value(s) of other recode(s)

DATECONI	371-371					DATECON (VAR232) Imputation Flag	
Non-blank for all Rs.							
		3559	11336	5548	21084	0	= Questionnaire data
		0	0	0	0	1	= Stochastic imputation
		0	0	0	0	2	= Logical imputation
		38	130	76	248	3	= Computed based on imputed value(s) of other recode(s)

AGECONI	372-372					AGECON (VAR233) Imputation Flag	
Non-blank for all Rs.							
		3559	11336	5548	21084	0	= Questionnaire data
		0	0	0	0	1	= Stochastic imputation
		0	0	0	0	2	= Logical imputation
		38	130	76	248	3	= Computed based on imputed value(s) of other recode(s)

FMARCO5I	373-373					FMARCON5 (VAR234) Imputation Flag	
Non-blank for all Rs.							
		3536	11299	5485	20952	0	= Questionnaire data
		0	0	0	0	1	= Stochastic imputation
		0	0	0	0	2	= Logical imputation
		61	167	139	380	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

FMARCO2I	374-374					FMARCON2 (VAR235) Imputation Flag
						Non-blank for all Rs.
	3549	11347	5562	21097	0	= Questionnaire data
	0	0	0	0	1	= Stochastic imputation
	0	0	0	0	2	= Logical imputation
	48	119	62	235	3	= Computed based on imputed value(s) of other recode(s)

DELIVERI	375-375					DELIVERY (VAR236) Imputation Flag
						Non-blank for all Rs.
	3597	11466	5624	21332	0	= Questionnaire data
	0	0	0	0	1	= Stochastic imputation
	0	0	0	0	2	= Logical imputation
	0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

LEARNPRI	376-376					LEARNPRG (VAR237) Imputation Flag
						Non-blank for all Rs.
	3597	11461	5624	21327	0	= Questionnaire data
	0	5	0	5	1	= Stochastic imputation
	0	0	0	0	2	= Logical imputation
	0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

PNCAREWI	377-377					PNCAREWK (VAR238) Imputation Flag
						Non-blank for all Rs.
	3597	11465	5624	21331	0	= Questionnaire data
	0	1	0	1	1	= Stochastic imputation
	0	0	0	0	2	= Logical imputation
	0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT	AND	CODE	CATEGORIES
		HISP	WHITE	BLACK					
SEX1_I	382-382								SEX1 (VAR243) Imputation Flag
									Non-blank for all Rs.
		3595	11465	5624	21329	0			= Questionnaire data
		2	1	0	3	1			= Stochastic imputation
		0	0	0	0	2			= Logical imputation
		0	0	0	0	3			= Computed based on imputed value(s) of other recode(s)
SEX2_I	383-383								SEX2 (VAR244) Imputation Flag
									Non-blank for all Rs.
		3597	11466	5624	21332	0			= Questionnaire data
		0	0	0	0	1			= Stochastic imputation
		0	0	0	0	2			= Logical imputation
		0	0	0	0	3			= Computed based on imputed value(s) of other recode(s)
BFEEDWKI	384-384								BFEEDWKS (VAR245) Imputation Flag
									Non-blank for all Rs.
		3594	11465	5621	21325	0			= Questionnaire data
		3	1	3	7	1			= Stochastic imputation
		0	0	0	0	2			= Logical imputation
		0	0	0	0	3			= Computed based on imputed value(s) of other recode(s)
MATERNLI	385-385								MATERNLV (VAR246) Imputation Flag
									Non-blank for all Rs.
		3594	11446	5615	21295	0			= Questionnaire data
		3	20	9	37	1			= Stochastic imputation
		0	0	0	0	2			= Logical imputation
		0	0	0	0	3			= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWR_I 386-386 OLDWANTR (VAR431) Imputation Flag

Non-blank for all Rs.

3376	11035	5212	20218	0		= Questionnaire data
3	18	10	31	1		= Stochastic imputation -- all other missing data
44	51	63	164	2		= Stochastic imputation -- conception date 1 mo prior to first vol sex
37	132	78	256	3		= Stochastic imputation -- missing first vol sex date, or missing preg end date
81	135	185	419	4		= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
56	95	76	244	5		= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OLDWP_I 387-387 OLDWANTP (VAR432) Imputation Flag

Non-blank for all Rs.

3392	11071	5222	20282	0		= Questionnaire data
6	35	47	109	1		= Stochastic imputation -- all other missing data
44	51	63	164	2		= Stochastic imputation -- conception date 1 mo prior to first vol sex
35	121	64	221	3		= Stochastic imputation -- missing first vol sex date, or missing preg end date
80	134	185	417	4		= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
40	54	43	139	5		= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Interval File

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTRP_I 388-388

WANTRESP (VAR433) Imputation Flag

Non-blank for all Rs.

3376	11035	5215	20221	0	= Questionnaire data
2	11	9	22	1	= Stochastic imputation -- all other missing data
44	51	63	164	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
37	132	78	256	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
81	135	185	419	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
57	102	74	250	5	= Stochastic imputation -- R had preg end date, but other timing data missing

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WANTPT_I 389-389

WANTPART (VAR434) Imputation Flag

Non-blank for all Rs.

3388	11049	5207	20240	0	= Questionnaire data
6	32	31	70	1	= Stochastic imputation -- all other missing data
44	51	63	164	2	= Stochastic imputation -- conception date 1 mo prior to first vol sex
35	122	76	241	3	= Stochastic imputation -- missing first vol sex date, or missing preg end date
81	135	185	419	4	= Stochastic imputation -- conception date 2 or more mos prior to first vol sex
43	77	62	198	5	= Stochastic imputation -- R had preg end date, but other timing data missing

AGEAPR_I 390-390

AGEAPR1 (VAR101) Imputation Flag

Non-blank for all Rs.

3597	11466	5624	21332	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
0	0	0	0	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

RACE_I 391-391

RACE (VAR708) Imputation Flag

Non-blank for all Rs.

3589	11466	5624	21324	0	= Questionnaire data
0	0	0	0	1	= Stochastic imputation
8	0	0	8	2	= Logical imputation
0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

HISPAN_I 392-392 HISPANIC (VAR707) Imputation Flag

Non-blank for all Rs.

	3597	11453	5624	21318	0	= Questionnaire data
	0	0	0	0	1	= Stochastic imputation
	0	13	0	14	2	= Logical imputation
	0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

HISPRA_I 393-393 HISPRACE Imputation Flag

Non-blank for all Rs.

	3589	11453	5624	21310	0	= Questionnaire data
	0	0	0	0	1	= Stochastic imputation
	0	0	0	0	2	= Logical imputation
	8	13	0	22	3	= Computed based on imputed value(s) of other recode(s)

EDUCAT_I 394-394 EDUCAT (VAR104) Imputation Flag

Non-blank for all Rs.

	3597	11466	5623	21331	0	= Questionnaire data
	0	0	1	1	1	= Stochastic imputation
	0	0	0	0	2	= Logical imputation
	0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

HIEDUC_I 395-395 HIEDUC (VAR107) Imputation Flag

Non-blank for all Rs.

	3566	11367	5589	21159	0	= Questionnaire data
	0	0	0	0	1	= Stochastic imputation
	31	99	35	173	2	= Logical imputation
	0	0	0	0	3	= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

POVERT_I	396-396				POVERTY (VAR712) Imputation Flag	
Non-blank for all Rs.						
						= Questionnaire data
						= Stochastic imputation
						= Logical imputation
						= Computed based on imputed value(s) of other recode(s)

LABORF_I	397-397				LABORFOR (VAR711) Imputation Flag	
Non-blank for all Rs.						
						= Questionnaire data
						= Stochastic imputation
						= Logical imputation
						= Computed based on imputed value(s) of other recode(s)

REGION_I	398-398				REGION (VAR703) Imputation Flag	
Non-blank for all Rs.						
						= Questionnaire data
						= Stochastic imputation
						= Logical imputation
						= Computed based on imputed value(s) of other recode(s)

RELIGI_I	399-399				RELIGION (VAR705) Imputation Flag	
Non-blank for all Rs.						
						= Questionnaire data
						= Stochastic imputation
						= Logical imputation
						= Computed based on imputed value(s) of other recode(s)

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Interval File

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES			
		HISP	WHITE	BLACK	TOTAL			
COL_STR	400-401							NHIS collapsed strata-values 1-62
								Non-blank for all Rs.
		3597	11466	5624	21332	01-62		= Strata 1-62
PANEL	402-402							NHIS panel identifier- values 1-4
								Non-blank for all Rs.
		767	2752	1372	5054	1		= Panel 1
		882	3055	1361	5438	2		= Panel 2
		909	2709	1507	5286	3		= Panel 3
		1039	2950	1384	5554	4		= Panel 4
POST_WT	403-412							Post-adjusted weight.
								Non-blank for all Rs.
								00349.8761-33549.8227 = Adjusted weight
A_DOI	413-416							Date Section A began.
								Non-blank for all Rs.
		3597	11466	5624	21332	1141-1150		= January-October, 1995