

ICPSR
Inter-university Consortium for
Political and Social Research

National Survey of Family Growth, Cycle V, 1995

Codebook, Vol. IIIa, Variable List and
Frequencies for Section E Questionnaire
Items in Respondent File

United States Department of Health and Human Services
National Center for Health Statistics

ICPSR 6960

NATIONAL SURVEY OF FAMILY GROWTH, CYCLE V, 1995

(ICPSR 6960)

Principal Investigator

United States Department of Health and Human Services
National Center for Health Statistics

First ICPSR Version

August 2000

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106

BIBLIOGRAPHIC CITATION

Publications based on ICPSR data collections should acknowledge those sources by means of bibliographic citations. To ensure that such source attributions are captured for social science bibliographic utilities, citations must appear in footnotes or in the reference section of publications. The bibliographic citation for this data collection is:

U.S. Dept. of Health and Human Services,
National Center for Health Statistics. NATIONAL
SURVEY OF FAMILY GROWTH, CYCLE V, 1995
[Computer file]. ICPSR version. Hyattsville,
MD: U.S. Dept. of Health and Human Services,
National Center for Health Statistics
[producer], 1997. Ann Arbor, MI: Inter-
university Consortium for Political and Social
Research [distributor], 2000.

REQUEST FOR INFORMATION ON USE OF ICPSR RESOURCES

To provide funding agencies with essential information about use of archival resources and to facilitate the exchange of information about ICPSR participants' research activities, users of ICPSR data are requested to send to ICPSR bibliographic citations for each completed manuscript or thesis abstract. Please indicate in a cover letter which data were used.

DATA DISCLAIMER

The original collector of the data, ICPSR, and the relevant funding agency bear no responsibility for uses of this collection or for interpretations or inferences based upon such uses.

DATA COLLECTION DESCRIPTION

United States Department of Health and Human Services. National Center for Health Statistics

NATIONAL SURVEY OF FAMILY GROWTH, CYCLE V, 1995 (ICPSR 6960)

SUMMARY: The NSFG Cycle V interviews have been divided into two files. The Respondent File (Part 1) contains one record for each woman in the survey, while the Interval File (Part 2) contains one record for each completed pregnancy experienced by a woman in the survey. An interval can be defined as one of the following: the time between a first intercourse at last contact (in 1988) and a pregnancy that ended after last contact, or the time between a pregnancy that ended before last contact and one that was in progress at the time of the interview. Part 1 offers data on respondents' marital histories, education, family background, sex education, births and pregnancies, first sexual intercourse, sterilizing operations, contraceptive histories, family planning services, infertility services, births -- intended and unexpected, adoption, sexually transmitted diseases/AIDS, religion, race/ethnicity, employment/occupation, income, and insurance. Part 2 supplies data on outcomes of pregnancies and other pregnancy-related information, use of birth control methods during intervals, and "wantedness" of pregnancies.

UNIVERSE: The civilian noninstitutionalized population of women 15-44 years of age in the United States, regardless of marital status.

SAMPLING: A national probability sample of 14,000 women aged 15-44 was chosen from households that had participated in NATIONAL HEALTH INTERVIEW SURVEY, 1993 (ICPSR 6534). Black and Hispanic women were oversampled.

NOTE: (1) Data for CYCLE I, 1973 (ICPSR 7898), CYCLE II, 1976 (ICPSR 7902, 8181), CYCLE III, 1982 (ICPSR 8328), CYCLE IV, 1988 (ICPSR 9473), and CYCLE V, 1990 TELEPHONE REINTERVIEW (ICPSR 6643) are also available from ICPSR. (2) Per agreement with NCHS, ICPSR distributes the data files and text of the technical documentation for this collection as prepared by NCHS. (3) The codebooks and user guide are provided as Portable Document Format (PDF) files. The PDF file format was developed by Adobe Systems Incorporated and can be accessed using PDF reader software, such as the Adobe Acrobat Reader. Information on how to obtain a copy of the Acrobat Reader is provided through the ICPSR Website on the Internet.

RESTRICTIONS: In preparing the data files for this collection, the National Center for Health Statistics (NCHS) has removed direct identifiers and characteristics that might lead to identification of data subjects. As an additional precaution NCHS requires, under Section 308(d) of the Public Health Service Act (42 U.S.C. 242m), that data collected by NCHS not be used for any purpose other than statistical analysis and reporting. NCHS further requires that analysts not use the data to learn the identity of any persons or establishments and that the director of NCHS be notified if any identities are inadvertently discovered. ICPSR member institutions and other users ordering data from ICPSR are expected to adhere to these restrictions.

EXTENT OF COLLECTION: 2 data files + machine-readable documentation (PDF)

EXTENT OF PROCESSING: `FREQ.PR/ REFORM.DOC/ SCAN`

DATA FORMAT: Logical Record Length

Part 1: Respondent File
File Structure: rectangular
Cases: 10,847
Variables: approx. 630
Record Length: 13,064
Records Per Case: 1

Part 2: Interval File
File Structure: rectangular
Cases: 21,332
Variables: approx. 80
Record Length: 416
Records Per Case: 1

Part 3: Codebook, Vol. I:
Variable List and Frequencies
for Section A Questionnaire
Items in Respondent File

Part 4: Codebook, Vol. II:
Variable List and Frequencies
for Sections B-D Questionnaire
Items in Respondent File

Part 5: Codebook, Vol. IIIa,
Variable List and Frequencies
for Section E Questionnaire
Items in Respondent File

Part 6: Codebook, Vol. IIIb,
Variable List and Frequencies
for Section E Questionnaire
Items in Respondent File

Part 7: Codebook, Vol. IV:
Variable List and Frequencies
for Sections F-I Questionnaire
Items in Respondent File

Part 8: Codebook, Vol. V:
Recodes for Respondent File
and Variable List and
Frequencies for Interval
File

Part 9: Codebook, Vol. VI:
NSFG Cycle V Main Study
Questionnaire, Sections A-K

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

BCADVCE 6822-6822

Next we would like to ask you about birth control methods. In the last 12 months, that is since (INTERVIEW MONTH, 1994), did you get advice about birth control methods from any of the non-medical people on Card E-1?

Inapplicable:
 R is age 25 or older (coded 25+ in AA-1 AGE).

1083	4781	1800	7912	Blank	= Blank, inapplicable
191	714	307	1252	1	= YES
278	988	339	1682	2	= NO
0	0	0	0	7	= Not Ascertained
1	0	0	1	8	= Refused
0	0	0	0	9	= Don't Know

BCADVWH0 6823-6824

Which of the people on the card gave you advice (about birth control)? (1st MENTIONED)

Inapplicable:
 R is age 25 or older (coded 25+ in AA-1 AGE); R is under age 25 and did not get advice from non-medical people about birth control in the past 12 months (coded 2 in EA-1 BCADVCE); whether she got birth control advice from a non-medical person is not ascertained, refused or don't know (EA-1 BCADVCE coded 7,8 or 9).

1362	5769	2139	9595	Blank	= Blank, inapplicable
92	384	121	623	01	= FRIEND
61	204	121	389	02	= PARENT
13	41	35	89	03	= OTHER RELATIVE
23	72	26	132	04	= SCHOOL COUNSELOR OR TEACHER
0	7	3	10	05	= MINISTER, PRIEST, RABBI, CLERGY
2	6	1	9	06	= OTHER-NOT SHOWN SEPARATELY
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

BCADVWH1 6825-6826

Which of the people on the card gave
 you advice (about birth control)?
 (2nd MENTIONED)

Inapplicable:
 R is age 25 or older (coded 25+ in
 AA-1 AGE); R is under age 25 and did
 not get advice from non-medical people
 about birth control in the past 12
 months (coded 2 in EA-1 BCADVICE);
 whether she got birth control advice
 from a non-medical person is not
 ascertained, refused or don't know
 (EA-1 BCADVICE coded 7,8 or 9); or R
 reported fewer than 2 people who gave
 her BC advice.

1500	6244	2362	10459	Blank	= Blank, inapplicable
9	26	5	40	01	= FRIEND
25	144	49	227	02	= PARENT
8	33	17	60	03	= OTHER RELATIVE
10	27	11	49	04	= SCHOOL COUNSELOR OR TEACHER
1	6	1	8	05	= MINISTER, PRIEST, RABBI, CLERGY
0	3	1	4	06	= OTHER-NOT SHOWN SEPARATELY
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

BCADVWH2 6827-6828

Which of the people on the card gave you advice (about birth control)? (3rd MENTIONED)

Inapplicable:
 R is age 25 or older (coded 25+ in AA-1 AGE); R is under age 25 and did not get advice from non-medical people about birth control in the past 12 months (coded 2 in EA-1 BCADVICE); whether she got birth control advice from a non-medical person is not ascertained, refused or don't know (EA-1 BCADVICE coded 7,8 or 9); or R reported fewer than 3 people who gave her BC advice.

1537	6400	2411	10708	Blank	= Blank, inapplicable
0	4	2	6	01	= FRIEND
0	5	0	5	02	= PARENT
13	39	27	84	03	= OTHER RELATIVE
3	29	4	36	04	= SCHOOL COUNSELOR OR TEACHER
0	2	2	4	05	= MINISTER, PRIEST, RABBI, CLERGY
0	4	0	4	06	= OTHER-NOT SHOWN SEPARATELY
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

BCADVWH3 6829-6830

Which of the people on the card gave you advice (about birth control)? (4th MENTIONED)

Inapplicable:
 R is age 25 or older (coded 25+ in AA-1 AGE); R is under age 25 and did not get advice from non-medical people about birth control in the past 12 months (coded 2 in EA-1 BCADVICE); whether she got birth control advice from a non-medical person is not ascertained, refused or don't know (EA-1 BCADVICE coded 7,8 or 9); or R reported fewer than 4 people who gave her BC advice.

1548	6465	2431	10805	Blank	= Blank, inapplicable
0	0	0	0	01	= FRIEND
0	0	0	0	02	= PARENT
0	1	1	2	03	= OTHER RELATIVE
5	13	14	35	04	= SCHOOL COUNSELOR OR TEACHER
0	3	0	3	05	= MINISTER, PRIEST, RABBI, CLERGY
0	1	0	2	06	= OTHER-NOT SHOWN SEPARATELY
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

BCADVWH4 6831-6832

Which of the people on the card gave you advice (about birth control)? (5th MENTIONED)

Inapplicable:
 R is age 25 or older (coded 25+ in AA-1 AGE); R is under age 25 and did not get advice from non-medical people about birth control in the past 12 months (coded 2 in EA-1 BCADVICE); whether she got birth control advice from a non-medical person is not ascertained, refused or don't know (EA-1 BCADVICE coded 7,8 or 9); or R reported fewer than 5 people who gave her BC advice.

1552	6481	2441	10837	Blank	= Blank, inapplicable
0	0	0	0	01	= FRIEND
0	0	0	0	02	= PARENT
0	0	0	0	03	= OTHER RELATIVE
0	0	0	0	04	= SCHOOL COUNSELOR OR TEACHER
1	2	5	10	05	= MINISTER, PRIEST, RABBI, CLERGY
0	0	0	0	06	= OTHER-NOT SHOWN SEPARATELY
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know

EVERUSED 6833-6833

EVER USED METHOD (COMPUTED). IF R ANSWERED YES (1) TO ANY METHOD IN EA, computed variable EVERUSED=1. ELSE, computed variable EVERUSED = 2.

Computed for all Rs.

1327	5880	2241	9723	1	= YES
226	603	205	1124	2	= NO
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES

PILL	6834-6834					Have you ever used birth control pills?	
						Asked of all Rs.	
		0	0	0	0	Blank	= Blank, inapplicable
		1048	5110	1934	8275	1	= YES
		505	1371	511	2569	2	= NO
		0	0	0	0	7	= Not Ascertained
		0	2	1	3	8	= Refused
		0	0	0	0	9	= Don't Know

NORPLANT	6835-6835					(Have you ever used) Norplant (implants)?	
						Asked of all Rs.	
		0	0	0	0	Blank	= Blank, inapplicable
		47	102	78	233	1	= YES
		1506	6378	2368	10611	2	= NO
		0	0	0	0	7	= Not Ascertained
		0	3	0	3	8	= Refused
		0	0	0	0	9	= Don't Know

CONDOM	6836-6836					Have you ever used condoms or rubbers with a partner?	
						Inapplicable: R never had sex (computed variable RHADSEX coded 2,7,8 or 9).	
		144	586	149	941	Blank	= Blank, inapplicable
		954	4995	1857	8023	1	= YES
		455	898	439	1878	2	= NO
		0	0	0	0	7	= Not Ascertained
		0	4	1	5	8	= Refused
		0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

VASECTMY 6837-6837 Have you ever had sex with a partner who had a vasectomy?

Inapplicable:
 R never had sex (computed variable RHADSEX coded 2,7,8 or 9).

144	586	149	941	Blank	= Blank, inapplicable
94	1105	97	1329	1	= YES
1312	4764	2187	8531	2	= NO
0	0	0	0	7	= Not Ascertained
0	5	0	5	8	= Refused
3	23	13	41	9	= Don't Know

DIAFRAGM 6838-6838 Have you ever used a diaphragm with or without jelly or cream?

Inapplicable:
 R never had sex (computed variable RHADSEX coded 2,7,8 or 9).

144	586	149	941	Blank	= Blank, inapplicable
120	1086	253	1484	1	= YES
1289	4807	2044	8418	2	= NO
0	0	0	0	7	= Not Ascertained
0	4	0	4	8	= Refused
0	0	0	0	9	= Don't Know

RHYTHM 6839-6839 Have you ever used rhythm or safe period by calendar to prevent pregnancy? (READ IF NECESSARY: This means that you did not have intercourse during your fertile period. You determined your fertile period by counting the days from the start of your period that month.)

Inapplicable:
 R never had sex (computed variable RHADSEX coded 2,7,8 or 9).

144	586	149	941	Blank	= Blank, inapplicable
297	1537	429	2349	1	= YES
1112	4356	1868	7553	2	= NO
0	0	0	0	7	= Not Ascertained
0	4	0	4	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

TEMPSAFE 6840-6840

(Have you ever used) natural family planning or safe period by temperature or cervical mucus test to prevent pregnancy? (READ IF NECESSARY: This means that you did not have intercourse during your fertile period. You determined your fertile period by using a thermometer to check your temperature and by looking at the consistency of your cervical mucus.)

Inapplicable:
 R never had sex (computed variable RHADSEX coded 2,7,8 or 9).

144	586	149	941	Blank	= Blank, inapplicable
46	294	58	407	1	= YES
1363	5599	2239	9495	2	= NO
0	0	0	0	7	= Not Ascertained
0	4	0	4	8	= Refused
0	0	0	0	9	= Don't Know

WIDRAWAL 6841-6841

(Have you ever used) withdrawal or "pulling out"?

Inapplicable:
 R never had sex (computed variable RHADSEX coded 2,7,8 or 9).

144	586	149	941	Blank	= Blank, inapplicable
484	2550	738	3875	1	= YES
925	3342	1559	6026	2	= NO
0	0	0	0	7	= Not Ascertained
0	4	0	4	8	= Refused
0	1	0	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

WOCONDOM 6842-6842 (Have you ever used) female condoms or vaginal pouches?

Inapplicable:
 R never had sex (computed variable RHADSEX coded 2,7,8 or 9).

144	586	149	941	Blank	= Blank, inapplicable
17	61	55	135	1	= YES
1392	5832	2242	9767	2	= NO
0	0	0	0	7	= Not Ascertained
0	4	0	4	8	= Refused
0	0	0	0	9	= Don't Know

FOAMALON 6843-6843 (Have you ever used) foam?

Inapplicable:
 R never had sex (computed variable RHADSEX coded 2,7,8 or 9).

144	586	149	941	Blank	= Blank, inapplicable
193	1173	473	1875	1	= YES
1216	4719	1824	8026	2	= NO
0	0	0	0	7	= Not Ascertained
0	4	0	4	8	= Refused
0	1	0	1	9	= Don't Know

JELCRMAL 6844-6844 (Have you ever used) jelly or cream/(Have you ever used)jelly or cream, other than with a diaphragm?

Inapplicable:
 R never had sex (computed variable RHADSEX coded 2,7,8 or 9).

144	586	149	941	Blank	= Blank, inapplicable
96	571	226	912	1	= YES
1313	5322	2071	8990	2	= NO
0	0	0	0	7	= Not Ascertained
0	4	0	4	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL					

CERVLCAP 6845-6845 (Have you ever used) a cervical cap?

Inapplicable:
 R never had sex (computed variable
 RHADSEX coded 2,7,8 or 9).

144	586	149	941	Blank	=	Blank, inapplicable
4	44	23	71	1	=	YES
1405	5849	2274	9831	2	=	NO
0	0	0	0	7	=	Not Ascertained
0	4	0	4	8	=	Refused
0	0	0	0	9	=	Don't Know

SUPPOSIT 6846-6846 (Have you ever used) a suppository or an insert?

Inapplicable:
 R never had sex (computed variable
 RHADSEX coded 2,7,8 or 9).

144	586	149	941	Blank	=	Blank, inapplicable
121	691	258	1093	1	=	YES
1288	5202	2039	8809	2	=	NO
0	0	0	0	7	=	Not Ascertained
0	4	0	4	8	=	Refused
0	0	0	0	9	=	Don't Know

TODAYSPG 6847-6847 (Have you ever used) the TodayTM sponge?

Inapplicable:
 R never had sex (computed variable
 RHADSEX coded 2,7,8 or 9).

144	586	149	941	Blank	=	Blank, inapplicable
96	816	235	1169	1	=	YES
1313	5077	2062	8733	2	=	NO
0	0	0	0	7	=	Not Ascertained
0	4	0	4	8	=	Refused
0	0	0	0	9	=	Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

OTHRMETH 6851-6851

Have you used any other methods?

Note: See NEWMETH for responses volunteered by respondents who answered YES.

Inapplicable:
 R never had sex (computed variable RHADSEX coded 2,7,8 or 9).

144	586	149	941	Blank	= Blank, inapplicable
6	15	7	28	1	= YES
1403	5878	2290	9874	2	= NO
0	0	0	0	7	= Not Ascertained
0	4	0	4	8	= Refused
0	0	0	0	9	= Don't Know

NEWMETH 6852-6853

CODE FOR OTHER METHOD SPECIFIED IN EA-20.

Note: All responses were volunteered by respondents. They were not read aloud by the interviewer nor did they appear on Card E-2.

Inapplicable:
 R never had sex (computed variable RHADSEX coded 2,7,8 or 9); or R did not say yes (1) to using other methods (EA-20 OTHRMETH NE 1).

1548	6470	2440	10823	Blank	= Blank, inapplicable
0	0	0	0	01	= Abstinence
3	5	2	10	02	= Vaginal Contraceptive Film
2	8	2	12	03	= Other method-not shown separately
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	2	2	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL QX TEXT AND CODE CATEGORIES

DATFIRSM 6854-6857

DATE OF 1ST METHOD USE (COMPUTED). IF EB-3 WNFSTUSE NE BLANK, DATFIRSM = EB-3 WNFSTUSE. ELSE, IF EB-2 FIRSTTIME = 2 (FIRST TIME R HAD SEX) AND CH-1 WNFSTSEX NE BLANK, 9997, 9998 OR 9999, THEN DATFIRSM = CH-1 WNFSTSEX. ELSE, IF EB-2 FIRSTTIME = 2 (FIRST TIME R HAD SEX) AND CH-9 WNVOLSEX NE BLANK, 9997, 9998 OR 9999, THEN DATFIRSM = CH-9 WNVOLSEX.

Inapplicable:

R never used a method (EVERUSED coded 1); date of first method use is not ascertained, refused or don't know (EB-3 WNFSTUSE coded 9997, 9998 or 9999); R's first method use was at the time of first sex (EB-2 FIRSTTIME coded 2) and R's first sex was voluntary, but the date of first sex was not ascertained, refused, or don't know (CH-1 WNFSTSEX coded 9997, 9998 or 9999); or R's first method use was at the time of first sex (EB-2 FIRSTTIME coded 2) and R's first sex was involuntary, but the date of involuntary first sex was not ascertained, refused, or don't know (CH-9 WNVOLSEX coded 9997, 9998 or 9999).

245	710	250	1297	Blank	= Blank, inapplicable
1053	5085	1930	8283	0737-1092	= Before 1991
255	688	266	1267	1093-1150	= 1991 or later

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FIRSME00 6858-6859

The very first time you ever used a birth control method, which method on Card E-3 did you use? If you used more than one method that first time, please tell me about each one. For example, a woman's partner might use a condom and she might use the pill on the same occasion.

Inapplicable:

R never had sex and never used a birth control method, excluding female sterilization (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2).

237	664	223	1215	Blank	= Blank, inapplicable
0	0	0	0	01	= OFFICE USE ONLY
0	0	0	0	02	= OFFICE USE ONLY
680	2447	1310	4534	03	= BIRTH CONTROL PILLS
407	2363	685	3557	04	= CONDOM
3	15	1	21	05	= PARTNER'S VASECTOMY
8	90	17	116	06	= DIAPHRAGM
12	90	29	133	07	= FOAM
3	10	5	18	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
8	36	15	62	10	= SUPPOSITORY, INSERT
6	21	5	32	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
50	51	32	143	13	= IUD, COIL, LOOP
3	3	4	11	14	= NORPLANT (TM)
20	5	8	34	15	= DEPO-PROVERA, INJECTABLES
0	5	0	5	16	= MORNING AFTER PILLS
23	117	26	186	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
3	11	0	16	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
85	546	82	744	19	= WITHDRAWAL
2	2	1	6	20	= RESPONDENT STERILE
0	1	1	3	21	= PARTNER STERILE (NOT ON CARD)
0	0	1	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(2836)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	3	0	4	97	= Not Ascertained
		0	0	0	0	98	= Refused
		2	3	1	6	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FIRSME01 6860-6861

The very first time you ever used a birth control method, which method on Card E-3 did you use? If you used more than one method that first time, please tell me about each one. For example, a woman's partner might use a condom and she might use the pill on the same occasion.

Inapplicable:

R never had sex and never used a birth control method, excluding female sterilization (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2); or R reported using fewer than 2 BC methods the first time she ever used a method.

1495	6212	2308	10363	Blank	= Blank, inapplicable
0	0	0	0	01	= OFFICE USE ONLY
0	0	0	0	02	= OFFICE USE ONLY
0	7	7	14	03	= BIRTH CONTROL PILLS
22	132	95	258	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
1	5	1	7	06	= DIAPHRAGM
6	46	14	68	07	= FOAM
3	16	3	23	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
2	10	5	17	10	= SUPPOSITORY, INSERT
1	2	1	5	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
2	1	0	3	13	= IUD, COIL, LOOP
0	0	2	2	14	= NORPLANT (TM)
5	0	1	6	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
5	10	1	16	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
6	35	8	52	19	= WITHDRAWAL
1	1	0	2	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(2838)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		1	3	0	4	97	= Not Ascertained
		0	0	0	0	98	= Refused
		2	3	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FIRSME02 6862-6863

The very first time you ever used a birth control method, which method on Card E-3 did you use? If you used more than one method that first time, please tell me about each one. For example, a woman's partner might use a condom and she might use the pill on the same occasion.

Inapplicable:

R never had sex and never used a birth control method, excluding female sterilization (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2); or R reported using fewer than 3 BC methods the first time she ever used a method.

1544	6463	2442	10812	Blank	= Blank, inapplicable
0	0	0	0	01	= OFFICE USE ONLY
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	1	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
0	3	3	6	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	0	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
1	1	0	2	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
1	0	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	2	0	4	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	6	0	9	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(2840)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		1	3	0	4	97	= Not Ascertained
		0	0	0	0	98	= Refused
		2	3	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FIRSME03 6864-6865

The very first time you ever used a birth control method, which method on Card E-3 did you use? If you used more than one method that first time, please tell me about each one. For example, a woman's partner might use a condom and she might use the pill on the same occasion.

Inapplicable:

R never had sex and never used a birth control method, excluding female sterilization (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2); or R reported using fewer than 4 BC methods the first time she ever used a method.

1549	6475	2445	10833	Blank	= Blank, inapplicable
0	0	0	0	01	= OFFICE USE ONLY
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	1	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
1	0	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(2842)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		1	3	0	4	97	= Not Ascertained
		0	0	0	0	98	= Refused
		2	3	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

FIRSME04 6866-6867

The very first time you ever used a birth control method, which method on Card E-3 did you use? If you used more than one method that first time, please tell me about each one. For example, a woman's partner might use a condom and she might use the pill on the same occasion.

Inapplicable:

R never had sex and never used a birth control method, excluding female sterilization (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2); or R reported using fewer than 5 BC methods the first time she ever used a method.

1550	6477	2446	10838	Blank	= Blank, inapplicable
0	0	0	0	01	= OFFICE USE ONLY
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(2844)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		1	3	0	4	97	= Not Ascertained
		0	0	0	0	98	= Refused
		2	3	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

FIRSTIME 6868-6868

Please look at Card E-4. Thinking again of the very first time you ever used a method of birth control, was it (before your first (voluntary) intercourse), the first time you had (voluntary) intercourse, less than a month after your first (voluntary) intercourse, one to three months after first (voluntary) intercourse, four to twelve months after first (voluntary) intercourse, or more than twelve months after first (voluntary) intercourse?

Inapplicable:

R never had sex and never used a birth control method (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2); R never had sex (computed variable RHADSEX coded 2,7,8 or 9).

237	666	224	1218	Blank	= Blank, inapplicable
137	1135	415	1720	1	= (Before your first (voluntary) intercourse)
382	2671	721	3885	2	= The first time you had (voluntary) intercourse
92	459	152	718	3	= Less than a month after your first (voluntary) intercourse
87	410	175	695	4	= One to three months after first (voluntary) intercourse
108	358	194	681	5	= Four to twelve months after first (voluntary) intercourse
509	765	555	1899	6	= More than 12 months after first (voluntary) intercourse
1	2	0	3	7	= Not Ascertained

(2846)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL		
		0	7	2	9	8	= Refused
		0	10	8	19	9	= Don't Know

WNFSTUSE 6869-6872

We need to know when you first used a birth control method. It is very important that we get this date correct. Now, please look at your calendar, and tell me in what month and year you first used a method (for any reason).

Inapplicable:

R never had sex and never used a birth control method (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2); or the first time R used a birth control method was the first time she had (voluntary) intercourse (EB-2 FIRSTIME = 2).

619	3335	944	5100	Blank	= Blank, inapplicable
772	2930	1356	5197	0781-1092	= Before Jan 1991
154	193	133	503	1093-1150	= Jan 1991 or later
1	7	1	10	9997	= Not ascertained
0	6	0	6	9998	= Refused
7	12	12	31	9999	= Don't know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

AGEFSTUS 6873-6874

How old were you the first time you used a method for any reason?

Inapplicable:

R never had sex and never used a birth control method (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2); or the first time R used a birth control method was the first time she had (voluntary) intercourse (EB-2 FIRSTIME = 2).

AGE	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES
619	3335	944	5100	Blank		= Blank, inapplicable
0	0	1	1	09		= 9 years
0	2	1	3	10		= 10 years
1	6	8	15	11		= 11 years
3	25	21	50	12		= 12 years
7	65	67	141	13		= 13 years
22	135	105	269	14		= 14 years
54	261	188	510	15		= 15 years
76	428	219	736	16		= 16 years
92	455	215	772	17		= 17 years
104	515	219	854	18		= 18 years
125	401	147	685	19		= 19 years
94	267	82	454	20		= 20 years
81	181	64	339	21		= 21 years
52	120	43	228	22		= 22 years
62	86	32	186	23		= 23 years
26	50	20	103	24		= 24 years
31	37	18	95	25		= 25 years
16	26	10	57	26		= 26 years
24	15	8	54	27		= 27 years
15	17	7	41	28		= 28 years
10	8	3	27	29		= 29 years
11	7	3	24	30		= 30 years
5	4	0	11	31		= 31 years
2	6	3	15	32		= 32 years
2	3	1	7	33		= 33 years
3	3	2	8	34		= 34 years
1	1	0	3	35		= 35 years
1	0	1	4	36		= 36 years
1	2	1	5	37		= 37 years
1	1	1	3	38		= 38 years
1	1	0	2	39		= 39 years
0	0	1	1	40		= 40 years

(2848)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	0	0	1	41	= 41 years
		0	0	0	0	42	= 42 years
		1	0	0	1	43	= 43 years
		2	4	0	7	97	= Not ascertained
		0	8	0	8	98	= Refused
		7	8	11	27	99	= Don't know

PLACGOT0 6875-6876

Please look at Card E-5. Where did you get the (prescription for the) FIRST METHOD (you used as your first birth control method)?

Inapplicable:

R never had sex and never used a birth control method (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2); R is age 25 or older (coded 25+ in AA-1 AGE); or R is under age 25 and first method used was not a drug or device (coded 14-24 in AA-1 AGE and method was not a drug or device).

1256	5377	1959	8908	Blank		= Blank, inapplicable
77	161	188	438	01		= Clinic
52	178	74	312	02		= Private doctor's office, or HMO
11	40	10	62	03		= Other place
1	1	1	3	04		= HOSPITAL-EMERGENCY ROOM
5	2	8	16	05		= HOSPITAL-NOT EMERGENCY ROOM
3	8	3	14	06		= School or college
3	1	3	7	07		= Military facility
0	0	1	1	08		= Home
59	281	72	422	09		= Pharmacy, drug store, other store
82	421	124	644	10		= Male partner supplied it, from some other place
0	0	0	0	97		= Not Ascertained
1	0	0	1	98		= Refused
3	13	3	19	99		= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

PLACGOT1 6877-6878

Please look at Card E-5. Where did you get the (prescription for the) FIRST METHOD (you used as your first birth control method)?

Inapplicable:

R never had sex and never used a birth control method (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2); R is age 25 or older (coded 25+ in AA-1 AGE); or R is under age 25 and first method used was not a drug or device (coded 14-24 in AA-1 AGE and method was not a drug or device); or R reported fewer than 2 drug/device BC methods the first time she ever used a method.

1538	6416	2396	10711	Blank	= Blank, inapplicable
8	20	22	50	01	= Clinic
0	1	9	10	02	= Private doctor's office, or HMO
0	4	1	5	03	= Other place
0	0	0	0	04	= HOSPITAL-EMERGENCY ROOM
0	0	1	1	05	= HOSPITAL-NOT EMERGENCY ROOM
0	0	1	1	06	= School or college
0	0	0	0	07	= Military facility
0	0	0	0	08	= Home
1	23	8	34	09	= Pharmacy, drug store, other store
6	18	7	33	10	= Male partner supplied it, from some other place
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	1	1	2	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

PLACGOT2 6879-6880

Please look at Card E-5. Where did you get the (prescription for the) FIRST METHOD (you used as your first birth control method)?

Inapplicable:

R never had sex and never used a birth control method (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2); R is age 25 or older (coded 25+ in AA-1 AGE); or R is under age 25 and first method used was not a drug or device (coded 14-24 in AA-1 AGE and method was not a drug or device); or R reported fewer than 3 drug/device BC methods the first time she ever used a method.

1553	6483	2444	10845	Blank	= Blank, inapplicable
0	0	2	2	01	= Clinic
0	0	0	0	02	= Private doctor's office, or HMO
0	0	0	0	03	= Other place
0	0	0	0	04	= HOSPITAL-EMERGENCY ROOM
0	0	0	0	05	= HOSPITAL-NOT EMERGENCY ROOM
0	0	0	0	06	= School or college
0	0	0	0	07	= Military facility
0	0	0	0	08	= Home
0	0	0	0	09	= Pharmacy, drug store, other store
0	0	0	0	10	= Male partner supplied it, from some other place
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

PLACGOT3 6881-6882

Please look at Card E-5. Where did you get the (prescription for the) FIRST METHOD (you used as your first birth control method)?

Inapplicable:

R never had sex and never used a birth control method (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2); R is age 25 or older (coded 25+ in AA-1 AGE); or R is under age 25 and first method used was not a drug or device (coded 14-24 in AA-1 AGE and method was not a drug or device); or R reported fewer than 4 drug/device BC methods the first time she ever used a method.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= Clinic
0	0	0	0	02	= Private doctor's office, or HMO
0	0	0	0	03	= Other place
0	0	0	0	04	= HOSPITAL-EMERGENCY ROOM
0	0	0	0	05	= HOSPITAL-NOT EMERGENCY ROOM
0	0	0	0	06	= School or college
0	0	0	0	07	= Military facility
0	0	0	0	08	= Home
0	0	0	0	09	= Pharmacy, drug store, other store
0	0	0	0	10	= Male partner supplied it, from some other place
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

PLACGOT4 6883-6884

Please look at Card E-5. Where did you get the (prescription for the) FIRST METHOD (you used as your first birth control method)?

Inapplicable:

R never had sex and never used a birth control method (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2); R is age 25 or older (coded 25+ in AA-1 AGE); or R is under age 25 and first method used was not a drug or device (coded 14-24 in AA-1 AGE and method was not a drug or device); or R reported fewer than 5 drug/device BC methods the first time she ever used a method.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= Clinic
0	0	0	0	02	= Private doctor's office, or HMO
0	0	0	0	03	= Other place
0	0	0	0	04	= HOSPITAL-EMERGENCY ROOM
0	0	0	0	05	= HOSPITAL-NOT EMERGENCY ROOM
0	0	0	0	06	= School or college
0	0	0	0	07	= Military facility
0	0	0	0	08	= Home
0	0	0	0	09	= Pharmacy, drug store, other store
0	0	0	0	10	= Male partner supplied it, from some other place
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX	TEXT AND CODE	CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL		

ATFIRST	6885-6885						Used method at 1st sex (computed). IF R USED A METHOD AT FIRST SEX (EB-6 USEFSTSX coded 1) or R's FIRST METHOD USE WAS AT TIME OF FIRST SEX (EB-2 FIRTIME coded 2), computed variable ATFIRST = YES (1). ELSE, computed variable ATFIRST = NO (2).
---------	-----------	--	--	--	--	--	--

Computed for all Rs.

237	664	223	1215	Blank	= Blank, inapplicable
494	3669	1067	5362	1	= YES
822	2150	1156	4270	2	= NO
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHFST0 6886-6887 Method Used at 1st Sex-1st (Computed).
 IF R's FIRST METHOD USE WAS AT TIME OF
 FIRST SEX (EB-2 FIRSTMEN coded 2),
 EB-5a MTHFSTn = EB-1 FIRSMEN. ELSE
 IF R USED A METHOD AT FIRST SEX (EB-6
 USEFSTSX coded 1), EB-5a MTHFSTn =
 EB-7 MTHFSTSn.

Inapplicable:
 R has never used a method (computed
 variable EVERUSED = 2); or R did not
 report using her first method at the
 time of first sex (EB-2 FIRSTMEN NE 2)
 and R did not report using a method at
 time of first sex (EB-6 USEFSTSX NE
 1).

1057	2800	1369	5458	Blank	= Blank, inapplicable
0	0	0	0	01	= OFFICE USE ONLY
0	0	0	0	02	= OFFICE USE ONLY
153	1171	458	1813	03	= BIRTH CONTROL PILLS
259	1826	502	2651	04	= CONDOM
2	14	0	16	05	= PARTNER'S VASECTOMY
3	47	5	55	06	= DIAPHRAGM
3	39	12	54	07	= FOAM
1	6	3	10	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
2	24	9	36	10	= SUPPOSITORY, INSERT
1	12	3	16	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
2	8	2	12	13	= IUD, COIL, LOOP
0	2	0	2	14	= NORPLANT (TM)
0	1	1	2	15	= DEPO-PROVERA, INJECTABLES
0	4	0	4	16	= MORNING AFTER PILLS
7	66	12	94	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
1	6	0	8	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
61	456	68	610	19	= WITHDRAWAL
0	0	0	1	20	= RESPONDENT STERILE
0	1	0	2	21	= PARTNER STERILE (NOT ON CARD)
1	0	2	3	22	= OTHER METHOD-NOT SHOWN SEPARATELY
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused

(2855)

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHFST1 6888-6889 Method Used at 1st Sex-1st (Computed).
 IF R's FIRST METHOD USE WAS AT TIME OF
 FIRST SEX (EB-2 FIRSTIME coded 2),
 EB-5a MTHFSTn = EB-1 FIRSMenn. ELSE
 IF R USED A METHOD AT FIRST SEX (EB-6
 USEFSTSX coded 1), EB-5a MTHFSTn =
 EB-7 MTHFSTSn.

Inapplicable:
 R has never used a method (computed
 variable EVERUSED = 2); or R did not
 report using her first method at the
 time of first sex (EB-2 FIRSTIME NE 2)
 and R did not report using a method at
 time of first sex (EB-6 USEFSTSX NE
 1); or R reported using fewer than 2
 BC methods the first time she ever had
 sex.

1520	6232	2335	10441	Blank	= Blank, inapplicable
0	0	0	0	01	= OFFICE USE ONLY
0	0	0	0	02	= OFFICE USE ONLY
0	6	7	13	03	= BIRTH CONTROL PILLS
17	143	83	250	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
1	5	1	7	06	= DIAPHRAGM
5	30	5	41	07	= FOAM
3	14	3	21	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	8	3	12	10	= SUPPOSITORY, INSERT
0	3	1	4	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	1	1	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	8	1	11	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
3	33	6	44	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	1	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHFST2 6890-6891 Method Used at 1st Sex-1st (Computed).
 IF R's FIRST METHOD USE WAS AT TIME OF
 FIRST SEX (EB-2 FIRSTIME coded 2),
 EB-5a MTHFSTn = EB-1 FIRSMenn. ELSE
 IF R USED A METHOD AT FIRST SEX (EB-6
 USEFSTSX coded 1), EB-5a MTHFSTn =
 EB-7 MTHFSTSn.

Inapplicable:
 R has never used a method (computed
 variable EVERUSED = 2); or R did not
 report using her first method at the
 time of first sex (EB-2 FIRSTIME NE 2)
 and R did not report using a method at
 time of first sex (EB-6 USEFSTSX NE
 1); or R reported using fewer than 3
 BC methods the first time she ever had
 sex.

1550	6472	2445	10831	Blank	= Blank, inapplicable
0	0	0	0	01	= OFFICE USE ONLY
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
0	2	1	3	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	0	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	1	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	5	0	6	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHFST3 6892-6893 Method Used at 1st Sex-1st (Computed).
IF R's FIRST METHOD USE WAS AT TIME OF
FIRST SEX (EB-2 FIRSTIME coded 2),
EB-5a MTHFSTn = EB-1 FIRSMenn. ELSE
IF R USED A METHOD AT FIRST SEX (EB-6
USEFSTSX coded 1), EB-5a MTHFSTn =
EB-7 MTHFSTSn.

Inapplicable:
R has never used a method (computed
variable EVERUSED = 2); or R did not
report using her first method at the
time of first sex (EB-2 FIRSTIME NE 2)
and R did not report using a method at
time of first sex (EB-6 USEFSTSX NE
1); or R reported using fewer than 4
BC methods the first time she ever had
sex.

1552	6482	2445	10843	Blank	= Blank, inapplicable
0	0	0	0	01	= OFFICE USE ONLY
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	1	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	0	0	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHFST4 6894-6895 Method Used at 1st Sex-1st (Computed).
 IF R's FIRST METHOD USE WAS AT TIME OF
 FIRST SEX (EB-2 FIRSTIME coded 2),
 EB-5a MTHFSTn = EB-1 FIRSMenn. ELSE
 IF R USED A METHOD AT FIRST SEX (EB-6
 USEFSTSX coded 1), EB-5a MTHFSTn =
 EB-7 MTHFSTSn.

Inapplicable:
 R has never used a method (computed
 variable EVERUSED = 2); or R did not
 report using her first method at the
 time of first sex (EB-2 FIRSTIME NE 2)
 and R did not report using a method at
 time of first sex (EB-6 USEFSTSX NE
 1); or R reported using fewer than 5
 BC methods the first time she ever had
 sex.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= OFFICE USE ONLY
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

USEFSTSX 6896-6896

Did you use any birth control method the first time you had (voluntary) intercourse?

Inapplicable:

R never had sex and never used a birth control method (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2); or R first used a method of birth control at or after first (voluntary) sex (EB-2 FIRSTIME NE 1).

1427	5433	2062	9261	Blank	= Blank, inapplicable
112	998	346	1477	1	= YES
13	48	37	102	2	= NO
1	4	1	7	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHFSTS0 6897-6898

Which method did you use the first time you had (voluntary) intercourse? The methods are listed on Card E-6. If you used more than one method at the same time, please tell me about that.

Inapplicable:

R never had sex and never used a birth control method (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2); R first used a method of birth control at or after first (voluntary) sex (EB-2 FIRSTIME NE 1); or R did not use any birth control method at first (voluntary)sex (EB-6 USEFSTSX = 2).

1441	5485	2100	9370	Blank	= Blank, inapplicable
0	0	0	0	01	= OFFICE USE ONLY
0	0	0	0	02	= OFFICE USE ONLY
108	967	333	1428	03	= BIRTH CONTROL PILLS
2	14	8	25	04	= CONDOM
0	2	0	2	05	= PARTNER'S VASECTOMY
0	1	1	2	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	1	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
1	5	2	8	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	1	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)

(2865)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHFSTS1 6899-6900

Which method did you use the first time you had (voluntary) intercourse? The methods are listed on Card E-6. If you used more than one method at the same time, please tell me about that.

Inapplicable:

R never had sex and never used a birth control method (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2); R first used a method of birth control at or after first (voluntary) sex (EB-2 FIRSTIME NE 1); or R did not use any birth control method at first (voluntary)sex (EB-6 USEFSTSX = 2); or R reported using fewer than 2 BC methods the first time she ever had (voluntary) sex.

1548	6444	2430	10786	Blank	= Blank, inapplicable
0	0	0	0	01	= OFFICE USE ONLY
0	0	0	0	02	= OFFICE USE ONLY
0	1	1	2	03	= BIRTH CONTROL PILLS
4	35	15	55	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
1	1	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL

(2867)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

MTHFSTS2 6901-6902

Which method did you use the first time you had (voluntary) intercourse? The methods are listed on Card E-6. If you used more than one method at the same time, please tell me about that.

Inapplicable:

R never had sex and never used a birth control method (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2); R first used a method of birth control at or after first (voluntary) sex (EB-2 FIRSTIME NE 1); or R did not use any birth control method at first (voluntary)sex (EB-6 USEFSTSX = 2); or R reported using fewer than 3 BC methods the first time she ever had (voluntary) sex.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= OFFICE USE ONLY
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(2869)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHFSTS3 6903-6904

Which method did you use the first time you had (voluntary) intercourse? The methods are listed on Card E-6. If you used more than one method at the same time, please tell me about that.

Inapplicable:

R never had sex and never used a birth control method (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2); R first used a method of birth control at or after first (voluntary) sex (EB-2 FIRSTIME NE 1); or R did not use any birth control method at first (voluntary)sex (EB-6 USEFSTSX = 2); or R reported using fewer than 4 BC methods the first time she ever had (voluntary) sex.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= OFFICE USE ONLY
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(2871)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES

MTHFSTS4 6905-6906

Which method did you use the first time you had (voluntary) intercourse? The methods are listed on Card E-6. If you used more than one method at the same time, please tell me about that.

Inapplicable:

R never had sex and never used a birth control method (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2); R first used a method of birth control at or after first (voluntary) sex (EB-2 FIRSTIME NE 1); or R did not use any birth control method at first (voluntary)sex (EB-6 USEFSTSX = 2); or R reported using fewer than 5 BC methods the first time she ever had (voluntary) sex.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= OFFICE USE ONLY
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL

(2873)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

NOFUNAAL 6907-6907

Many women have times when they are not having intercourse at all, for example, because of pregnancy, separation, not dating anyone, illness, or other reasons. Since (January 1991/the first time you had (voluntary) intercourse), have there been any times when you were not having intercourse at all for one month or more?

Inapplicable:

R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex (computed variable RHADSEX coded 2,7,8 or 9).

144	593	152	951	Blank	= Blank, inapplicable
678	2999	1210	5050	1	= YES
730	2870	1081	4821	2	= NO
0	0	0	0	7	= Not Ascertained
1	11	3	15	8	= Refused
0	10	0	10	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL		

STRNOS00 6908-6911

What months and years were those?
(START DATE) (1st PERIOD)

Inapplicable:

R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex (computed variable RHADSEX coded 2,7,8 or 9); or R did not report any times when she was not having sex for one month or more (coded 2 in EE-1 NOFUNAAL).

875	3484	1236	5797	Blank	= Blank, inapplicable
53	169	86	315	0821-1092	= Before Jan 1991
607	2656	1058	4470	1093-1150	= Jan 1991 or later
0	1	0	1	1197	= No more periods of no sex
0	3	2	5	9997	= Not ascertained
0	10	5	15	9998	= Refused
18	160	59	244	9999	= Don't know

ENDNOSE0 6912-6915

What months and years were those?
(END DATE) (1st PERIOD)

Inapplicable:

R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex (computed variable RHADSEX coded 2,7,8 or 9); or R did not report any times when she was not having sex for one month or more (coded 2 in EE-1 NOFUNAAL).

875	3485	1236	5798	Blank	= Blank, inapplicable
29	84	47	161	0832-1092	= Before Jan 1991
478	2311	855	3763	1093-1150	= Jan 1991 or later
154	433	242	866	1189	= Period of no sex continued to interview date
0	1	1	2	9997	= Not ascertained
1	11	5	17	9998	= Refused
16	158	60	240	9999	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

STRNOS01 6916-6919

What months and years were those?
 (START DATE) (2nd PERIOD)

Inapplicable:

R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex (computed variable RHADSEX coded 2,7,8 or 9); or R did not report any times when she was not having sex for one month or more (coded 2 in EE-1 NOFUNAAL); or R reported fewer than 2 periods of not having intercourse.

1028	3917	1477	6661	Blank	= Blank, inapplicable
8	47	14	70	0821-1092	= Before Jan 1991
204	977	372	1610	1093-1150	= Jan 1991 or later
307	1488	561	2420	1197	= No more periods of no sex
0	0	0	0	9997	= Not ascertained
2	7	2	11	9998	= Refused
4	47	20	75	9999	= Don't know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

ENDNOSE1 6920-6923

What months and years were those?
 (END DATE) (2nd PERIOD)

Inapplicable:

R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex (computed variable RHADSEX coded 2,7,8 or 9); or R did not report any times when she was not having sex for one month or more (coded 2 in EE-1 NOFUNAAL); or R reported fewer than 2 periods of not having intercourse.

1335	5405	2038	9081	Blank	= Blank, inapplicable
3	37	13	54	0832-1092	= Before Jan 1991
178	840	320	1385	1093-1150	= Jan 1991 or later
31	147	55	243	1189	= Period of no sex continued to interview date
0	0	0	0	9997	= Not ascertained
1	8	2	11	9998	= Refused
5	46	18	73	9999	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

STRNOS02 6924-6927

What months and years were those?
 (START DATE) (3rd PERIOD)

Inapplicable:

R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex (computed variable RHADSEX coded 2,7,8 or 9); or R did not report any times when she was not having sex for one month or more (coded 2 in EE-1 NOFUNAAL); or R reported fewer than 3 periods of not having intercourse.

1366	5552	2093	9324	Blank	= Blank, inapplicable
1	17	2	21	0821-1092	= Before Jan 1991
75	399	155	648	1093-1150	= Jan 1991 or later
108	493	184	815	1197	= No more periods of no sex
0	0	2	2	9997	= Not ascertained
0	3	1	4	9998	= Refused
3	19	9	33	9999	= Don't know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

ENDNOSE2 6928-6931

What months and years were those?
 (END DATE) (3rd PERIOD)

Inapplicable:
 R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex (computed variable RHADSEX coded 2,7,8 or 9); or R did not report any times when she was not having sex for one month or more (coded 2 in EE-1 NOFUNAAL); or R reported fewer than 3 periods of not having intercourse.

1474	6045	2277	10139	Blank	= Blank, inapplicable
1	15	2	18	0832-1092	= Before Jan 1991
57	343	134	548	1093-1150	= Jan 1991 or later
18	57	23	104	1189	= Period of no sex continued to interview date
0	0	1	1	9997	= Not ascertained
1	3	1	5	9998	= Refused
2	20	8	32	9999	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

STRNOS03 6932-6935

What months and years were those?
 (START DATE) (4th PERIOD)

Inapplicable:

R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex (computed variable RHADSEX coded 2,7,8 or 9); or R did not report any times when she was not having sex for one month or more (coded 2 in EE-1 NOFUNAAL); or R reported fewer than 4 periods of not having intercourse.

1492	6102	2300	10243	Blank	= Blank, inapplicable
0	5	2	7	0821-1092	= Before Jan 1991
31	166	65	268	1093-1150	= Jan 1991 or later
28	202	76	315	1197	= No more periods of no sex
0	1	0	1	9997	= Not ascertained
0	2	0	2	9998	= Refused
2	5	3	11	9999	= Don't know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

ENDNOSE3 6936-6939

What months and years were those?
 (END DATE) (4th PERIOD)

Inapplicable:

R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex (computed variable RHADSEX coded 2,7,8 or 9); or R did not report any times when she was not having sex for one month or more (coded 2 in EE-1 NOFUNAAL); or R reported fewer than 4 periods of not having intercourse.

1520	6304	2376	10558	Blank	= Blank, inapplicable
0	5	2	7	0832-1092	= Before Jan 1991
23	137	52	218	1093-1150	= Jan 1991 or later
8	29	14	51	1189	= Period of no sex continued to interview date
0	0	0	0	9997	= Not ascertained
1	2	0	3	9998	= Refused
1	6	2	10	9999	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH000 6940-6941 ENTER METHOD (FIRST MENTIONED) USED IN
 JANUARY 1991: (MC1)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

418	1295	425	2279	Blank	= Blank, inapplicable
336	1189	585	2168	01	= NO METHODS USED
0	0	1	1	02	= SAME AS PREVIOUS MONTH
281	1377	479	2176	03	= BIRTH CONTROL PILLS
153	761	343	1304	04	= CONDOM
17	282	8	314	05	= PARTNER'S VASECTOMY
7	141	14	164	06	= DIAPHRAGM
2	27	1	31	07	= FOAM
1	7	1	9	08	= JELLY OR CREAM
0	2	0	2	09	= CERVICAL CAP
5	22	10	39	10	= SUPPOSITORY, INSERT
4	36	10	50	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
21	28	17	70	13	= IUD, COIL, LOOP
3	2	5	10	14	= NORPLANT (TM)
7	6	3	16	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
29	112	22	173	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
2	18	1	21	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
33	117	23	181	19	= WITHDRAWAL
215	918	481	1656	20	= RESPONDENT STERILE
18	132	10	163	21	= PARTNER STERILE (NOT ON CARD)
0	3	3	6	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(2882)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH001 6942-6943

ENTER METHOD (SECOND MENTIONED) USED
 IN JANUARY 1991: (MC1)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1489	6095	2286	10217	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
1	10	7	18	03	= BIRTH CONTROL PILLS
20	134	83	241	04	= CONDOM
0	8	2	10	05	= PARTNER'S VASECTOMY
1	12	4	17	06	= DIAPHRAGM
8	17	12	38	07	= FOAM
2	15	4	21	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
4	5	6	15	10	= SUPPOSITORY, INSERT
2	17	6	25	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	1	0	1	13	= IUD, COIL, LOOP
0	0	1	1	14	= NORPLANT (TM)
1	1	0	2	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
8	53	3	70	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	6	1	7	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
16	87	18	126	19	= WITHDRAWAL
0	6	9	15	20	= RESPONDENT STERILE
0	8	0	9	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(2884)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH002 6944-6945 ENTER METHOD (THIRD MENTIONED) USED IN
 JANUARY 1991: (MC1)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1539	6414	2420	10732	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
2	2	0	4	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	3	6	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	1	0	1	09	= CERVICAL CAP
1	5	0	6	10	= SUPPOSITORY, INSERT
1	5	0	8	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	9	1	12	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	25	4	33	19	= WITHDRAWAL
1	9	14	24	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH003 6946-6947

ENTER METHOD (FOURTH MENTIONED) USED
 IN JANUARY 1991: (MC1)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1552	6469	2440	10825	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(2888)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK	TOTAL			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR	
		1	1	2	4	97	= Not Ascertained	
		0	4	2	6	98	= Refused	
		0	3	0	4	99	= Don't Know	

DATBEG00 6948-6951

When did you start using this method (combination)? If you used this method (combination) on and off prior to (METHOD HISTORY START DATE), please tell me when you started using the method most recently prior to (METHOD HISTORY START DATE).

Inapplicable:

R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R is less than 25 years old (AA-1 AGE < 25); or R did not use a method in the first month (EF-1 METHHnnn = NONE).

875	2962	1241	5299	Blank	= Blank, inapplicable
0	0	0	0	0013-0732	= 1960 or earlier
3	3	5	11	0733-0852	= 1961-1970
43	453	142	658	0853-0972	= 1971-1980
487	2681	865	4135	0973-1092	= 1981-1990
103	291	162	573	1093-1189	= 1991 or later
16	4	4	24	9997	= Not ascertained
1	3	1	5	9998	= Refused
25	86	26	142	9999	= Don't know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

SIMSEQ00 6952-6952

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC1)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1502	6155	2299	10309	Blank	= Blank, inapplicable
34	211	113	364	1	= SAME TIME
17	117	34	174	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS000 6953-6954

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC1)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1541	6431	2437	10769	Blank	= Blank, inapplicable
5	7	3	15	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	8	3	14	03	= BIRTH CONTROL PILLS
6	25	1	35	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	4	0	4	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS001 6955-6956

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC1)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1546	6438	2440	10784	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	8	2	13	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
2	2	0	4	07	= FOAM
1	1	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
1	17	0	19	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	10	2	15	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(2893)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL					

MTHUS002 6957-6958

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC1)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1547	6459	2444	10813	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
1	0	0	1	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
2	2	1	5	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	1	0	1	10		= SUPPOSITORY, INSERT
1	2	0	4	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
2	6	1	9	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	11	0	11	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE
0	0	0	0	21		= PARTNER STERILE (NOT

(2895)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS003 6959-6960

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC1)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS004 6961-6962

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC1)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1546	6438	2440	10784	Blank	= Blank, inapplicable
5	34	4	46	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	3	0	4	03	= BIRTH CONTROL PILLS
0	4	1	6	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(2899)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS005 6963-6964

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC1)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6473	2445	10833	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	1	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	1	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(2901)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS006 6965-6966

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC1)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6482	2446	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(2903)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES

MTHUS007 6967-6968

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC1)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS008 6969-6970

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC1)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(2907)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS009 6971-6972

During that month, which (of those/other) methods, if any, did you use at the same time (2nd METHOD MENTIONED, 3rd COMBINATION, MC1)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(2909)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS010 6973-6974

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC1)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(2911)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS011 6975-6976

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC1)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(2913)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH004 6977-6978 ENTER METHOD (FIRST MENTIONED) USED IN
 FEBRUARY 1991: (MC2)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

414	1282	422	2255	Blank	= Blank, inapplicable
347	1217	603	2230	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
273	1365	471	2147	03	= BIRTH CONTROL PILLS
154	756	334	1290	04	= CONDOM
18	284	8	316	05	= PARTNER'S VASECTOMY
6	136	13	157	06	= DIAPHRAGM
2	27	2	32	07	= FOAM
1	7	1	9	08	= JELLY OR CREAM
0	2	0	2	09	= CERVICAL CAP
4	19	11	36	10	= SUPPOSITORY, INSERT
3	35	9	47	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
17	30	17	68	13	= IUD, COIL, LOOP
3	2	7	12	14	= NORPLANT (TM)
8	6	4	18	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
30	113	21	175	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
2	19	0	21	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
36	117	25	187	19	= WITHDRAWAL
217	924	482	1665	20	= RESPONDENT STERILE
17	131	9	160	21	= PARTNER STERILE (NOT ON CARD)
0	3	3	6	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(2915)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH005 6979-6980

ENTER METHOD (SECOND MENTIONED) USED
 IN FEBRUARY 1991: (MC2)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1489	6097	2290	10223	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
2	9	4	15	03	= BIRTH CONTROL PILLS
19	130	79	232	04	= CONDOM
0	6	2	8	05	= PARTNER'S VASECTOMY
2	12	5	19	06	= DIAPHRAGM
9	16	11	37	07	= FOAM
2	17	5	24	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
5	7	6	18	10	= SUPPOSITORY, INSERT
2	16	8	26	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	1	1	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
8	55	4	73	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	5	1	6	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
14	89	19	127	19	= WITHDRAWAL
0	7	7	14	20	= RESPONDENT STERILE
0	8	0	9	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(2917)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH006 6981-6982 ENTER METHOD (THIRD MENTIONED) USED IN
 FEBRUARY 1991: (MC2)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1539	6418	2425	10741	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
2	2	0	4	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	2	2	6	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	4	1	6	10	= SUPPOSITORY, INSERT
1	5	0	7	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	9	1	12	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	25	1	30	19	= WITHDRAWAL
1	6	12	19	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	1	22	= OTHER METHOD-NOT SHOWN

(2919)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH007 6983-6984

ENTER METHOD (FOURTH MENTIONED) USED
 IN FEBRUARY 1991: (MC2)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1552	6470	2441	10827	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(2921)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

SIMSEQ01 6985-6985

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC2)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1);

R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1502	6156	2300	10311	Blank	= Blank, inapplicable
34	214	112	366	1	= SAME TIME
17	112	34	169	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	1	0	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS012 6986-6987

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC2)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1541	6432	2440	10773	Blank	= Blank, inapplicable
5	8	2	15	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	5	2	10	03	= BIRTH CONTROL PILLS
6	25	1	35	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

MTHUS013 6988-6989

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC2)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1546	6440	2442	10788	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	6	2	10	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
2	2	0	4	07	= FOAM
1	1	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	0	1	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
1	16	0	18	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	11	1	16	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(2925)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL					

MTHUS014 6990-6991

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC2)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1547	6461	2444	10816	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
1	0	0	1	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
2	2	1	5	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	1	0	1	10		= SUPPOSITORY, INSERT
1	2	0	3	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
2	6	1	9	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	9	0	9	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE
0	0	0	0	21		= PARTNER STERILE (NOT

(2927)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

MTHUS015 6992-6993

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC2)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS016 6994-6995

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC2)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1546	6440	2442	10788	Blank	= Blank, inapplicable
5	32	2	42	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	2	0	3	03	= BIRTH CONTROL PILLS
0	5	1	7	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(2931)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS017 6996-6997

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC2)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6474	2445	10834	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	1	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	1	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(2933)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS018 6998-6999

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC2)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6482	2446	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(2935)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS019 7000-7001

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC2)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS020 7002-7003

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC2)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(2939)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS021 7004-7005

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC2)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(2941)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES

MTHUS022 7006-7007

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC2)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE

(2943)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS023 7008-7009

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC2)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(2945)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH008 7010-7011 ENTER METHOD (FIRST MENTIONED) USED IN
 MARCH 1991: (MC3)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

412	1273	416	2238	Blank	= Blank, inapplicable
347	1214	605	2228	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
275	1371	469	2152	03	= BIRTH CONTROL PILLS
156	755	336	1295	04	= CONDOM
18	285	8	318	05	= PARTNER'S VASECTOMY
6	136	13	157	06	= DIAPHRAGM
2	27	1	31	07	= FOAM
1	7	1	9	08	= JELLY OR CREAM
0	2	0	2	09	= CERVICAL CAP
3	19	12	36	10	= SUPPOSITORY, INSERT
3	34	10	47	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
17	30	17	68	13	= IUD, COIL, LOOP
4	3	8	15	14	= NORPLANT (TM)
8	6	4	18	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
29	113	20	172	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
2	19	1	22	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
36	117	24	185	19	= WITHDRAWAL
216	929	485	1673	20	= RESPONDENT STERILE
17	132	9	161	21	= PARTNER STERILE (NOT ON CARD)
0	3	3	6	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(2947)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH009 7012-7013

ENTER METHOD (SECOND MENTIONED) USED
 IN MARCH 1991: (MC3)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1485	6096	2288	10215	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
2	9	4	15	03	= BIRTH CONTROL PILLS
21	129	80	234	04	= CONDOM
0	6	2	8	05	= PARTNER'S VASECTOMY
2	13	5	20	06	= DIAPHRAGM
8	17	12	38	07	= FOAM
2	16	5	23	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
5	7	5	17	10	= SUPPOSITORY, INSERT
2	16	8	26	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	1	1	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
8	53	4	72	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	6	1	7	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
17	92	20	134	19	= WITHDRAWAL
0	6	7	13	20	= RESPONDENT STERILE
0	8	0	9	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(2949)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH010 7014-7015 ENTER METHOD (THIRD MENTIONED) USED IN
 MARCH 1991: (MC3)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1539	6418	2423	10739	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
2	2	0	4	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	2	2	6	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	4	1	6	10	= SUPPOSITORY, INSERT
1	5	0	7	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	9	1	12	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	24	1	29	19	= WITHDRAWAL
1	6	14	21	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	1	22	= OTHER METHOD-NOT SHOWN

(2951)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH011 7016-7017

ENTER METHOD (FOURTH MENTIONED) USED
 IN MARCH 1991: (MC3)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1552	6469	2441	10826	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(2953)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK	TOTAL			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR	
		1	1	2	4	97	= Not Ascertained	
		0	4	2	6	98	= Refused	
		0	3	0	4	99	= Don't Know	

SIMSEQ02 7018-7018

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC3)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1498	6155	2298	10303	Blank	= Blank, inapplicable
35	214	112	368	1	= SAME TIME
20	113	36	175	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	1	0	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS024 7019-7020

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC3)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1541	6432	2440	10773	Blank	= Blank, inapplicable
5	8	2	15	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	5	2	10	03	= BIRTH CONTROL PILLS
6	25	1	35	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS025 7021-7022

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC3)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1546	6440	2442	10788	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	6	2	10	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
2	2	0	4	07	= FOAM
1	1	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	1	0	2	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
1	14	0	16	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	11	1	16	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(2957)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS026 7023-7024

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC3)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1547	6460	2444	10815	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	2	1	5	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	6	1	9	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	9	0	9	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(2959)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL			

MTHUS027 7025-7026

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC3)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	1	0	1	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE
0	0	0	0	21		= PARTNER STERILE (NOT

(2961)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS028 7027-7028

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC3)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1546	6440	2442	10788	Blank	= Blank, inapplicable
5	32	2	42	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	2	0	3	03	= BIRTH CONTROL PILLS
0	5	1	7	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(2963)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS029 7029-7030

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC3)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6474	2445	10834	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	1	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	4	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(2965)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS030 7031-7032

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC3)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6482	2446	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS031 7033-7034

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC3)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(2969)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS032 7035-7036

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC3)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(2971)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS033 7037-7038

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC3)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(2973)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS034 7039-7040

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC3)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(2975)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS035 7041-7042

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC3)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH012 7043-7044 ENTER METHOD (FIRST MENTIONED) USED IN
 APRIL 1991: (MC4)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

411	1255	414	2217	Blank	= Blank, inapplicable
354	1213	602	2229	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
271	1367	466	2142	03	= BIRTH CONTROL PILLS
154	768	337	1307	04	= CONDOM
18	288	8	322	05	= PARTNER'S VASECTOMY
6	137	13	158	06	= DIAPHRAGM
2	28	1	32	07	= FOAM
1	8	1	10	08	= JELLY OR CREAM
0	3	0	3	09	= CERVICAL CAP
2	17	12	33	10	= SUPPOSITORY, INSERT
3	33	10	46	11	= TODAY (TM) SPONGE
0	0	1	1	12	= FEMALE CONDOM, VAGINAL POUCH
18	31	17	70	13	= IUD, COIL, LOOP
4	6	8	18	14	= NORPLANT (TM)
8	5	5	18	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
28	110	19	168	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
2	18	0	20	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
35	116	25	183	19	= WITHDRAWAL
218	935	491	1687	20	= RESPONDENT STERILE
17	134	9	163	21	= PARTNER STERILE (NOT ON CARD)
0	3	3	6	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(2979)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH013 7045-7046

ENTER METHOD (SECOND MENTIONED) USED
 IN APRIL 1991: (MC4)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1487	6096	2289	10217	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
1	9	4	14	03	= BIRTH CONTROL PILLS
21	128	79	233	04	= CONDOM
0	7	2	9	05	= PARTNER'S VASECTOMY
2	11	5	18	06	= DIAPHRAGM
8	19	12	40	07	= FOAM
2	16	5	23	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
5	7	6	18	10	= SUPPOSITORY, INSERT
2	15	8	25	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	1	1	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
8	54	4	73	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	6	1	7	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
16	92	18	131	19	= WITHDRAWAL
0	6	8	14	20	= RESPONDENT STERILE
0	8	0	9	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(2981)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH014 7047-7048 ENTER METHOD (THIRD MENTIONED) USED IN
 APRIL 1991: (MC4)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1539	6421	2425	10744	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
2	2	0	4	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	2	2	6	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	4	0	5	10	= SUPPOSITORY, INSERT
1	5	0	7	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	9	1	12	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	22	2	28	19	= WITHDRAWAL
1	6	12	19	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	1	22	= OTHER METHOD-NOT SHOWN

(2983)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH015 7049-7050 ENTER METHOD (FOURTH MENTIONED) USED
 IN APRIL 1991: (MC4)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1552	6469	2441	10826	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK	TOTAL			
		0	0	0	0	55		SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97		= Not Ascertained
		0	4	2	6	98		= Refused
		0	3	0	4	99		= Don't Know

SIMSEQ03 7051-7051

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC4)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1500	6152	2299	10302	Blank		= Blank, inapplicable
33	213	112	366	1		= SAME TIME
20	117	35	178	2		= DIFFERENT TIMES
0	0	0	0	7		= Not Ascertained
0	0	0	0	8		= Refused
0	1	0	1	9		= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS036 7052-7053

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC4)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1541	6435	2440	10776	Blank	= Blank, inapplicable
5	7	1	13	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	5	2	10	03	= BIRTH CONTROL PILLS
6	23	1	33	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS037 7054-7055

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC4)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1546	6442	2441	10789	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	6	2	10	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
2	2	0	4	07	= FOAM
1	1	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	1	1	3	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
1	14	0	16	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	11	1	16	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(2989)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS038 7056-7057

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC4)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1547	6461	2444	10816	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	2	1	5	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	6	1	9	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	9	0	9	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(2991)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS039 7058-7059

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC4)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS040 7060-7061

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC4)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1546	6442	2441	10789	Blank	= Blank, inapplicable
5	30	2	40	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	2	0	3	03	= BIRTH CONTROL PILLS
0	5	1	7	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(2995)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS041 7062-7063

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC4)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6474	2444	10833	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	1	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	4	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(2997)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS042 7064-7065

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC4)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6482	2446	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS043 7066-7067

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC4)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3001)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS044 7068-7069

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC4)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3003)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS045 7070-7071

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC4)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS046 7072-7073

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC4)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3007)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS047 7074-7075

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC4)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3009)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH016 7076-7077 ENTER METHOD (FIRST MENTIONED) USED IN
 MAY 1991: (MC5)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

408	1240	413	2198	Blank	= Blank, inapplicable
357	1205	599	2220	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
268	1363	468	2137	03	= BIRTH CONTROL PILLS
152	779	336	1317	04	= CONDOM
19	290	8	325	05	= PARTNER'S VASECTOMY
6	132	13	153	06	= DIAPHRAGM
2	27	1	31	07	= FOAM
1	8	1	10	08	= JELLY OR CREAM
0	3	0	3	09	= CERVICAL CAP
1	17	13	33	10	= SUPPOSITORY, INSERT
4	36	9	49	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
18	34	18	74	13	= IUD, COIL, LOOP
5	6	8	19	14	= NORPLANT (TM)
8	6	4	18	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
29	107	19	165	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
2	18	0	20	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
35	120	23	185	19	= WITHDRAWAL
220	943	497	1703	20	= RESPONDENT STERILE
17	138	9	167	21	= PARTNER STERILE (NOT ON CARD)
0	3	3	6	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3011)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH017 7078-7079

ENTER METHOD (SECOND MENTIONED) USED
 IN MAY 1991: (MC5)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1485	6108	2289	10226	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
1	10	5	16	03	= BIRTH CONTROL PILLS
21	123	80	229	04	= CONDOM
0	7	2	9	05	= PARTNER'S VASECTOMY
2	11	5	18	06	= DIAPHRAGM
8	20	11	40	07	= FOAM
2	15	5	22	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
5	7	6	18	10	= SUPPOSITORY, INSERT
2	13	7	22	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	1	1	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
8	50	4	69	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	6	1	7	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
18	91	19	134	19	= WITHDRAWAL
0	6	7	13	20	= RESPONDENT STERILE
0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3013)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH018 7080-7081

ENTER METHOD (THIRD MENTIONED) USED IN
 MAY 1991: (MC5)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1539	6423	2426	10747	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
2	3	0	5	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	2	5	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	4	0	5	10	= SUPPOSITORY, INSERT
1	5	1	8	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	9	1	12	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	20	1	25	19	= WITHDRAWAL
1	6	11	18	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	1	22	= OTHER METHOD-NOT SHOWN

(3015)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH019 7082-7083

ENTER METHOD (FOURTH MENTIONED) USED
 IN MAY 1991: (MC5)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1552	6469	2441	10826	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3017)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

SIMSEQ04 7084-7084

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC5)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1498	6162	2299	10309	Blank	= Blank, inapplicable
34	203	113	358	1	= SAME TIME
21	117	34	179	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	1	0	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS048 7085-7086

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC5)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1541	6437	2440	10778	Blank	= Blank, inapplicable
5	6	2	13	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	5	1	9	03	= BIRTH CONTROL PILLS
6	22	1	32	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS049 7087-7088

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC5)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1546	6443	2442	10791	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	6	2	10	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
2	3	0	5	07	= FOAM
1	1	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	1	1	3	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
1	12	0	14	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	11	0	15	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3021)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS050 7089-7090

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC5)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1547	6462	2444	10817	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	2	1	5	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	6	1	9	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	8	0	8	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS051 7091-7092

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC5)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS052 7093-7094

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC5)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1546	6443	2442	10791	Blank	= Blank, inapplicable
5	29	2	39	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	2	0	3	03	= BIRTH CONTROL PILLS
0	5	0	6	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3027)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS053 7095-7096

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC5)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6474	2444	10833	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	1	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	4	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS054 7097-7098

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC5)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6482	2446	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3031)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS055 7099-7100

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC5)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3033)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS056 7101-7102

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC5)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3035)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS057 7103-7104

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC5)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3037)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES

MTHUS058 7105-7106

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC5)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	1	0	1	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE

(3039)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS059 7107-7108

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC5)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3041)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH020 7109-7110 ENTER METHOD (FIRST MENTIONED) USED IN
 JUNE 1991: (MC6)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

407	1219	407	2167	Blank	= Blank, inapplicable
348	1228	589	2222	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
272	1360	480	2150	03	= BIRTH CONTROL PILLS
157	779	337	1328	04	= CONDOM
19	290	8	325	05	= PARTNER'S VASECTOMY
8	131	13	155	06	= DIAPHRAGM
2	26	2	31	07	= FOAM
1	8	1	10	08	= JELLY OR CREAM
0	3	0	3	09	= CERVICAL CAP
1	16	12	31	10	= SUPPOSITORY, INSERT
4	33	8	45	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
16	34	19	72	13	= IUD, COIL, LOOP
5	6	9	20	14	= NORPLANT (TM)
7	6	4	17	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
29	106	18	163	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
2	17	0	19	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
35	120	23	185	19	= WITHDRAWAL
223	948	500	1714	20	= RESPONDENT STERILE
17	141	9	170	21	= PARTNER STERILE (NOT ON CARD)
0	3	3	6	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3043)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH021 7111-7112

ENTER METHOD (SECOND MENTIONED) USED
 IN JUNE 1991: (MC6)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1485	6100	2290	10219	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	9	5	14	03	= BIRTH CONTROL PILLS
23	129	78	235	04	= CONDOM
0	7	2	9	05	= PARTNER'S VASECTOMY
2	11	5	18	06	= DIAPHRAGM
7	20	11	39	07	= FOAM
2	14	5	21	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
5	6	6	17	10	= SUPPOSITORY, INSERT
2	14	6	22	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	1	1	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
8	52	5	72	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	6	1	7	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
19	91	20	136	19	= WITHDRAWAL
0	7	7	14	20	= RESPONDENT STERILE
0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3045)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH022 7113-7114

ENTER METHOD (THIRD MENTIONED) USED IN
 JUNE 1991: (MC6)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1540	6424	2425	10748	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
2	3	0	5	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	2	5	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	4	0	5	10	= SUPPOSITORY, INSERT
1	5	1	8	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	6	1	9	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	21	1	26	19	= WITHDRAWAL
1	6	12	19	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	1	22	= OTHER METHOD-NOT SHOWN

(3047)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH023 7115-7116 ENTER METHOD (FOURTH MENTIONED) USED
 IN JUNE 1991: (MC6)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6468	2441	10826	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

SIMSEQ05 7117-7117

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC6)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1497	6153	2300	10300	Blank		= Blank, inapplicable
33	210	112	363	1		= SAME TIME
23	119	34	183	2		= DIFFERENT TIMES
0	0	0	0	7		= Not Ascertained
0	0	0	0	8		= Refused
0	1	0	1	9		= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS060 7118-7119

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC6)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1541	6439	2440	10780	Blank	= Blank, inapplicable
5	6	2	13	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	6	1	10	03	= BIRTH CONTROL PILLS
6	19	1	29	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3051)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL					

MTHUS061 7120-7121

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC6)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1546	6445	2442	10793	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
1	7	2	11	04		= CONDOM
0	1	0	1	05		= PARTNER'S VASECTOMY
0	3	0	3	06		= DIAPHRAGM
2	3	0	5	07		= FOAM
1	1	1	3	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
1	0	1	2	10		= SUPPOSITORY, INSERT
0	1	0	1	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	1	0	1	16		= MORNING AFTER PILLS
1	12	0	14	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	9	0	13	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE
0	0	0	0	21		= PARTNER STERILE (NOT

(3053)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS062 7122-7123

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC6)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1547	6464	2444	10819	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	2	1	5	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	5	1	8	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	7	0	7	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3055)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS063 7124-7125

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC6)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3057)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS064 7126-7127

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC6)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1546	6445	2442	10793	Blank	= Blank, inapplicable
5	27	2	37	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	3	0	4	03	= BIRTH CONTROL PILLS
0	4	0	5	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3059)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS065 7128-7129

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC6)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6474	2444	10833	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	1	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	4	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	1	3	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3061)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS066 7130-7131

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC6)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6481	2446	10843	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	1	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3063)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS067 7132-7133

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC6)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3065)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS068 7134-7135

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC6)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	1	0	1	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3067)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS069 7136-7137

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC6)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3069)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS070 7138-7139

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC6)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3071)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS071 7140-7141

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC6)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3073)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH024 7142-7143 ENTER METHOD (FIRST MENTIONED) USED IN
 JULY 1991: (MC7)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

405	1208	402	2146	Blank	= Blank, inapplicable
338	1228	593	2217	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
279	1358	479	2153	03	= BIRTH CONTROL PILLS
155	779	339	1330	04	= CONDOM
19	290	8	325	05	= PARTNER'S VASECTOMY
8	130	11	152	06	= DIAPHRAGM
2	29	3	35	07	= FOAM
1	8	1	10	08	= JELLY OR CREAM
0	2	0	2	09	= CERVICAL CAP
3	16	11	32	10	= SUPPOSITORY, INSERT
3	33	8	44	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
16	34	20	73	13	= IUD, COIL, LOOP
5	10	11	26	14	= NORPLANT (TM)
7	7	4	18	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
28	105	18	161	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
2	17	0	19	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
34	123	24	189	19	= WITHDRAWAL
230	951	498	1722	20	= RESPONDENT STERILE
17	143	9	172	21	= PARTNER STERILE (NOT ON CARD)
1	3	3	7	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3075)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH025 7144-7145

ENTER METHOD (SECOND MENTIONED) USED
 IN JULY 1991: (MC7)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1490	6096	2286	10215	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	8	5	13	03	= BIRTH CONTROL PILLS
21	132	82	240	04	= CONDOM
0	7	2	9	05	= PARTNER'S VASECTOMY
2	12	6	20	06	= DIAPHRAGM
7	22	11	41	07	= FOAM
2	14	6	22	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
5	6	6	18	10	= SUPPOSITORY, INSERT
2	14	4	20	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	1	1	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
8	52	5	72	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	6	1	7	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
16	90	19	131	19	= WITHDRAWAL
0	7	8	15	20	= RESPONDENT STERILE
0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3077)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH026 7146-7147

ENTER METHOD (THIRD MENTIONED) USED IN
 JULY 1991: (MC7)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1540	6422	2423	10743	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
2	2	0	4	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	2	3	7	07	= FOAM
0	3	0	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	4	0	5	10	= SUPPOSITORY, INSERT
1	6	1	9	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	7	1	10	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	19	1	25	19	= WITHDRAWAL
1	6	13	20	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	1	22	= OTHER METHOD-NOT SHOWN

(3079)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH027 7148-7149 ENTER METHOD (FOURTH MENTIONED) USED
 IN JULY 1991: (MC7)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6468	2441	10825	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

SIMSEQ06 7150-7150

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC7)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1502	6151	2297	10300	Blank	= Blank, inapplicable
30	213	116	367	1	= SAME TIME
21	118	33	179	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	1	0	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS072 7151-7152

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC7)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1541	6437	2439	10776	Blank	= Blank, inapplicable
5	7	2	14	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	5	2	10	03	= BIRTH CONTROL PILLS
6	21	1	32	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS073 7153-7154

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC7)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1546	6444	2441	10790	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	7	3	12	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
2	3	0	5	07	= FOAM
1	1	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
1	12	0	15	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	9	0	13	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3085)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES

MTHUS074 7155-7156

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC7)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1547	6461	2443	10815	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
1	0	0	1	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
2	2	2	6	07		= FOAM
0	2	0	2	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	1	0	1	10		= SUPPOSITORY, INSERT
1	3	0	4	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
2	5	1	8	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	7	0	7	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE
0	0	0	0	21		= PARTNER STERILE (NOT

(3087)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS075 7157-7158

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC7)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3089)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS076 7159-7160

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC7)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1546	6444	2441	10790	Blank	= Blank, inapplicable
5	28	2	39	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	2	1	4	03	= BIRTH CONTROL PILLS
0	5	0	6	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3091)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS077 7161-7162

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC7)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6474	2443	10832	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	1	03	= BIRTH CONTROL PILLS
1	1	1	3	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	4	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	1	3	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3093)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS078 7163-7164

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC7)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6481	2446	10843	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3095)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS079 7165-7166

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC7)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3097)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS080 7167-7168

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC7)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3099)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS081 7169-7170

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC7)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3101)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS082 7171-7172

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC7)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3103)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS083 7173-7174

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC7)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3105)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH028 7175-7176 ENTER METHOD (FIRST MENTIONED) USED IN
 AUGUST 1991: (MC8)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

402	1187	397	2112	Blank	= Blank, inapplicable
335	1210	580	2186	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
280	1372	489	2178	03	= BIRTH CONTROL PILLS
158	778	342	1334	04	= CONDOM
20	291	8	327	05	= PARTNER'S VASECTOMY
7	130	13	153	06	= DIAPHRAGM
2	27	1	31	07	= FOAM
1	9	1	11	08	= JELLY OR CREAM
0	3	0	3	09	= CERVICAL CAP
3	20	12	37	10	= SUPPOSITORY, INSERT
2	32	8	42	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
16	34	20	73	13	= IUD, COIL, LOOP
5	14	14	33	14	= NORPLANT (TM)
7	7	5	19	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
29	104	18	162	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
2	17	0	19	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
34	128	22	193	19	= WITHDRAWAL
232	964	500	1740	20	= RESPONDENT STERILE
17	144	9	173	21	= PARTNER STERILE (NOT ON CARD)
1	3	3	7	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3107)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH029 7177-7178

ENTER METHOD (SECOND MENTIONED) USED
 IN AUGUST 1991: (MC8)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1486	6090	2282	10200	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	7	5	12	03	= BIRTH CONTROL PILLS
23	138	86	253	04	= CONDOM
0	7	2	9	05	= PARTNER'S VASECTOMY
2	11	6	19	06	= DIAPHRAGM
7	23	11	42	07	= FOAM
2	14	6	22	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
5	7	7	20	10	= SUPPOSITORY, INSERT
2	13	5	20	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	1	1	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
8	51	5	71	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	6	1	7	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
18	93	17	134	19	= WITHDRAWAL
0	6	8	14	20	= RESPONDENT STERILE
0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3109)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH030 7179-7180 ENTER METHOD (THIRD MENTIONED) USED IN
 AUGUST 1991: (MC8)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1540	6423	2422	10743	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
2	2	0	4	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	2	3	7	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	4	0	5	10	= SUPPOSITORY, INSERT
1	5	1	8	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	7	1	10	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	19	2	26	19	= WITHDRAWAL
1	7	13	21	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	1	22	= OTHER METHOD-NOT SHOWN

(3111)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH031 7181-7182 ENTER METHOD (FOURTH MENTIONED) USED
 IN AUGUST 1991: (MC8)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6469	2441	10826	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3113)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

SIMSEQ07 7183-7183

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC8)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1498	6143	2294	10284	Blank		= Blank, inapplicable
34	218	120	381	1		= SAME TIME
21	121	32	181	2		= DIFFERENT TIMES
0	0	0	0	7		= Not Ascertained
0	0	0	0	8		= Refused
0	1	0	1	9		= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS084 7184-7185

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC8)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1541	6439	2438	10777	Blank	= Blank, inapplicable
5	7	3	15	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	5	2	10	03	= BIRTH CONTROL PILLS
6	20	1	31	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS085 7186-7187

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC8)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1546	6446	2441	10792	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	6	3	11	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
2	3	0	5	07	= FOAM
1	1	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
1	12	0	15	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	9	0	13	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3117)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS086 7188-7189

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC8)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1547	6463	2443	10817	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	2	2	6	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	5	1	8	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	7	0	7	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3119)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS087 7190-7191

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC8)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3121)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS088 7192-7193

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC8)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1546	6446	2441	10792	Blank	= Blank, inapplicable
5	26	2	37	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	2	1	4	03	= BIRTH CONTROL PILLS
0	5	0	6	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3123)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS089 7194-7195

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC8)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6474	2443	10832	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	1	03	= BIRTH CONTROL PILLS
1	1	1	3	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	4	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	1	3	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3125)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS090 7196-7197

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC8)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6481	2446	10843	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3127)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS091 7198-7199

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC8)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3129)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS092 7200-7201

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC8)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3131)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS093 7202-7203

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC8)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3133)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS094 7204-7205

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC8)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3135)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS095 7206-7207

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC8)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3137)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH032 7208-7209 ENTER METHOD (FIRST MENTIONED) USED IN
SEPTEMBER 1991: (MC9)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

400	1176	391	2092	Blank	= Blank, inapplicable
336	1232	587	2212	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
277	1371	485	2173	03	= BIRTH CONTROL PILLS
159	772	341	1331	04	= CONDOM
20	291	8	327	05	= PARTNER'S VASECTOMY
7	125	13	148	06	= DIAPHRAGM
2	25	2	30	07	= FOAM
1	9	1	11	08	= JELLY OR CREAM
0	3	0	3	09	= CERVICAL CAP
2	21	11	36	10	= SUPPOSITORY, INSERT
4	31	8	43	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
17	33	18	71	13	= IUD, COIL, LOOP
5	15	14	34	14	= NORPLANT (TM)
7	7	5	19	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
31	107	19	168	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
1	18	0	19	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
33	120	23	184	19	= WITHDRAWAL
232	969	504	1749	20	= RESPONDENT STERILE
17	147	9	176	21	= PARTNER STERILE (NOT ON CARD)
2	2	3	7	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3139)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH033 7210-7211

ENTER METHOD (SECOND MENTIONED) USED
 IN SEPTEMBER 1991: (MC9)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1487	6091	2286	10205	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
1	8	4	13	03	= BIRTH CONTROL PILLS
21	133	83	242	04	= CONDOM
0	7	2	9	05	= PARTNER'S VASECTOMY
3	11	5	19	06	= DIAPHRAGM
7	25	13	47	07	= FOAM
2	13	6	21	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
5	7	7	20	10	= SUPPOSITORY, INSERT
2	14	4	20	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	1	1	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
8	50	5	71	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	6	1	7	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
17	95	17	135	19	= WITHDRAWAL
0	6	8	14	20	= RESPONDENT STERILE
0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3141)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH034 7212-7213

ENTER METHOD (THIRD MENTIONED) USED IN
 SEPTEMBER 1991: (MC9)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1539	6425	2420	10742	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
2	3	0	5	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
3	1	3	7	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	4	0	5	10	= SUPPOSITORY, INSERT
1	5	2	9	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	7	1	10	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	19	2	26	19	= WITHDRAWAL
1	5	14	20	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	1	22	= OTHER METHOD-NOT SHOWN

(3143)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH035 7214-7215 ENTER METHOD (FOURTH MENTIONED) USED
 IN SEPTEMBER 1991: (MC9)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6469	2441	10826	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3145)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

SIMSEQ08 7216-7216

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC9)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1500	6144	2299	10291	Blank	= Blank, inapplicable
33	216	115	372	1	= SAME TIME
20	122	32	183	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	1	0	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS096 7217-7218

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC9)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1540	6439	2437	10775	Blank	= Blank, inapplicable
5	6	4	15	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
2	5	2	11	03	= BIRTH CONTROL PILLS
6	21	1	32	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS097 7219-7220

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC9)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6445	2441	10790	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
2	6	3	12	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
2	3	0	5	07	= FOAM
1	1	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
1	13	0	16	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	9	0	13	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3149)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS098 7221-7222

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC9)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1547	6463	2443	10817	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	2	2	6	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	5	1	8	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	7	0	7	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3151)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS099 7223-7224

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC9)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3153)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS100 7225-7226

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC9)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1545	6445	2441	10790	Blank	= Blank, inapplicable
5	26	2	37	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	2	1	4	03	= BIRTH CONTROL PILLS
0	5	0	6	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	0	3	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3155)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS101 7227-7228

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC9)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1551	6473	2443	10830	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	0	0	2	03	= BIRTH CONTROL PILLS
1	1	1	3	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	4	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	1	4	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3157)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS102 7229-7230

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC9)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6481	2446	10843	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3159)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS103 7231-7232

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC9)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3161)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS104 7233-7234

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC9)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3163)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS105 7235-7236

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC9)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3165)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS106 7237-7238

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC9)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3167)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS107 7239-7240

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC9)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3169)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH036 7241-7242 ENTER METHOD (FIRST MENTIONED) USED IN
 OCTOBER 1991: (MC10)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

397	1161	389	2069	Blank	= Blank, inapplicable
333	1223	584	2196	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
273	1379	481	2175	03	= BIRTH CONTROL PILLS
163	777	348	1346	04	= CONDOM
21	293	8	330	05	= PARTNER'S VASECTOMY
7	126	13	149	06	= DIAPHRAGM
3	24	2	31	07	= FOAM
1	9	1	11	08	= JELLY OR CREAM
0	3	0	3	09	= CERVICAL CAP
2	19	10	33	10	= SUPPOSITORY, INSERT
3	32	8	43	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
18	35	18	74	13	= IUD, COIL, LOOP
5	15	15	35	14	= NORPLANT (TM)
7	7	5	19	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
30	109	19	170	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
1	17	0	18	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
34	120	22	185	19	= WITHDRAWAL
236	973	507	1760	20	= RESPONDENT STERILE
17	149	9	178	21	= PARTNER STERILE (NOT ON CARD)
2	3	3	8	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3171)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH037 7243-7244

ENTER METHOD (SECOND MENTIONED) USED
 IN OCTOBER 1991: (MC10)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1484	6095	2283	10203	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
1	7	4	12	03	= BIRTH CONTROL PILLS
23	133	85	246	04	= CONDOM
0	6	2	8	05	= PARTNER'S VASECTOMY
2	10	6	18	06	= DIAPHRAGM
7	25	13	46	07	= FOAM
2	14	6	22	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
5	6	7	19	10	= SUPPOSITORY, INSERT
2	13	5	20	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	1	1	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
9	51	5	73	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	6	1	8	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
18	93	16	133	19	= WITHDRAWAL
0	7	8	15	20	= RESPONDENT STERILE
0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3173)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH038 7245-7246 ENTER METHOD (THIRD MENTIONED) USED IN
 OCTOBER 1991: (MC10)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1539	6425	2420	10742	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
2	2	0	4	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
3	2	3	8	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	4	0	5	10	= SUPPOSITORY, INSERT
1	5	2	9	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	7	1	10	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	19	2	26	19	= WITHDRAWAL
1	5	14	20	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	1	22	= OTHER METHOD-NOT SHOWN

(3175)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH039 7247-7248

ENTER METHOD (FOURTH MENTIONED) USED
 IN OCTOBER 1991: (MC10)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6469	2441	10826	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3177)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

SIMSEQ09 7249-7249

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC10)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1497	6148	2296	10289	Blank	= Blank, inapplicable
34	212	118	373	1	= SAME TIME
22	122	32	184	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	1	0	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS108 7250-7251

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC10)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1540	6439	2437	10775	Blank	= Blank, inapplicable
5	5	4	14	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
2	5	2	11	03	= BIRTH CONTROL PILLS
6	20	1	31	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	7	0	7	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3179)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS109 7252-7253

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC10)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6444	2441	10789	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
2	7	3	13	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	2	0	2	06	= DIAPHRAGM
2	3	0	5	07	= FOAM
1	1	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
1	13	0	16	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	10	0	14	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3181)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS110 7254-7255

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC10)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1547	6463	2443	10817	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	2	2	6	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	5	1	8	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	7	0	7	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3183)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS111 7256-7257

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC10)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3185)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS112 7258-7259

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC10)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1545	6444	2441	10789	Blank	= Blank, inapplicable
5	27	2	38	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	2	1	4	03	= BIRTH CONTROL PILLS
0	5	0	6	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	0	3	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3187)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS113 7260-7261

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC10)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1551	6473	2443	10830	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	0	0	2	03	= BIRTH CONTROL PILLS
1	1	1	3	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	4	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	1	4	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3189)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS114 7262-7263

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC10)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6481	2446	10843	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3191)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS115 7264-7265

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC10)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3193)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS116 7266-7267

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC10)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3195)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS117 7268-7269

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC10)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3197)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES

MTHUS118 7270-7271

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC10)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE

(3199)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS119 7272-7273

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC10)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3201)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH040 7274-7275 ENTER METHOD (FIRST MENTIONED) USED IN
 NOVEMBER 1991: (MC11)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

393	1147	385	2046	Blank	= Blank, inapplicable
330	1232	573	2196	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
276	1393	477	2187	03	= BIRTH CONTROL PILLS
166	762	363	1345	04	= CONDOM
21	293	7	329	05	= PARTNER'S VASECTOMY
8	125	12	148	06	= DIAPHRAGM
3	26	2	32	07	= FOAM
1	9	1	11	08	= JELLY OR CREAM
0	3	0	3	09	= CERVICAL CAP
2	21	8	33	10	= SUPPOSITORY, INSERT
1	29	10	41	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
18	36	19	76	13	= IUD, COIL, LOOP
4	16	15	35	14	= NORPLANT (TM)
7	6	5	18	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
29	107	18	166	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
1	17	0	18	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
36	121	23	190	19	= WITHDRAWAL
239	977	511	1771	20	= RESPONDENT STERILE
17	150	9	179	21	= PARTNER STERILE (NOT ON CARD)
1	3	4	8	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3203)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH041 7276-7277

ENTER METHOD (SECOND MENTIONED) USED
 IN NOVEMBER 1991: (MC11)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1485	6085	2279	10191	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
1	8	4	13	03	= BIRTH CONTROL PILLS
19	146	85	255	04	= CONDOM
0	6	1	7	05	= PARTNER'S VASECTOMY
3	10	7	20	06	= DIAPHRAGM
8	25	14	48	07	= FOAM
2	14	7	23	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
5	6	9	21	10	= SUPPOSITORY, INSERT
2	12	5	19	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	1	1	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
9	50	5	71	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	6	1	8	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
19	91	16	132	19	= WITHDRAWAL
0	7	8	15	20	= RESPONDENT STERILE
0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3205)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH042 7278-7279

ENTER METHOD (THIRD MENTIONED) USED IN
 NOVEMBER 1991: (MC11)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1539	6423	2419	10739	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
2	2	0	4	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
3	3	3	9	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	4	0	5	10	= SUPPOSITORY, INSERT
1	5	2	9	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	7	1	10	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	20	3	28	19	= WITHDRAWAL
1	5	14	20	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	1	22	= OTHER METHOD-NOT SHOWN

(3207)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH043 7280-7281

ENTER METHOD (FOURTH MENTIONED) USED
 IN NOVEMBER 1991: (MC11)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6469	2441	10826	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3209)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

SIMSEQ10 7282-7282

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC11)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1498	6140	2293	10280	Blank		= Blank, inapplicable
35	221	120	385	1		= SAME TIME
20	121	33	181	2		= DIFFERENT TIMES
0	0	0	0	7		= Not Ascertained
0	0	0	0	8		= Refused
0	1	0	1	9		= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS120 7283-7284

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC11)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1540	6437	2436	10772	Blank	= Blank, inapplicable
5	5	5	15	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
2	6	2	12	03	= BIRTH CONTROL PILLS
6	21	1	32	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	7	0	7	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS121 7285-7286

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC11)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6442	2441	10787	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
2	8	3	14	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	2	0	2	06	= DIAPHRAGM
2	3	0	5	07	= FOAM
1	1	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
1	13	0	16	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	11	0	15	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3213)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS122 7287-7288

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC11)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1547	6462	2443	10816	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	3	2	7	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	5	1	8	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	7	0	7	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3215)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS123 7289-7290

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC11)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3217)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS124 7291-7292

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC11)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1545	6442	2441	10787	Blank	= Blank, inapplicable
5	27	2	38	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	3	1	5	03	= BIRTH CONTROL PILLS
0	5	0	6	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	0	3	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	0	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3219)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS125 7293-7294

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC11)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1551	6471	2443	10828	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	0	0	2	03	= BIRTH CONTROL PILLS
1	2	1	4	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	4	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	4	1	5	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3221)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS126 7295-7296

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC11)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6480	2446	10842	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3223)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS127 7297-7298

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC11)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3225)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS128 7299-7300

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC11)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3227)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS129 7301-7302

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC11)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS130 7303-7304

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC11)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3231)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS131 7305-7306

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC11)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3233)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH044 7307-7308

ENTER METHOD (FIRST MENTIONED) USED IN
 DECEMBER 1991: (MC12)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

390	1137	384	2028	Blank	= Blank, inapplicable
330	1233	574	2195	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
275	1403	472	2193	03	= BIRTH CONTROL PILLS
169	760	363	1350	04	= CONDOM
22	291	7	328	05	= PARTNER'S VASECTOMY
7	124	13	147	06	= DIAPHRAGM
3	26	2	32	07	= FOAM
1	9	1	11	08	= JELLY OR CREAM
0	3	0	3	09	= CERVICAL CAP
3	20	8	34	10	= SUPPOSITORY, INSERT
1	28	10	39	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
19	37	19	78	13	= IUD, COIL, LOOP
4	16	15	35	14	= NORPLANT (TM)
7	6	5	18	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
28	105	18	163	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
1	17	0	18	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
35	124	25	195	19	= WITHDRAWAL
240	982	513	1779	20	= RESPONDENT STERILE
17	150	9	179	21	= PARTNER STERILE (NOT ON CARD)
1	3	4	8	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3235)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH045 7309-7310

ENTER METHOD (SECOND MENTIONED) USED
 IN DECEMBER 1991: (MC12)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1483	6081	2282	10188	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
1	9	4	14	03	= BIRTH CONTROL PILLS
20	147	83	255	04	= CONDOM
0	6	1	7	05	= PARTNER'S VASECTOMY
3	10	6	19	06	= DIAPHRAGM
8	27	14	50	07	= FOAM
2	14	6	22	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
5	5	8	19	10	= SUPPOSITORY, INSERT
3	13	5	21	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	1	1	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
8	48	6	69	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	6	1	8	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
19	93	17	135	19	= WITHDRAWAL
1	7	8	16	20	= RESPONDENT STERILE
0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3237)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH046 7311-7312 ENTER METHOD (THIRD MENTIONED) USED IN
 DECEMBER 1991: (MC12)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1539	6424	2419	10740	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
2	2	0	4	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
3	3	3	9	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	4	0	5	10	= SUPPOSITORY, INSERT
1	5	2	9	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	7	1	10	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	18	3	26	19	= WITHDRAWAL
1	6	14	21	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	1	22	= OTHER METHOD-NOT SHOWN

(3239)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH047 7313-7314

ENTER METHOD (FOURTH MENTIONED) USED
 IN DECEMBER 1991: (MC12)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6469	2441	10826	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3241)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK	TOTAL			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR	
		0	1	2	3	97	= Not Ascertained	
		0	4	2	6	98	= Refused	
		0	4	0	5	99	= Don't Know	

SIMSEQ11 7315-7315

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC12)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1496	6134	2296	10275	Blank	= Blank, inapplicable
36	226	118	389	1	= SAME TIME
21	122	32	182	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	1	0	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS132 7316-7317

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC12)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1540	6439	2436	10774	Blank	= Blank, inapplicable
5	5	5	15	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
2	6	2	12	03	= BIRTH CONTROL PILLS
6	20	1	31	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3243)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS133 7318-7319

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC12)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6444	2441	10789	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
2	8	3	14	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	2	0	2	06	= DIAPHRAGM
2	3	0	5	07	= FOAM
1	1	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
1	13	0	16	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	9	0	13	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3245)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS134 7320-7321

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC12)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1547	6462	2443	10816	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	3	2	7	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	5	1	8	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	7	0	7	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3247)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS135 7322-7323

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC12)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS136 7324-7325

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC12)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1545	6444	2441	10789	Blank	= Blank, inapplicable
5	26	2	37	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	3	1	5	03	= BIRTH CONTROL PILLS
0	5	0	6	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	0	3	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3251)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS137 7326-7327

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC12)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1551	6472	2443	10829	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	0	0	2	03	= BIRTH CONTROL PILLS
1	2	1	4	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	4	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	1	4	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3253)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS138 7328-7329

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC12)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6480	2446	10842	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3255)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS139 7330-7331

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC12)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3257)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS140 7332-7333

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC12)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS141 7334-7335

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC12)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3261)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES

MTHUS142 7336-7337

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC12)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE

(3263)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS143 7338-7339

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC12)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3265)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH048 7340-7341 ENTER METHOD (FIRST MENTIONED) USED IN
 JANUARY 1992: (MC13)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

386	1129	379	2011	Blank	= Blank, inapplicable
330	1255	585	2232	01	= NO METHODS USED
0	0	1	1	02	= SAME AS PREVIOUS MONTH
267	1359	447	2115	03	= BIRTH CONTROL PILLS
164	763	367	1350	04	= CONDOM
23	297	8	336	05	= PARTNER'S VASECTOMY
7	123	13	145	06	= DIAPHRAGM
4	25	1	30	07	= FOAM
1	9	1	11	08	= JELLY OR CREAM
0	3	0	3	09	= CERVICAL CAP
6	20	8	36	10	= SUPPOSITORY, INSERT
1	31	12	44	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
18	37	17	75	13	= IUD, COIL, LOOP
5	16	16	37	14	= NORPLANT (TM)
8	7	7	22	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
27	110	18	168	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
2	12	0	14	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
37	125	27	200	19	= WITHDRAWAL
249	1001	522	1816	20	= RESPONDENT STERILE
17	150	8	178	21	= PARTNER STERILE (NOT ON CARD)
1	3	5	9	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3267)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH049 7342-7343

ENTER METHOD (SECOND MENTIONED) USED
 IN JANUARY 1992: (MC13)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1479	6097	2289	10205	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
1	7	3	11	03	= BIRTH CONTROL PILLS
21	130	76	231	04	= CONDOM
1	7	1	9	05	= PARTNER'S VASECTOMY
3	11	5	19	06	= DIAPHRAGM
7	25	12	45	07	= FOAM
2	14	5	21	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
4	6	10	22	10	= SUPPOSITORY, INSERT
3	10	5	18	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	2	2	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
10	53	7	77	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	6	1	8	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
21	94	16	138	19	= WITHDRAWAL
1	7	10	18	20	= RESPONDENT STERILE
0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3269)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH050 7344-7345 ENTER METHOD (THIRD MENTIONED) USED IN
 JANUARY 1992: (MC13)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1537	6422	2423	10740	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
1	2	0	3	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
3	2	2	7	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	3	0	4	10	= SUPPOSITORY, INSERT
1	5	1	7	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	7	0	9	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
1	3	0	5	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
3	20	3	29	19	= WITHDRAWAL
1	7	13	21	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	2	22	= OTHER METHOD-NOT SHOWN

(3271)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH051 7346-7347

ENTER METHOD (FOURTH MENTIONED) USED
 IN JANUARY 1992: (MC13)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6470	2442	10827	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3273)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	5	99	= Don't Know

SIMSEQ12 7348-7348

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC13)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1494	6151	2300	10292	Blank	= Blank, inapplicable
32	207	111	361	1	= SAME TIME
27	125	35	194	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS144 7349-7350

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC13)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1538	6437	2439	10774	Blank	= Blank, inapplicable
5	7	3	15	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
2	7	2	12	03	= BIRTH CONTROL PILLS
8	20	0	32	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS145 7351-7352

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC13)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1543	6444	2442	10789	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
2	8	3	13	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	2	0	3	07	= FOAM
1	0	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
2	0	1	3	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	14	0	19	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	10	0	14	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3277)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL			

MTHUS146 7353-7354

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC13)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6460	2444	10814	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
1	0	0	1	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
2	2	2	6	07		= FOAM
0	2	0	2	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	1	0	1	10		= SUPPOSITORY, INSERT
1	2	0	3	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
2	4	0	6	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	10	0	10	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE
0	0	0	0	21		= PARTNER STERILE (NOT

(3279)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	0	0	1	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS147 7355-7356

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC13)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3281)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS148 7357-7358

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC13)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1543	6444	2442	10789	Blank	= Blank, inapplicable
6	27	1	38	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	3	1	4	03	= BIRTH CONTROL PILLS
0	4	0	5	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	0	3	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
1	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	1	22	= OTHER METHOD-NOT SHOWN

(3283)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS149 7359-7360

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC13)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1551	6473	2443	10831	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	0	0	1	03	= BIRTH CONTROL PILLS
1	2	1	4	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	1	4	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3285)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS150 7361-7362

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC13)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6479	2446	10841	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3287)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS151 7363-7364

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC13)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3289)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS152 7365-7366

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC13)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3291)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS153 7367-7368

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC13)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3293)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS154 7369-7370

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC13)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3295)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS155 7371-7372

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC13)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH052 7373-7374

ENTER METHOD (FIRST MENTIONED) USED IN
 FEBRUARY 1992: (MC14)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

384	1117	374	1991	Blank	= Blank, inapplicable
328	1253	579	2224	01	= NO METHODS USED
0	0	1	1	02	= SAME AS PREVIOUS MONTH
264	1358	453	2113	03	= BIRTH CONTROL PILLS
164	765	368	1357	04	= CONDOM
23	299	8	338	05	= PARTNER'S VASECTOMY
8	121	13	144	06	= DIAPHRAGM
2	26	3	32	07	= FOAM
1	11	1	13	08	= JELLY OR CREAM
0	3	0	3	09	= CERVICAL CAP
5	21	7	35	10	= SUPPOSITORY, INSERT
1	32	10	43	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
18	38	18	77	13	= IUD, COIL, LOOP
5	18	19	42	14	= NORPLANT (TM)
10	8	7	25	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
29	111	19	171	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
3	12	0	15	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
37	121	25	193	19	= WITHDRAWAL
253	1007	524	1828	20	= RESPONDENT STERILE
17	151	8	179	21	= PARTNER STERILE (NOT ON CARD)
1	3	5	9	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3299)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH053 7375-7376

ENTER METHOD (SECOND MENTIONED) USED
 IN FEBRUARY 1992: (MC14)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1483	6091	2289	10202	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
1	7	4	12	03	= BIRTH CONTROL PILLS
22	131	77	234	04	= CONDOM
0	8	1	9	05	= PARTNER'S VASECTOMY
3	11	5	19	06	= DIAPHRAGM
7	25	11	44	07	= FOAM
2	15	5	22	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	6	7	18	10	= SUPPOSITORY, INSERT
1	11	5	18	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	1	1	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
10	54	7	78	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	7	1	9	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
20	93	18	138	19	= WITHDRAWAL
1	7	11	19	20	= RESPONDENT STERILE
0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
0	1	0	1	22	= OTHER METHOD-NOT SHOWN

(3301)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH054 7377-7378

ENTER METHOD (THIRD MENTIONED) USED IN
FEBRUARY 1992: (MC14)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1538	6423	2421	10740	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
1	2	0	3	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
3	2	2	7	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	2	0	3	10	= SUPPOSITORY, INSERT
1	5	1	7	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	7	0	9	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
3	21	4	31	19	= WITHDRAWAL
1	7	14	22	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	2	22	= OTHER METHOD-NOT SHOWN

(3303)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH055 7379-7380

ENTER METHOD (FOURTH MENTIONED) USED
 IN FEBRUARY 1992: (MC14)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6471	2442	10828	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3305)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	5	99	= Don't Know

SIMSEQ13 7381-7381

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC14)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1497	6144	2301	10288	Blank	= Blank, inapplicable
31	210	111	363	1	= SAME TIME
25	129	34	196	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS156 7382-7383

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC14)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1539	6438	2438	10775	Blank	= Blank, inapplicable
5	6	3	14	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
2	7	3	13	03	= BIRTH CONTROL PILLS
7	19	0	30	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS157 7384-7385

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC14)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1544	6444	2441	10789	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
2	7	4	13	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	2	0	3	07	= FOAM
1	0	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	15	0	20	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	9	0	13	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3309)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS158 7386-7387

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC14)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6459	2444	10813	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	2	2	6	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	4	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	12	0	12	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3311)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	0	0	1	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

MTHUS159 7388-7389

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC14)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS160 7390-7391

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC14)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1544	6444	2441	10789	Blank	= Blank, inapplicable
6	27	2	39	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	3	1	4	03	= BIRTH CONTROL PILLS
0	4	0	5	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	0	3	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	1	22	= OTHER METHOD-NOT SHOWN

(3315)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS161 7392-7393

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC14)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1551	6473	2443	10831	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	0	0	1	03	= BIRTH CONTROL PILLS
1	2	1	4	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	1	4	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3317)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS162 7394-7395

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC14)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6479	2446	10841	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3319)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL			

MTHUS163 7396-7397

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC14)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE

(3321)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS164 7398-7399

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC14)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3323)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS165 7400-7401

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC14)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3325)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS166 7402-7403

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC14)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS167 7404-7405

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC14)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3329)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH056 7406-7407 ENTER METHOD (FIRST MENTIONED) USED IN
 MARCH 1992: (MC15)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

380	1106	372	1973	Blank	= Blank, inapplicable
329	1247	577	2219	01	= NO METHODS USED
0	0	1	1	02	= SAME AS PREVIOUS MONTH
266	1356	448	2108	03	= BIRTH CONTROL PILLS
165	770	364	1356	04	= CONDOM
23	296	8	335	05	= PARTNER'S VASECTOMY
8	124	13	147	06	= DIAPHRAGM
2	27	3	34	07	= FOAM
1	9	2	12	08	= JELLY OR CREAM
0	3	0	3	09	= CERVICAL CAP
5	22	8	37	10	= SUPPOSITORY, INSERT
1	33	10	44	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
18	38	18	77	13	= IUD, COIL, LOOP
5	19	23	47	14	= NORPLANT (TM)
10	8	7	25	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
29	111	18	171	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
3	12	0	15	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
37	124	28	199	19	= WITHDRAWAL
254	1014	529	1841	20	= RESPONDENT STERILE
17	152	8	180	21	= PARTNER STERILE (NOT ON CARD)
0	4	5	9	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3331)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH057 7408-7409

ENTER METHOD (SECOND MENTIONED) USED
 IN MARCH 1992: (MC15)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1485	6084	2288	10196	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
1	9	4	14	03	= BIRTH CONTROL PILLS
20	131	79	234	04	= CONDOM
0	9	1	10	05	= PARTNER'S VASECTOMY
3	12	5	20	06	= DIAPHRAGM
7	27	11	46	07	= FOAM
2	13	5	20	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	6	8	19	10	= SUPPOSITORY, INSERT
1	12	6	20	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	1	1	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
10	53	5	75	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	7	1	9	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
20	95	17	139	19	= WITHDRAWAL
1	9	11	21	20	= RESPONDENT STERILE
0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3333)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH058 7410-7411 ENTER METHOD (THIRD MENTIONED) USED IN
 MARCH 1992: (MC15)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1538	6423	2421	10740	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	1	2	03	= BIRTH CONTROL PILLS
1	2	0	3	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
3	1	2	6	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	2	0	3	10	= SUPPOSITORY, INSERT
1	5	1	7	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	7	0	9	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
3	21	3	30	19	= WITHDRAWAL
1	8	14	23	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	2	22	= OTHER METHOD-NOT SHOWN

(3335)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH059 7412-7413

ENTER METHOD (FOURTH MENTIONED) USED
 IN MARCH 1992: (MC15)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6471	2442	10828	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3337)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	5	99	= Don't Know

SIMSEQ14 7414-7414

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC15)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1499	6136	2300	10281	Blank	= Blank, inapplicable
29	221	112	373	1	= SAME TIME
25	126	34	193	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS168 7415-7416

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC15)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1539	6439	2438	10776	Blank	= Blank, inapplicable
5	7	3	15	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
2	5	2	10	03	= BIRTH CONTROL PILLS
7	18	0	29	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	2	3	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3339)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS169 7417-7418

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC15)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1544	6446	2441	10791	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
2	6	4	12	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	2	0	3	07	= FOAM
1	0	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
3	16	0	21	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	9	0	13	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3341)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS170 7419-7420

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC15)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6460	2443	10813	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	1	1	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	2	5	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	4	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	11	0	11	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3343)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	0	0	1	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES

MTHUS171 7421-7422

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC15)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	1	0	1	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE
0	0	0	0	21		= PARTNER STERILE (NOT

(3345)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS172 7423-7424

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC15)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1544	6446	2441	10791	Blank	= Blank, inapplicable
6	26	1	37	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	2	1	3	03	= BIRTH CONTROL PILLS
0	4	0	5	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	0	3	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	2	3	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	1	22	= OTHER METHOD-NOT SHOWN

(3347)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS173 7425-7426

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC15)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1551	6474	2442	10831	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	0	0	1	03	= BIRTH CONTROL PILLS
1	1	2	4	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	1	4	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3349)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS174 7427-7428

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC15)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6480	2445	10841	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	1	1	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3351)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS175 7429-7430

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC15)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3353)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS176 7431-7432

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC15)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3355)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS177 7433-7434

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC15)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3357)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS178 7435-7436

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC15)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3359)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS179 7437-7438

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC15)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3361)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH060 7439-7440 ENTER METHOD (FIRST MENTIONED) USED IN
 APRIL 1992: (MC16)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

373	1088	367	1943	Blank	= Blank, inapplicable
331	1234	574	2206	01	= NO METHODS USED
0	0	1	1	02	= SAME AS PREVIOUS MONTH
268	1362	443	2111	03	= BIRTH CONTROL PILLS
165	789	375	1387	04	= CONDOM
23	298	8	337	05	= PARTNER'S VASECTOMY
8	123	12	145	06	= DIAPHRAGM
3	28	3	35	07	= FOAM
1	9	2	12	08	= JELLY OR CREAM
0	3	0	3	09	= CERVICAL CAP
5	23	8	38	10	= SUPPOSITORY, INSERT
2	29	10	41	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
19	38	19	79	13	= IUD, COIL, LOOP
5	19	24	48	14	= NORPLANT (TM)
11	8	7	26	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
28	109	18	168	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
3	11	0	14	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
36	126	27	198	19	= WITHDRAWAL
255	1022	532	1853	20	= RESPONDENT STERILE
17	152	8	180	21	= PARTNER STERILE (NOT ON CARD)
0	4	4	8	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3363)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH061 7441-7442

ENTER METHOD (SECOND MENTIONED) USED
 IN APRIL 1992: (MC16)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1488	6083	2285	10194	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	7	4	11	03	= BIRTH CONTROL PILLS
19	130	79	232	04	= CONDOM
0	11	2	13	05	= PARTNER'S VASECTOMY
3	11	5	19	06	= DIAPHRAGM
8	27	11	47	07	= FOAM
2	14	6	22	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	6	8	19	10	= SUPPOSITORY, INSERT
1	13	7	22	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	1	1	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
9	54	5	76	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	8	1	10	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
19	96	17	139	19	= WITHDRAWAL
1	7	11	19	20	= RESPONDENT STERILE
0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3365)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH062 7443-7444 ENTER METHOD (THIRD MENTIONED) USED IN
 APRIL 1992: (MC16)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1541	6420	2421	10740	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	1	2	03	= BIRTH CONTROL PILLS
1	2	0	3	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	2	5	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	2	0	2	10	= SUPPOSITORY, INSERT
1	6	0	7	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	7	0	9	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	22	3	30	19	= WITHDRAWAL
1	9	15	25	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	2	22	= OTHER METHOD-NOT SHOWN

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH063 7445-7446

ENTER METHOD (FOURTH MENTIONED) USED
 IN APRIL 1992: (MC16)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6471	2442	10828	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3369)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	5	99	= Don't Know

SIMSEQ15 7447-7447

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC16)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1499	6137	2296	10277	Blank	= Blank, inapplicable
31	225	114	381	1	= SAME TIME
23	121	36	189	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS180 7448-7449

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC16)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1542	6437	2439	10778	Blank	= Blank, inapplicable
4	7	2	13	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	5	2	9	03	= BIRTH CONTROL PILLS
6	20	0	30	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	2	3	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3371)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS181 7450-7451

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC16)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1546	6444	2441	10791	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	6	4	11	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	3	0	4	07	= FOAM
1	0	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	16	0	20	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	9	0	13	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3373)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL					

MTHUS182 7452-7453

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC16)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6459	2443	10812	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	1	1	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
1	0	0	1	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
2	1	2	5	07		= FOAM
0	2	0	2	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	1	0	1	10		= SUPPOSITORY, INSERT
1	2	0	3	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
2	4	0	6	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	12	0	12	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE
0	0	0	0	21		= PARTNER STERILE (NOT

(3375)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	0	0	1	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS183 7454-7455

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC16)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS184 7456-7457

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC16)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1546	6444	2441	10791	Blank	= Blank, inapplicable
5	27	1	37	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	2	1	3	03	= BIRTH CONTROL PILLS
0	4	0	5	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	2	3	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	1	22	= OTHER METHOD-NOT SHOWN

(3379)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS185 7458-7459

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC16)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6474	2442	10832	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	2	4	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	1	4	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3381)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS186 7460-7461

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC16)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6480	2445	10841	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	1	1	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3383)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS187 7462-7463

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC16)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3385)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS188 7464-7465

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC16)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3387)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS189 7466-7467

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC16)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3389)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS190 7468-7469

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC16)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3391)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES

MTHUS191 7470-7471

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC16)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE

(3393)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH064 7472-7473 ENTER METHOD (FIRST MENTIONED) USED IN
 MAY 1992: (MC17)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

371	1067	359	1911	Blank	= Blank, inapplicable
335	1247	570	2221	01	= NO METHODS USED
0	0	1	1	02	= SAME AS PREVIOUS MONTH
261	1355	444	2097	03	= BIRTH CONTROL PILLS
166	795	382	1401	04	= CONDOM
23	299	8	337	05	= PARTNER'S VASECTOMY
7	125	12	146	06	= DIAPHRAGM
3	25	4	33	07	= FOAM
1	10	2	13	08	= JELLY OR CREAM
0	3	0	3	09	= CERVICAL CAP
5	22	8	37	10	= SUPPOSITORY, INSERT
1	31	10	42	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
19	37	19	79	13	= IUD, COIL, LOOP
7	19	24	50	14	= NORPLANT (TM)
12	8	7	27	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
28	109	18	168	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
3	12	0	15	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
37	130	25	201	19	= WITHDRAWAL
256	1023	538	1861	20	= RESPONDENT STERILE
17	154	7	181	21	= PARTNER STERILE (NOT ON CARD)
1	4	4	9	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3395)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH065 7474-7475 ENTER METHOD (SECOND MENTIONED) USED
 IN MAY 1992: (MC17)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1488	6074	2281	10180	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	10	4	14	03	= BIRTH CONTROL PILLS
17	132	81	234	04	= CONDOM
0	9	2	11	05	= PARTNER'S VASECTOMY
3	12	5	20	06	= DIAPHRAGM
8	27	10	46	07	= FOAM
2	15	6	23	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	6	9	21	10	= SUPPOSITORY, INSERT
1	13	7	22	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
1	0	1	2	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
9	54	5	76	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	8	1	10	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
20	100	18	145	19	= WITHDRAWAL
1	8	11	20	20	= RESPONDENT STERILE
0	7	1	9	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3397)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH066 7476-7477 ENTER METHOD (THIRD MENTIONED) USED IN
MAY 1992: (MC17)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1541	6418	2420	10737	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	1	2	03	= BIRTH CONTROL PILLS
1	2	0	3	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	2	2	6	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	2	0	2	10	= SUPPOSITORY, INSERT
1	6	0	7	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	7	0	9	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	23	3	31	19	= WITHDRAWAL
1	9	16	26	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	2	22	= OTHER METHOD-NOT SHOWN

(3399)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH067 7478-7479

ENTER METHOD (FOURTH MENTIONED) USED
 IN MAY 1992: (MC17)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6472	2442	10829	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3401)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	4	99	= Don't Know

SIMSEQ16 7480-7480

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC17)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1499	6130	2292	10265	Blank	= Blank, inapplicable
32	226	115	384	1	= SAME TIME
22	127	39	198	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS192 7481-7482

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC17)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1542	6434	2439	10775	Blank	= Blank, inapplicable
4	7	2	13	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	6	2	10	03	= BIRTH CONTROL PILLS
6	22	0	32	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	2	3	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS193 7483-7484

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC17)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1546	6441	2441	10788	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	7	4	12	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	4	0	5	07	= FOAM
1	0	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	16	0	20	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	9	0	13	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3405)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS194 7485-7486

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC17)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6458	2443	10811	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	1	1	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	2	5	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	4	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	13	0	13	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3407)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	0	0	1	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL					

MTHUS195 7487-7488

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC17)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	1	0	1	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE
0	0	0	0	21		= PARTNER STERILE (NOT

(3409)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS196 7489-7490

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC17)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1546	6441	2441	10788	Blank	= Blank, inapplicable
5	30	1	40	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	2	1	3	03	= BIRTH CONTROL PILLS
0	4	0	5	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	2	3	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	1	22	= OTHER METHOD-NOT SHOWN

(3411)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS197 7491-7492

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC17)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6474	2442	10832	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	2	4	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	1	4	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3413)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS198 7493-7494

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC17)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6480	2445	10841	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	1	1	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3415)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

MTHUS199 7495-7496

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC17)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3417)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS200 7497-7498

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC17)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3419)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS201 7499-7500

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC17)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3421)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS202 7501-7502

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC17)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3423)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL			

MTHUS203 7503-7504

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC17)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE

(3425)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH068 7505-7506 ENTER METHOD (FIRST MENTIONED) USED IN
 JUNE 1992: (MC18)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

368	1051	349	1882	Blank	= Blank, inapplicable
340	1233	568	2205	01	= NO METHODS USED
0	0	1	1	02	= SAME AS PREVIOUS MONTH
258	1352	447	2093	03	= BIRTH CONTROL PILLS
164	811	385	1420	04	= CONDOM
23	305	8	344	05	= PARTNER'S VASECTOMY
7	125	14	148	06	= DIAPHRAGM
3	24	3	31	07	= FOAM
1	9	2	12	08	= JELLY OR CREAM
0	2	0	2	09	= CERVICAL CAP
5	23	8	38	10	= SUPPOSITORY, INSERT
1	35	11	47	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
19	37	19	79	13	= IUD, COIL, LOOP
7	22	24	53	14	= NORPLANT (TM)
13	8	7	29	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
29	108	19	169	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
3	12	0	15	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
38	128	26	203	19	= WITHDRAWAL
256	1031	540	1871	20	= RESPONDENT STERILE
17	156	7	184	21	= PARTNER STERILE (NOT ON CARD)
1	4	4	9	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3427)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH069 7507-7508

ENTER METHOD (SECOND MENTIONED) USED
 IN JUNE 1992: (MC18)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1487	6082	2283	10190	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	9	4	13	03	= BIRTH CONTROL PILLS
16	128	81	231	04	= CONDOM
0	8	2	10	05	= PARTNER'S VASECTOMY
3	13	5	21	06	= DIAPHRAGM
8	24	10	43	07	= FOAM
2	14	6	22	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	8	8	21	10	= SUPPOSITORY, INSERT
1	14	7	23	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
1	1	1	3	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
10	55	5	77	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	8	1	10	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
20	96	17	140	19	= WITHDRAWAL
2	8	11	21	20	= RESPONDENT STERILE
0	7	1	9	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3429)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH070 7509-7510 ENTER METHOD (THIRD MENTIONED) USED IN
 JUNE 1992: (MC18)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1540	6417	2420	10736	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	1	2	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	2	5	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	2	0	2	10	= SUPPOSITORY, INSERT
1	7	0	8	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	7	0	9	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
3	25	2	33	19	= WITHDRAWAL
1	9	17	27	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	2	22	= OTHER METHOD-NOT SHOWN

(3431)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH071 7511-7512 ENTER METHOD (FOURTH MENTIONED) USED
 IN JUNE 1992: (MC18)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6471	2442	10829	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3433)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK	TOTAL			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR	
		0	1	2	3	97	= Not Ascertained	
		0	4	2	6	98	= Refused	
		0	2	0	3	99	= Don't Know	

SIMSEQ17 7513-7513

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC18)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1499	6139	2293	10275	Blank	= Blank, inapplicable
32	221	113	376	1	= SAME TIME
22	123	40	196	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS204 7514-7515

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC18)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1541	6433	2440	10774	Blank	= Blank, inapplicable
4	8	1	13	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	6	2	10	03	= BIRTH CONTROL PILLS
7	21	0	32	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	2	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	2	3	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	1	0	1	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3435)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS205 7516-7517

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC18)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6441	2441	10787	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	9	4	14	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	4	0	5	07	= FOAM
1	0	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	15	0	20	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	8	0	12	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3437)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS206 7518-7519

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC18)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6457	2443	10810	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	1	1	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	2	5	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	4	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	14	0	14	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3439)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	0	0	1	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

MTHUS207 7520-7521

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC18)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3441)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS208 7522-7523

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC18)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1545	6441	2441	10787	Blank	= Blank, inapplicable
5	29	1	39	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	2	1	3	03	= BIRTH CONTROL PILLS
0	5	0	6	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	2	0	3	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	1	2	4	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	1	22	= OTHER METHOD-NOT SHOWN

(3443)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS209 7524-7525

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC18)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6473	2442	10831	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	2	4	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	1	4	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3445)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS210 7526-7527

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC18)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6479	2445	10840	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	1	1	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	0	3	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3447)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS211 7528-7529

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC18)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3449)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS212 7530-7531

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC18)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	1	0	1	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3451)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS213 7532-7533

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC18)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3453)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS214 7534-7535

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC18)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3455)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS215 7536-7537

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC18)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3457)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH072 7538-7539 ENTER METHOD (FIRST MENTIONED) USED IN
 JULY 1992: (MC19)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

363	1035	344	1855	Blank	= Blank, inapplicable
335	1232	565	2197	01	= NO METHODS USED
0	0	1	1	02	= SAME AS PREVIOUS MONTH
259	1353	446	2093	03	= BIRTH CONTROL PILLS
169	814	391	1438	04	= CONDOM
23	308	8	347	05	= PARTNER'S VASECTOMY
6	127	14	149	06	= DIAPHRAGM
3	25	2	31	07	= FOAM
1	10	2	13	08	= JELLY OR CREAM
0	2	0	2	09	= CERVICAL CAP
5	22	7	36	10	= SUPPOSITORY, INSERT
2	36	11	49	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
18	36	19	77	13	= IUD, COIL, LOOP
10	24	25	59	14	= NORPLANT (TM)
13	7	7	28	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
29	107	19	167	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
3	13	0	16	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
37	128	27	201	19	= WITHDRAWAL
259	1034	543	1880	20	= RESPONDENT STERILE
17	158	7	186	21	= PARTNER STERILE (NOT ON CARD)
1	4	4	9	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3459)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH073 7540-7541

ENTER METHOD (SECOND MENTIONED) USED
 IN JULY 1992: (MC19)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1484	6081	2283	10187	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
1	10	4	15	03	= BIRTH CONTROL PILLS
18	129	80	232	04	= CONDOM
0	9	2	11	05	= PARTNER'S VASECTOMY
3	12	5	20	06	= DIAPHRAGM
8	23	11	43	07	= FOAM
2	15	5	22	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	8	8	20	10	= SUPPOSITORY, INSERT
1	14	8	24	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	1	1	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
10	54	5	77	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	8	1	10	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
21	97	17	142	19	= WITHDRAWAL
2	8	11	21	20	= RESPONDENT STERILE
0	7	1	9	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3461)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH074 7542-7543 ENTER METHOD (THIRD MENTIONED) USED IN
 JULY 1992: (MC19)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1540	6416	2421	10737	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	1	2	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	2	5	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	2	0	2	10	= SUPPOSITORY, INSERT
1	6	0	7	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	7	0	9	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
3	25	2	32	19	= WITHDRAWAL
1	11	16	28	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	2	22	= OTHER METHOD-NOT SHOWN

(3463)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH075 7544-7545 ENTER METHOD (FOURTH MENTIONED) USED
 IN JULY 1992: (MC19)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6472	2442	10831	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3465)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

SIMSEQ18 7546-7546

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC19)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1496	6137	2293	10270	Blank	= Blank, inapplicable
32	224	113	380	1	= SAME TIME
25	122	40	197	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS216 7547-7548

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC19)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1541	6434	2440	10776	Blank	= Blank, inapplicable
4	8	1	13	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	6	2	10	03	= BIRTH CONTROL PILLS
7	20	0	30	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	2	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	2	3	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	1	0	1	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS217 7549-7550

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC19)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6442	2441	10789	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	9	4	14	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	4	0	5	07	= FOAM
1	0	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	15	0	19	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	8	0	12	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3469)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS218 7551-7552

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC19)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6458	2443	10811	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	1	1	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	2	5	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	4	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	13	0	13	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3471)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	0	0	1	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS219 7553-7554

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC19)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3473)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS220 7555-7556

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC19)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1545	6442	2441	10789	Blank	= Blank, inapplicable
5	29	1	38	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	2	1	3	03	= BIRTH CONTROL PILLS
0	4	0	5	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	2	0	3	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	1	2	4	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	1	22	= OTHER METHOD-NOT SHOWN

(3475)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS221 7557-7558

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC19)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6474	2442	10832	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	2	4	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	1	4	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3477)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS222 7559-7560

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC19)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6480	2445	10841	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	1	1	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3479)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

MTHUS223 7561-7562

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC19)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3481)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS224 7563-7564

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC19)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3483)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS225 7565-7566

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC19)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3485)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS226 7567-7568

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC19)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3487)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

MTHUS227 7569-7570

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC19)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3489)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH076 7571-7572 ENTER METHOD (FIRST MENTIONED) USED IN
AUGUST 1992: (MC20)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

359	1019	341	1830	Blank	= Blank, inapplicable
336	1244	558	2204	01	= NO METHODS USED
0	0	1	1	02	= SAME AS PREVIOUS MONTH
255	1351	449	2090	03	= BIRTH CONTROL PILLS
174	809	390	1436	04	= CONDOM
23	309	8	348	05	= PARTNER'S VASECTOMY
6	128	14	150	06	= DIAPHRAGM
3	22	2	28	07	= FOAM
1	9	2	12	08	= JELLY OR CREAM
0	3	0	3	09	= CERVICAL CAP
5	23	7	37	10	= SUPPOSITORY, INSERT
1	33	11	45	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
18	35	19	76	13	= IUD, COIL, LOOP
11	25	27	63	14	= NORPLANT (TM)
13	8	7	29	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
30	107	19	169	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
3	13	0	16	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
37	127	28	201	19	= WITHDRAWAL
260	1048	548	1901	20	= RESPONDENT STERILE
17	159	7	187	21	= PARTNER STERILE (NOT ON CARD)
1	4	4	9	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3491)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH077 7573-7574

ENTER METHOD (SECOND MENTIONED) USED
 IN AUGUST 1992: (MC20)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1485	6078	2285	10186	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
1	8	4	13	03	= BIRTH CONTROL PILLS
17	135	80	238	04	= CONDOM
0	10	2	12	05	= PARTNER'S VASECTOMY
3	12	5	20	06	= DIAPHRAGM
8	24	11	44	07	= FOAM
2	14	4	20	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	8	8	20	10	= SUPPOSITORY, INSERT
1	14	8	24	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	1	1	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
10	54	5	77	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	11	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
21	94	16	138	19	= WITHDRAWAL
2	8	11	21	20	= RESPONDENT STERILE
0	7	1	9	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3493)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH078 7575-7576 ENTER METHOD (THIRD MENTIONED) USED IN
 AUGUST 1992: (MC20)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1540	6419	2420	10739	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	1	2	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	2	5	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	6	0	7	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	1	0	1	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	7	0	9	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
3	25	2	32	19	= WITHDRAWAL
1	9	17	27	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	2	22	= OTHER METHOD-NOT SHOWN

(3495)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH079 7577-7578

ENTER METHOD (FOURTH MENTIONED) USED
 IN AUGUST 1992: (MC20)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6472	2442	10831	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3497)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK	TOTAL			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR	
		0	1	2	3	97	= Not Ascertained	
		0	4	2	6	98	= Refused	
		0	2	0	3	99	= Don't Know	

SIMSEQ19 7579-7579

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC20)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1497	6133	2295	10268	Blank	= Blank, inapplicable
32	231	113	389	1	= SAME TIME
24	119	38	190	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS228 7580-7581

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC20)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1541	6435	2440	10777	Blank	= Blank, inapplicable
4	8	1	13	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	5	2	9	03	= BIRTH CONTROL PILLS
7	21	0	31	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
0	2	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	2	3	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	1	0	1	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS229 7582-7583

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC20)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6443	2441	10790	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	8	4	13	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	5	0	6	07	= FOAM
1	0	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	14	0	18	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	8	0	12	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3501)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS230 7584-7585

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC20)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6460	2443	10813	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	1	1	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	2	5	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	4	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	13	0	13	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3503)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	0	0	1	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL					

MTHUS231 7586-7587

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC20)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	1	0	1	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE
0	0	0	0	21		= PARTNER STERILE (NOT

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS232 7588-7589

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC20)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1545	6443	2441	10790	Blank	= Blank, inapplicable
5	28	1	37	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	2	1	3	03	= BIRTH CONTROL PILLS
0	4	0	5	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	2	0	3	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	1	2	4	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	1	22	= OTHER METHOD-NOT SHOWN

(3507)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS233 7590-7591

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC20)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6474	2442	10832	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	2	4	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	1	4	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3509)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS234 7592-7593

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC20)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6480	2445	10841	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	1	1	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3511)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS235 7594-7595

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC20)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3513)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS236 7596-7597

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC20)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3515)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS237 7598-7599

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC20)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3517)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL		

MTHUS238 7600-7601

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC20)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE

(3519)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS239 7602-7603

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC20)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3521)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH080 7604-7605 ENTER METHOD (FIRST MENTIONED) USED IN
 SEPTEMBER 1992: (MC21)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

354	1005	337	1805	Blank	= Blank, inapplicable
326	1241	556	2193	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
265	1348	449	2099	03	= BIRTH CONTROL PILLS
175	802	390	1426	04	= CONDOM
23	311	9	351	05	= PARTNER'S VASECTOMY
6	131	14	153	06	= DIAPHRAGM
3	26	2	32	07	= FOAM
1	8	2	11	08	= JELLY OR CREAM
0	4	0	4	09	= CERVICAL CAP
5	24	7	38	10	= SUPPOSITORY, INSERT
1	35	11	47	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
19	34	19	76	13	= IUD, COIL, LOOP
15	26	27	69	14	= NORPLANT (TM)
13	8	8	29	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
29	111	20	172	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
3	14	0	17	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
37	131	28	206	19	= WITHDRAWAL
260	1053	552	1910	20	= RESPONDENT STERILE
17	161	7	189	21	= PARTNER STERILE (NOT ON CARD)
1	3	4	8	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3523)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH081 7606-7607

ENTER METHOD (SECOND MENTIONED) USED
 IN SEPTEMBER 1992: (MC21)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1485	6077	2284	10183	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	9	4	13	03	= BIRTH CONTROL PILLS
17	128	79	231	04	= CONDOM
0	11	2	13	05	= PARTNER'S VASECTOMY
3	12	5	20	06	= DIAPHRAGM
7	24	12	44	07	= FOAM
2	15	5	22	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	7	8	19	10	= SUPPOSITORY, INSERT
1	13	9	24	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	1	1	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
10	57	5	80	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	11	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
23	98	15	143	19	= WITHDRAWAL
2	8	11	21	20	= RESPONDENT STERILE
0	7	1	9	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3525)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH082 7608-7609

ENTER METHOD (THIRD MENTIONED) USED IN
 SEPTEMBER 1992: (MC21)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1540	6418	2418	10736	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	1	2	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	2	5	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	7	1	9	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	7	0	9	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
3	25	2	32	19	= WITHDRAWAL
1	9	18	28	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	2	22	= OTHER METHOD-NOT SHOWN

(3527)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH083 7610-7611

ENTER METHOD (FOURTH MENTIONED) USED
 IN SEPTEMBER 1992: (MC21)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6471	2442	10830	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3529)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK	TOTAL			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR	
		0	1	2	3	97	= Not Ascertained	
		0	4	2	6	98	= Refused	
		0	2	0	3	99	= Don't Know	

SIMSEQ20 7612-7612

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC21)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1497	6133	2295	10267	Blank	= Blank, inapplicable
30	230	115	389	1	= SAME TIME
26	120	36	191	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS240 7613-7614

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC21)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1541	6434	2439	10775	Blank	= Blank, inapplicable
4	10	2	16	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	5	2	9	03	= BIRTH CONTROL PILLS
7	20	0	30	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
0	2	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	2	3	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3531)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS241 7615-7616

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC21)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6444	2441	10791	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	8	4	13	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	3	0	4	07	= FOAM
1	0	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	15	0	19	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	8	0	12	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3533)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL					

MTHUS242 7617-7618

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC21)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6460	2443	10813	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	1	1	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
1	0	0	1	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
2	0	2	4	07		= FOAM
0	2	0	2	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
1	2	0	3	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
2	4	0	6	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	13	0	13	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE
0	0	0	0	21		= PARTNER STERILE (NOT

(3535)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	0	0	1	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL					

MTHUS243 7619-7620

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC21)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	1	0	1	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE
0	0	0	0	21		= PARTNER STERILE (NOT

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS244 7621-7622

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC21)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1545	6444	2441	10791	Blank	= Blank, inapplicable
5	26	1	35	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	2	1	3	03	= BIRTH CONTROL PILLS
0	5	0	6	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	1	2	4	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	1	22	= OTHER METHOD-NOT SHOWN

(3539)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL		
		0	0	0	0	97	SEPARATELY
		0	0	0	0	98	= Not Ascertained
		0	0	0	0	99	= Refused
							= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS245 7623-7624

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC21)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6473	2442	10831	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	2	4	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	4	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	1	4	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3541)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS246 7625-7626

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC21)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6479	2445	10840	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	1	1	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3543)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS247 7627-7628

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC21)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3545)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS248 7629-7630

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC21)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3547)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS249 7631-7632

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC21)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3549)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL			

MTHUS250 7633-7634

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC21)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE

(3551)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS251 7635-7636

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC21)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3553)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH084 7637-7638

ENTER METHOD (FIRST MENTIONED) USED IN
 OCTOBER 1992: (MC22)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

344	991	335	1779	Blank	= Blank, inapplicable
331	1217	557	2176	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
266	1354	443	2097	03	= BIRTH CONTROL PILLS
174	828	391	1454	04	= CONDOM
23	314	9	354	05	= PARTNER'S VASECTOMY
6	126	14	148	06	= DIAPHRAGM
3	24	2	29	07	= FOAM
1	8	2	11	08	= JELLY OR CREAM
0	4	0	4	09	= CERVICAL CAP
5	24	8	39	10	= SUPPOSITORY, INSERT
1	35	10	46	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
18	34	19	75	13	= IUD, COIL, LOOP
16	29	30	76	14	= NORPLANT (TM)
14	8	9	31	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
28	109	18	167	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
3	14	0	17	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
39	129	28	206	19	= WITHDRAWAL
263	1063	556	1928	20	= RESPONDENT STERILE
17	161	7	189	21	= PARTNER STERILE (NOT ON CARD)
1	4	4	9	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3555)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH085 7639-7640

ENTER METHOD (SECOND MENTIONED) USED
 IN OCTOBER 1992: (MC22)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1483	6083	2286	10190	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
2	7	4	13	03	= BIRTH CONTROL PILLS
17	124	76	223	04	= CONDOM
0	10	2	12	05	= PARTNER'S VASECTOMY
3	12	5	20	06	= DIAPHRAGM
7	25	12	45	07	= FOAM
2	12	5	19	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	7	8	19	10	= SUPPOSITORY, INSERT
1	14	9	25	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	1	1	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
10	59	5	82	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	11	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
24	98	16	145	19	= WITHDRAWAL
1	8	11	20	20	= RESPONDENT STERILE
0	7	1	9	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3557)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH086 7641-7642 ENTER METHOD (THIRD MENTIONED) USED IN
 OCTOBER 1992: (MC22)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1540	6417	2418	10735	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	1	2	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	1	4	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	6	1	8	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	7	0	9	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	5	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
3	26	3	34	19	= WITHDRAWAL
1	9	18	28	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	2	22	= OTHER METHOD-NOT SHOWN

(3559)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH087 7643-7644

ENTER METHOD (FOURTH MENTIONED) USED
 IN OCTOBER 1992: (MC22)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6471	2442	10830	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3561)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

SIMSEQ21 7645-7645

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC22)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1495	6140	2297	10275	Blank	= Blank, inapplicable
32	224	113	382	1	= SAME TIME
26	119	36	190	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS252 7646-7647

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC22)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1541	6433	2439	10774	Blank	= Blank, inapplicable
4	9	2	15	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	5	1	8	03	= BIRTH CONTROL PILLS
7	21	0	31	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
0	2	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	7	1	8	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	2	3	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3563)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS253 7648-7649

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC22)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6442	2441	10789	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	9	3	13	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	3	0	4	07	= FOAM
1	0	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	16	0	20	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	8	1	13	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3565)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS254 7650-7651

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC22)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6459	2444	10813	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	1	1	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	1	3	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	4	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	13	0	13	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3567)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	0	0	1	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES

MTHUS255 7652-7653

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC22)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	1	0	1	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE
0	0	0	0	21		= PARTNER STERILE (NOT

(3569)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS256 7654-7655

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC22)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1545	6442	2441	10789	Blank	= Blank, inapplicable
5	28	2	38	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	2	0	2	03	= BIRTH CONTROL PILLS
0	5	0	6	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	1	2	4	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	1	22	= OTHER METHOD-NOT SHOWN

(3571)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS257 7656-7657

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC22)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6473	2443	10832	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	1	3	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	4	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	1	4	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3573)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS258 7658-7659

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC22)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6479	2445	10840	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	1	1	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3575)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS259 7660-7661

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC22)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3577)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS260 7662-7663

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC22)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3579)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS261 7664-7665

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC22)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3581)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES

MTHUS262 7666-7667

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC22)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE

(3583)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS263 7668-7669

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC22)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3585)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH088 7670-7671

ENTER METHOD (FIRST MENTIONED) USED IN
NOVEMBER 1992: (MC23)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

341	980	332	1761	Blank	= Blank, inapplicable
332	1220	542	2161	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
269	1350	453	2105	03	= BIRTH CONTROL PILLS
169	832	395	1460	04	= CONDOM
23	315	9	356	05	= PARTNER'S VASECTOMY
7	125	13	147	06	= DIAPHRAGM
3	22	2	27	07	= FOAM
1	8	2	11	08	= JELLY OR CREAM
0	4	0	4	09	= CERVICAL CAP
5	23	8	38	10	= SUPPOSITORY, INSERT
1	35	8	44	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
18	34	18	74	13	= IUD, COIL, LOOP
16	31	32	81	14	= NORPLANT (TM)
14	7	9	30	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
28	107	18	165	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
3	16	0	19	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
40	130	29	210	19	= WITHDRAWAL
265	1068	561	1940	20	= RESPONDENT STERILE
17	164	7	192	21	= PARTNER STERILE (NOT ON CARD)
1	4	4	9	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3587)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH089 7672-7673

ENTER METHOD (SECOND MENTIONED) USED
IN NOVEMBER 1992: (MC23)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1486	6087	2281	10192	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	7	4	11	03	= BIRTH CONTROL PILLS
18	123	80	227	04	= CONDOM
0	10	2	12	05	= PARTNER'S VASECTOMY
3	12	5	20	06	= DIAPHRAGM
7	23	12	43	07	= FOAM
2	13	4	19	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	7	8	19	10	= SUPPOSITORY, INSERT
1	14	9	25	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	1	1	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
9	61	5	83	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	11	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
23	95	16	141	19	= WITHDRAWAL
1	7	13	21	20	= RESPONDENT STERILE
0	7	1	9	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3589)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH090 7674-7675 ENTER METHOD (THIRD MENTIONED) USED IN
 NOVEMBER 1992: (MC23)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1539	6416	2417	10732	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	1	2	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	1	4	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	6	1	8	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	7	0	9	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	5	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
4	27	2	35	19	= WITHDRAWAL
1	9	20	30	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	2	22	= OTHER METHOD-NOT SHOWN

(3591)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH091 7676-7677

ENTER METHOD (FOURTH MENTIONED) USED
 IN NOVEMBER 1992: (MC23)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6470	2442	10829	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3593)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

SIMSEQ22 7678-7678

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC23)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1499	6145	2291	10278	Blank	= Blank, inapplicable
29	221	118	381	1	= SAME TIME
25	117	37	188	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS264 7679-7680

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC23)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1540	6432	2440	10773	Blank	= Blank, inapplicable
4	9	2	15	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
2	5	1	9	03	= BIRTH CONTROL PILLS
7	21	0	31	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
0	2	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	3	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	7	0	7	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	2	3	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS265 7681-7682

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC23)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1544	6441	2442	10788	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
2	9	3	14	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	3	0	4	07	= FOAM
1	0	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	16	0	20	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	8	0	12	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3597)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS266 7683-7684

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC23)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6459	2444	10813	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	1	1	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	1	3	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	4	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	13	0	13	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3599)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	0	0	1	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS267 7685-7686

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC23)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3601)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS268 7687-7688

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC23)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1544	6441	2442	10788	Blank	= Blank, inapplicable
5	29	1	38	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	2	0	3	03	= BIRTH CONTROL PILLS
0	5	0	6	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	1	2	4	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	1	22	= OTHER METHOD-NOT SHOWN

(3603)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS269 7689-7690

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC23)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1551	6473	2443	10831	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	1	3	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	4	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	3	1	5	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3605)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS270 7691-7692

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC23)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6479	2445	10840	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	1	1	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3607)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS271 7693-7694

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC23)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3609)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS272 7695-7696

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC23)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3611)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS273 7697-7698

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC23)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3613)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL			

MTHUS274 7699-7700

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC23)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE

(3615)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS275 7701-7702

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC23)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3617)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH092 7703-7704

ENTER METHOD (FIRST MENTIONED) USED IN
 DECEMBER 1992: (MC24)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

336	971	330	1745	Blank	= Blank, inapplicable
332	1205	545	2148	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
270	1356	456	2115	03	= BIRTH CONTROL PILLS
173	838	393	1468	04	= CONDOM
23	316	9	357	05	= PARTNER'S VASECTOMY
7	127	13	149	06	= DIAPHRAGM
3	22	2	27	07	= FOAM
1	8	2	11	08	= JELLY OR CREAM
0	3	0	3	09	= CERVICAL CAP
5	24	7	38	10	= SUPPOSITORY, INSERT
1	35	8	44	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
18	34	18	74	13	= IUD, COIL, LOOP
15	32	36	85	14	= NORPLANT (TM)
15	8	8	31	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
27	106	18	163	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
3	16	0	19	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
40	133	27	212	19	= WITHDRAWAL
266	1075	559	1946	20	= RESPONDENT STERILE
17	164	7	192	21	= PARTNER STERILE (NOT ON CARD)
1	3	4	8	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3619)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH093 7705-7706

ENTER METHOD (SECOND MENTIONED) USED
IN DECEMBER 1992: (MC24)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1485	6081	2282	10186	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	8	4	12	03	= BIRTH CONTROL PILLS
17	123	78	224	04	= CONDOM
0	12	2	14	05	= PARTNER'S VASECTOMY
3	11	5	19	06	= DIAPHRAGM
7	23	13	44	07	= FOAM
2	13	4	19	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	8	7	19	10	= SUPPOSITORY, INSERT
1	13	9	24	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	1	1	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
10	62	5	85	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	11	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
24	98	17	146	19	= WITHDRAWAL
1	7	13	21	20	= RESPONDENT STERILE
0	7	1	9	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3621)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH094 7707-7708

ENTER METHOD (THIRD MENTIONED) USED IN
 DECEMBER 1992: (MC24)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1540	6415	2414	10729	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	1	2	03	= BIRTH CONTROL PILLS
1	2	0	3	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	1	4	07	= FOAM
0	2	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	6	1	8	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	6	0	8	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	5	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
3	28	2	35	19	= WITHDRAWAL
1	9	22	32	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	2	22	= OTHER METHOD-NOT SHOWN

(3623)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH095 7709-7710

ENTER METHOD (FOURTH MENTIONED) USED
 IN DECEMBER 1992: (MC24)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6469	2442	10828	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3625)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

SIMSEQ23 7711-7711

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC24)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1497	6140	2293	10273	Blank	= Blank, inapplicable
30	221	115	379	1	= SAME TIME
26	122	38	195	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS276 7712-7713

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC24)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1541	6431	2439	10772	Blank	= Blank, inapplicable
4	9	2	15	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	6	1	9	03	= BIRTH CONTROL PILLS
7	20	1	31	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	2	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	3	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	7	0	7	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	2	3	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS277 7714-7715

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC24)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6440	2441	10787	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	9	3	13	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	3	0	4	07	= FOAM
1	1	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	16	0	20	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	9	0	13	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3629)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS278 7716-7717

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC24)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6460	2444	10814	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	1	1	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	1	3	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	13	0	13	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3631)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	0	0	1	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL					

MTHUS279 7718-7719

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC24)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	1	0	1	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE
0	0	0	0	21		= PARTNER STERILE (NOT

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS280 7720-7721

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC24)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1545	6440	2441	10787	Blank	= Blank, inapplicable
5	29	2	39	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	3	0	3	03	= BIRTH CONTROL PILLS
0	5	0	6	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	1	2	4	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	1	22	= OTHER METHOD-NOT SHOWN

(3635)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS281 7722-7723

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC24)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6472	2443	10831	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	2	1	4	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	4	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	1	4	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3637)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS282 7724-7725

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC24)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6479	2445	10840	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	1	1	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3639)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS283 7726-7727

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC24)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3641)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS284 7728-7729

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC24)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	1	0	1	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3643)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS285 7730-7731

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC24)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3645)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES

MTHUS286 7732-7733

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC24)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE

(3647)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS287 7734-7735

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC24)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3649)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH096 7736-7737

ENTER METHOD (FIRST MENTIONED) USED IN
 JANUARY 1993: (MC25)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

328	961	326	1723	Blank	= Blank, inapplicable
347	1249	565	2226	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
260	1318	439	2052	03	= BIRTH CONTROL PILLS
174	834	384	1455	04	= CONDOM
23	319	9	361	05	= PARTNER'S VASECTOMY
5	110	13	130	06	= DIAPHRAGM
4	24	3	31	07	= FOAM
1	8	3	12	08	= JELLY OR CREAM
0	3	0	3	09	= CERVICAL CAP
5	24	6	37	10	= SUPPOSITORY, INSERT
1	36	8	45	11	= TODAY (TM) SPONGE
0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
18	33	18	73	13	= IUD, COIL, LOOP
17	32	36	87	14	= NORPLANT (TM)
12	12	10	34	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
27	109	17	165	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
3	14	0	17	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
41	134	24	210	19	= WITHDRAWAL
269	1088	568	1971	20	= RESPONDENT STERILE
17	163	9	193	21	= PARTNER STERILE (NOT ON CARD)
1	2	4	7	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3651)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH097 7738-7739

ENTER METHOD (SECOND MENTIONED) USED
IN JANUARY 1993: (MC25)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1486	6063	2288	10172	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	8	3	11	03	= BIRTH CONTROL PILLS
19	134	74	234	04	= CONDOM
0	12	2	14	05	= PARTNER'S VASECTOMY
3	11	5	19	06	= DIAPHRAGM
6	23	10	41	07	= FOAM
2	13	5	20	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	7	7	17	10	= SUPPOSITORY, INSERT
0	14	5	20	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	2	2	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
10	57	7	83	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	11	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
24	105	19	156	19	= WITHDRAWAL
0	9	14	23	20	= RESPONDENT STERILE
0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
0	1	0	1	22	= OTHER METHOD-NOT SHOWN

(3653)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH098 7740-7741

ENTER METHOD (THIRD MENTIONED) USED IN
 JANUARY 1993: (MC25)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1542	6414	2416	10732	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	2	0	2	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	1	3	07	= FOAM
0	2	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	5	0	6	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	7	2	11	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	5	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	28	3	35	19	= WITHDRAWAL
1	9	19	29	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	2	22	= OTHER METHOD-NOT SHOWN

(3655)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH099 7742-7743

ENTER METHOD (FOURTH MENTIONED) USED
 IN JANUARY 1993: (MC25)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6469	2441	10827	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3657)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

SIMSEQ24 7744-7744

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC25)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1496	6123	2300	10259	Blank	= Blank, inapplicable
30	239	113	395	1	= SAME TIME
27	121	33	193	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS288 7745-7746

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC25)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1543	6432	2438	10774	Blank	= Blank, inapplicable
2	10	1	13	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	6	2	10	03	= BIRTH CONTROL PILLS
7	20	3	33	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	2	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	3	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3659)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS289 7747-7748

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC25)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6442	2439	10787	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	9	3	13	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	3	0	4	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	16	0	20	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	7	1	12	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3661)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS290 7749-7750

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC25)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6459	2444	10813	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	1	3	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	14	0	14	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3663)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	0	0	1	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS291 7751-7752

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC25)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3665)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS292 7753-7754

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC25)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1545	6442	2439	10787	Blank	= Blank, inapplicable
5	30	5	43	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	2	0	2	03	= BIRTH CONTROL PILLS
0	3	0	4	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	2	0	3	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	1	1	3	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	1	22	= OTHER METHOD-NOT SHOWN

(3667)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS293 7755-7756

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC25)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6473	2444	10833	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	4	1	5	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3669)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS294 7757-7758

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC25)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6480	2446	10842	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3671)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS295 7759-7760

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC25)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3673)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS296 7761-7762

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC25)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3675)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS297 7763-7764

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC25)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3677)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS298 7765-7766

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC25)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3679)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS299 7767-7768

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC25)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3681)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH100 7769-7770 ENTER METHOD (FIRST MENTIONED) USED IN
FEBRUARY 1993: (MC26)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

323	952	322	1705	Blank	= Blank, inapplicable
354	1245	564	2229	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
253	1317	432	2037	03	= BIRTH CONTROL PILLS
175	839	391	1467	04	= CONDOM
23	320	9	362	05	= PARTNER'S VASECTOMY
5	107	13	127	06	= DIAPHRAGM
4	25	3	32	07	= FOAM
1	8	1	10	08	= JELLY OR CREAM
0	3	0	3	09	= CERVICAL CAP
6	21	6	35	10	= SUPPOSITORY, INSERT
1	35	8	44	11	= TODAY (TM) SPONGE
0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
19	33	18	74	13	= IUD, COIL, LOOP
17	32	38	89	14	= NORPLANT (TM)
13	14	12	39	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
28	107	17	164	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
2	14	0	16	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
40	137	23	211	19	= WITHDRAWAL
271	1097	571	1985	20	= RESPONDENT STERILE
17	164	10	195	21	= PARTNER STERILE (NOT ON CARD)
1	2	4	7	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3683)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH101 7771-7772

ENTER METHOD (SECOND MENTIONED) USED
 IN FEBRUARY 1993: (MC26)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1486	6054	2283	10158	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	8	3	11	03	= BIRTH CONTROL PILLS
18	133	75	233	04	= CONDOM
0	13	2	15	05	= PARTNER'S VASECTOMY
3	11	4	18	06	= DIAPHRAGM
6	24	10	42	07	= FOAM
2	12	7	21	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	9	8	20	10	= SUPPOSITORY, INSERT
0	14	6	21	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	1	2	3	14	= NORPLANT (TM)
1	2	0	3	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
10	60	8	87	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	11	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
24	106	19	157	19	= WITHDRAWAL
0	9	14	23	20	= RESPONDENT STERILE
0	8	0	9	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3685)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH102 7773-7774

ENTER METHOD (THIRD MENTIONED) USED IN
 FEBRUARY 1993: (MC26)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1542	6414	2417	10733	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	2	0	2	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	1	3	07	= FOAM
0	2	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	5	0	6	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	7	2	11	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	5	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	28	3	35	19	= WITHDRAWAL
1	8	18	27	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	2	22	= OTHER METHOD-NOT SHOWN

(3687)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH103 7775-7776

ENTER METHOD (FOURTH MENTIONED) USED
 IN FEBRUARY 1993: (MC26)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6466	2441	10824	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3689)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK	TOTAL			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR	
		0	2	2	4	97	= Not Ascertained	
		0	6	2	8	98	= Refused	
		0	2	0	3	99	= Don't Know	

SIMSEQ25 7777-7777

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC26)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1496	6115	2295	10246	Blank	= Blank, inapplicable
29	242	115	399	1	= SAME TIME
28	126	36	202	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS300 7778-7779

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC26)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1543	6432	2438	10774	Blank	= Blank, inapplicable
2	10	1	13	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	5	2	9	03	= BIRTH CONTROL PILLS
7	21	3	34	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	2	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	3	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS301 7780-7781

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC26)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6442	2439	10787	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	8	3	12	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	3	0	4	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	17	0	21	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	7	1	12	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3693)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS302 7782-7783

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC26)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6460	2444	10814	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	1	3	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	13	0	13	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3695)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	0	0	1	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS303 7784-7785

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC26)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS304 7786-7787

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC26)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1545	6442	2439	10787	Blank	= Blank, inapplicable
5	30	5	43	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	2	0	2	03	= BIRTH CONTROL PILLS
0	3	0	4	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	2	0	3	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	1	1	3	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	1	22	= OTHER METHOD-NOT SHOWN

(3699)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS305 7788-7789

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC26)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6473	2444	10833	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	4	1	5	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3701)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS306 7790-7791

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC26)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6480	2446	10842	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3703)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS307 7792-7793

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC26)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3705)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS308 7794-7795

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC26)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3707)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS309 7796-7797

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC26)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3709)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS310 7798-7799

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC26)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3711)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS311 7800-7801

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC26)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3713)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH104 7802-7803 ENTER METHOD (FIRST MENTIONED) USED IN
 MARCH 1993: (MC27)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

316	944	313	1680	Blank	= Blank, inapplicable
356	1252	566	2243	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
249	1314	429	2026	03	= BIRTH CONTROL PILLS
178	836	393	1469	04	= CONDOM
21	322	9	362	05	= PARTNER'S VASECTOMY
6	104	13	125	06	= DIAPHRAGM
4	25	2	31	07	= FOAM
1	8	2	11	08	= JELLY OR CREAM
0	3	0	3	09	= CERVICAL CAP
6	22	7	37	10	= SUPPOSITORY, INSERT
1	35	7	43	11	= TODAY (TM) SPONGE
0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
19	31	18	72	13	= IUD, COIL, LOOP
19	36	37	94	14	= NORPLANT (TM)
16	16	13	45	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
27	106	18	162	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
2	14	0	16	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
40	138	23	212	19	= WITHDRAWAL
274	1100	578	1998	20	= RESPONDENT STERILE
17	163	10	194	21	= PARTNER STERILE (NOT ON CARD)
1	2	4	7	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3715)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH105 7804-7805 ENTER METHOD (SECOND MENTIONED) USED
 IN MARCH 1993: (MC27)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1483	6047	2290	10157	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	10	3	13	03	= BIRTH CONTROL PILLS
19	130	73	230	04	= CONDOM
0	14	2	16	05	= PARTNER'S VASECTOMY
3	11	3	17	06	= DIAPHRAGM
8	24	9	43	07	= FOAM
2	13	6	21	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	8	8	19	10	= SUPPOSITORY, INSERT
0	16	5	22	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	1	2	3	14	= NORPLANT (TM)
0	2	1	3	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
13	61	8	89	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	10	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
22	109	17	156	19	= WITHDRAWAL
0	10	14	24	20	= RESPONDENT STERILE
0	8	0	9	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3717)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH106 7806-7807 ENTER METHOD (THIRD MENTIONED) USED IN
 MARCH 1993: (MC27)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1542	6415	2417	10735	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	2	0	2	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	0	2	07	= FOAM
0	2	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	5	0	6	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	7	2	11	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	5	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	28	3	34	19	= WITHDRAWAL
1	7	19	27	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	2	22	= OTHER METHOD-NOT SHOWN

(3719)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH107 7808-7809

ENTER METHOD (FOURTH MENTIONED) USED
 IN MARCH 1993: (MC27)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6467	2441	10825	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3721)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

SIMSEQ26 7810-7810

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC27)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1493	6108	2301	10243	Blank	= Blank, inapplicable
33	246	113	404	1	= SAME TIME
27	129	32	200	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS312 7811-7812

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC27)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1543	6432	2439	10776	Blank	= Blank, inapplicable
2	10	1	13	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	5	1	8	03	= BIRTH CONTROL PILLS
7	21	3	33	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	2	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	3	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3723)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS313 7813-7814

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC27)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6442	2440	10789	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	8	2	11	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	3	0	4	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	17	0	21	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	7	1	11	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3725)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS314 7815-7816

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC27)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6460	2445	10815	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	0	2	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	13	0	13	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3727)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	0	0	1	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS315 7817-7818

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC27)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3729)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS316 7819-7820

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC27)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1545	6442	2440	10789	Blank	= Blank, inapplicable
5	30	4	41	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	2	0	2	03	= BIRTH CONTROL PILLS
0	3	0	4	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	2	0	3	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	1	1	3	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	1	22	= OTHER METHOD-NOT SHOWN

(3731)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS317 7821-7822

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC27)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6473	2444	10833	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	4	1	5	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3733)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS318 7823-7824

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC27)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6480	2446	10842	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3735)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS319 7825-7826

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC27)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3737)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS320 7827-7828

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC27)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3739)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS321 7829-7830

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC27)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3741)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES

MTHUS322 7831-7832

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC27)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE

(3743)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS323 7833-7834

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC27)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3745)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH108 7835-7836 ENTER METHOD (FIRST MENTIONED) USED IN
 APRIL 1993: (MC28)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

311	930	310	1658	Blank	= Blank, inapplicable
348	1255	564	2231	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
246	1312	424	2017	03	= BIRTH CONTROL PILLS
187	837	394	1482	04	= CONDOM
21	330	9	370	05	= PARTNER'S VASECTOMY
6	100	13	121	06	= DIAPHRAGM
4	26	2	32	07	= FOAM
1	9	2	12	08	= JELLY OR CREAM
0	3	0	3	09	= CERVICAL CAP
6	22	5	35	10	= SUPPOSITORY, INSERT
1	35	9	45	11	= TODAY (TM) SPONGE
0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
20	31	18	72	13	= IUD, COIL, LOOP
19	38	38	98	14	= NORPLANT (TM)
16	18	12	46	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
27	104	19	162	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
2	14	0	16	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
40	135	23	209	19	= WITHDRAWAL
280	1106	584	2017	20	= RESPONDENT STERILE
17	165	11	197	21	= PARTNER STERILE (NOT ON CARD)
1	2	5	8	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3747)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH109 7837-7838

ENTER METHOD (SECOND MENTIONED) USED
 IN APRIL 1993: (MC28)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1479	6048	2288	10151	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	10	4	14	03	= BIRTH CONTROL PILLS
21	131	74	234	04	= CONDOM
0	13	2	15	05	= PARTNER'S VASECTOMY
3	12	3	18	06	= DIAPHRAGM
7	25	9	43	07	= FOAM
2	13	7	22	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	8	7	19	10	= SUPPOSITORY, INSERT
0	13	4	18	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	1	2	3	14	= NORPLANT (TM)
0	2	1	3	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
14	62	6	89	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	10	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
24	108	19	159	19	= WITHDRAWAL
0	10	14	24	20	= RESPONDENT STERILE
0	8	0	9	21	= PARTNER STERILE (NOT ON CARD)
0	0	1	1	22	= OTHER METHOD-NOT SHOWN

(3749)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH110 7839-7840 ENTER METHOD (THIRD MENTIONED) USED IN
 APRIL 1993: (MC28)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1541	6415	2418	10735	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	2	0	2	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	0	2	07	= FOAM
0	2	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	5	0	6	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	6	2	10	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	5	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
3	29	3	36	19	= WITHDRAWAL
1	7	18	26	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	2	22	= OTHER METHOD-NOT SHOWN

(3751)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH111 7841-7842 ENTER METHOD (FOURTH MENTIONED) USED
 IN APRIL 1993: (MC28)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6467	2441	10825	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3753)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

SIMSEQ27 7843-7843

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC28)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1490	6109	2299	10238	Blank	= Blank, inapplicable
35	247	116	411	1	= SAME TIME
28	127	31	198	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS324 7844-7845

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC28)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1542	6432	2439	10775	Blank	= Blank, inapplicable
3	10	1	14	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	5	1	8	03	= BIRTH CONTROL PILLS
7	20	3	32	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	2	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	3	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS325 7846-7847

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC28)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6442	2440	10789	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	8	2	11	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	3	0	4	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	16	0	20	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	8	1	12	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3757)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS326 7848-7849

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC28)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6460	2445	10815	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	0	2	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	13	0	13	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3759)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	0	0	1	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS327 7850-7851

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC28)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3761)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS328 7852-7853

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC28)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1545	6442	2440	10789	Blank	= Blank, inapplicable
5	30	4	41	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	2	0	2	03	= BIRTH CONTROL PILLS
0	4	0	5	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	2	0	3	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	0	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	1	22	= OTHER METHOD-NOT SHOWN

(3763)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS329 7854-7855

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC28)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6473	2444	10833	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	4	1	5	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3765)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS330 7856-7857

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC28)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6480	2446	10842	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3767)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS331 7858-7859

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC28)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3769)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS332 7860-7861

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC28)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3771)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS333 7862-7863

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC28)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3773)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS334 7864-7865

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC28)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3775)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX	TEXT AND CODE CATEGORIES

MTHUS335 7866-7867

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC28)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	0	0	20		= RESPONDENT STERILE

(3777)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH112 7868-7869 ENTER METHOD (FIRST MENTIONED) USED IN
 MAY 1993: (MC29)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

307	919	306	1639	Blank	= Blank, inapplicable
341	1251	567	2223	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
243	1308	423	2007	03	= BIRTH CONTROL PILLS
187	832	390	1473	04	= CONDOM
21	332	9	372	05	= PARTNER'S VASECTOMY
6	102	12	122	06	= DIAPHRAGM
6	26	2	34	07	= FOAM
1	9	1	11	08	= JELLY OR CREAM
0	3	0	3	09	= CERVICAL CAP
7	22	5	36	10	= SUPPOSITORY, INSERT
1	35	8	44	11	= TODAY (TM) SPONGE
0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
20	31	18	72	13	= IUD, COIL, LOOP
20	37	39	99	14	= NORPLANT (TM)
17	23	15	56	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
29	106	18	165	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
2	15	0	17	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
43	136	25	216	19	= WITHDRAWAL
283	1114	587	2031	20	= RESPONDENT STERILE
17	169	12	202	21	= PARTNER STERILE (NOT ON CARD)
2	2	5	9	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3779)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH113 7870-7871

ENTER METHOD (SECOND MENTIONED) USED
 IN MAY 1993: (MC29)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1480	6050	2286	10154	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	10	3	13	03	= BIRTH CONTROL PILLS
21	130	77	236	04	= CONDOM
0	12	2	14	05	= PARTNER'S VASECTOMY
3	12	3	18	06	= DIAPHRAGM
6	26	8	42	07	= FOAM
2	14	6	22	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	8	7	18	10	= SUPPOSITORY, INSERT
0	11	5	17	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	2	2	4	14	= NORPLANT (TM)
0	2	1	3	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
14	62	7	89	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	10	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
23	109	19	159	19	= WITHDRAWAL
1	9	14	24	20	= RESPONDENT STERILE
0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
0	0	1	1	22	= OTHER METHOD-NOT SHOWN

(3781)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH114 7872-7873 ENTER METHOD (THIRD MENTIONED) USED IN
 MAY 1993: (MC29)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1540	6415	2417	10734	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	2	0	2	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	1	3	07	= FOAM
0	2	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	5	0	6	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	6	2	10	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
4	29	3	37	19	= WITHDRAWAL
1	7	18	26	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	2	22	= OTHER METHOD-NOT SHOWN

(3783)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH115 7874-7875 ENTER METHOD (FOURTH MENTIONED) USED
 IN MAY 1993: (MC29)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6467	2441	10825	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3785)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK	TOTAL		
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

SIMSEQ28 7876-7876

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC29)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1492	6111	2298	10242	Blank	= Blank, inapplicable
31	242	117	402	1	= SAME TIME
30	130	31	203	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS336 7877-7878

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC29)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1541	6432	2438	10774	Blank	= Blank, inapplicable
3	10	2	15	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	5	1	8	03	= BIRTH CONTROL PILLS
8	20	3	32	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	2	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	3	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3787)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS337 7879-7880

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC29)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1544	6442	2440	10789	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	8	2	11	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	3	0	4	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
4	16	0	20	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	8	1	12	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3789)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS338 7881-7882

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC29)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1545	6460	2445	10815	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	0	2	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	13	0	14	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3791)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	0	0	1	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS339 7883-7884

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC29)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3793)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS340 7885-7886

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC29)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1544	6442	2440	10789	Blank	= Blank, inapplicable
5	30	4	41	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	2	0	2	03	= BIRTH CONTROL PILLS
1	5	0	6	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	0	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	1	22	= OTHER METHOD-NOT SHOWN

(3795)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS341 7887-7888

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC29)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1551	6473	2444	10833	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	1	4	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3797)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS342 7889-7890

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC29)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1551	6480	2446	10842	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	1	0	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3799)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS343 7891-7892

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC29)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3801)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS344 7893-7894

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC29)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3803)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	SEPARATELY = Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS345 7895-7896

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC29)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3805)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS346 7897-7898

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC29)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3807)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS347 7899-7900

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC29)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3809)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH116 7901-7902 ENTER METHOD (FIRST MENTIONED) USED IN
 JUNE 1993: (MC30)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).

303	896	298	1604	Blank	= Blank, inapplicable
337	1260	556	2219	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
245	1294	427	2000	03	= BIRTH CONTROL PILLS
194	839	406	1501	04	= CONDOM
21	332	9	372	05	= PARTNER'S VASECTOMY
5	100	12	119	06	= DIAPHRAGM
5	26	2	33	07	= FOAM
1	10	1	12	08	= JELLY OR CREAM
0	2	0	2	09	= CERVICAL CAP
6	21	7	36	10	= SUPPOSITORY, INSERT
1	35	8	44	11	= TODAY (TM) SPONGE
0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
20	33	18	74	13	= IUD, COIL, LOOP
20	43	38	104	14	= NORPLANT (TM)
16	28	16	61	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
29	108	17	165	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
2	17	0	19	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
42	134	19	206	19	= WITHDRAWAL
287	1122	591	2048	20	= RESPONDENT STERILE
17	171	12	204	21	= PARTNER STERILE (NOT ON CARD)
2	2	5	9	22	= OTHER METHOD-NOT SHOWN SEPARATELY

(3811)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH117 7903-7904

ENTER METHOD (SECOND MENTIONED) USED
 IN JUNE 1993: (MC30)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1479	6041	2285	10144	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	10	3	13	03	= BIRTH CONTROL PILLS
21	135	77	241	04	= CONDOM
0	12	2	14	05	= PARTNER'S VASECTOMY
3	14	3	20	06	= DIAPHRAGM
6	25	9	42	07	= FOAM
2	13	6	21	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	10	7	21	10	= SUPPOSITORY, INSERT
0	11	7	19	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
1	1	3	5	14	= NORPLANT (TM)
0	2	1	3	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
14	64	6	88	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	10	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
24	111	18	161	19	= WITHDRAWAL
0	9	14	23	20	= RESPONDENT STERILE
0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

(3813)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH118 7905-7906 ENTER METHOD (THIRD MENTIONED) USED IN
 JUNE 1993: (MC30)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1540	6412	2415	10729	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	2	0	2	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	1	3	07	= FOAM
0	3	2	5	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	5	0	6	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	6	2	10	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
4	32	3	40	19	= WITHDRAWAL
1	7	19	27	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
1	0	0	2	22	= OTHER METHOD-NOT SHOWN

(3815)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

METHH119 7907-7908 ENTER METHOD (FOURTH MENTIONED) USED
 IN JUNE 1993: (MC30)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6468	2441	10826	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC				QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK	TOTAL			
		0	0	0	0	55	SEPARATELY = SAME METHODS USED THROUGH END OF YEAR	
		0	2	2	4	97	= Not Ascertained	
		0	5	2	7	98	= Refused	
		0	2	0	3	99	= Don't Know	

SIMSEQ29 7909-7909

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC30)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1491	6105	2298	10236	Blank	= Blank, inapplicable
34	246	119	411	1	= SAME TIME
28	132	29	200	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

MTHUS348 7910-7911

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC30)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1541	6428	2437	10769	Blank	= Blank, inapplicable
3	11	3	17	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	7	1	10	03	= BIRTH CONTROL PILLS
8	22	3	34	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	2	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	3	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know